

# CALCULATION SUMMARY

## INITIAL CONDITIONS

### INIT GROUP SDSINI

INIT		DL	DP	DS
<hr/>				
T0	m	6.700	7.840	8.600
TR0	m	0.000	0.000	0.000
HEEL0	degree	0.0	0.0	0.0
DSP0	t	21395.6	25775.6	28723.6
LCB	m	61.930	60.757	60.213
TCB	m	0.000	0.000	0.000
VCB	m	3.656	4.270	4.676
GM0	m	1.800	1.800	2.500
GM	m	1.800	1.800	2.500
KG	m	14.27	13.02	11.74
KMT	m	16.075	14.819	14.241

## INDEX SUMMARY

TRIM 0

### ATTAINED AND REQUIRED SUBDIVISION INDEX

Subdivision length	144.642 m
Breadth at the load line	30.000 m
Breadth at the bulkhead deck	30.000 m
Number of persons N1	0
Number of persons N2	0

Required subdivision index  $R = 0.53975$

Attained subdivision index  $A = 0.70533$


INIT	T m	GM m	A/R	A	A*WCOEF	WCOEF
DL	6.700	1.800	1.16	0.62796	0.12559	0.200
DP	7.840	1.800	1.26	0.67763	0.27105	0.400
DS	8.600	2.500	1.43	0.77173	0.30869	0.400

### INDEX ACCORDING TO NUMBER OF ZONES

DAMAGES	W*P*V*S
1-ZONE DAMAGES	0.32180
2-ZONE DAMAGES	0.28460
3-ZONE DAMAGES	0.08201
4-ZONE DAMAGES	0.01413
5-ZONE DAMAGES	0.00279
A-INDEX TOTAL	0.70533

# GENERAL DATA

## SUBDIVISION OF THE VESSEL



### SUBDIVISION DEFINITION

ZONE	X1 m	X2	BP	BS	HHSD	HHSU	PLIMIT	SLIMIT
Z01	-7.953	-4.200	0/0	0/0	-	12.5		
Z02	-4.200	6.600	4.8/15	4.8/15	5.6	12.5		
Z03	6.600	10.200	4.8	4.8	2.5/5.6	12.5		
Z04	10.200	13.800	4.8	4.8	2.5/5.6	12.5		
Z05	13.800	22.800	4.8	4.8	2.495	8.6/12.5		
Z06	22.800	31.800	4.8/8.4	4.8/8.4	1.995	8.6/12.5		
Z07	31.800	40.800	4.8/8.4	4.8/8.4	1.5	8.6/12.5		
Z08	40.800	49.800	4.8/8.4	4.8/8.4	1.5	8.6/12.5		
Z09	49.800	58.800	4.8/8.4	4.8/8.4	1.5	8.6/12.5		
Z10	58.800	67.800	4.8/8.4	4.8/8.4	1.5	8.6/12.5		
Z11	67.800	76.800	4.8/8.4	4.8/8.4	1.5	8.6/12.5		
Z12	76.800	84.600	3	3	1.5	12.5		
Z13	84.600	91.800	3	3	1.5	12.5/18.5		
Z14	91.800	100.800	4.151	4.151	1.5	12.5/18.5		
Z15	100.800	108.000	5.16	5.16	1.5	12.5/18.5		
Z16	108.000	116.400	4.848	4.848	3.2	12.5/18.5		
Z17	116.400	124.800	2.503	2.503	3.2	12.5/18.5		

Z18	124.800	136.695	-	-	-	12.5/18.5
-----	---------	---------	---	---	---	-----------

PART B-1

CALCULATION RESULTS FOR INDEX CALCULATION

Trim: 0    Reult table: TAB\*SDSD1RES2-TR0

DAMAGES	W*P*V*S
1-ZONE DAMAGES	0.32180
2-ZONE DAMAGES	0.28460
3-ZONE DAMAGES	0.08201
4-ZONE DAMAGES	0.01413
5-ZONE DAMAGES	0.00279
A-INDEX TOTAL	0.70533

## CALCULATION RESULTS FOR INDEX CALCULATION

Trim: 0 Reult table: TAB\*SDSD1RES2-TR0

CASE	P	V	S	W	W*P*V*S
DL/SDSP1.1.1	0.00000	0.59487	1.00000	0.200	0.00000
DL/SDSP1.1.0	0.00000	0.40513	1.00000	0.200	0.00000
DL/SDSP1.2.1	0.00000	0.59487	1.00000	0.200	0.00000
DL/SDSP1.2.0	0.00000	0.40513	1.00000	0.200	0.00000
DL/SDSP1.3.1	0.01184	0.59487	1.00000	0.200	0.00141
DL/SDSP1.3.0	0.01184	0.40513	1.00000	0.200	0.00096
DL/SDSP2.1.1-1	0.01610	0.59487	1.00000	0.200	0.00192
DL/SDSP2.1.0-1	0.01610	0.40513	1.00000	0.200	0.00130
DL/SDSP2.2.1	0.01003	0.59487	1.00000	0.200	0.00119
DL/SDSP2.2.0	0.01003	0.40513	1.00000	0.200	0.00081
DL/SDSP3.1.1-1	0.00268	0.59487	1.00000	0.200	0.00032
DL/SDSP3.1.0-1	0.00268	0.40513	1.00000	0.200	0.00022
DL/SDSP3.2.1-1	0.00056	0.59487	1.00000	0.200	0.00007
DL/SDSP3.2.0-1	0.00056	0.40513	1.00000	0.200	0.00004
DL/SDSP4.1.1-1	0.00268	0.59487	1.00000	0.200	0.00032
DL/SDSP4.1.0-1	0.00268	0.40513	1.00000	0.200	0.00022
DL/SDSP4.2.1-1	0.00056	0.59487	1.00000	0.200	0.00007
DL/SDSP4.2.0-1	0.00056	0.40513	1.00000	0.200	0.00004
DL/SDSP5.1.1-1	0.01197	0.19487	1.00000	0.200	0.00047
DL/SDSP5.1.2-1	0.01197	0.40000	1.00000	0.200	0.00096
DL/SDSP5.1.0-1	0.01197	0.40513	1.00000	0.200	0.00097
DL/SDSP5.2.1-1	0.00670	0.19487	1.00000	0.200	0.00026
DL/SDSP5.2.2-1	0.00670	0.40000	1.00000	0.200	0.00054
DL/SDSP5.2.0-1	0.00670	0.40513	1.00000	0.200	0.00054
DL/SDSP6.1.1	0.01197	0.19487	1.00000	0.200	0.00047
DL/SDSP6.1.2	0.01197	0.40000	1.00000	0.200	0.00096
DL/SDSP6.1.0	0.01197	0.40513	1.00000	0.200	0.00097
DL/SDSP6.2.1	0.00426	0.19487	1.00000	0.200	0.00017
DL/SDSP6.2.2	0.00426	0.40000	1.00000	0.200	0.00034
DL/SDSP6.2.0	0.00426	0.40513	1.00000	0.200	0.00034
DL/SDSP6.3.1	0.00245	0.19487	1.00000	0.200	0.00010
DL/SDSP6.3.2	0.00245	0.40000	1.00000	0.200	0.00020
DL/SDSP6.3.0	0.00245	0.40513	1.00000	0.200	0.00020
DL/SDSP7.1.1	0.01197	0.19487	1.00000	0.200	0.00047
DL/SDSP7.1.2	0.01197	0.40000	1.00000	0.200	0.00096
DL/SDSP7.1.0	0.01197	0.40513	1.00000	0.200	0.00097
DL/SDSP7.2.1	0.00426	0.19487	1.00000	0.200	0.00017
DL/SDSP7.2.2	0.00426	0.40000	0.95270	0.200	0.00032
DL/SDSP7.2.0	0.00426	0.40513	0.95270	0.200	0.00033
DL/SDSP7.3.1	0.00245	0.19487	1.00000	0.200	0.00010
DL/SDSP7.3.2	0.00245	0.40000	0.96851	0.200	0.00019
DL/SDSP7.3.0	0.00245	0.40513	0.96851	0.200	0.00019
DL/SDSP8.1.1	0.01197	0.19487	1.00000	0.200	0.00047
DL/SDSP8.1.2	0.01197	0.40000	1.00000	0.200	0.00096
DL/SDSP8.1.0	0.01197	0.40513	1.00000	0.200	0.00097
DL/SDSP8.2.1	0.00426	0.19487	0.98468	0.200	0.00016
DL/SDSP8.2.2	0.00426	0.40000	0.91687	0.200	0.00031
DL/SDSP8.2.0	0.00426	0.40513	0.91687	0.200	0.00032
DL/SDSP8.3.1	0.00245	0.19487	1.00000	0.200	0.00010
DL/SDSP8.3.2	0.00245	0.40000	0.93686	0.200	0.00018
DL/SDSP8.3.0	0.00245	0.40513	0.93686	0.200	0.00019
DL/SDSP9.1.1	0.01197	0.19487	1.00000	0.200	0.00047

CASE	P	V	S	W	W*P*V*S
DL/SDSP9.1.2	0.01197	0.40000	1.00000	0.200	0.00096
DL/SDSP9.1.0	0.01197	0.40513	1.00000	0.200	0.00097
DL/SDSP9.2.1	0.00426	0.19487	0.97529	0.200	0.00016
DL/SDSP9.2.2	0.00426	0.40000	0.90793	0.200	0.00031
DL/SDSP9.2.0	0.00426	0.40513	0.90793	0.200	0.00031
DL/SDSP9.3.1	0.00245	0.19487	0.99286	0.200	0.00009
DL/SDSP9.3.2	0.00245	0.40000	0.92910	0.200	0.00018
DL/SDSP9.3.0	0.00245	0.40513	0.92910	0.200	0.00018
DL/SDSP10.1.1	0.01197	0.19487	1.00000	0.200	0.00047
DL/SDSP10.1.2	0.01197	0.40000	1.00000	0.200	0.00096
DL/SDSP10.1.0	0.01197	0.40513	1.00000	0.200	0.00097
DL/SDSP10.2.1	0.00426	0.19487	0.96841	0.200	0.00016
DL/SDSP10.2.2	0.00426	0.40000	0.93534	0.200	0.00032
DL/SDSP10.2.0	0.00426	0.40513	0.93534	0.200	0.00032
DL/SDSP10.3.1	0.00245	0.19487	0.98777	0.200	0.00009
DL/SDSP10.3.2	0.00245	0.40000	0.95771	0.200	0.00019
DL/SDSP10.3.0	0.00245	0.40513	0.95771	0.200	0.00019
DL/SDSP11.1.1	0.01197	0.19487	1.00000	0.200	0.00047
DL/SDSP11.1.2	0.01197	0.40000	1.00000	0.200	0.00096
DL/SDSP11.1.0	0.01197	0.40513	1.00000	0.200	0.00097
DL/SDSP11.2.1	0.00426	0.19487	0.96930	0.200	0.00016
DL/SDSP11.2.2	0.00426	0.40000	0.93122	0.200	0.00032
DL/SDSP11.2.0	0.00426	0.40513	0.93122	0.200	0.00032
DL/SDSP11.3.1	0.00245	0.19487	0.98848	0.200	0.00009
DL/SDSP11.3.2	0.00245	0.40000	0.95325	0.200	0.00019
DL/SDSP11.3.0	0.00245	0.40513	0.95325	0.200	0.00019
DL/SDSP12.1.1-1	0.00679	0.59487	1.00000	0.200	0.00081
DL/SDSP12.1.0-1	0.00679	0.40513	1.00000	0.200	0.00055
DL/SDSP12.2.1-1	0.00750	0.59487	1.00000	0.200	0.00089
DL/SDSP12.2.0-1	0.00750	0.40513	1.00000	0.200	0.00061
DL/SDSP13.1.1-1	0.00599	0.59487	1.00000	0.200	0.00071
DL/SDSP13.1.2-1	0.00599	0.37534	1.00000	0.200	0.00045
DL/SDSP13.1.0-1	0.00599	0.02979	1.00000	0.200	0.00004
DL/SDSP13.2.1-1	0.00630	0.59487	1.00000	0.200	0.00075
DL/SDSP13.2.2-1	0.00630	0.37534	1.00000	0.200	0.00047
DL/SDSP13.2.0-1	0.00630	0.02979	1.00000	0.200	0.00004
DL/SDSP14.1.1-1	0.01084	0.59487	1.00000	0.200	0.00129
DL/SDSP14.1.2-1	0.01084	0.37534	1.00000	0.200	0.00081
DL/SDSP14.1.0-1	0.01084	0.02979	1.00000	0.200	0.00006
DL/SDSP14.2.1-1	0.00783	0.59487	1.00000	0.200	0.00093
DL/SDSP14.2.2-1	0.00783	0.37534	1.00000	0.200	0.00059
DL/SDSP14.2.0-1	0.00783	0.02979	1.00000	0.200	0.00005
DL/SDSP15.1.1	0.00869	0.59487	1.00000	0.200	0.00103
DL/SDSP15.1.2	0.00869	0.37534	1.00000	0.200	0.00065
DL/SDSP15.1.0	0.00869	0.02979	1.00000	0.200	0.00005
DL/SDSP15.2.1-1	0.00360	0.59487	1.00000	0.200	0.00043
DL/SDSP15.2.2-1	0.00360	0.37534	1.00000	0.200	0.00027
DL/SDSP15.2.0-1	0.00360	0.02979	1.00000	0.200	0.00002
DL/SDSP16.1.1	0.01076	0.59487	1.00000	0.200	0.00128
DL/SDSP16.1.2	0.01076	0.37534	1.00000	0.200	0.00081
DL/SDSP16.1.0	0.01076	0.02979	1.00000	0.200	0.00006
DL/SDSP16.2.1	0.00566	0.59487	1.00000	0.200	0.00067
DL/SDSP16.2.2	0.00566	0.37534	1.00000	0.200	0.00042
DL/SDSP16.2.0	0.00566	0.02979	1.00000	0.200	0.00003
DL/SDSP17.1.1	0.00660	0.59487	1.00000	0.200	0.00079
DL/SDSP17.1.2	0.00660	0.37534	1.00000	0.200	0.00050
DL/SDSP17.1.0	0.00660	0.02979	1.00000	0.200	0.00004
DL/SDSP17.2.1-1	0.00981	0.59487	1.00000	0.200	0.00117
DL/SDSP17.2.2-1	0.00981	0.37534	1.00000	0.200	0.00074

CASE	P	V	S	W	W*P*V*S
DL/SDSP17.2.0-1	0.00981	0.02979	1.00000	0.200	0.00006
DL/SDSP18.1.1	0.05669	0.59487	1.00000	0.200	0.00674
DL/SDSP18.1.2	0.05669	0.37534	1.00000	0.200	0.00426
DL/SDSP18.1.0	0.05669	0.02979	1.00000	0.200	0.00034
DL/SDSP1-2.1.1	0.00000	0.59487	1.00000	0.200	0.00000
DL/SDSP1-2.1.0	0.00000	0.40513	1.00000	0.200	0.00000
DL/SDSP1-2.2.1	0.01463	0.59487	1.00000	0.200	0.00174
DL/SDSP1-2.2.0	0.01463	0.40513	1.00000	0.200	0.00119
DL/SDSP1-2.3.1	0.00888	0.59487	1.00000	0.200	0.00106
DL/SDSP1-2.3.0	0.00888	0.40513	1.00000	0.200	0.00072
DL/SDSP2-3.1.1	0.00682	0.59487	1.00000	0.200	0.00081
DL/SDSP2-3.1.0	0.00682	0.40513	1.00000	0.200	0.00055
DL/SDSP2-3.2.1	0.00758	0.59487	0.65411	0.200	0.00059
DL/SDSP2-3.2.0	0.00758	0.40513	0.65411	0.200	0.00040
DL/SDSP3-4.1.1	0.00295	0.59487	1.00000	0.200	0.00035
DL/SDSP3-4.1.0	0.00295	0.40513	1.00000	0.200	0.00024
DL/SDSP3-4.2.1-1	0.00286	0.59487	1.00000	0.200	0.00034
DL/SDSP3-4.2.0-1	0.00286	0.40513	1.00000	0.200	0.00023
DL/SDSP4-5.1.1-1	0.00602	0.19487	1.00000	0.200	0.00023
DL/SDSP4-5.1.2-1	0.00602	0.40000	1.00000	0.200	0.00048
DL/SDSP4-5.1.0-1	0.00602	0.40513	1.00000	0.200	0.00049
DL/SDSP4-5.2.1-1	0.00661	0.19487	0.85004	0.200	0.00022
DL/SDSP4-5.2.2-1	0.00661	0.40000	0.75319	0.200	0.00040
DL/SDSP4-5.2.0-1	0.00661	0.40513	0.75319	0.200	0.00040
DL/SDSP5-6.1.1	0.01243	0.19487	0.83561	0.200	0.00040
DL/SDSP5-6.1.2	0.01243	0.40000	0.79693	0.200	0.00079
DL/SDSP5-6.1.0	0.01243	0.40513	0.79693	0.200	0.00080
DL/SDSP5-6.2.1-2	0.00710	0.19487	0.77249	0.200	0.00021
DL/SDSP5-6.2.2	0.00710	0.40000	0.50389	0.200	0.00029
DL/SDSP5-6.2.0	0.00710	0.40513	0.50389	0.200	0.00029
DL/SDSP5-6.3.1-2	0.00733	0.19487	0.77249	0.200	0.00022
DL/SDSP5-6.3.2-2	0.00733	0.40000	0.51445	0.200	0.00030
DL/SDSP5-6.3.0-2	0.00733	0.40513	0.51445	0.200	0.00031
DL/SDSP6-7.1.1	0.01243	0.19487	0.70833	0.200	0.00034
DL/SDSP6-7.1.2	0.01243	0.40000	0.55929	0.200	0.00056
DL/SDSP6-7.1.0	0.01243	0.40513	0.55929	0.200	0.00056
DL/SDSP6-7.2.1	0.00710	0.19487	0.88937	0.200	0.00025
DL/SDSP6-7.2.2-1	0.00710	0.40000	0.00000	0.200	0.00000
DL/SDSP6-7.2.0-1	0.00710	0.40513	0.00000	0.200	0.00000
DL/SDSP6-7.3.1	0.00733	0.19487	0.93289	0.200	0.00027
DL/SDSP6-7.3.2-1	0.00733	0.40000	0.00000	0.200	0.00000
DL/SDSP6-7.3.0-1	0.00733	0.40513	0.00000	0.200	0.00000
DL/SDSP7-8.1.1	0.01243	0.19487	0.59844	0.200	0.00029
DL/SDSP7-8.1.2	0.01243	0.40000	0.35902	0.200	0.00036
DL/SDSP7-8.1.0	0.01243	0.40513	0.35902	0.200	0.00036
DL/SDSP7-8.2.1	0.00710	0.19487	0.64087	0.200	0.00018
DL/SDSP7-8.2.2	0.00710	0.40000	0.00000	0.200	0.00000
DL/SDSP7-8.2.0	0.00710	0.40513	0.00000	0.200	0.00000
DL/SDSP7-8.3.1	0.00733	0.19487	0.70844	0.200	0.00020
DL/SDSP7-8.3.2	0.00733	0.40000	0.00000	0.200	0.00000
DL/SDSP7-8.3.0	0.00733	0.40513	0.00000	0.200	0.00000
DL/SDSP8-9.1.1	0.01243	0.19487	0.53228	0.200	0.00026
DL/SDSP8-9.1.2	0.01243	0.40000	0.19006	0.200	0.00019
DL/SDSP8-9.1.0	0.01243	0.40513	0.19006	0.200	0.00019
DL/SDSP8-9.2.1	0.00710	0.19487	0.59422	0.200	0.00016
DL/SDSP8-9.2.2	0.00710	0.40000	0.00000	0.200	0.00000
DL/SDSP8-9.2.0	0.00710	0.40513	0.00000	0.200	0.00000
DL/SDSP8-9.3.1	0.00733	0.19487	0.67059	0.200	0.00019
DL/SDSP8-9.3.2	0.00733	0.40000	0.00000	0.200	0.00000



CASE	P	V	S	W	W*P*V*S
DL/SDSP8-9.3.0	0.00733	0.40513	0.00000	0.200	0.00000
DL/SDSP9-10.1.1	0.01243	0.19487	0.50495	0.200	0.00024
DL/SDSP9-10.1.2	0.01243	0.40000	0.00000	0.200	0.00000
DL/SDSP9-10.1.0	0.01243	0.40513	0.00000	0.200	0.00000
DL/SDSP9-10.2.1	0.00710	0.19487	0.74010	0.200	0.00020
DL/SDSP9-10.2.2	0.00710	0.40000	0.00000	0.200	0.00000
DL/SDSP9-10.2.0	0.00710	0.40513	0.00000	0.200	0.00000
DL/SDSP9-10.3.1	0.00733	0.19487	0.80389	0.200	0.00023
DL/SDSP9-10.3.2	0.00733	0.40000	0.00000	0.200	0.00000
DL/SDSP9-10.3.0	0.00733	0.40513	0.00000	0.200	0.00000
DL/SDSP10-11.1.1	0.01243	0.19487	0.49419	0.200	0.00024
DL/SDSP10-11.1.2	0.01243	0.40000	0.00000	0.200	0.00000
DL/SDSP10-11.1.0	0.01243	0.40513	0.00000	0.200	0.00000
DL/SDSP10-11.2.1	0.00710	0.19487	0.49849	0.200	0.00014
DL/SDSP10-11.2.2	0.00710	0.40000	0.00000	0.200	0.00000
DL/SDSP10-11.2.0	0.00710	0.40513	0.00000	0.200	0.00000
DL/SDSP10-11.3.1	0.00733	0.19487	0.59967	0.200	0.00017
DL/SDSP10-11.3.2	0.00733	0.40000	0.00000	0.200	0.00000
DL/SDSP10-11.3.0	0.00733	0.40513	0.00000	0.200	0.00000
DL/SDSP11-12.1.1	0.00732	0.19487	0.81309	0.200	0.00023
DL/SDSP11-12.1.2	0.00732	0.40000	0.77192	0.200	0.00045
DL/SDSP11-12.1.0	0.00732	0.40513	0.77192	0.200	0.00046
DL/SDSP11-12.2.1	0.00390	0.19487	0.62136	0.200	0.00009
DL/SDSP11-12.2.2	0.00390	0.40000	0.40211	0.200	0.00013
DL/SDSP11-12.2.0	0.00390	0.40513	0.40211	0.200	0.00013
DL/SDSP11-12.3.1	0.00641	0.19487	0.76186	0.200	0.00019
DL/SDSP11-12.3.2	0.00641	0.40000	0.35998	0.200	0.00018
DL/SDSP11-12.3.0	0.00641	0.40513	0.35998	0.200	0.00019
DL/SDSP11-12.4.1-1	0.00655	0.19487	0.78391	0.200	0.00020
DL/SDSP11-12.4.2-1	0.00655	0.40000	0.37949	0.200	0.00020
DL/SDSP11-12.4.0-1	0.00655	0.40513	0.37949	0.200	0.00020
DL/SDSP12-13.1.1-1	0.00622	0.59487	1.00000	0.200	0.00074
DL/SDSP12-13.1.2-1	0.00622	0.37534	1.00000	0.200	0.00047
DL/SDSP12-13.1.0-1	0.00622	0.02979	1.00000	0.200	0.00004
DL/SDSP12-13.2.1-1	0.01422	0.59487	0.89021	0.200	0.00151
DL/SDSP12-13.2.2-1	0.01422	0.37534	0.89017	0.200	0.00095
DL/SDSP12-13.2.0-1	0.01422	0.02979	0.89017	0.200	0.00008
DL/SDSP13-14.1.1-1	0.00690	0.59487	1.00000	0.200	0.00082
DL/SDSP13-14.1.2-1	0.00690	0.37534	1.00000	0.200	0.00052
DL/SDSP13-14.1.0-1	0.00690	0.02979	1.00000	0.200	0.00004
DL/SDSP13-14.2.1-1	0.00240	0.59487	0.75932	0.200	0.00022
DL/SDSP13-14.2.2-1	0.00240	0.37534	0.75931	0.200	0.00014
DL/SDSP13-14.2.0-1	0.00240	0.02979	0.75931	0.200	0.00001
DL/SDSP13-14.3.1-1	0.01344	0.59487	0.62789	0.200	0.00100
DL/SDSP13-14.3.2-1	0.01344	0.37534	0.61667	0.200	0.00062
DL/SDSP13-14.3.0-1	0.01344	0.02979	0.61667	0.200	0.00005
DL/SDSP14-15.1.1-1	0.00929	0.59487	1.00000	0.200	0.00111
DL/SDSP14-15.1.2-1	0.00929	0.37534	1.00000	0.200	0.00070
DL/SDSP14-15.1.0-1	0.00929	0.02979	1.00000	0.200	0.00006
DL/SDSP14-15.2.1-1	0.00196	0.59487	0.79630	0.200	0.00019
DL/SDSP14-15.2.2-1	0.00196	0.37534	0.79632	0.200	0.00012
DL/SDSP14-15.2.0-1	0.00196	0.02979	0.79632	0.200	0.00001
DL/SDSP14-15.3.1-1	0.01148	0.59487	0.79630	0.200	0.00109
DL/SDSP14-15.3.2-1	0.01148	0.37534	0.79632	0.200	0.00069
DL/SDSP14-15.3.0-1	0.01148	0.02979	0.79632	0.200	0.00005
DL/SDSP15-16.1.1	0.01016	0.59487	1.00000	0.200	0.00121
DL/SDSP15-16.1.2	0.01016	0.37534	1.00000	0.200	0.00076
DL/SDSP15-16.1.0	0.01016	0.02979	1.00000	0.200	0.00006
DL/SDSP15-16.2.1	0.00057	0.59487	1.00000	0.200	0.00007

CASE	P	V	S	W	W*P*V*S
DL/SDSP15-16.2.2	0.00057	0.37534	1.00000	0.200	0.00004
DL/SDSP15-16.2.0	0.00057	0.02979	1.00000	0.200	0.00000
DL/SDSP15-16.3.1-1	0.01089	0.59487	0.93880	0.200	0.00122
DL/SDSP15-16.3.2-1	0.01089	0.37534	0.93825	0.200	0.00077
DL/SDSP15-16.3.0-1	0.01089	0.02979	0.93825	0.200	0.00006
DL/SDSP16-17.1.1	0.00621	0.59487	1.00000	0.200	0.00074
DL/SDSP16-17.1.2	0.00621	0.37534	1.00000	0.200	0.00047
DL/SDSP16-17.1.0	0.00621	0.02979	1.00000	0.200	0.00004
DL/SDSP16-17.2.1	0.00517	0.59487	1.00000	0.200	0.00062
DL/SDSP16-17.2.2	0.00517	0.37534	1.00000	0.200	0.00039
DL/SDSP16-17.2.0	0.00517	0.02979	1.00000	0.200	0.00003
DL/SDSP16-17.3.1	0.01292	0.59487	1.00000	0.200	0.00154
DL/SDSP16-17.3.2	0.01292	0.37534	1.00000	0.200	0.00097
DL/SDSP16-17.3.0	0.01292	0.02979	1.00000	0.200	0.00008
DL/SDSP17-18.1.1	0.00917	0.59487	1.00000	0.200	0.00109
DL/SDSP17-18.1.2	0.00917	0.37534	1.00000	0.200	0.00069
DL/SDSP17-18.1.0	0.00917	0.02979	1.00000	0.200	0.00005
DL/SDSP17-18.2.1-1	0.02698	0.59487	1.00000	0.200	0.00321
DL/SDSP17-18.2.2-1	0.02698	0.37534	1.00000	0.200	0.00203
DL/SDSP17-18.2.0-1	0.02698	0.02979	1.00000	0.200	0.00016
DL/SDSP1-3.1.1	0.00000	0.59487	1.00000	0.200	0.00000
DL/SDSP1-3.1.0	0.00000	0.40513	1.00000	0.200	0.00000
DL/SDSP1-3.2.1	0.00228	0.59487	1.00000	0.200	0.00027
DL/SDSP1-3.2.0	0.00228	0.40513	1.00000	0.200	0.00018
DL/SDSP1-3.3.1	0.00139	0.59487	0.47109	0.200	0.00008
DL/SDSP1-3.3.0	0.00139	0.40513	0.47109	0.200	0.00005
DL/SDSP2-4.1.1	0.00513	0.59487	0.97721	0.200	0.00060
DL/SDSP2-4.1.0	0.00513	0.40513	0.97721	0.200	0.00041
DL/SDSP2-4.2.1	0.00625	0.59487	0.00000	0.200	0.00000
DL/SDSP2-4.2.0	0.00625	0.40513	0.00000	0.200	0.00000
DL/SDSP3-5.1.1-1	0.00455	0.19487	0.92799	0.200	0.00016
DL/SDSP3-5.1.2-1	0.00455	0.40000	0.92799	0.200	0.00034
DL/SDSP3-5.1.0-1	0.00455	0.40513	0.92799	0.200	0.00034
DL/SDSP3-5.2.1-1	0.00555	0.19487	0.66470	0.200	0.00014
DL/SDSP3-5.2.2	0.00555	0.40000	0.33122	0.200	0.00015
DL/SDSP3-5.2.0	0.00555	0.40513	0.33122	0.200	0.00015
DL/SDSP4-6.1.1	0.00285	0.19487	0.58783	0.200	0.00007
DL/SDSP4-6.1.2	0.00285	0.40000	0.42379	0.200	0.00010
DL/SDSP4-6.1.0	0.00285	0.40513	0.42379	0.200	0.00010
DL/SDSP4-6.2.1-2	0.00163	0.19487	0.38710	0.200	0.00002
DL/SDSP4-6.2.2-1	0.00163	0.40000	0.00000	0.200	0.00000
DL/SDSP4-6.2.0-1	0.00163	0.40513	0.00000	0.200	0.00000
DL/SDSP4-6.3.1-2	0.00185	0.19487	0.38710	0.200	0.00003
DL/SDSP4-6.3.2-1	0.00185	0.40000	0.00000	0.200	0.00000
DL/SDSP4-6.3.0-1	0.00185	0.40513	0.00000	0.200	0.00000
DL/SDSP5-7.1.1	0.00519	0.19487	0.10442	0.200	0.00002
DL/SDSP5-7.1.2	0.00519	0.40000	0.00000	0.200	0.00000
DL/SDSP5-7.1.0	0.00519	0.40513	0.00000	0.200	0.00000
DL/SDSP5-7.2.1	0.00297	0.19487	0.38278	0.200	0.00004
DL/SDSP5-7.2.2-1	0.00297	0.40000	0.00000	0.200	0.00000
DL/SDSP5-7.2.0-1	0.00297	0.40513	0.00000	0.200	0.00000
DL/SDSP5-7.3.1	0.00337	0.19487	0.47007	0.200	0.00006
DL/SDSP5-7.3.2-1	0.00337	0.40000	0.00000	0.200	0.00000
DL/SDSP5-7.3.0-1	0.00337	0.40513	0.00000	0.200	0.00000
DL/SDSP6-8.1.1	0.00519	0.19487	0.00000	0.200	0.00000
DL/SDSP6-8.1.2	0.00519	0.40000	0.00000	0.200	0.00000
DL/SDSP6-8.1.0	0.00519	0.40513	0.00000	0.200	0.00000
DL/SDSP6-8.2.1	0.00297	0.19487	0.50198	0.200	0.00006
DL/SDSP6-8.2.2-1	0.00297	0.40000	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP6-8.2.0-1	0.00297	0.40513	0.00000	0.200	0.00000
DL/SDSP6-8.3.1	0.00337	0.19487	0.62800	0.200	0.00008
DL/SDSP6-8.3.2-1	0.00337	0.40000	0.00000	0.200	0.00000
DL/SDSP6-8.3.0-1	0.00337	0.40513	0.00000	0.200	0.00000
DL/SDSP7-9.1.1	0.00519	0.19487	0.00000	0.200	0.00000
DL/SDSP7-9.1.2	0.00519	0.40000	0.00000	0.200	0.00000
DL/SDSP7-9.1.0	0.00519	0.40513	0.00000	0.200	0.00000
DL/SDSP7-9.2.1	0.00297	0.19487	0.00000	0.200	0.00000
DL/SDSP7-9.2.2-1	0.00297	0.40000	0.00000	0.200	0.00000
DL/SDSP7-9.2.0-1	0.00297	0.40513	0.00000	0.200	0.00000
DL/SDSP7-9.3.1	0.00337	0.19487	0.27942	0.200	0.00004
DL/SDSP7-9.3.2-1	0.00337	0.40000	0.00000	0.200	0.00000
DL/SDSP7-9.3.0-1	0.00337	0.40513	0.00000	0.200	0.00000
DL/SDSP8-10.1.1	0.00519	0.19487	0.00000	0.200	0.00000
DL/SDSP8-10.1.2	0.00519	0.40000	0.00000	0.200	0.00000
DL/SDSP8-10.1.0	0.00519	0.40513	0.00000	0.200	0.00000
DL/SDSP8-10.2.1	0.00297	0.19487	0.34199	0.200	0.00004
DL/SDSP8-10.2.2-1	0.00297	0.40000	0.00000	0.200	0.00000
DL/SDSP8-10.2.0-1	0.00297	0.40513	0.00000	0.200	0.00000
DL/SDSP8-10.3.1	0.00337	0.19487	0.52239	0.200	0.00007
DL/SDSP8-10.3.2-1	0.00337	0.40000	0.00000	0.200	0.00000
DL/SDSP8-10.3.0-1	0.00337	0.40513	0.00000	0.200	0.00000
DL/SDSP9-11.1.1	0.00519	0.19487	0.00000	0.200	0.00000
DL/SDSP9-11.1.2	0.00519	0.40000	0.00000	0.200	0.00000
DL/SDSP9-11.1.0	0.00519	0.40513	0.00000	0.200	0.00000
DL/SDSP9-11.2.1	0.00297	0.19487	0.32796	0.200	0.00004
DL/SDSP9-11.2.2-1	0.00297	0.40000	0.00000	0.200	0.00000
DL/SDSP9-11.2.0-1	0.00297	0.40513	0.00000	0.200	0.00000
DL/SDSP9-11.3.1	0.00337	0.19487	0.51821	0.200	0.00007
DL/SDSP9-11.3.2-1	0.00337	0.40000	0.00000	0.200	0.00000
DL/SDSP9-11.3.0-1	0.00337	0.40513	0.00000	0.200	0.00000
DL/SDSP10-12.1.1	0.00317	0.19487	0.00000	0.200	0.00000
DL/SDSP10-12.1.2	0.00317	0.40000	0.00000	0.200	0.00000
DL/SDSP10-12.1.0	0.00317	0.40513	0.00000	0.200	0.00000
DL/SDSP10-12.2.1	0.00166	0.19487	0.00000	0.200	0.00000
DL/SDSP10-12.2.2	0.00166	0.40000	0.00000	0.200	0.00000
DL/SDSP10-12.2.0	0.00166	0.40513	0.00000	0.200	0.00000
DL/SDSP10-12.3.1	0.00276	0.19487	0.00000	0.200	0.00000
DL/SDSP10-12.3.2-1	0.00276	0.40000	0.00000	0.200	0.00000
DL/SDSP10-12.3.0-1	0.00276	0.40513	0.00000	0.200	0.00000
DL/SDSP10-12.4.1-1	0.00313	0.19487	0.19754	0.200	0.00002
DL/SDSP10-12.4.2-1	0.00313	0.40000	0.00000	0.200	0.00000
DL/SDSP10-12.4.0-1	0.00313	0.40513	0.00000	0.200	0.00000
DL/SDSP11-13.1.1	0.00351	0.19487	0.58047	0.200	0.00008
DL/SDSP11-13.1.2	0.00351	0.40000	0.43687	0.200	0.00012
DL/SDSP11-13.1.3	0.00351	0.37534	0.43499	0.200	0.00011
DL/SDSP11-13.1.0	0.00351	0.02979	0.43499	0.200	0.00001
DL/SDSP11-13.2.1-1	0.00183	0.19487	0.00000	0.200	0.00000
DL/SDSP11-13.2.2-1	0.00183	0.40000	0.00000	0.200	0.00000
DL/SDSP11-13.2.3-1	0.00183	0.37534	0.00000	0.200	0.00000
DL/SDSP11-13.2.0-1	0.00183	0.02979	0.00000	0.200	0.00000
DL/SDSP11-13.3.1-1	0.00305	0.19487	0.37315	0.200	0.00004
DL/SDSP11-13.3.2-1	0.00305	0.40000	0.00000	0.200	0.00000
DL/SDSP11-13.3.3-1	0.00305	0.37534	0.00000	0.200	0.00000
DL/SDSP11-13.3.0-1	0.00305	0.02979	0.00000	0.200	0.00000
DL/SDSP11-13.4.1-1	0.00346	0.19487	0.37315	0.200	0.00005
DL/SDSP11-13.4.2-1	0.00346	0.40000	0.00000	0.200	0.00000
DL/SDSP11-13.4.3-1	0.00346	0.37534	0.00000	0.200	0.00000
DL/SDSP11-13.4.0-1	0.00346	0.02979	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP12-14.1.1-1	0.00393	0.59487	0.68206	0.200	0.00032
DL/SDSP12-14.1.2-1	0.00393	0.37534	0.68219	0.200	0.00020
DL/SDSP12-14.1.0-1	0.00393	0.02979	0.68219	0.200	0.00002
DL/SDSP12-14.2.1-1	0.00134	0.59487	0.00000	0.200	0.00000
DL/SDSP12-14.2.2-1	0.00134	0.37534	0.00000	0.200	0.00000
DL/SDSP12-14.2.0-1	0.00134	0.02979	0.00000	0.200	0.00000
DL/SDSP12-14.3.1-1	0.00802	0.59487	0.00000	0.200	0.00000
DL/SDSP12-14.3.2-1	0.00802	0.37534	0.00000	0.200	0.00000
DL/SDSP12-14.3.0-1	0.00802	0.02979	0.00000	0.200	0.00000
DL/SDSP13-15.1.1-1	0.00270	0.59487	0.71039	0.200	0.00023
DL/SDSP13-15.1.2-1	0.00270	0.37534	0.71050	0.200	0.00014
DL/SDSP13-15.1.0-1	0.00270	0.02979	0.71050	0.200	0.00001
DL/SDSP13-15.2.1-1	0.00092	0.59487	0.00000	0.200	0.00000
DL/SDSP13-15.2.2-1	0.00092	0.37534	0.00000	0.200	0.00000
DL/SDSP13-15.2.0-1	0.00092	0.02979	0.00000	0.200	0.00000
DL/SDSP13-15.3.1-1	0.00075	0.59487	0.00000	0.200	0.00000
DL/SDSP13-15.3.2-1	0.00075	0.37534	0.00000	0.200	0.00000
DL/SDSP13-15.3.0-1	0.00075	0.02979	0.00000	0.200	0.00000
DL/SDSP13-15.4.1-1	0.00475	0.59487	0.00000	0.200	0.00000
DL/SDSP13-15.4.2-1	0.00475	0.37534	0.00000	0.200	0.00000
DL/SDSP13-15.4.0-1	0.00475	0.02979	0.00000	0.200	0.00000
DL/SDSP14-16.1.1-1	0.00550	0.59487	0.83058	0.200	0.00054
DL/SDSP14-16.1.2-1	0.00550	0.37534	0.83047	0.200	0.00034
DL/SDSP14-16.1.0-1	0.00550	0.02979	0.83047	0.200	0.00003
DL/SDSP14-16.2.1-2	0.00080	0.59487	0.00000	0.200	0.00000
DL/SDSP14-16.2.2-2	0.00080	0.37534	0.00000	0.200	0.00000
DL/SDSP14-16.2.0-2	0.00080	0.02979	0.00000	0.200	0.00000
DL/SDSP14-16.3.1-2	0.00035	0.59487	0.00000	0.200	0.00000
DL/SDSP14-16.3.2-1	0.00035	0.37534	0.00000	0.200	0.00000
DL/SDSP14-16.3.0-1	0.00035	0.02979	0.00000	0.200	0.00000
DL/SDSP14-16.4.1-2	0.00721	0.59487	0.00000	0.200	0.00000
DL/SDSP14-16.4.2-1	0.00721	0.37534	0.00000	0.200	0.00000
DL/SDSP14-16.4.0-1	0.00721	0.02979	0.00000	0.200	0.00000
DL/SDSP15-17.1.1	0.00267	0.59487	1.00000	0.200	0.00032
DL/SDSP15-17.1.2	0.00267	0.37534	1.00000	0.200	0.00020
DL/SDSP15-17.1.0	0.00267	0.02979	1.00000	0.200	0.00002
DL/SDSP15-17.2.1	0.00218	0.59487	1.00000	0.200	0.00026
DL/SDSP15-17.2.2	0.00218	0.37534	1.00000	0.200	0.00016
DL/SDSP15-17.2.0	0.00218	0.02979	1.00000	0.200	0.00001
DL/SDSP15-17.3.1	0.00027	0.59487	1.00000	0.200	0.00003
DL/SDSP15-17.3.2	0.00027	0.37534	1.00000	0.200	0.00002
DL/SDSP15-17.3.0	0.00027	0.02979	1.00000	0.200	0.00000
DL/SDSP15-17.4.1-2	0.00556	0.59487	0.69517	0.200	0.00046
DL/SDSP15-17.4.2-1	0.00556	0.37534	0.00000	0.200	0.00000
DL/SDSP15-17.4.0-1	0.00556	0.02979	0.00000	0.200	0.00000
DL/SDSP16-18.1.1	0.00386	0.59487	1.00000	0.200	0.00046
DL/SDSP16-18.1.2	0.00386	0.37534	1.00000	0.200	0.00029
DL/SDSP16-18.1.0	0.00386	0.02979	1.00000	0.200	0.00002
DL/SDSP16-18.2.1	0.00315	0.59487	1.00000	0.200	0.00037
DL/SDSP16-18.2.2	0.00315	0.37534	1.00000	0.200	0.00024
DL/SDSP16-18.2.0	0.00315	0.02979	1.00000	0.200	0.00002
DL/SDSP16-18.3.1	0.00842	0.59487	1.00000	0.200	0.00100
DL/SDSP16-18.3.2	0.00842	0.37534	1.00000	0.200	0.00063
DL/SDSP16-18.3.0	0.00842	0.02979	1.00000	0.200	0.00005
DL/SDSP1-4.1.1	0.00000	0.59487	0.86151	0.200	0.00000
DL/SDSP1-4.1.0	0.00000	0.40513	0.86151	0.200	0.00000
DL/SDSP1-4.2.1	0.00142	0.59487	0.86151	0.200	0.00015
DL/SDSP1-4.2.0	0.00142	0.40513	0.86151	0.200	0.00010
DL/SDSP1-4.3.1	0.00086	0.59487	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP1-4.3.0	0.00086	0.40513	0.00000	0.200	0.00000
DL/SDSP2-5.1.1-1	0.00705	0.19487	0.00000	0.200	0.00000
DL/SDSP2-5.1.2-1	0.00705	0.40000	0.00000	0.200	0.00000
DL/SDSP2-5.1.0-1	0.00705	0.40513	0.00000	0.200	0.00000
DL/SDSP2-5.2.1-1	0.00859	0.19487	0.00000	0.200	0.00000
DL/SDSP2-5.2.2-1	0.00859	0.40000	0.00000	0.200	0.00000
DL/SDSP2-5.2.0-1	0.00859	0.40513	0.00000	0.200	0.00000
DL/SDSP3-6.1.1-2	0.00177	0.19487	0.19969	0.200	0.00001
DL/SDSP3-6.1.2-2	0.00177	0.40000	0.00000	0.200	0.00000
DL/SDSP3-6.1.0-2	0.00177	0.40513	0.00000	0.200	0.00000
DL/SDSP3-6.2.1-2	0.00101	0.19487	0.00000	0.200	0.00000
DL/SDSP3-6.2.2-1	0.00101	0.40000	0.00000	0.200	0.00000
DL/SDSP3-6.2.0-1	0.00101	0.40513	0.00000	0.200	0.00000
DL/SDSP3-6.3.1-2	0.00115	0.19487	0.00000	0.200	0.00000
DL/SDSP3-6.3.2-1	0.00115	0.40000	0.00000	0.200	0.00000
DL/SDSP3-6.3.0-1	0.00115	0.40513	0.00000	0.200	0.00000
DL/SDSP4-7.1.1	0.00077	0.19487	0.00000	0.200	0.00000
DL/SDSP4-7.1.2	0.00077	0.40000	0.00000	0.200	0.00000
DL/SDSP4-7.1.0	0.00077	0.40513	0.00000	0.200	0.00000
DL/SDSP4-7.2.1-1	0.00044	0.19487	0.00000	0.200	0.00000
DL/SDSP4-7.2.2-1	0.00044	0.40000	0.00000	0.200	0.00000
DL/SDSP4-7.2.0-1	0.00044	0.40513	0.00000	0.200	0.00000
DL/SDSP4-7.3.1-1	0.00050	0.19487	0.00000	0.200	0.00000
DL/SDSP4-7.3.2-1	0.00050	0.40000	0.00000	0.200	0.00000
DL/SDSP4-7.3.0-1	0.00050	0.40513	0.00000	0.200	0.00000
DL/SDSP5-8.1.1	0.00156	0.19487	0.00000	0.200	0.00000
DL/SDSP5-8.1.2-1	0.00156	0.40000	0.00000	0.200	0.00000
DL/SDSP5-8.1.0-1	0.00156	0.40513	0.00000	0.200	0.00000
DL/SDSP5-8.2.1-1	0.00089	0.19487	0.00000	0.200	0.00000
DL/SDSP5-8.2.2-1	0.00089	0.40000	0.00000	0.200	0.00000
DL/SDSP5-8.2.0-1	0.00089	0.40513	0.00000	0.200	0.00000
DL/SDSP5-8.3.1-1	0.00101	0.19487	0.00000	0.200	0.00000
DL/SDSP5-8.3.2-1	0.00101	0.40000	0.00000	0.200	0.00000
DL/SDSP5-8.3.0-1	0.00101	0.40513	0.00000	0.200	0.00000
DL/SDSP6-9.1.1	0.00156	0.19487	0.00000	0.200	0.00000
DL/SDSP6-9.1.2-1	0.00156	0.40000	0.00000	0.200	0.00000
DL/SDSP6-9.1.0-1	0.00156	0.40513	0.00000	0.200	0.00000
DL/SDSP6-9.2.1	0.00089	0.19487	0.00000	0.200	0.00000
DL/SDSP6-9.2.2-1	0.00089	0.40000	0.00000	0.200	0.00000
DL/SDSP6-9.2.0-1	0.00089	0.40513	0.00000	0.200	0.00000
DL/SDSP6-9.3.1	0.00101	0.19487	0.00000	0.200	0.00000
DL/SDSP6-9.3.2-1	0.00101	0.40000	0.00000	0.200	0.00000
DL/SDSP6-9.3.0-1	0.00101	0.40513	0.00000	0.200	0.00000
DL/SDSP7-10.1.1	0.00156	0.19487	0.00000	0.200	0.00000
DL/SDSP7-10.1.2-1	0.00156	0.40000	0.00000	0.200	0.00000
DL/SDSP7-10.1.0-1	0.00156	0.40513	0.00000	0.200	0.00000
DL/SDSP7-10.2.1	0.00089	0.19487	0.00000	0.200	0.00000
DL/SDSP7-10.2.2-1	0.00089	0.40000	0.00000	0.200	0.00000
DL/SDSP7-10.2.0-1	0.00089	0.40513	0.00000	0.200	0.00000
DL/SDSP7-10.3.1	0.00101	0.19487	0.00000	0.200	0.00000
DL/SDSP7-10.3.2-1	0.00101	0.40000	0.00000	0.200	0.00000
DL/SDSP7-10.3.0-1	0.00101	0.40513	0.00000	0.200	0.00000
DL/SDSP8-11.1.1	0.00156	0.19487	0.00000	0.200	0.00000
DL/SDSP8-11.1.2-1	0.00156	0.40000	0.00000	0.200	0.00000
DL/SDSP8-11.1.0-1	0.00156	0.40513	0.00000	0.200	0.00000
DL/SDSP8-11.2.1	0.00089	0.19487	0.00000	0.200	0.00000
DL/SDSP8-11.2.2-1	0.00089	0.40000	0.00000	0.200	0.00000
DL/SDSP8-11.2.0-1	0.00089	0.40513	0.00000	0.200	0.00000
DL/SDSP8-11.3.1	0.00101	0.19487	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP8-11.3.2-1	0.00101	0.40000	0.00000	0.200	0.00000
DL/SDSP8-11.3.0-1	0.00101	0.40513	0.00000	0.200	0.00000
DL/SDSP9-12.1.1	0.00093	0.19487	0.00000	0.200	0.00000
DL/SDSP9-12.1.2-1	0.00093	0.40000	0.00000	0.200	0.00000
DL/SDSP9-12.1.0-1	0.00093	0.40513	0.00000	0.200	0.00000
DL/SDSP9-12.2.1	0.00048	0.19487	0.00000	0.200	0.00000
DL/SDSP9-12.2.2-1	0.00048	0.40000	0.00000	0.200	0.00000
DL/SDSP9-12.2.0-1	0.00048	0.40513	0.00000	0.200	0.00000
DL/SDSP9-12.3.1	0.00080	0.19487	0.00000	0.200	0.00000
DL/SDSP9-12.3.2-1	0.00080	0.40000	0.00000	0.200	0.00000
DL/SDSP9-12.3.0-1	0.00080	0.40513	0.00000	0.200	0.00000
DL/SDSP9-12.4.1-1	0.00091	0.19487	0.42226	0.200	0.00002
DL/SDSP9-12.4.2-1	0.00091	0.40000	0.00000	0.200	0.00000
DL/SDSP9-12.4.0-1	0.00091	0.40513	0.00000	0.200	0.00000
DL/SDSP10-13.1.1	0.00100	0.19487	0.00000	0.200	0.00000
DL/SDSP10-13.1.2-1	0.00100	0.40000	0.00000	0.200	0.00000
DL/SDSP10-13.1.3-1	0.00100	0.37534	0.00000	0.200	0.00000
DL/SDSP10-13.1.0-1	0.00100	0.02979	0.00000	0.200	0.00000
DL/SDSP10-13.2.1-1	0.00052	0.19487	0.00000	0.200	0.00000
DL/SDSP10-13.2.2-1	0.00052	0.40000	0.00000	0.200	0.00000
DL/SDSP10-13.2.3-1	0.00052	0.37534	0.00000	0.200	0.00000
DL/SDSP10-13.2.0-1	0.00052	0.02979	0.00000	0.200	0.00000
DL/SDSP10-13.3.1-1	0.00087	0.19487	0.00000	0.200	0.00000
DL/SDSP10-13.3.2-1	0.00087	0.40000	0.00000	0.200	0.00000
DL/SDSP10-13.3.3-1	0.00087	0.37534	0.00000	0.200	0.00000
DL/SDSP10-13.3.0-1	0.00087	0.02979	0.00000	0.200	0.00000
DL/SDSP10-13.4.1-1	0.00098	0.19487	0.00000	0.200	0.00000
DL/SDSP10-13.4.2-1	0.00098	0.40000	0.00000	0.200	0.00000
DL/SDSP10-13.4.3-1	0.00098	0.37534	0.00000	0.200	0.00000
DL/SDSP10-13.4.0-1	0.00098	0.02979	0.00000	0.200	0.00000
DL/SDSP11-14.1.1-1	0.00145	0.19487	0.00000	0.200	0.00000
DL/SDSP11-14.1.2-1	0.00145	0.40000	0.00000	0.200	0.00000
DL/SDSP11-14.1.3-1	0.00145	0.37534	0.00000	0.200	0.00000
DL/SDSP11-14.1.0-1	0.00145	0.02979	0.00000	0.200	0.00000
DL/SDSP11-14.2.1-1	0.00050	0.19487	0.00000	0.200	0.00000
DL/SDSP11-14.2.2-1	0.00050	0.40000	0.00000	0.200	0.00000
DL/SDSP11-14.2.3-1	0.00050	0.37534	0.00000	0.200	0.00000
DL/SDSP11-14.2.0-1	0.00050	0.02979	0.00000	0.200	0.00000
DL/SDSP11-14.3.1-1	0.00026	0.19487	0.00000	0.200	0.00000
DL/SDSP11-14.3.2-1	0.00026	0.40000	0.00000	0.200	0.00000
DL/SDSP11-14.3.3-1	0.00026	0.37534	0.00000	0.200	0.00000
DL/SDSP11-14.3.0-1	0.00026	0.02979	0.00000	0.200	0.00000
DL/SDSP11-14.4.1-1	0.00126	0.19487	0.00000	0.200	0.00000
DL/SDSP11-14.4.2-1	0.00126	0.40000	0.00000	0.200	0.00000
DL/SDSP11-14.4.3-1	0.00126	0.37534	0.00000	0.200	0.00000
DL/SDSP11-14.4.0-1	0.00126	0.02979	0.00000	0.200	0.00000
DL/SDSP11-14.5.1-1	0.00143	0.19487	0.00000	0.200	0.00000
DL/SDSP11-14.5.2-1	0.00143	0.40000	0.00000	0.200	0.00000
DL/SDSP11-14.5.3-1	0.00143	0.37534	0.00000	0.200	0.00000
DL/SDSP11-14.5.0-1	0.00143	0.02979	0.00000	0.200	0.00000
DL/SDSP12-15.1.1-1	0.00098	0.59487	0.00000	0.200	0.00000
DL/SDSP12-15.1.2-1	0.00098	0.37534	0.00000	0.200	0.00000
DL/SDSP12-15.1.0-1	0.00098	0.02979	0.00000	0.200	0.00000
DL/SDSP12-15.2.1-1	0.00033	0.59487	0.00000	0.200	0.00000
DL/SDSP12-15.2.2-1	0.00033	0.37534	0.00000	0.200	0.00000
DL/SDSP12-15.2.0-1	0.00033	0.02979	0.00000	0.200	0.00000
DL/SDSP12-15.3.1-1	0.00027	0.59487	0.00000	0.200	0.00000
DL/SDSP12-15.3.2-1	0.00027	0.37534	0.00000	0.200	0.00000
DL/SDSP12-15.3.0-1	0.00027	0.02979	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP12-15.4.1-1	0.00172	0.59487	0.00000	0.200	0.00000
DL/SDSP12-15.4.2-1	0.00172	0.37534	0.00000	0.200	0.00000
DL/SDSP12-15.4.0-1	0.00172	0.02979	0.00000	0.200	0.00000
DL/SDSP13-16.1.1-2	0.00103	0.59487	0.00000	0.200	0.00000
DL/SDSP13-16.1.2-2	0.00103	0.37534	0.00000	0.200	0.00000
DL/SDSP13-16.1.0-2	0.00103	0.02979	0.00000	0.200	0.00000
DL/SDSP13-16.2.1-2	0.00035	0.59487	0.00000	0.200	0.00000
DL/SDSP13-16.2.2-1	0.00035	0.37534	0.00000	0.200	0.00000
DL/SDSP13-16.2.0-1	0.00035	0.02979	0.00000	0.200	0.00000
DL/SDSP13-16.3.1-2	0.00020	0.59487	0.00000	0.200	0.00000
DL/SDSP13-16.3.2-1	0.00020	0.37534	0.00000	0.200	0.00000
DL/SDSP13-16.3.0-1	0.00020	0.02979	0.00000	0.200	0.00000
DL/SDSP13-16.4.1-2	0.00009	0.59487	0.00000	0.200	0.00000
DL/SDSP13-16.4.2-1	0.00009	0.37534	0.00000	0.200	0.00000
DL/SDSP13-16.4.0-1	0.00009	0.02979	0.00000	0.200	0.00000
DL/SDSP13-16.5.1-2	0.00181	0.59487	0.00000	0.200	0.00000
DL/SDSP13-16.5.2-1	0.00181	0.37534	0.00000	0.200	0.00000
DL/SDSP13-16.5.0-1	0.00181	0.02979	0.00000	0.200	0.00000
DL/SDSP14-17.1.1-1	0.00109	0.59487	0.57443	0.200	0.00007
DL/SDSP14-17.1.2-1	0.00109	0.37534	0.57282	0.200	0.00005
DL/SDSP14-17.1.0-1	0.00109	0.02979	0.57282	0.200	0.00000
DL/SDSP14-17.2.1-1	0.00064	0.59487	0.59855	0.200	0.00005
DL/SDSP14-17.2.2-1	0.00064	0.37534	0.59870	0.200	0.00003
DL/SDSP14-17.2.0-1	0.00064	0.02979	0.59870	0.200	0.00000
DL/SDSP14-17.3.1-2	0.00025	0.59487	0.00000	0.200	0.00000
DL/SDSP14-17.3.2-1	0.00025	0.37534	0.00000	0.200	0.00000
DL/SDSP14-17.3.0-1	0.00025	0.02979	0.00000	0.200	0.00000
DL/SDSP14-17.4.1-2	0.00011	0.59487	0.00000	0.200	0.00000
DL/SDSP14-17.4.2-1	0.00011	0.37534	0.00000	0.200	0.00000
DL/SDSP14-17.4.0-1	0.00011	0.02979	0.00000	0.200	0.00000
DL/SDSP14-17.5.1-2	0.00226	0.59487	0.00000	0.200	0.00000
DL/SDSP14-17.5.2-1	0.00226	0.37534	0.00000	0.200	0.00000
DL/SDSP14-17.5.0-1	0.00226	0.02979	0.00000	0.200	0.00000
DL/SDSP15-18.1.1	0.00115	0.59487	1.00000	0.200	0.00014
DL/SDSP15-18.1.2	0.00115	0.37534	1.00000	0.200	0.00009
DL/SDSP15-18.1.0	0.00115	0.02979	1.00000	0.200	0.00001
DL/SDSP15-18.2.1	0.00094	0.59487	1.00000	0.200	0.00011
DL/SDSP15-18.2.2	0.00094	0.37534	1.00000	0.200	0.00007
DL/SDSP15-18.2.0	0.00094	0.02979	1.00000	0.200	0.00001
DL/SDSP15-18.3.1	0.00012	0.59487	1.00000	0.200	0.00001
DL/SDSP15-18.3.2	0.00012	0.37534	1.00000	0.200	0.00001
DL/SDSP15-18.3.0	0.00012	0.02979	1.00000	0.200	0.00000
DL/SDSP15-18.4.1-2	0.00240	0.59487	0.72273	0.200	0.00021
DL/SDSP15-18.4.2-1	0.00240	0.37534	0.00000	0.200	0.00000
DL/SDSP15-18.4.0-1	0.00240	0.02979	0.00000	0.200	0.00000
DL/SDSP1-5.1.1-1	0.00000	0.19487	0.00000	0.200	0.00000
DL/SDSP1-5.1.2-1	0.00000	0.40000	0.00000	0.200	0.00000
DL/SDSP1-5.1.0-1	0.00000	0.40513	0.00000	0.200	0.00000
DL/SDSP1-5.2.1-1	0.00156	0.19487	0.00000	0.200	0.00000
DL/SDSP1-5.2.2-1	0.00156	0.40000	0.00000	0.200	0.00000
DL/SDSP1-5.2.0-1	0.00156	0.40513	0.00000	0.200	0.00000
DL/SDSP1-5.3.1-1	0.00095	0.19487	0.00000	0.200	0.00000
DL/SDSP1-5.3.2-1	0.00095	0.40000	0.00000	0.200	0.00000
DL/SDSP1-5.3.0-1	0.00095	0.40513	0.00000	0.200	0.00000
DL/SDSP2-6.1.1-1	0.00213	0.19487	0.00000	0.200	0.00000
DL/SDSP2-6.1.2-1	0.00213	0.40000	0.00000	0.200	0.00000
DL/SDSP2-6.1.0-1	0.00213	0.40513	0.00000	0.200	0.00000
DL/SDSP2-6.2.1-1	0.00122	0.19487	0.00000	0.200	0.00000
DL/SDSP2-6.2.2-1	0.00122	0.40000	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP2-6.2.0-1	0.00122	0.40513	0.00000	0.200	0.00000
DL/SDSP2-6.3.1-1	0.00138	0.19487	0.00000	0.200	0.00000
DL/SDSP2-6.3.2-1	0.00138	0.40000	0.00000	0.200	0.00000
DL/SDSP2-6.3.0-1	0.00138	0.40513	0.00000	0.200	0.00000
DL/SDSP3-7.1.1	0.00056	0.19487	0.00000	0.200	0.00000
DL/SDSP3-7.1.2-1	0.00056	0.40000	0.00000	0.200	0.00000
DL/SDSP3-7.1.0-1	0.00056	0.40513	0.00000	0.200	0.00000
DL/SDSP3-7.2.1-1	0.00032	0.19487	0.00000	0.200	0.00000
DL/SDSP3-7.2.2-1	0.00032	0.40000	0.00000	0.200	0.00000
DL/SDSP3-7.2.0-1	0.00032	0.40513	0.00000	0.200	0.00000
DL/SDSP3-7.3.1-1	0.00036	0.19487	0.00000	0.200	0.00000
DL/SDSP3-7.3.2-1	0.00036	0.40000	0.00000	0.200	0.00000
DL/SDSP3-7.3.0-1	0.00036	0.40513	0.00000	0.200	0.00000
DL/SDSP4-8.1.1	0.00037	0.19487	0.00000	0.200	0.00000
DL/SDSP4-8.1.2-1	0.00037	0.40000	0.00000	0.200	0.00000
DL/SDSP4-8.1.0-1	0.00037	0.40513	0.00000	0.200	0.00000
DL/SDSP4-8.2.1-1	0.00021	0.19487	0.00000	0.200	0.00000
DL/SDSP4-8.2.2-1	0.00021	0.40000	0.00000	0.200	0.00000
DL/SDSP4-8.2.0-1	0.00021	0.40513	0.00000	0.200	0.00000
DL/SDSP4-8.3.1-1	0.00024	0.19487	0.00000	0.200	0.00000
DL/SDSP4-8.3.2-1	0.00024	0.40000	0.00000	0.200	0.00000
DL/SDSP4-8.3.0-1	0.00024	0.40513	0.00000	0.200	0.00000
DL/SDSP5-9.1.1	0.00069	0.19487	0.00000	0.200	0.00000
DL/SDSP5-9.1.2-1	0.00069	0.40000	0.00000	0.200	0.00000
DL/SDSP5-9.1.0-1	0.00069	0.40513	0.00000	0.200	0.00000
DL/SDSP5-9.2.1-1	0.00039	0.19487	0.00000	0.200	0.00000
DL/SDSP5-9.2.2-1	0.00039	0.40000	0.00000	0.200	0.00000
DL/SDSP5-9.2.0-1	0.00039	0.40513	0.00000	0.200	0.00000
DL/SDSP5-9.3.1-1	0.00044	0.19487	0.00000	0.200	0.00000
DL/SDSP5-9.3.2-1	0.00044	0.40000	0.00000	0.200	0.00000
DL/SDSP5-9.3.0-1	0.00044	0.40513	0.00000	0.200	0.00000
DL/SDSP6-10.1.1	0.00069	0.19487	0.00000	0.200	0.00000
DL/SDSP6-10.1.2-1	0.00069	0.40000	0.00000	0.200	0.00000
DL/SDSP6-10.1.0-1	0.00069	0.40513	0.00000	0.200	0.00000
DL/SDSP6-10.2.1-1	0.00039	0.19487	0.00000	0.200	0.00000
DL/SDSP6-10.2.2-1	0.00039	0.40000	0.00000	0.200	0.00000
DL/SDSP6-10.2.0-1	0.00039	0.40513	0.00000	0.200	0.00000
DL/SDSP6-10.3.1-1	0.00044	0.19487	0.00000	0.200	0.00000
DL/SDSP6-10.3.2-1	0.00044	0.40000	0.00000	0.200	0.00000
DL/SDSP6-10.3.0-1	0.00044	0.40513	0.00000	0.200	0.00000
DL/SDSP7-11.1.1	0.00069	0.19487	0.00000	0.200	0.00000
DL/SDSP7-11.1.2-1	0.00069	0.40000	0.00000	0.200	0.00000
DL/SDSP7-11.1.0-1	0.00069	0.40513	0.00000	0.200	0.00000
DL/SDSP7-11.2.1	0.00039	0.19487	0.00000	0.200	0.00000
DL/SDSP7-11.2.2-1	0.00039	0.40000	0.00000	0.200	0.00000
DL/SDSP7-11.2.0-1	0.00039	0.40513	0.00000	0.200	0.00000
DL/SDSP7-11.3.1	0.00044	0.19487	0.00000	0.200	0.00000
DL/SDSP7-11.3.2-1	0.00044	0.40000	0.00000	0.200	0.00000
DL/SDSP7-11.3.0-1	0.00044	0.40513	0.00000	0.200	0.00000
DL/SDSP8-12.1.1	0.00042	0.19487	0.00000	0.200	0.00000
DL/SDSP8-12.1.2-1	0.00042	0.40000	0.00000	0.200	0.00000
DL/SDSP8-12.1.0-1	0.00042	0.40513	0.00000	0.200	0.00000
DL/SDSP8-12.2.1-1	0.00022	0.19487	0.00000	0.200	0.00000
DL/SDSP8-12.2.2-1	0.00022	0.40000	0.00000	0.200	0.00000
DL/SDSP8-12.2.0-1	0.00022	0.40513	0.00000	0.200	0.00000
DL/SDSP8-12.3.1-1	0.00037	0.19487	0.00000	0.200	0.00000
DL/SDSP8-12.3.2-1	0.00037	0.40000	0.00000	0.200	0.00000
DL/SDSP8-12.3.0-1	0.00037	0.40513	0.00000	0.200	0.00000
DL/SDSP8-12.4.1-1	0.00041	0.19487	0.00000	0.200	0.00000



CASE	P	V	S	W	W*P*V*S
DL/SDSP8-12.4.2-1	0.00041	0.40000	0.00000	0.200	0.00000
DL/SDSP8-12.4.0-1	0.00041	0.40513	0.00000	0.200	0.00000
DL/SDSP9-13.1.1	0.00046	0.19487	0.00000	0.200	0.00000
DL/SDSP9-13.1.2-1	0.00046	0.40000	0.00000	0.200	0.00000
DL/SDSP9-13.1.3-1	0.00046	0.37534	0.00000	0.200	0.00000
DL/SDSP9-13.1.0-1	0.00046	0.02979	0.00000	0.200	0.00000
DL/SDSP9-13.2.1-1	0.00024	0.19487	0.00000	0.200	0.00000
DL/SDSP9-13.2.2-1	0.00024	0.40000	0.00000	0.200	0.00000
DL/SDSP9-13.2.3-1	0.00024	0.37534	0.00000	0.200	0.00000
DL/SDSP9-13.2.0-1	0.00024	0.02979	0.00000	0.200	0.00000
DL/SDSP9-13.3.1	0.00040	0.19487	0.00000	0.200	0.00000
DL/SDSP9-13.3.2-1	0.00040	0.40000	0.00000	0.200	0.00000
DL/SDSP9-13.3.3-1	0.00040	0.37534	0.00000	0.200	0.00000
DL/SDSP9-13.3.0-1	0.00040	0.02979	0.00000	0.200	0.00000
DL/SDSP9-13.4.1-1	0.00045	0.19487	0.00000	0.200	0.00000
DL/SDSP9-13.4.2-1	0.00045	0.40000	0.00000	0.200	0.00000
DL/SDSP9-13.4.3-1	0.00045	0.37534	0.00000	0.200	0.00000
DL/SDSP9-13.4.0-1	0.00045	0.02979	0.00000	0.200	0.00000
DL/SDSP10-14.1.1-1	0.00062	0.19487	0.00000	0.200	0.00000
DL/SDSP10-14.1.2-1	0.00062	0.40000	0.00000	0.200	0.00000
DL/SDSP10-14.1.3-1	0.00062	0.37534	0.00000	0.200	0.00000
DL/SDSP10-14.1.0-1	0.00062	0.02979	0.00000	0.200	0.00000
DL/SDSP10-14.2.1-1	0.00021	0.19487	0.00000	0.200	0.00000
DL/SDSP10-14.2.2-1	0.00021	0.40000	0.00000	0.200	0.00000
DL/SDSP10-14.2.3-1	0.00021	0.37534	0.00000	0.200	0.00000
DL/SDSP10-14.2.0-1	0.00021	0.02979	0.00000	0.200	0.00000
DL/SDSP10-14.3.1-1	0.00011	0.19487	0.00000	0.200	0.00000
DL/SDSP10-14.3.2-1	0.00011	0.40000	0.00000	0.200	0.00000
DL/SDSP10-14.3.3-1	0.00011	0.37534	0.00000	0.200	0.00000
DL/SDSP10-14.3.0-1	0.00011	0.02979	0.00000	0.200	0.00000
DL/SDSP10-14.4.1-1	0.00054	0.19487	0.00000	0.200	0.00000
DL/SDSP10-14.4.2-1	0.00054	0.40000	0.00000	0.200	0.00000
DL/SDSP10-14.4.3-1	0.00054	0.37534	0.00000	0.200	0.00000
DL/SDSP10-14.4.0-1	0.00054	0.02979	0.00000	0.200	0.00000
DL/SDSP10-14.5.1-1	0.00061	0.19487	0.00000	0.200	0.00000
DL/SDSP10-14.5.2-1	0.00061	0.40000	0.00000	0.200	0.00000
DL/SDSP10-14.5.3-1	0.00061	0.37534	0.00000	0.200	0.00000
DL/SDSP10-14.5.0-1	0.00061	0.02979	0.00000	0.200	0.00000
DL/SDSP11-15.1.1-1	0.00054	0.19487	0.00000	0.200	0.00000
DL/SDSP11-15.1.2-1	0.00054	0.40000	0.00000	0.200	0.00000
DL/SDSP11-15.1.3-1	0.00054	0.37534	0.00000	0.200	0.00000
DL/SDSP11-15.1.0-1	0.00054	0.02979	0.00000	0.200	0.00000
DL/SDSP11-15.2.1-1	0.00018	0.19487	0.00000	0.200	0.00000
DL/SDSP11-15.2.2-1	0.00018	0.40000	0.00000	0.200	0.00000
DL/SDSP11-15.2.3-1	0.00018	0.37534	0.00000	0.200	0.00000
DL/SDSP11-15.2.0-1	0.00018	0.02979	0.00000	0.200	0.00000
DL/SDSP11-15.3.1-1	0.00010	0.19487	0.00000	0.200	0.00000
DL/SDSP11-15.3.2-1	0.00010	0.40000	0.00000	0.200	0.00000
DL/SDSP11-15.3.3-1	0.00010	0.37534	0.00000	0.200	0.00000
DL/SDSP11-15.3.0-1	0.00010	0.02979	0.00000	0.200	0.00000
DL/SDSP11-15.4.1-1	0.00005	0.19487	0.00000	0.200	0.00000
DL/SDSP11-15.4.2-1	0.00005	0.40000	0.00000	0.200	0.00000
DL/SDSP11-15.4.3-1	0.00005	0.37534	0.00000	0.200	0.00000
DL/SDSP11-15.4.0-1	0.00005	0.02979	0.00000	0.200	0.00000
DL/SDSP11-15.5.1-1	0.00042	0.19487	0.00000	0.200	0.00000
DL/SDSP11-15.5.2-1	0.00042	0.40000	0.00000	0.200	0.00000
DL/SDSP11-15.5.3-1	0.00042	0.37534	0.00000	0.200	0.00000
DL/SDSP11-15.5.0-1	0.00042	0.02979	0.00000	0.200	0.00000
DL/SDSP11-15.6.1-1	0.00053	0.19487	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP11-15.6.2-1	0.00053	0.40000	0.00000	0.200	0.00000
DL/SDSP11-15.6.3-1	0.00053	0.37534	0.00000	0.200	0.00000
DL/SDSP11-15.6.0-1	0.00053	0.02979	0.00000	0.200	0.00000
DL/SDSP12-16.1.1-2	0.00057	0.59487	0.00000	0.200	0.00000
DL/SDSP12-16.1.2-1	0.00057	0.37534	0.00000	0.200	0.00000
DL/SDSP12-16.1.0-1	0.00057	0.02979	0.00000	0.200	0.00000
DL/SDSP12-16.2.1-2	0.00020	0.59487	0.00000	0.200	0.00000
DL/SDSP12-16.2.2-1	0.00020	0.37534	0.00000	0.200	0.00000
DL/SDSP12-16.2.0-1	0.00020	0.02979	0.00000	0.200	0.00000
DL/SDSP12-16.3.1-2	0.00011	0.59487	0.00000	0.200	0.00000
DL/SDSP12-16.3.2-1	0.00011	0.37534	0.00000	0.200	0.00000
DL/SDSP12-16.3.0-1	0.00011	0.02979	0.00000	0.200	0.00000
DL/SDSP12-16.4.1-2	0.00005	0.59487	0.00000	0.200	0.00000
DL/SDSP12-16.4.2-1	0.00005	0.37534	0.00000	0.200	0.00000
DL/SDSP12-16.4.0-1	0.00005	0.02979	0.00000	0.200	0.00000
DL/SDSP12-16.5.1-2	0.00101	0.59487	0.00000	0.200	0.00000
DL/SDSP12-16.5.2-1	0.00101	0.37534	0.00000	0.200	0.00000
DL/SDSP12-16.5.0-1	0.00101	0.02979	0.00000	0.200	0.00000
DL/SDSP13-17.1.1-2	0.00042	0.59487	0.00000	0.200	0.00000
DL/SDSP13-17.1.2-1	0.00042	0.37534	0.00000	0.200	0.00000
DL/SDSP13-17.1.0-1	0.00042	0.02979	0.00000	0.200	0.00000
DL/SDSP13-17.2.1-2	0.00008	0.59487	0.00000	0.200	0.00000
DL/SDSP13-17.2.2-1	0.00008	0.37534	0.00000	0.200	0.00000
DL/SDSP13-17.2.0-1	0.00008	0.02979	0.00000	0.200	0.00000
DL/SDSP13-17.3.1-2	0.00017	0.59487	0.00000	0.200	0.00000
DL/SDSP13-17.3.2-1	0.00017	0.37534	0.00000	0.200	0.00000
DL/SDSP13-17.3.0-1	0.00017	0.02979	0.00000	0.200	0.00000
DL/SDSP13-17.4.1-2	0.00010	0.59487	0.00000	0.200	0.00000
DL/SDSP13-17.4.2-1	0.00010	0.37534	0.00000	0.200	0.00000
DL/SDSP13-17.4.0-1	0.00010	0.02979	0.00000	0.200	0.00000
DL/SDSP13-17.5.1-2	0.00004	0.59487	0.00000	0.200	0.00000
DL/SDSP13-17.5.2-1	0.00004	0.37534	0.00000	0.200	0.00000
DL/SDSP13-17.5.0-1	0.00004	0.02979	0.00000	0.200	0.00000
DL/SDSP13-17.6.1-2	0.00086	0.59487	0.00000	0.200	0.00000
DL/SDSP13-17.6.2-1	0.00086	0.37534	0.00000	0.200	0.00000
DL/SDSP13-17.6.0-1	0.00086	0.02979	0.00000	0.200	0.00000
DL/SDSP14-18.1.1-1	0.00063	0.59487	0.38376	0.200	0.00003
DL/SDSP14-18.1.2-1	0.00063	0.37534	0.34144	0.200	0.00002
DL/SDSP14-18.1.0-1	0.00063	0.02979	0.34144	0.200	0.00000
DL/SDSP14-18.2.1-1	0.00037	0.59487	0.42674	0.200	0.00002
DL/SDSP14-18.2.2-1	0.00037	0.37534	0.38173	0.200	0.00001
DL/SDSP14-18.2.0-1	0.00037	0.02979	0.38173	0.200	0.00000
DL/SDSP14-18.3.1-2	0.00014	0.59487	0.00000	0.200	0.00000
DL/SDSP14-18.3.2-1	0.00014	0.37534	0.00000	0.200	0.00000
DL/SDSP14-18.3.0-1	0.00014	0.02979	0.00000	0.200	0.00000
DL/SDSP14-18.4.1-2	0.00006	0.59487	0.00000	0.200	0.00000
DL/SDSP14-18.4.2-1	0.00006	0.37534	0.00000	0.200	0.00000
DL/SDSP14-18.4.0-1	0.00006	0.02979	0.00000	0.200	0.00000
DL/SDSP14-18.5.1-2	0.00131	0.59487	0.00000	0.200	0.00000
DL/SDSP14-18.5.2-1	0.00131	0.37534	0.00000	0.200	0.00000
DL/SDSP14-18.5.0-1	0.00131	0.02979	0.00000	0.200	0.00000
SUBTOTAL				0.200	0.12559
DP/SDSP1.1.1	0.00000	0.47795	1.00000	0.400	0.00000
DP/SDSP1.1.0	0.00000	0.52205	1.00000	0.400	0.00000
DP/SDSP1.2.1	0.00000	0.47795	1.00000	0.400	0.00000
DP/SDSP1.2.0	0.00000	0.52205	1.00000	0.400	0.00000
DP/SDSP1.3.1	0.01184	0.47795	1.00000	0.400	0.00226

CASE	P	V	S	W	W*P*V*S
DP/SDSP1.3.0	0.01184	0.52205	1.00000	0.400	0.00247
DP/SDSP2.1.1-1	0.01610	0.47795	1.00000	0.400	0.00308
DP/SDSP2.1.0-1	0.01610	0.52205	1.00000	0.400	0.00336
DP/SDSP2.2.1	0.01003	0.47795	1.00000	0.400	0.00192
DP/SDSP2.2.0	0.01003	0.52205	1.00000	0.400	0.00209
DP/SDSP3.1.1-1	0.00268	0.47795	1.00000	0.400	0.00051
DP/SDSP3.1.0-1	0.00268	0.52205	1.00000	0.400	0.00056
DP/SDSP3.2.1-1	0.00056	0.47795	1.00000	0.400	0.00011
DP/SDSP3.2.0-1	0.00056	0.52205	1.00000	0.400	0.00012
DP/SDSP4.1.1-1	0.00268	0.47795	1.00000	0.400	0.00051
DP/SDSP4.1.0-1	0.00268	0.52205	1.00000	0.400	0.00056
DP/SDSP4.2.1-1	0.00056	0.47795	1.00000	0.400	0.00011
DP/SDSP4.2.0-1	0.00056	0.52205	1.00000	0.400	0.00012
DP/SDSP5.1.1-1	0.01197	0.07795	1.00000	0.400	0.00037
DP/SDSP5.1.2-1	0.01197	0.40000	1.00000	0.400	0.00191
DP/SDSP5.1.0-1	0.01197	0.52205	1.00000	0.400	0.00250
DP/SDSP5.2.1-1	0.00670	0.07795	1.00000	0.400	0.00021
DP/SDSP5.2.2-1	0.00670	0.40000	1.00000	0.400	0.00107
DP/SDSP5.2.0-1	0.00670	0.52205	1.00000	0.400	0.00140
DP/SDSP6.1.1	0.01197	0.07795	1.00000	0.400	0.00037
DP/SDSP6.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DP/SDSP6.1.0	0.01197	0.52205	1.00000	0.400	0.00250
DP/SDSP6.2.1	0.00426	0.07795	1.00000	0.400	0.00013
DP/SDSP6.2.2	0.00426	0.40000	1.00000	0.400	0.00068
DP/SDSP6.2.0	0.00426	0.52205	1.00000	0.400	0.00089
DP/SDSP6.3.1	0.00245	0.07795	1.00000	0.400	0.00008
DP/SDSP6.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DP/SDSP6.3.0	0.00245	0.52205	1.00000	0.400	0.00051
DP/SDSP7.1.1	0.01197	0.07795	1.00000	0.400	0.00037
DP/SDSP7.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DP/SDSP7.1.0	0.01197	0.52205	1.00000	0.400	0.00250
DP/SDSP7.2.1	0.00426	0.07795	1.00000	0.400	0.00013
DP/SDSP7.2.2	0.00426	0.40000	1.00000	0.400	0.00068
DP/SDSP7.2.0	0.00426	0.52205	1.00000	0.400	0.00089
DP/SDSP7.3.1	0.00245	0.07795	1.00000	0.400	0.00008
DP/SDSP7.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DP/SDSP7.3.0	0.00245	0.52205	1.00000	0.400	0.00051
DP/SDSP8.1.1	0.01197	0.07795	1.00000	0.400	0.00037
DP/SDSP8.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DP/SDSP8.1.0	0.01197	0.52205	1.00000	0.400	0.00250
DP/SDSP8.2.1	0.00426	0.07795	1.00000	0.400	0.00013
DP/SDSP8.2.2	0.00426	0.40000	0.99545	0.400	0.00068
DP/SDSP8.2.0	0.00426	0.52205	0.99545	0.400	0.00088
DP/SDSP8.3.1	0.00245	0.07795	1.00000	0.400	0.00008
DP/SDSP8.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DP/SDSP8.3.0	0.00245	0.52205	1.00000	0.400	0.00051
DP/SDSP9.1.1	0.01197	0.07795	1.00000	0.400	0.00037
DP/SDSP9.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DP/SDSP9.1.0	0.01197	0.52205	1.00000	0.400	0.00250
DP/SDSP9.2.1	0.00426	0.07795	1.00000	0.400	0.00013
DP/SDSP9.2.2	0.00426	0.40000	0.99114	0.400	0.00067
DP/SDSP9.2.0	0.00426	0.52205	0.99114	0.400	0.00088
DP/SDSP9.3.1	0.00245	0.07795	1.00000	0.400	0.00008
DP/SDSP9.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DP/SDSP9.3.0	0.00245	0.52205	1.00000	0.400	0.00051
DP/SDSP10.1.1	0.01197	0.07795	1.00000	0.400	0.00037
DP/SDSP10.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DP/SDSP10.1.0	0.01197	0.52205	1.00000	0.400	0.00250
DP/SDSP10.2.1	0.00426	0.07795	1.00000	0.400	0.00013

CASE	P	V	S	W	W*P*V*S
DP/SDSP10.2.2	0.00426	0.40000	1.00000	0.400	0.00068
DP/SDSP10.2.0	0.00426	0.52205	1.00000	0.400	0.00089
DP/SDSP10.3.1	0.00245	0.07795	1.00000	0.400	0.00008
DP/SDSP10.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DP/SDSP10.3.0	0.00245	0.52205	1.00000	0.400	0.00051
DP/SDSP11.1.1	0.01197	0.07795	1.00000	0.400	0.00037
DP/SDSP11.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DP/SDSP11.1.0	0.01197	0.52205	1.00000	0.400	0.00250
DP/SDSP11.2.1	0.00426	0.07795	1.00000	0.400	0.00013
DP/SDSP11.2.2	0.00426	0.40000	1.00000	0.400	0.00068
DP/SDSP11.2.0	0.00426	0.52205	1.00000	0.400	0.00089
DP/SDSP11.3.1	0.00245	0.07795	1.00000	0.400	0.00008
DP/SDSP11.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DP/SDSP11.3.0	0.00245	0.52205	1.00000	0.400	0.00051
DP/SDSP12.1.1-1	0.00679	0.47795	1.00000	0.400	0.00130
DP/SDSP12.1.0-1	0.00679	0.52205	1.00000	0.400	0.00142
DP/SDSP12.2.1-1	0.00750	0.47795	1.00000	0.400	0.00143
DP/SDSP12.2.0-1	0.00750	0.52205	1.00000	0.400	0.00157
DP/SDSP13.1.1-1	0.00599	0.47795	1.00000	0.400	0.00114
DP/SDSP13.1.2-1	0.00599	0.44375	1.00000	0.400	0.00106
DP/SDSP13.1.0-1	0.00599	0.07830	1.00000	0.400	0.00019
DP/SDSP13.2.1-1	0.00630	0.47795	1.00000	0.400	0.00120
DP/SDSP13.2.2-1	0.00630	0.44375	1.00000	0.400	0.00112
DP/SDSP13.2.0-1	0.00630	0.07830	1.00000	0.400	0.00020
DP/SDSP14.1.1-1	0.01084	0.47795	1.00000	0.400	0.00207
DP/SDSP14.1.2-1	0.01084	0.44375	1.00000	0.400	0.00192
DP/SDSP14.1.0-1	0.01084	0.07830	1.00000	0.400	0.00034
DP/SDSP14.2.1-1	0.00783	0.47795	1.00000	0.400	0.00150
DP/SDSP14.2.2-1	0.00783	0.44375	1.00000	0.400	0.00139
DP/SDSP14.2.0-1	0.00783	0.07830	1.00000	0.400	0.00025
DP/SDSP15.1.1-1	0.00869	0.47795	1.00000	0.400	0.00166
DP/SDSP15.1.2-1	0.00869	0.44375	1.00000	0.400	0.00154
DP/SDSP15.1.0-1	0.00869	0.07830	1.00000	0.400	0.00027
DP/SDSP15.2.1-1	0.00360	0.47795	1.00000	0.400	0.00069
DP/SDSP15.2.2-1	0.00360	0.44375	1.00000	0.400	0.00064
DP/SDSP15.2.0-1	0.00360	0.07830	1.00000	0.400	0.00011
DP/SDSP16.1.1	0.01076	0.47795	1.00000	0.400	0.00206
DP/SDSP16.1.2	0.01076	0.44375	1.00000	0.400	0.00191
DP/SDSP16.1.0	0.01076	0.07830	1.00000	0.400	0.00034
DP/SDSP16.2.1	0.00566	0.47795	1.00000	0.400	0.00108
DP/SDSP16.2.2	0.00566	0.44375	1.00000	0.400	0.00100
DP/SDSP16.2.0	0.00566	0.07830	1.00000	0.400	0.00018
DP/SDSP17.1.1	0.00660	0.47795	1.00000	0.400	0.00126
DP/SDSP17.1.2	0.00660	0.44375	1.00000	0.400	0.00117
DP/SDSP17.1.0	0.00660	0.07830	1.00000	0.400	0.00021
DP/SDSP17.2.1-1	0.00981	0.47795	1.00000	0.400	0.00188
DP/SDSP17.2.2-1	0.00981	0.44375	1.00000	0.400	0.00174
DP/SDSP17.2.0-1	0.00981	0.07830	1.00000	0.400	0.00031
DP/SDSP18.1.1	0.05669	0.47795	1.00000	0.400	0.01084
DP/SDSP18.1.2	0.05669	0.44375	1.00000	0.400	0.01006
DP/SDSP18.1.0	0.05669	0.07830	1.00000	0.400	0.00178
DP/SDSP1-2.1.1	0.00000	0.47795	1.00000	0.400	0.00000
DP/SDSP1-2.1.0	0.00000	0.52205	1.00000	0.400	0.00000
DP/SDSP1-2.2.1	0.01463	0.47795	1.00000	0.400	0.00280
DP/SDSP1-2.2.0	0.01463	0.52205	1.00000	0.400	0.00305
DP/SDSP1-2.3.1	0.00888	0.47795	0.93169	0.400	0.00158
DP/SDSP1-2.3.0	0.00888	0.52205	0.93169	0.400	0.00173
DP/SDSP2-3.1.1	0.00682	0.47795	1.00000	0.400	0.00130
DP/SDSP2-3.1.0	0.00682	0.52205	1.00000	0.400	0.00142

CASE	P	V	S	W	W*P*V*S
DP/SDSP2-3.2.1	0.00758	0.47795	0.57382	0.400	0.00083
DP/SDSP2-3.2.0	0.00758	0.52205	0.57382	0.400	0.00091
DP/SDSP3-4.1.1	0.00295	0.47795	1.00000	0.400	0.00056
DP/SDSP3-4.1.0	0.00295	0.52205	1.00000	0.400	0.00062
DP/SDSP3-4.2.1-1	0.00286	0.47795	1.00000	0.400	0.00055
DP/SDSP3-4.2.0-1	0.00286	0.52205	1.00000	0.400	0.00060
DP/SDSP4-5.1.1-1	0.00602	0.07795	1.00000	0.400	0.00019
DP/SDSP4-5.1.2-1	0.00602	0.40000	1.00000	0.400	0.00096
DP/SDSP4-5.1.0-1	0.00602	0.52205	1.00000	0.400	0.00126
DP/SDSP4-5.2.1-1	0.00661	0.07795	1.00000	0.400	0.00021
DP/SDSP4-5.2.2	0.00661	0.40000	0.00000	0.400	0.00000
DP/SDSP4-5.2.0	0.00661	0.52205	0.00000	0.400	0.00000
DP/SDSP5-6.1.1	0.01243	0.07795	0.91855	0.400	0.00036
DP/SDSP5-6.1.2	0.01243	0.40000	0.84346	0.400	0.00168
DP/SDSP5-6.1.0	0.01243	0.52205	0.84346	0.400	0.00219
DP/SDSP5-6.2.1	0.00710	0.07795	0.93511	0.400	0.00021
DP/SDSP5-6.2.2	0.00710	0.40000	0.00000	0.400	0.00000
DP/SDSP5-6.2.0	0.00710	0.52205	0.00000	0.400	0.00000
DP/SDSP5-6.3.1-2	0.00733	0.07795	0.93912	0.400	0.00021
DP/SDSP5-6.3.2	0.00733	0.40000	0.00000	0.400	0.00000
DP/SDSP5-6.3.0	0.00733	0.52205	0.00000	0.400	0.00000
DP/SDSP6-7.1.1	0.01243	0.07795	0.87227	0.400	0.00034
DP/SDSP6-7.1.2	0.01243	0.40000	0.70533	0.400	0.00140
DP/SDSP6-7.1.0	0.01243	0.52205	0.70533	0.400	0.00183
DP/SDSP6-7.2.1	0.00710	0.07795	0.99739	0.400	0.00022
DP/SDSP6-7.2.2-1	0.00710	0.40000	0.00000	0.400	0.00000
DP/SDSP6-7.2.0-1	0.00710	0.52205	0.00000	0.400	0.00000
DP/SDSP6-7.3.1	0.00733	0.07795	0.98883	0.400	0.00023
DP/SDSP6-7.3.2-1	0.00733	0.40000	0.00000	0.400	0.00000
DP/SDSP6-7.3.0-1	0.00733	0.52205	0.00000	0.400	0.00000
DP/SDSP7-8.1.1	0.01243	0.07795	0.80688	0.400	0.00031
DP/SDSP7-8.1.2	0.01243	0.40000	0.61223	0.400	0.00122
DP/SDSP7-8.1.0	0.01243	0.52205	0.61223	0.400	0.00159
DP/SDSP7-8.2.1	0.00710	0.07795	0.92365	0.400	0.00020
DP/SDSP7-8.2.2	0.00710	0.40000	0.00000	0.400	0.00000
DP/SDSP7-8.2.0	0.00710	0.52205	0.00000	0.400	0.00000
DP/SDSP7-8.3.1	0.00733	0.07795	0.95435	0.400	0.00022
DP/SDSP7-8.3.2	0.00733	0.40000	0.00000	0.400	0.00000
DP/SDSP7-8.3.0	0.00733	0.52205	0.00000	0.400	0.00000
DP/SDSP8-9.1.1	0.01243	0.07795	0.77361	0.400	0.00030
DP/SDSP8-9.1.2	0.01243	0.40000	0.56484	0.400	0.00112
DP/SDSP8-9.1.0	0.01243	0.52205	0.56484	0.400	0.00147
DP/SDSP8-9.2.1	0.00710	0.07795	0.89797	0.400	0.00020
DP/SDSP8-9.2.2	0.00710	0.40000	0.00000	0.400	0.00000
DP/SDSP8-9.2.0	0.00710	0.52205	0.00000	0.400	0.00000
DP/SDSP8-9.3.1	0.00733	0.07795	0.93151	0.400	0.00021
DP/SDSP8-9.3.2	0.00733	0.40000	0.00000	0.400	0.00000
DP/SDSP8-9.3.0	0.00733	0.52205	0.00000	0.400	0.00000
DP/SDSP9-10.1.1	0.01243	0.07795	0.76451	0.400	0.00030
DP/SDSP9-10.1.2	0.01243	0.40000	0.55086	0.400	0.00110
DP/SDSP9-10.1.0	0.01243	0.52205	0.55086	0.400	0.00143
DP/SDSP9-10.2.1	0.00710	0.07795	1.00000	0.400	0.00022
DP/SDSP9-10.2.2-1	0.00710	0.40000	0.00000	0.400	0.00000
DP/SDSP9-10.2.0-1	0.00710	0.52205	0.00000	0.400	0.00000
DP/SDSP9-10.3.1	0.00733	0.07795	1.00000	0.400	0.00023
DP/SDSP9-10.3.2-1	0.00733	0.40000	0.00000	0.400	0.00000
DP/SDSP9-10.3.0-1	0.00733	0.52205	0.00000	0.400	0.00000
DP/SDSP10-11.1.1	0.01243	0.07795	0.76503	0.400	0.00030
DP/SDSP10-11.1.2	0.01243	0.40000	0.54787	0.400	0.00109

CASE	P	V	S	W	W*P*V*S
DP/SDSP10-11.1.0	0.01243	0.52205	0.54787	0.400	0.00142
DP/SDSP10-11.2.1	0.00710	0.07795	0.85531	0.400	0.00019
DP/SDSP10-11.2.2	0.00710	0.40000	0.48349	0.400	0.00055
DP/SDSP10-11.2.0	0.00710	0.52205	0.48349	0.400	0.00072
DP/SDSP10-11.3.1	0.00733	0.07795	0.89447	0.400	0.00020
DP/SDSP10-11.3.2	0.00733	0.40000	0.56753	0.400	0.00067
DP/SDSP10-11.3.0	0.00733	0.52205	0.56753	0.400	0.00087
DP/SDSP11-12.1.1	0.00732	0.07795	0.94178	0.400	0.00022
DP/SDSP11-12.1.2	0.00732	0.40000	0.88371	0.400	0.00104
DP/SDSP11-12.1.0	0.00732	0.52205	0.88371	0.400	0.00135
DP/SDSP11-12.2.1	0.00390	0.07795	0.90077	0.400	0.00011
DP/SDSP11-12.2.2	0.00390	0.40000	0.78998	0.400	0.00049
DP/SDSP11-12.2.0	0.00390	0.52205	0.78998	0.400	0.00064
DP/SDSP11-12.3.1	0.00641	0.07795	1.00000	0.400	0.00020
DP/SDSP11-12.3.2	0.00641	0.40000	0.81241	0.400	0.00083
DP/SDSP11-12.3.0	0.00641	0.52205	0.81241	0.400	0.00109
DP/SDSP11-12.4.1	0.00655	0.07795	1.00000	0.400	0.00020
DP/SDSP11-12.4.2	0.00655	0.40000	0.83664	0.400	0.00088
DP/SDSP11-12.4.0	0.00655	0.52205	0.83664	0.400	0.00114
DP/SDSP12-13.1.1-1	0.00622	0.47795	1.00000	0.400	0.00119
DP/SDSP12-13.1.2-1	0.00622	0.44375	1.00000	0.400	0.00110
DP/SDSP12-13.1.0-1	0.00622	0.07830	1.00000	0.400	0.00019
DP/SDSP12-13.2.1-1	0.01422	0.47795	1.00000	0.400	0.00272
DP/SDSP12-13.2.2-1	0.01422	0.44375	1.00000	0.400	0.00252
DP/SDSP12-13.2.0-1	0.01422	0.07830	1.00000	0.400	0.00045
DP/SDSP13-14.1.1-1	0.00690	0.47795	1.00000	0.400	0.00132
DP/SDSP13-14.1.2-1	0.00690	0.44375	1.00000	0.400	0.00122
DP/SDSP13-14.1.0-1	0.00690	0.07830	1.00000	0.400	0.00022
DP/SDSP13-14.2.1-1	0.00240	0.47795	0.96448	0.400	0.00044
DP/SDSP13-14.2.2-1	0.00240	0.44375	0.96434	0.400	0.00041
DP/SDSP13-14.2.0-1	0.00240	0.07830	0.96434	0.400	0.00007
DP/SDSP13-14.3.1-1	0.01344	0.47795	0.97860	0.400	0.00251
DP/SDSP13-14.3.2-1	0.01344	0.44375	0.96210	0.400	0.00230
DP/SDSP13-14.3.0-1	0.01344	0.07830	0.96210	0.400	0.00041
DP/SDSP14-15.1.1-1	0.00929	0.47795	1.00000	0.400	0.00178
DP/SDSP14-15.1.2-1	0.00929	0.44375	1.00000	0.400	0.00165
DP/SDSP14-15.1.0-1	0.00929	0.07830	1.00000	0.400	0.00029
DP/SDSP14-15.2.1-1	0.00196	0.47795	0.96916	0.400	0.00036
DP/SDSP14-15.2.2-1	0.00196	0.44375	0.96911	0.400	0.00034
DP/SDSP14-15.2.0-1	0.00196	0.07830	0.96911	0.400	0.00006
DP/SDSP14-15.3.1-1	0.01148	0.47795	0.96916	0.400	0.00213
DP/SDSP14-15.3.2-1	0.01148	0.44375	0.96911	0.400	0.00197
DP/SDSP14-15.3.0-1	0.01148	0.07830	0.96911	0.400	0.00035
DP/SDSP15-16.1.1-1	0.01016	0.47795	1.00000	0.400	0.00194
DP/SDSP15-16.1.2-1	0.01016	0.44375	1.00000	0.400	0.00180
DP/SDSP15-16.1.0-1	0.01016	0.07830	1.00000	0.400	0.00032
DP/SDSP15-16.2.1-1	0.00057	0.47795	1.00000	0.400	0.00011
DP/SDSP15-16.2.2-1	0.00057	0.44375	1.00000	0.400	0.00010
DP/SDSP15-16.2.0-1	0.00057	0.07830	1.00000	0.400	0.00002
DP/SDSP15-16.3.1-2	0.01089	0.47795	1.00000	0.400	0.00208
DP/SDSP15-16.3.2-2	0.01089	0.44375	1.00000	0.400	0.00193
DP/SDSP15-16.3.0-2	0.01089	0.07830	1.00000	0.400	0.00034
DP/SDSP16-17.1.1	0.00621	0.47795	1.00000	0.400	0.00119
DP/SDSP16-17.1.2	0.00621	0.44375	1.00000	0.400	0.00110
DP/SDSP16-17.1.0	0.00621	0.07830	1.00000	0.400	0.00019
DP/SDSP16-17.2.1	0.00517	0.47795	1.00000	0.400	0.00099
DP/SDSP16-17.2.2	0.00517	0.44375	1.00000	0.400	0.00092
DP/SDSP16-17.2.0	0.00517	0.07830	1.00000	0.400	0.00016
DP/SDSP16-17.3.1	0.01292	0.47795	1.00000	0.400	0.00247

CASE	P	V	S	W	W*P*V*S
DP/SDSP16-17.3.2	0.01292	0.44375	1.00000	0.400	0.00229
DP/SDSP16-17.3.0	0.01292	0.07830	1.00000	0.400	0.00040
DP/SDSP17-18.1.1	0.00917	0.47795	1.00000	0.400	0.00175
DP/SDSP17-18.1.2	0.00917	0.44375	1.00000	0.400	0.00163
DP/SDSP17-18.1.0	0.00917	0.07830	1.00000	0.400	0.00029
DP/SDSP17-18.2.1-1	0.02698	0.47795	1.00000	0.400	0.00516
DP/SDSP17-18.2.2-1	0.02698	0.44375	1.00000	0.400	0.00479
DP/SDSP17-18.2.0-1	0.02698	0.07830	1.00000	0.400	0.00084
DP/SDSP1-3.1.1	0.00000	0.47795	1.00000	0.400	0.00000
DP/SDSP1-3.1.0	0.00000	0.52205	1.00000	0.400	0.00000
DP/SDSP1-3.2.1	0.00228	0.47795	1.00000	0.400	0.00044
DP/SDSP1-3.2.0	0.00228	0.52205	1.00000	0.400	0.00048
DP/SDSP1-3.3.1	0.00139	0.47795	0.00000	0.400	0.00000
DP/SDSP1-3.3.0	0.00139	0.52205	0.00000	0.400	0.00000
DP/SDSP2-4.1.1	0.00513	0.47795	0.94582	0.400	0.00093
DP/SDSP2-4.1.0	0.00513	0.52205	0.94582	0.400	0.00101
DP/SDSP2-4.2.1	0.00625	0.47795	0.00000	0.400	0.00000
DP/SDSP2-4.2.0	0.00625	0.52205	0.00000	0.400	0.00000
DP/SDSP3-5.1.1-1	0.00455	0.07795	0.98470	0.400	0.00014
DP/SDSP3-5.1.2-1	0.00455	0.40000	0.98470	0.400	0.00072
DP/SDSP3-5.1.0-1	0.00455	0.52205	0.98470	0.400	0.00094
DP/SDSP3-5.2.1	0.00555	0.07795	0.74860	0.400	0.00013
DP/SDSP3-5.2.2-1	0.00555	0.40000	0.00000	0.400	0.00000
DP/SDSP3-5.2.0-1	0.00555	0.52205	0.00000	0.400	0.00000
DP/SDSP4-6.1.1	0.00285	0.07795	0.74427	0.400	0.00007
DP/SDSP4-6.1.2	0.00285	0.40000	0.58763	0.400	0.00027
DP/SDSP4-6.1.0	0.00285	0.52205	0.58763	0.400	0.00035
DP/SDSP4-6.2.1	0.00163	0.07795	0.22765	0.400	0.00001
DP/SDSP4-6.2.2-1	0.00163	0.40000	0.00000	0.400	0.00000
DP/SDSP4-6.2.0-1	0.00163	0.52205	0.00000	0.400	0.00000
DP/SDSP4-6.3.1	0.00185	0.07795	0.09857	0.400	0.00001
DP/SDSP4-6.3.2-1	0.00185	0.40000	0.00000	0.400	0.00000
DP/SDSP4-6.3.0-1	0.00185	0.52205	0.00000	0.400	0.00000
DP/SDSP5-7.1.1	0.00519	0.07795	0.55019	0.400	0.00009
DP/SDSP5-7.1.2	0.00519	0.40000	0.00000	0.400	0.00000
DP/SDSP5-7.1.0	0.00519	0.52205	0.00000	0.400	0.00000
DP/SDSP5-7.2.1-1	0.00297	0.07795	0.00000	0.400	0.00000
DP/SDSP5-7.2.2-1	0.00297	0.40000	0.00000	0.400	0.00000
DP/SDSP5-7.2.0-1	0.00297	0.52205	0.00000	0.400	0.00000
DP/SDSP5-7.3.1-1	0.00337	0.07795	0.00000	0.400	0.00000
DP/SDSP5-7.3.2-1	0.00337	0.40000	0.00000	0.400	0.00000
DP/SDSP5-7.3.0-1	0.00337	0.52205	0.00000	0.400	0.00000
DP/SDSP6-8.1.1	0.00519	0.07795	0.51250	0.400	0.00008
DP/SDSP6-8.1.2	0.00519	0.40000	0.00000	0.400	0.00000
DP/SDSP6-8.1.0	0.00519	0.52205	0.00000	0.400	0.00000
DP/SDSP6-8.2.1	0.00297	0.07795	0.00000	0.400	0.00000
DP/SDSP6-8.2.2-1	0.00297	0.40000	0.00000	0.400	0.00000
DP/SDSP6-8.2.0-1	0.00297	0.52205	0.00000	0.400	0.00000
DP/SDSP6-8.3.1	0.00337	0.07795	0.00000	0.400	0.00000
DP/SDSP6-8.3.2-1	0.00337	0.40000	0.00000	0.400	0.00000
DP/SDSP6-8.3.0-1	0.00337	0.52205	0.00000	0.400	0.00000
DP/SDSP7-9.1.1	0.00519	0.07795	0.40744	0.400	0.00007
DP/SDSP7-9.1.2	0.00519	0.40000	0.00000	0.400	0.00000
DP/SDSP7-9.1.0	0.00519	0.52205	0.00000	0.400	0.00000
DP/SDSP7-9.2.1	0.00297	0.07795	0.64396	0.400	0.00006
DP/SDSP7-9.2.2-1	0.00297	0.40000	0.00000	0.400	0.00000
DP/SDSP7-9.2.0-1	0.00297	0.52205	0.00000	0.400	0.00000
DP/SDSP7-9.3.1	0.00337	0.07795	0.72083	0.400	0.00008
DP/SDSP7-9.3.2-1	0.00337	0.40000	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP7-9.3.0-1	0.00337	0.52205	0.00000	0.400	0.00000
DP/SDSP8-10.1.1	0.00519	0.07795	0.34983	0.400	0.00006
DP/SDSP8-10.1.2	0.00519	0.40000	0.00000	0.400	0.00000
DP/SDSP8-10.1.0	0.00519	0.52205	0.00000	0.400	0.00000
DP/SDSP8-10.2.1	0.00297	0.07795	0.81632	0.400	0.00008
DP/SDSP8-10.2.2-1	0.00297	0.40000	0.00000	0.400	0.00000
DP/SDSP8-10.2.0-1	0.00297	0.52205	0.00000	0.400	0.00000
DP/SDSP8-10.3.1	0.00337	0.07795	0.86779	0.400	0.00009
DP/SDSP8-10.3.2-1	0.00337	0.40000	0.00000	0.400	0.00000
DP/SDSP8-10.3.0-1	0.00337	0.52205	0.00000	0.400	0.00000
DP/SDSP9-11.1.1	0.00519	0.07795	0.33406	0.400	0.00005
DP/SDSP9-11.1.2	0.00519	0.40000	0.00000	0.400	0.00000
DP/SDSP9-11.1.0	0.00519	0.52205	0.00000	0.400	0.00000
DP/SDSP9-11.2.1	0.00297	0.07795	0.81837	0.400	0.00008
DP/SDSP9-11.2.2-1	0.00297	0.40000	0.00000	0.400	0.00000
DP/SDSP9-11.2.0-1	0.00297	0.52205	0.00000	0.400	0.00000
DP/SDSP9-11.3.1	0.00337	0.07795	0.86832	0.400	0.00009
DP/SDSP9-11.3.2-1	0.00337	0.40000	0.00000	0.400	0.00000
DP/SDSP9-11.3.0-1	0.00337	0.52205	0.00000	0.400	0.00000
DP/SDSP10-12.1.1	0.00317	0.07795	0.57914	0.400	0.00006
DP/SDSP10-12.1.2	0.00317	0.40000	0.00000	0.400	0.00000
DP/SDSP10-12.1.0	0.00317	0.52205	0.00000	0.400	0.00000
DP/SDSP10-12.2.1	0.00166	0.07795	0.51521	0.400	0.00003
DP/SDSP10-12.2.2	0.00166	0.40000	0.00000	0.400	0.00000
DP/SDSP10-12.2.0	0.00166	0.52205	0.00000	0.400	0.00000
DP/SDSP10-12.3.1	0.00276	0.07795	0.76510	0.400	0.00007
DP/SDSP10-12.3.2	0.00276	0.40000	0.00000	0.400	0.00000
DP/SDSP10-12.3.0	0.00276	0.52205	0.00000	0.400	0.00000
DP/SDSP10-12.4.1	0.00313	0.07795	0.81097	0.400	0.00008
DP/SDSP10-12.4.2-1	0.00313	0.40000	0.00000	0.400	0.00000
DP/SDSP10-12.4.0-1	0.00313	0.52205	0.00000	0.400	0.00000
DP/SDSP11-13.1.1	0.00351	0.07795	0.79093	0.400	0.00009
DP/SDSP11-13.1.2	0.00351	0.40000	0.68862	0.400	0.00039
DP/SDSP11-13.1.3	0.00351	0.44375	0.68834	0.400	0.00043
DP/SDSP11-13.1.0	0.00351	0.07830	0.68834	0.400	0.00008
DP/SDSP11-13.2.1-1	0.00183	0.07795	0.69934	0.400	0.00004
DP/SDSP11-13.2.2-1	0.00183	0.40000	0.49982	0.400	0.00015
DP/SDSP11-13.2.3-1	0.00183	0.44375	0.43477	0.400	0.00014
DP/SDSP11-13.2.0-1	0.00183	0.07830	0.43477	0.400	0.00002
DP/SDSP11-13.3.1-1	0.00305	0.07795	0.88443	0.400	0.00008
DP/SDSP11-13.3.2-1	0.00305	0.40000	0.55447	0.400	0.00027
DP/SDSP11-13.3.3-1	0.00305	0.44375	0.00000	0.400	0.00000
DP/SDSP11-13.3.0-1	0.00305	0.07830	0.00000	0.400	0.00000
DP/SDSP11-13.4.1-1	0.00346	0.07795	0.88443	0.400	0.00010
DP/SDSP11-13.4.2-1	0.00346	0.40000	0.55447	0.400	0.00031
DP/SDSP11-13.4.3-1	0.00346	0.44375	0.00000	0.400	0.00000
DP/SDSP11-13.4.0-1	0.00346	0.07830	0.00000	0.400	0.00000
DP/SDSP12-14.1.1-1	0.00393	0.47795	0.82531	0.400	0.00062
DP/SDSP12-14.1.2-1	0.00393	0.44375	0.82540	0.400	0.00058
DP/SDSP12-14.1.0-1	0.00393	0.07830	0.82540	0.400	0.00010
DP/SDSP12-14.2.1-1	0.00134	0.47795	0.64306	0.400	0.00016
DP/SDSP12-14.2.2-1	0.00134	0.44375	0.63795	0.400	0.00015
DP/SDSP12-14.2.0-1	0.00134	0.07830	0.63795	0.400	0.00003
DP/SDSP12-14.3.1-1	0.00802	0.47795	0.76518	0.400	0.00117
DP/SDSP12-14.3.2-1	0.00802	0.44375	0.51420	0.400	0.00073
DP/SDSP12-14.3.0-1	0.00802	0.07830	0.51420	0.400	0.00013
DP/SDSP13-15.1.1-1	0.00270	0.47795	0.83041	0.400	0.00043
DP/SDSP13-15.1.2-1	0.00270	0.44375	0.83054	0.400	0.00040
DP/SDSP13-15.1.0-1	0.00270	0.07830	0.83054	0.400	0.00007



CASE	P	V	S	W	W*P*V*S
DP/SDSP13-15.2.1-1	0.00092	0.47795	0.59800	0.400	0.00011
DP/SDSP13-15.2.2-1	0.00092	0.44375	0.57966	0.400	0.00009
DP/SDSP13-15.2.0-1	0.00092	0.07830	0.57966	0.400	0.00002
DP/SDSP13-15.3.1-1	0.00075	0.47795	0.75158	0.400	0.00011
DP/SDSP13-15.3.2-1	0.00075	0.44375	0.41160	0.400	0.00006
DP/SDSP13-15.3.0-1	0.00075	0.07830	0.41160	0.400	0.00001
DP/SDSP13-15.4.1-1	0.00475	0.47795	0.75158	0.400	0.00068
DP/SDSP13-15.4.2-1	0.00475	0.44375	0.41160	0.400	0.00035
DP/SDSP13-15.4.0-1	0.00475	0.07830	0.41160	0.400	0.00006
DP/SDSP14-16.1.1-2	0.00550	0.47795	0.89128	0.400	0.00094
DP/SDSP14-16.1.2-2	0.00550	0.44375	0.89157	0.400	0.00087
DP/SDSP14-16.1.0-2	0.00550	0.07830	0.89157	0.400	0.00015
DP/SDSP14-16.2.1-2	0.00080	0.47795	0.68848	0.400	0.00011
DP/SDSP14-16.2.2-2	0.00080	0.44375	0.54187	0.400	0.00008
DP/SDSP14-16.2.0-2	0.00080	0.07830	0.54187	0.400	0.00001
DP/SDSP14-16.3.1-2	0.00035	0.47795	0.72302	0.400	0.00005
DP/SDSP14-16.3.2-1	0.00035	0.44375	0.00000	0.400	0.00000
DP/SDSP14-16.3.0-1	0.00035	0.07830	0.00000	0.400	0.00000
DP/SDSP14-16.4.1-2	0.00721	0.47795	0.72302	0.400	0.00100
DP/SDSP14-16.4.2-1	0.00721	0.44375	0.00000	0.400	0.00000
DP/SDSP14-16.4.0-1	0.00721	0.07830	0.00000	0.400	0.00000
DP/SDSP15-17.1.1	0.00267	0.47795	1.00000	0.400	0.00051
DP/SDSP15-17.1.2	0.00267	0.44375	1.00000	0.400	0.00047
DP/SDSP15-17.1.0	0.00267	0.07830	1.00000	0.400	0.00008
DP/SDSP15-17.2.1	0.00218	0.47795	1.00000	0.400	0.00042
DP/SDSP15-17.2.2	0.00218	0.44375	1.00000	0.400	0.00039
DP/SDSP15-17.2.0	0.00218	0.07830	1.00000	0.400	0.00007
DP/SDSP15-17.3.1	0.00027	0.47795	1.00000	0.400	0.00005
DP/SDSP15-17.3.2	0.00027	0.44375	1.00000	0.400	0.00005
DP/SDSP15-17.3.0	0.00027	0.07830	1.00000	0.400	0.00001
DP/SDSP15-17.4.1-2	0.00556	0.47795	1.00000	0.400	0.00106
DP/SDSP15-17.4.2	0.00556	0.44375	0.00000	0.400	0.00000
DP/SDSP15-17.4.0	0.00556	0.07830	0.00000	0.400	0.00000
DP/SDSP16-18.1.1	0.00386	0.47795	1.00000	0.400	0.00074
DP/SDSP16-18.1.2	0.00386	0.44375	1.00000	0.400	0.00069
DP/SDSP16-18.1.0	0.00386	0.07830	1.00000	0.400	0.00012
DP/SDSP16-18.2.1	0.00315	0.47795	1.00000	0.400	0.00060
DP/SDSP16-18.2.2	0.00315	0.44375	1.00000	0.400	0.00056
DP/SDSP16-18.2.0	0.00315	0.07830	1.00000	0.400	0.00010
DP/SDSP16-18.3.1	0.00842	0.47795	1.00000	0.400	0.00161
DP/SDSP16-18.3.2	0.00842	0.44375	1.00000	0.400	0.00149
DP/SDSP16-18.3.0	0.00842	0.07830	1.00000	0.400	0.00026
DP/SDSP1-4.1.1	0.00000	0.47795	0.84229	0.400	0.00000
DP/SDSP1-4.1.0	0.00000	0.52205	0.84229	0.400	0.00000
DP/SDSP1-4.2.1	0.00142	0.47795	0.84229	0.400	0.00023
DP/SDSP1-4.2.0	0.00142	0.52205	0.84229	0.400	0.00025
DP/SDSP1-4.3.1	0.00086	0.47795	0.00000	0.400	0.00000
DP/SDSP1-4.3.0	0.00086	0.52205	0.00000	0.400	0.00000
DP/SDSP2-5.1.1-1	0.00705	0.07795	0.00000	0.400	0.00000
DP/SDSP2-5.1.2-1	0.00705	0.40000	0.00000	0.400	0.00000
DP/SDSP2-5.1.0-1	0.00705	0.52205	0.00000	0.400	0.00000
DP/SDSP2-5.2.1-1	0.00859	0.07795	0.00000	0.400	0.00000
DP/SDSP2-5.2.2-1	0.00859	0.40000	0.00000	0.400	0.00000
DP/SDSP2-5.2.0-1	0.00859	0.52205	0.00000	0.400	0.00000
DP/SDSP3-6.1.1	0.00177	0.07795	0.54158	0.400	0.00003
DP/SDSP3-6.1.2	0.00177	0.40000	0.00000	0.400	0.00000
DP/SDSP3-6.1.0	0.00177	0.52205	0.00000	0.400	0.00000
DP/SDSP3-6.2.1-1	0.00101	0.07795	0.00000	0.400	0.00000
DP/SDSP3-6.2.2-1	0.00101	0.40000	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP3-6.2.0-1	0.00101	0.52205	0.00000	0.400	0.00000
DP/SDSP3-6.3.1-1	0.00115	0.07795	0.00000	0.400	0.00000
DP/SDSP3-6.3.2-1	0.00115	0.40000	0.00000	0.400	0.00000
DP/SDSP3-6.3.0-1	0.00115	0.52205	0.00000	0.400	0.00000
DP/SDSP4-7.1.1	0.00077	0.07795	0.09753	0.400	0.00000
DP/SDSP4-7.1.2-1	0.00077	0.40000	0.00000	0.400	0.00000
DP/SDSP4-7.1.0-1	0.00077	0.52205	0.00000	0.400	0.00000
DP/SDSP4-7.2.1-1	0.00044	0.07795	0.00000	0.400	0.00000
DP/SDSP4-7.2.2-3	0.00044	0.40000	0.00000	0.400	0.00000
DP/SDSP4-7.2.0-3	0.00044	0.52205	0.00000	0.400	0.00000
DP/SDSP4-7.3.1-1	0.00050	0.07795	0.00000	0.400	0.00000
DP/SDSP4-7.3.2-3	0.00050	0.40000	0.00000	0.400	0.00000
DP/SDSP4-7.3.0-3	0.00050	0.52205	0.00000	0.400	0.00000
DP/SDSP5-8.1.1	0.00156	0.07795	0.00000	0.400	0.00000
DP/SDSP5-8.1.2-1	0.00156	0.40000	0.00000	0.400	0.00000
DP/SDSP5-8.1.0-1	0.00156	0.52205	0.00000	0.400	0.00000
DP/SDSP5-8.2.1-1	0.00089	0.07795	0.00000	0.400	0.00000
DP/SDSP5-8.2.2-1	0.00089	0.40000	0.00000	0.400	0.00000
DP/SDSP5-8.2.0-1	0.00089	0.52205	0.00000	0.400	0.00000
DP/SDSP5-8.3.1-1	0.00101	0.07795	0.00000	0.400	0.00000
DP/SDSP5-8.3.2-1	0.00101	0.40000	0.00000	0.400	0.00000
DP/SDSP5-8.3.0-1	0.00101	0.52205	0.00000	0.400	0.00000
DP/SDSP6-9.1.1	0.00156	0.07795	0.00000	0.400	0.00000
DP/SDSP6-9.1.2-1	0.00156	0.40000	0.00000	0.400	0.00000
DP/SDSP6-9.1.0-1	0.00156	0.52205	0.00000	0.400	0.00000
DP/SDSP6-9.2.1-1	0.00089	0.07795	0.00000	0.400	0.00000
DP/SDSP6-9.2.2-1	0.00089	0.40000	0.00000	0.400	0.00000
DP/SDSP6-9.2.0-1	0.00089	0.52205	0.00000	0.400	0.00000
DP/SDSP6-9.3.1-1	0.00101	0.07795	0.00000	0.400	0.00000
DP/SDSP6-9.3.2-1	0.00101	0.40000	0.00000	0.400	0.00000
DP/SDSP6-9.3.0-1	0.00101	0.52205	0.00000	0.400	0.00000
DP/SDSP7-10.1.1	0.00156	0.07795	0.00000	0.400	0.00000
DP/SDSP7-10.1.2-1	0.00156	0.40000	0.00000	0.400	0.00000
DP/SDSP7-10.1.0-1	0.00156	0.52205	0.00000	0.400	0.00000
DP/SDSP7-10.2.1	0.00089	0.07795	0.00000	0.400	0.00000
DP/SDSP7-10.2.2-1	0.00089	0.40000	0.00000	0.400	0.00000
DP/SDSP7-10.2.0-1	0.00089	0.52205	0.00000	0.400	0.00000
DP/SDSP7-10.3.1	0.00101	0.07795	0.00000	0.400	0.00000
DP/SDSP7-10.3.2-1	0.00101	0.40000	0.00000	0.400	0.00000
DP/SDSP7-10.3.0-1	0.00101	0.52205	0.00000	0.400	0.00000
DP/SDSP8-11.1.1	0.00156	0.07795	0.00000	0.400	0.00000
DP/SDSP8-11.1.2-1	0.00156	0.40000	0.00000	0.400	0.00000
DP/SDSP8-11.1.0-1	0.00156	0.52205	0.00000	0.400	0.00000
DP/SDSP8-11.2.1	0.00089	0.07795	0.00000	0.400	0.00000
DP/SDSP8-11.2.2-1	0.00089	0.40000	0.00000	0.400	0.00000
DP/SDSP8-11.2.0-1	0.00089	0.52205	0.00000	0.400	0.00000
DP/SDSP8-11.3.1	0.00101	0.07795	0.00000	0.400	0.00000
DP/SDSP8-11.3.2-1	0.00101	0.40000	0.00000	0.400	0.00000
DP/SDSP8-11.3.0-1	0.00101	0.52205	0.00000	0.400	0.00000
DP/SDSP9-12.1.1	0.00093	0.07795	0.00000	0.400	0.00000
DP/SDSP9-12.1.2-1	0.00093	0.40000	0.00000	0.400	0.00000
DP/SDSP9-12.1.0-1	0.00093	0.52205	0.00000	0.400	0.00000
DP/SDSP9-12.2.1	0.00048	0.07795	0.00000	0.400	0.00000
DP/SDSP9-12.2.2-1	0.00048	0.40000	0.00000	0.400	0.00000
DP/SDSP9-12.2.0-1	0.00048	0.52205	0.00000	0.400	0.00000
DP/SDSP9-12.3.1	0.00080	0.07795	0.00000	0.400	0.00000
DP/SDSP9-12.3.2-1	0.00080	0.40000	0.00000	0.400	0.00000
DP/SDSP9-12.3.0-1	0.00080	0.52205	0.00000	0.400	0.00000
DP/SDSP9-12.4.1	0.00091	0.07795	0.49063	0.400	0.00001

CASE	P	V	S	W	W*P*V*S
DP/SDSP9-12.4.2-1	0.00091	0.40000	0.00000	0.400	0.00000
DP/SDSP9-12.4.0-1	0.00091	0.52205	0.00000	0.400	0.00000
DP/SDSP10-13.1.1	0.00100	0.07795	0.33873	0.400	0.00001
DP/SDSP10-13.1.2	0.00100	0.40000	0.00000	0.400	0.00000
DP/SDSP10-13.1.3	0.00100	0.44375	0.00000	0.400	0.00000
DP/SDSP10-13.1.0	0.00100	0.07830	0.00000	0.400	0.00000
DP/SDSP10-13.2.1	0.00052	0.07795	0.18430	0.400	0.00000
DP/SDSP10-13.2.2-1	0.00052	0.40000	0.00000	0.400	0.00000
DP/SDSP10-13.2.3-1	0.00052	0.44375	0.00000	0.400	0.00000
DP/SDSP10-13.2.0-1	0.00052	0.07830	0.00000	0.400	0.00000
DP/SDSP10-13.3.1	0.00087	0.07795	0.61643	0.400	0.00002
DP/SDSP10-13.3.2-1	0.00087	0.40000	0.00000	0.400	0.00000
DP/SDSP10-13.3.3-1	0.00087	0.44375	0.00000	0.400	0.00000
DP/SDSP10-13.3.0-1	0.00087	0.07830	0.00000	0.400	0.00000
DP/SDSP10-13.4.1-1	0.00098	0.07795	0.62549	0.400	0.00002
DP/SDSP10-13.4.2-1	0.00098	0.40000	0.00000	0.400	0.00000
DP/SDSP10-13.4.3-1	0.00098	0.44375	0.00000	0.400	0.00000
DP/SDSP10-13.4.0-1	0.00098	0.07830	0.00000	0.400	0.00000
DP/SDSP11-14.1.1-1	0.00145	0.07795	0.35014	0.400	0.00002
DP/SDSP11-14.1.2-1	0.00145	0.40000	0.00000	0.400	0.00000
DP/SDSP11-14.1.3-1	0.00145	0.44375	0.00000	0.400	0.00000
DP/SDSP11-14.1.0-1	0.00145	0.07830	0.00000	0.400	0.00000
DP/SDSP11-14.2.1-1	0.00050	0.07795	0.00000	0.400	0.00000
DP/SDSP11-14.2.2-1	0.00050	0.40000	0.00000	0.400	0.00000
DP/SDSP11-14.2.3-1	0.00050	0.44375	0.00000	0.400	0.00000
DP/SDSP11-14.2.0-1	0.00050	0.07830	0.00000	0.400	0.00000
DP/SDSP11-14.3.1-1	0.00026	0.07795	0.45297	0.400	0.00000
DP/SDSP11-14.3.2-1	0.00026	0.40000	0.00000	0.400	0.00000
DP/SDSP11-14.3.3-1	0.00026	0.44375	0.00000	0.400	0.00000
DP/SDSP11-14.3.0-1	0.00026	0.07830	0.00000	0.400	0.00000
DP/SDSP11-14.4.1-1	0.00126	0.07795	0.80242	0.400	0.00003
DP/SDSP11-14.4.2-1	0.00126	0.40000	0.39315	0.400	0.00008
DP/SDSP11-14.4.3-1	0.00126	0.44375	0.00000	0.400	0.00000
DP/SDSP11-14.4.0-1	0.00126	0.07830	0.00000	0.400	0.00000
DP/SDSP11-14.5.1-1	0.00143	0.07795	0.80242	0.400	0.00004
DP/SDSP11-14.5.2-1	0.00143	0.40000	0.39315	0.400	0.00009
DP/SDSP11-14.5.3-1	0.00143	0.44375	0.00000	0.400	0.00000
DP/SDSP11-14.5.0-1	0.00143	0.07830	0.00000	0.400	0.00000
DP/SDSP12-15.1.1-1	0.00098	0.47795	0.41530	0.400	0.00008
DP/SDSP12-15.1.2-1	0.00098	0.44375	0.42062	0.400	0.00007
DP/SDSP12-15.1.0-1	0.00098	0.07830	0.42062	0.400	0.00001
DP/SDSP12-15.2.1-1	0.00033	0.47795	0.00000	0.400	0.00000
DP/SDSP12-15.2.2-1	0.00033	0.44375	0.00000	0.400	0.00000
DP/SDSP12-15.2.0-1	0.00033	0.07830	0.00000	0.400	0.00000
DP/SDSP12-15.3.1-1	0.00027	0.47795	0.45864	0.400	0.00002
DP/SDSP12-15.3.2-1	0.00027	0.44375	0.00000	0.400	0.00000
DP/SDSP12-15.3.0-1	0.00027	0.07830	0.00000	0.400	0.00000
DP/SDSP12-15.4.1-1	0.00172	0.47795	0.45864	0.400	0.00015
DP/SDSP12-15.4.2-1	0.00172	0.44375	0.00000	0.400	0.00000
DP/SDSP12-15.4.0-1	0.00172	0.07830	0.00000	0.400	0.00000
DP/SDSP13-16.1.1-2	0.00103	0.47795	0.53019	0.400	0.00010
DP/SDSP13-16.1.2-2	0.00103	0.44375	0.51196	0.400	0.00009
DP/SDSP13-16.1.0-2	0.00103	0.07830	0.51196	0.400	0.00002
DP/SDSP13-16.2.1-2	0.00035	0.47795	0.00000	0.400	0.00000
DP/SDSP13-16.2.2-1	0.00035	0.44375	0.00000	0.400	0.00000
DP/SDSP13-16.2.0-1	0.00035	0.07830	0.00000	0.400	0.00000
DP/SDSP13-16.3.1-2	0.00020	0.47795	0.51083	0.400	0.00002
DP/SDSP13-16.3.2-1	0.00020	0.44375	0.00000	0.400	0.00000
DP/SDSP13-16.3.0-1	0.00020	0.07830	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP13-16.4.1-2	0.00009	0.47795	0.66378	0.400	0.00001
DP/SDSP13-16.4.2-1	0.00009	0.44375	0.00000	0.400	0.00000
DP/SDSP13-16.4.0-1	0.00009	0.07830	0.00000	0.400	0.00000
DP/SDSP13-16.5.1-2	0.00181	0.47795	0.66378	0.400	0.00023
DP/SDSP13-16.5.2-1	0.00181	0.44375	0.00000	0.400	0.00000
DP/SDSP13-16.5.0-1	0.00181	0.07830	0.00000	0.400	0.00000
DP/SDSP14-17.1.1-1	0.00109	0.47795	0.76044	0.400	0.00016
DP/SDSP14-17.1.2-1	0.00109	0.44375	0.76114	0.400	0.00015
DP/SDSP14-17.1.0-1	0.00109	0.07830	0.76114	0.400	0.00003
DP/SDSP14-17.2.1-1	0.00064	0.47795	0.78859	0.400	0.00010
DP/SDSP14-17.2.2-1	0.00064	0.44375	0.78862	0.400	0.00009
DP/SDSP14-17.2.0-1	0.00064	0.07830	0.78862	0.400	0.00002
DP/SDSP14-17.3.1-2	0.00025	0.47795	0.67976	0.400	0.00003
DP/SDSP14-17.3.2-1	0.00025	0.44375	0.00000	0.400	0.00000
DP/SDSP14-17.3.0-1	0.00025	0.07830	0.00000	0.400	0.00000
DP/SDSP14-17.4.1-2	0.00011	0.47795	0.78047	0.400	0.00002
DP/SDSP14-17.4.2-1	0.00011	0.44375	0.00000	0.400	0.00000
DP/SDSP14-17.4.0-1	0.00011	0.07830	0.00000	0.400	0.00000
DP/SDSP14-17.5.1-2	0.00226	0.47795	0.78047	0.400	0.00034
DP/SDSP14-17.5.2-1	0.00226	0.44375	0.00000	0.400	0.00000
DP/SDSP14-17.5.0-1	0.00226	0.07830	0.00000	0.400	0.00000
DP/SDSP15-18.1.1	0.00115	0.47795	1.00000	0.400	0.00022
DP/SDSP15-18.1.2	0.00115	0.44375	1.00000	0.400	0.00020
DP/SDSP15-18.1.0	0.00115	0.07830	1.00000	0.400	0.00004
DP/SDSP15-18.2.1	0.00094	0.47795	1.00000	0.400	0.00018
DP/SDSP15-18.2.2	0.00094	0.44375	1.00000	0.400	0.00017
DP/SDSP15-18.2.0	0.00094	0.07830	1.00000	0.400	0.00003
DP/SDSP15-18.3.1	0.00012	0.47795	1.00000	0.400	0.00002
DP/SDSP15-18.3.2	0.00012	0.44375	1.00000	0.400	0.00002
DP/SDSP15-18.3.0	0.00012	0.07830	1.00000	0.400	0.00000
DP/SDSP15-18.4.1-2	0.00240	0.47795	1.00000	0.400	0.00046
DP/SDSP15-18.4.2-1	0.00240	0.44375	0.00000	0.400	0.00000
DP/SDSP15-18.4.0-1	0.00240	0.07830	0.00000	0.400	0.00000
DP/SDSP1-5.1.1-1	0.00000	0.07795	0.00000	0.400	0.00000
DP/SDSP1-5.1.2-1	0.00000	0.40000	0.00000	0.400	0.00000
DP/SDSP1-5.1.0-1	0.00000	0.52205	0.00000	0.400	0.00000
DP/SDSP1-5.2.1-1	0.00156	0.07795	0.00000	0.400	0.00000
DP/SDSP1-5.2.2-1	0.00156	0.40000	0.00000	0.400	0.00000
DP/SDSP1-5.2.0-1	0.00156	0.52205	0.00000	0.400	0.00000
DP/SDSP1-5.3.1-1	0.00095	0.07795	0.00000	0.400	0.00000
DP/SDSP1-5.3.2-1	0.00095	0.40000	0.00000	0.400	0.00000
DP/SDSP1-5.3.0-1	0.00095	0.52205	0.00000	0.400	0.00000
DP/SDSP2-6.1.1-1	0.00213	0.07795	0.00000	0.400	0.00000
DP/SDSP2-6.1.2-1	0.00213	0.40000	0.00000	0.400	0.00000
DP/SDSP2-6.1.0-1	0.00213	0.52205	0.00000	0.400	0.00000
DP/SDSP2-6.2.1-1	0.00122	0.07795	0.00000	0.400	0.00000
DP/SDSP2-6.2.2-1	0.00122	0.40000	0.00000	0.400	0.00000
DP/SDSP2-6.2.0-1	0.00122	0.52205	0.00000	0.400	0.00000
DP/SDSP2-6.3.1-1	0.00138	0.07795	0.00000	0.400	0.00000
DP/SDSP2-6.3.2-1	0.00138	0.40000	0.00000	0.400	0.00000
DP/SDSP2-6.3.0-1	0.00138	0.52205	0.00000	0.400	0.00000
DP/SDSP3-7.1.1	0.00056	0.07795	0.00000	0.400	0.00000
DP/SDSP3-7.1.2-1	0.00056	0.40000	0.00000	0.400	0.00000
DP/SDSP3-7.1.0-1	0.00056	0.52205	0.00000	0.400	0.00000
DP/SDSP3-7.2.1-1	0.00032	0.07795	0.00000	0.400	0.00000
DP/SDSP3-7.2.2-1	0.00032	0.40000	0.00000	0.400	0.00000
DP/SDSP3-7.2.0-1	0.00032	0.52205	0.00000	0.400	0.00000
DP/SDSP3-7.3.1-1	0.00036	0.07795	0.00000	0.400	0.00000
DP/SDSP3-7.3.2-1	0.00036	0.40000	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP3-7.3.0-1	0.00036	0.52205	0.00000	0.400	0.00000
DP/SDSP4-8.1.1-1	0.00037	0.07795	0.00000	0.400	0.00000
DP/SDSP4-8.1.2-1	0.00037	0.40000	0.00000	0.400	0.00000
DP/SDSP4-8.1.0-1	0.00037	0.52205	0.00000	0.400	0.00000
DP/SDSP4-8.2.1-1	0.00021	0.07795	0.00000	0.400	0.00000
DP/SDSP4-8.2.2-4	0.00021	0.40000	0.00000	0.400	0.00000
DP/SDSP4-8.2.0-4	0.00021	0.52205	0.00000	0.400	0.00000
DP/SDSP4-8.3.1-1	0.00024	0.07795	0.00000	0.400	0.00000
DP/SDSP4-8.3.2-4	0.00024	0.40000	0.00000	0.400	0.00000
DP/SDSP4-8.3.0-4	0.00024	0.52205	0.00000	0.400	0.00000
DP/SDSP5-9.1.1	0.00069	0.07795	0.00000	0.400	0.00000
DP/SDSP5-9.1.2-1	0.00069	0.40000	0.00000	0.400	0.00000
DP/SDSP5-9.1.0-1	0.00069	0.52205	0.00000	0.400	0.00000
DP/SDSP5-9.2.1-1	0.00039	0.07795	0.00000	0.400	0.00000
DP/SDSP5-9.2.2-1	0.00039	0.40000	0.00000	0.400	0.00000
DP/SDSP5-9.2.0-1	0.00039	0.52205	0.00000	0.400	0.00000
DP/SDSP5-9.3.1-1	0.00044	0.07795	0.00000	0.400	0.00000
DP/SDSP5-9.3.2-1	0.00044	0.40000	0.00000	0.400	0.00000
DP/SDSP5-9.3.0-1	0.00044	0.52205	0.00000	0.400	0.00000
DP/SDSP6-10.1.1	0.00069	0.07795	0.00000	0.400	0.00000
DP/SDSP6-10.1.2-1	0.00069	0.40000	0.00000	0.400	0.00000
DP/SDSP6-10.1.0-1	0.00069	0.52205	0.00000	0.400	0.00000
DP/SDSP6-10.2.1-1	0.00039	0.07795	0.00000	0.400	0.00000
DP/SDSP6-10.2.2-1	0.00039	0.40000	0.00000	0.400	0.00000
DP/SDSP6-10.2.0-1	0.00039	0.52205	0.00000	0.400	0.00000
DP/SDSP6-10.3.1-1	0.00044	0.07795	0.00000	0.400	0.00000
DP/SDSP6-10.3.2-1	0.00044	0.40000	0.00000	0.400	0.00000
DP/SDSP6-10.3.0-1	0.00044	0.52205	0.00000	0.400	0.00000
DP/SDSP7-11.1.1	0.00069	0.07795	0.00000	0.400	0.00000
DP/SDSP7-11.1.2-1	0.00069	0.40000	0.00000	0.400	0.00000
DP/SDSP7-11.1.0-1	0.00069	0.52205	0.00000	0.400	0.00000
DP/SDSP7-11.2.1-1	0.00039	0.07795	0.00000	0.400	0.00000
DP/SDSP7-11.2.2-1	0.00039	0.40000	0.00000	0.400	0.00000
DP/SDSP7-11.2.0-1	0.00039	0.52205	0.00000	0.400	0.00000
DP/SDSP7-11.3.1-1	0.00044	0.07795	0.00000	0.400	0.00000
DP/SDSP7-11.3.2-1	0.00044	0.40000	0.00000	0.400	0.00000
DP/SDSP7-11.3.0-1	0.00044	0.52205	0.00000	0.400	0.00000
DP/SDSP8-12.1.1	0.00042	0.07795	0.00000	0.400	0.00000
DP/SDSP8-12.1.2-1	0.00042	0.40000	0.00000	0.400	0.00000
DP/SDSP8-12.1.0-1	0.00042	0.52205	0.00000	0.400	0.00000
DP/SDSP8-12.2.1-1	0.00022	0.07795	0.00000	0.400	0.00000
DP/SDSP8-12.2.2-1	0.00022	0.40000	0.00000	0.400	0.00000
DP/SDSP8-12.2.0-1	0.00022	0.52205	0.00000	0.400	0.00000
DP/SDSP8-12.3.1-1	0.00037	0.07795	0.00000	0.400	0.00000
DP/SDSP8-12.3.2-1	0.00037	0.40000	0.00000	0.400	0.00000
DP/SDSP8-12.3.0-1	0.00037	0.52205	0.00000	0.400	0.00000
DP/SDSP8-12.4.1-1	0.00041	0.07795	0.00000	0.400	0.00000
DP/SDSP8-12.4.2-1	0.00041	0.40000	0.00000	0.400	0.00000
DP/SDSP8-12.4.0-1	0.00041	0.52205	0.00000	0.400	0.00000
DP/SDSP9-13.1.1	0.00046	0.07795	0.00000	0.400	0.00000
DP/SDSP9-13.1.2-1	0.00046	0.40000	0.00000	0.400	0.00000
DP/SDSP9-13.1.3-1	0.00046	0.44375	0.00000	0.400	0.00000
DP/SDSP9-13.1.0-1	0.00046	0.07830	0.00000	0.400	0.00000
DP/SDSP9-13.2.1	0.00024	0.07795	0.00000	0.400	0.00000
DP/SDSP9-13.2.2-1	0.00024	0.40000	0.00000	0.400	0.00000
DP/SDSP9-13.2.3-1	0.00024	0.44375	0.00000	0.400	0.00000
DP/SDSP9-13.2.0-1	0.00024	0.07830	0.00000	0.400	0.00000
DP/SDSP9-13.3.1	0.00040	0.07795	0.00000	0.400	0.00000
DP/SDSP9-13.3.2-1	0.00040	0.40000	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP9-13.3.3-1	0.00040	0.44375	0.00000	0.400	0.00000
DP/SDSP9-13.3.0-1	0.00040	0.07830	0.00000	0.400	0.00000
DP/SDSP9-13.4.1	0.00045	0.07795	0.00000	0.400	0.00000
DP/SDSP9-13.4.2-1	0.00045	0.40000	0.00000	0.400	0.00000
DP/SDSP9-13.4.3-1	0.00045	0.44375	0.00000	0.400	0.00000
DP/SDSP9-13.4.0-1	0.00045	0.07830	0.00000	0.400	0.00000
DP/SDSP10-14.1.1-1	0.00062	0.07795	0.00000	0.400	0.00000
DP/SDSP10-14.1.2-1	0.00062	0.40000	0.00000	0.400	0.00000
DP/SDSP10-14.1.3-1	0.00062	0.44375	0.00000	0.400	0.00000
DP/SDSP10-14.1.0-1	0.00062	0.07830	0.00000	0.400	0.00000
DP/SDSP10-14.2.1-1	0.00021	0.07795	0.00000	0.400	0.00000
DP/SDSP10-14.2.2-1	0.00021	0.40000	0.00000	0.400	0.00000
DP/SDSP10-14.2.3-1	0.00021	0.44375	0.00000	0.400	0.00000
DP/SDSP10-14.2.0-1	0.00021	0.07830	0.00000	0.400	0.00000
DP/SDSP10-14.3.1-1	0.00011	0.07795	0.00000	0.400	0.00000
DP/SDSP10-14.3.2-1	0.00011	0.40000	0.00000	0.400	0.00000
DP/SDSP10-14.3.3-1	0.00011	0.44375	0.00000	0.400	0.00000
DP/SDSP10-14.3.0-1	0.00011	0.07830	0.00000	0.400	0.00000
DP/SDSP10-14.4.1-1	0.00054	0.07795	0.54688	0.400	0.00001
DP/SDSP10-14.4.2-1	0.00054	0.40000	0.00000	0.400	0.00000
DP/SDSP10-14.4.3-1	0.00054	0.44375	0.00000	0.400	0.00000
DP/SDSP10-14.4.0-1	0.00054	0.07830	0.00000	0.400	0.00000
DP/SDSP10-14.5.1-1	0.00061	0.07795	0.54688	0.400	0.00001
DP/SDSP10-14.5.2-1	0.00061	0.40000	0.00000	0.400	0.00000
DP/SDSP10-14.5.3-1	0.00061	0.44375	0.00000	0.400	0.00000
DP/SDSP10-14.5.0-1	0.00061	0.07830	0.00000	0.400	0.00000
DP/SDSP11-15.1.1-1	0.00054	0.07795	0.00000	0.400	0.00000
DP/SDSP11-15.1.2-1	0.00054	0.40000	0.00000	0.400	0.00000
DP/SDSP11-15.1.3-1	0.00054	0.44375	0.00000	0.400	0.00000
DP/SDSP11-15.1.0-1	0.00054	0.07830	0.00000	0.400	0.00000
DP/SDSP11-15.2.1-1	0.00018	0.07795	0.00000	0.400	0.00000
DP/SDSP11-15.2.2-1	0.00018	0.40000	0.00000	0.400	0.00000
DP/SDSP11-15.2.3-1	0.00018	0.44375	0.00000	0.400	0.00000
DP/SDSP11-15.2.0-1	0.00018	0.07830	0.00000	0.400	0.00000
DP/SDSP11-15.3.1-1	0.00010	0.07795	0.00000	0.400	0.00000
DP/SDSP11-15.3.2-1	0.00010	0.40000	0.00000	0.400	0.00000
DP/SDSP11-15.3.3-1	0.00010	0.44375	0.00000	0.400	0.00000
DP/SDSP11-15.3.0-1	0.00010	0.07830	0.00000	0.400	0.00000
DP/SDSP11-15.4.1-1	0.00005	0.07795	0.55844	0.400	0.00000
DP/SDSP11-15.4.2-1	0.00005	0.40000	0.00000	0.400	0.00000
DP/SDSP11-15.4.3-1	0.00005	0.44375	0.00000	0.400	0.00000
DP/SDSP11-15.4.0-1	0.00005	0.07830	0.00000	0.400	0.00000
DP/SDSP11-15.5.1-1	0.00042	0.07795	0.55844	0.400	0.00001
DP/SDSP11-15.5.2-1	0.00042	0.40000	0.00000	0.400	0.00000
DP/SDSP11-15.5.3-1	0.00042	0.44375	0.00000	0.400	0.00000
DP/SDSP11-15.5.0-1	0.00042	0.07830	0.00000	0.400	0.00000
DP/SDSP11-15.6.1-1	0.00053	0.07795	0.55844	0.400	0.00001
DP/SDSP11-15.6.2-1	0.00053	0.40000	0.00000	0.400	0.00000
DP/SDSP11-15.6.3-1	0.00053	0.44375	0.00000	0.400	0.00000
DP/SDSP11-15.6.0-1	0.00053	0.07830	0.00000	0.400	0.00000
DP/SDSP12-16.1.1-2	0.00057	0.47795	0.00000	0.400	0.00000
DP/SDSP12-16.1.2-2	0.00057	0.44375	0.00000	0.400	0.00000
DP/SDSP12-16.1.0-2	0.00057	0.07830	0.00000	0.400	0.00000
DP/SDSP12-16.2.1-2	0.00020	0.47795	0.00000	0.400	0.00000
DP/SDSP12-16.2.2-1	0.00020	0.44375	0.00000	0.400	0.00000
DP/SDSP12-16.2.0-1	0.00020	0.07830	0.00000	0.400	0.00000
DP/SDSP12-16.3.1-2	0.00011	0.47795	0.00000	0.400	0.00000
DP/SDSP12-16.3.2-1	0.00011	0.44375	0.00000	0.400	0.00000
DP/SDSP12-16.3.0-1	0.00011	0.07830	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP12-16.4.1-2	0.000005	0.47795	0.26858	0.400	0.00000
DP/SDSP12-16.4.2-1	0.000005	0.44375	0.00000	0.400	0.00000
DP/SDSP12-16.4.0-1	0.000005	0.07830	0.00000	0.400	0.00000
DP/SDSP12-16.5.1-2	0.00101	0.47795	0.26858	0.400	0.00005
DP/SDSP12-16.5.2-1	0.00101	0.44375	0.00000	0.400	0.00000
DP/SDSP12-16.5.0-1	0.00101	0.07830	0.00000	0.400	0.00000
DP/SDSP13-17.1.1-2	0.00042	0.47795	0.20614	0.400	0.00002
DP/SDSP13-17.1.2-1	0.00042	0.44375	0.04403	0.400	0.00000
DP/SDSP13-17.1.0-1	0.00042	0.07830	0.04403	0.400	0.00000
DP/SDSP13-17.2.1-2	0.00008	0.47795	0.26110	0.400	0.00000
DP/SDSP13-17.2.2-2	0.00008	0.44375	0.13015	0.400	0.00000
DP/SDSP13-17.2.0-2	0.00008	0.07830	0.13015	0.400	0.00000
DP/SDSP13-17.3.1-2	0.00017	0.47795	0.00000	0.400	0.00000
DP/SDSP13-17.3.2-1	0.00017	0.44375	0.00000	0.400	0.00000
DP/SDSP13-17.3.0-1	0.00017	0.07830	0.00000	0.400	0.00000
DP/SDSP13-17.4.1-2	0.00010	0.47795	0.66674	0.400	0.00001
DP/SDSP13-17.4.2-1	0.00010	0.44375	0.00000	0.400	0.00000
DP/SDSP13-17.4.0-1	0.00010	0.07830	0.00000	0.400	0.00000
DP/SDSP13-17.5.1-2	0.00004	0.47795	0.79116	0.400	0.00001
DP/SDSP13-17.5.2-1	0.00004	0.44375	0.00000	0.400	0.00000
DP/SDSP13-17.5.0-1	0.00004	0.07830	0.00000	0.400	0.00000
DP/SDSP13-17.6.1-2	0.00086	0.47795	0.79116	0.400	0.00013
DP/SDSP13-17.6.2-1	0.00086	0.44375	0.00000	0.400	0.00000
DP/SDSP13-17.6.0-1	0.00086	0.07830	0.00000	0.400	0.00000
DP/SDSP14-18.1.1-1	0.00063	0.47795	0.71567	0.400	0.00009
DP/SDSP14-18.1.2	0.00063	0.44375	0.62296	0.400	0.00007
DP/SDSP14-18.1.0	0.00063	0.07830	0.62296	0.400	0.00001
DP/SDSP14-18.2.1-2	0.00037	0.47795	0.74651	0.400	0.00005
DP/SDSP14-18.2.2	0.00037	0.44375	0.66852	0.400	0.00004
DP/SDSP14-18.2.0	0.00037	0.07830	0.66852	0.400	0.00001
DP/SDSP14-18.3.1-2	0.00014	0.47795	0.75883	0.400	0.00002
DP/SDSP14-18.3.2-1	0.00014	0.44375	0.00000	0.400	0.00000
DP/SDSP14-18.3.0-1	0.00014	0.07830	0.00000	0.400	0.00000
DP/SDSP14-18.4.1-2	0.00006	0.47795	0.86511	0.400	0.00001
DP/SDSP14-18.4.2-1	0.00006	0.44375	0.00000	0.400	0.00000
DP/SDSP14-18.4.0-1	0.00006	0.07830	0.00000	0.400	0.00000
DP/SDSP14-18.5.1-2	0.00131	0.47795	0.86511	0.400	0.00022
DP/SDSP14-18.5.2-1	0.00131	0.44375	0.00000	0.400	0.00000
DP/SDSP14-18.5.0-1	0.00131	0.07830	0.00000	0.400	0.00000
SUBTOTAL				0.400	0.27105
DS/SDSP1.1.1	0.00000	0.40000	1.00000	0.400	0.00000
DS/SDSP1.1.0	0.00000	0.60000	1.00000	0.400	0.00000
DS/SDSP1.2.1	0.00000	0.40000	1.00000	0.400	0.00000
DS/SDSP1.2.0	0.00000	0.60000	1.00000	0.400	0.00000
DS/SDSP1.3.1	0.01184	0.40000	1.00000	0.400	0.00189
DS/SDSP1.3.0	0.01184	0.60000	1.00000	0.400	0.00284
DS/SDSP2.1.1-1	0.01610	0.40000	1.00000	0.400	0.00258
DS/SDSP2.1.0-1	0.01610	0.60000	1.00000	0.400	0.00387
DS/SDSP2.2.1	0.01003	0.40000	1.00000	0.400	0.00160
DS/SDSP2.2.0	0.01003	0.60000	1.00000	0.400	0.00241
DS/SDSP3.1.1-1	0.00268	0.40000	1.00000	0.400	0.00043
DS/SDSP3.1.0-1	0.00268	0.60000	1.00000	0.400	0.00064
DS/SDSP3.2.1-1	0.00056	0.40000	1.00000	0.400	0.00009
DS/SDSP3.2.0-1	0.00056	0.60000	1.00000	0.400	0.00013
DS/SDSP4.1.1-1	0.00268	0.40000	1.00000	0.400	0.00043
DS/SDSP4.1.0-1	0.00268	0.60000	1.00000	0.400	0.00064
DS/SDSP4.2.1-1	0.00056	0.40000	1.00000	0.400	0.00009

CASE	P	V	S	W	W*P*V*S
DS/SDSP4.2.0-1	0.00056	0.60000	1.00000	0.400	0.00013
DS/SDSP5.1.1-1	0.01197	0.00000	1.00000	0.400	0.00000
DS/SDSP5.1.2-1	0.01197	0.40000	1.00000	0.400	0.00191
DS/SDSP5.1.0-1	0.01197	0.60000	1.00000	0.400	0.00287
DS/SDSP5.2.1-1	0.00670	0.00000	1.00000	0.400	0.00000
DS/SDSP5.2.2-1	0.00670	0.40000	1.00000	0.400	0.00107
DS/SDSP5.2.0-1	0.00670	0.60000	1.00000	0.400	0.00161
DS/SDSP6.1.1	0.01197	0.00000	1.00000	0.400	0.00000
DS/SDSP6.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DS/SDSP6.1.0	0.01197	0.60000	1.00000	0.400	0.00287
DS/SDSP6.2.1	0.00426	0.00000	1.00000	0.400	0.00000
DS/SDSP6.2.2	0.00426	0.40000	1.00000	0.400	0.00068
DS/SDSP6.2.0	0.00426	0.60000	1.00000	0.400	0.00102
DS/SDSP6.3.1	0.00245	0.00000	1.00000	0.400	0.00000
DS/SDSP6.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DS/SDSP6.3.0	0.00245	0.60000	1.00000	0.400	0.00059
DS/SDSP7.1.1	0.01197	0.00000	1.00000	0.400	0.00000
DS/SDSP7.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DS/SDSP7.1.0	0.01197	0.60000	1.00000	0.400	0.00287
DS/SDSP7.2.1	0.00426	0.00000	1.00000	0.400	0.00000
DS/SDSP7.2.2	0.00426	0.40000	1.00000	0.400	0.00068
DS/SDSP7.2.0	0.00426	0.60000	1.00000	0.400	0.00102
DS/SDSP7.3.1	0.00245	0.00000	1.00000	0.400	0.00000
DS/SDSP7.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DS/SDSP7.3.0	0.00245	0.60000	1.00000	0.400	0.00059
DS/SDSP8.1.1	0.01197	0.00000	1.00000	0.400	0.00000
DS/SDSP8.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DS/SDSP8.1.0	0.01197	0.60000	1.00000	0.400	0.00287
DS/SDSP8.2.1	0.00426	0.00000	1.00000	0.400	0.00000
DS/SDSP8.2.2	0.00426	0.40000	1.00000	0.400	0.00068
DS/SDSP8.2.0	0.00426	0.60000	1.00000	0.400	0.00102
DS/SDSP8.3.1	0.00245	0.00000	1.00000	0.400	0.00000
DS/SDSP8.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DS/SDSP8.3.0	0.00245	0.60000	1.00000	0.400	0.00059
DS/SDSP9.1.1	0.01197	0.00000	1.00000	0.400	0.00000
DS/SDSP9.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DS/SDSP9.1.0	0.01197	0.60000	1.00000	0.400	0.00287
DS/SDSP9.2.1	0.00426	0.00000	1.00000	0.400	0.00000
DS/SDSP9.2.2	0.00426	0.40000	1.00000	0.400	0.00068
DS/SDSP9.2.0	0.00426	0.60000	1.00000	0.400	0.00102
DS/SDSP9.3.1	0.00245	0.00000	1.00000	0.400	0.00000
DS/SDSP9.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DS/SDSP9.3.0	0.00245	0.60000	1.00000	0.400	0.00059
DS/SDSP10.1.1	0.01197	0.00000	1.00000	0.400	0.00000
DS/SDSP10.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DS/SDSP10.1.0	0.01197	0.60000	1.00000	0.400	0.00287
DS/SDSP10.2.1	0.00426	0.00000	1.00000	0.400	0.00000
DS/SDSP10.2.2	0.00426	0.40000	1.00000	0.400	0.00068
DS/SDSP10.2.0	0.00426	0.60000	1.00000	0.400	0.00102
DS/SDSP10.3.1	0.00245	0.00000	1.00000	0.400	0.00000
DS/SDSP10.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DS/SDSP10.3.0	0.00245	0.60000	1.00000	0.400	0.00059
DS/SDSP11.1.1	0.01197	0.00000	1.00000	0.400	0.00000
DS/SDSP11.1.2	0.01197	0.40000	1.00000	0.400	0.00191
DS/SDSP11.1.0	0.01197	0.60000	1.00000	0.400	0.00287
DS/SDSP11.2.1	0.00426	0.00000	1.00000	0.400	0.00000
DS/SDSP11.2.2	0.00426	0.40000	1.00000	0.400	0.00068
DS/SDSP11.2.0	0.00426	0.60000	1.00000	0.400	0.00102
DS/SDSP11.3.1	0.00245	0.00000	1.00000	0.400	0.00000



CASE	P	V	S	W	W*P*V*S
DS/SDSP11.3.2	0.00245	0.40000	1.00000	0.400	0.00039
DS/SDSP11.3.0	0.00245	0.60000	1.00000	0.400	0.00059
DS/SDSP12.1.1-1	0.00679	0.40000	1.00000	0.400	0.00109
DS/SDSP12.1.0-1	0.00679	0.60000	1.00000	0.400	0.00163
DS/SDSP12.2.1-1	0.00750	0.40000	1.00000	0.400	0.00120
DS/SDSP12.2.0-1	0.00750	0.60000	1.00000	0.400	0.00180
DS/SDSP13.1.1-1	0.00599	0.40000	1.00000	0.400	0.00096
DS/SDSP13.1.2-1	0.00599	0.48936	1.00000	0.400	0.00117
DS/SDSP13.1.0-1	0.00599	0.11064	1.00000	0.400	0.00026
DS/SDSP13.2.1-1	0.00630	0.40000	1.00000	0.400	0.00101
DS/SDSP13.2.2-1	0.00630	0.48936	1.00000	0.400	0.00123
DS/SDSP13.2.0-1	0.00630	0.11064	1.00000	0.400	0.00028
DS/SDSP14.1.1-1	0.01084	0.40000	1.00000	0.400	0.00173
DS/SDSP14.1.2-1	0.01084	0.48936	1.00000	0.400	0.00212
DS/SDSP14.1.0-1	0.01084	0.11064	1.00000	0.400	0.00048
DS/SDSP14.2.1-1	0.00783	0.40000	1.00000	0.400	0.00125
DS/SDSP14.2.2-1	0.00783	0.48936	1.00000	0.400	0.00153
DS/SDSP14.2.0-1	0.00783	0.11064	1.00000	0.400	0.00035
DS/SDSP15.1.1-1	0.00869	0.40000	1.00000	0.400	0.00139
DS/SDSP15.1.2-1	0.00869	0.48936	1.00000	0.400	0.00170
DS/SDSP15.1.0-1	0.00869	0.11064	1.00000	0.400	0.00038
DS/SDSP15.2.1-1	0.00360	0.40000	1.00000	0.400	0.00058
DS/SDSP15.2.2-1	0.00360	0.48936	1.00000	0.400	0.00070
DS/SDSP15.2.0-1	0.00360	0.11064	1.00000	0.400	0.00016
DS/SDSP16.1.1	0.01076	0.40000	1.00000	0.400	0.00172
DS/SDSP16.1.2	0.01076	0.48936	1.00000	0.400	0.00211
DS/SDSP16.1.0	0.01076	0.11064	1.00000	0.400	0.00048
DS/SDSP16.2.1	0.00566	0.40000	1.00000	0.400	0.00090
DS/SDSP16.2.2	0.00566	0.48936	1.00000	0.400	0.00111
DS/SDSP16.2.0	0.00566	0.11064	1.00000	0.400	0.00025
DS/SDSP17.1.1	0.00660	0.40000	1.00000	0.400	0.00106
DS/SDSP17.1.2	0.00660	0.48936	1.00000	0.400	0.00129
DS/SDSP17.1.0	0.00660	0.11064	1.00000	0.400	0.00029
DS/SDSP17.2.1-1	0.00981	0.40000	1.00000	0.400	0.00157
DS/SDSP17.2.2-1	0.00981	0.48936	1.00000	0.400	0.00192
DS/SDSP17.2.0-1	0.00981	0.11064	1.00000	0.400	0.00043
DS/SDSP18.1.1	0.05669	0.40000	1.00000	0.400	0.00907
DS/SDSP18.1.2	0.05669	0.48936	1.00000	0.400	0.01110
DS/SDSP18.1.0	0.05669	0.11064	1.00000	0.400	0.00251
DS/SDSP1-2.1.1	0.00000	0.40000	1.00000	0.400	0.00000
DS/SDSP1-2.1.0	0.00000	0.60000	1.00000	0.400	0.00000
DS/SDSP1-2.2.1	0.01463	0.40000	1.00000	0.400	0.00234
DS/SDSP1-2.2.0	0.01463	0.60000	1.00000	0.400	0.00351
DS/SDSP1-2.3.1	0.00888	0.40000	1.00000	0.400	0.00142
DS/SDSP1-2.3.0	0.00888	0.60000	1.00000	0.400	0.00213
DS/SDSP2-3.1.1	0.00682	0.40000	1.00000	0.400	0.00109
DS/SDSP2-3.1.0	0.00682	0.60000	1.00000	0.400	0.00164
DS/SDSP2-3.2.1	0.00758	0.40000	0.92802	0.400	0.00113
DS/SDSP2-3.2.0	0.00758	0.60000	0.92802	0.400	0.00169
DS/SDSP3-4.1.1	0.00295	0.40000	1.00000	0.400	0.00047
DS/SDSP3-4.1.0	0.00295	0.60000	1.00000	0.400	0.00071
DS/SDSP3-4.2.1-1	0.00286	0.40000	1.00000	0.400	0.00046
DS/SDSP3-4.2.0-1	0.00286	0.60000	1.00000	0.400	0.00069
DS/SDSP4-5.1.1-1	0.00602	0.00000	1.00000	0.400	0.00000
DS/SDSP4-5.1.2-1	0.00602	0.40000	1.00000	0.400	0.00096
DS/SDSP4-5.1.0-1	0.00602	0.60000	1.00000	0.400	0.00144
DS/SDSP4-5.2.1-1	0.00661	0.00000	1.00000	0.400	0.00000
DS/SDSP4-5.2.2	0.00661	0.40000	0.00000	0.400	0.00000
DS/SDSP4-5.2.0	0.00661	0.60000	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP5-6.1.1	0.01243	0.00000	1.00000	0.400	0.00000
DS/SDSP5-6.1.2	0.01243	0.40000	1.00000	0.400	0.00199
DS/SDSP5-6.1.0	0.01243	0.60000	1.00000	0.400	0.00298
DS/SDSP5-6.2.1	0.00710	0.00000	1.00000	0.400	0.00000
DS/SDSP5-6.2.2	0.00710	0.40000	0.62563	0.400	0.00071
DS/SDSP5-6.2.0	0.00710	0.60000	0.62563	0.400	0.00107
DS/SDSP5-6.3.1	0.00733	0.00000	1.00000	0.400	0.00000
DS/SDSP5-6.3.2	0.00733	0.40000	0.43600	0.400	0.00051
DS/SDSP5-6.3.0	0.00733	0.60000	0.43600	0.400	0.00077
DS/SDSP6-7.1.1	0.01243	0.00000	1.00000	0.400	0.00000
DS/SDSP6-7.1.2	0.01243	0.40000	0.96788	0.400	0.00192
DS/SDSP6-7.1.0	0.01243	0.60000	0.96788	0.400	0.00289
DS/SDSP6-7.2.1	0.00710	0.00000	0.98933	0.400	0.00000
DS/SDSP6-7.2.2-1	0.00710	0.40000	0.00000	0.400	0.00000
DS/SDSP6-7.2.0-1	0.00710	0.60000	0.00000	0.400	0.00000
DS/SDSP6-7.3.1	0.00733	0.00000	0.96466	0.400	0.00000
DS/SDSP6-7.3.2-2	0.00733	0.40000	0.00000	0.400	0.00000
DS/SDSP6-7.3.0-2	0.00733	0.60000	0.00000	0.400	0.00000
DS/SDSP7-8.1.1	0.01243	0.00000	1.00000	0.400	0.00000
DS/SDSP7-8.1.2	0.01243	0.40000	0.92199	0.400	0.00183
DS/SDSP7-8.1.0	0.01243	0.60000	0.92199	0.400	0.00275
DS/SDSP7-8.2.1	0.00710	0.00000	1.00000	0.400	0.00000
DS/SDSP7-8.2.2	0.00710	0.40000	0.00000	0.400	0.00000
DS/SDSP7-8.2.0	0.00710	0.60000	0.00000	0.400	0.00000
DS/SDSP7-8.3.1	0.00733	0.00000	1.00000	0.400	0.00000
DS/SDSP7-8.3.2	0.00733	0.40000	0.00000	0.400	0.00000
DS/SDSP7-8.3.0	0.00733	0.60000	0.00000	0.400	0.00000
DS/SDSP8-9.1.1	0.01243	0.00000	1.00000	0.400	0.00000
DS/SDSP8-9.1.2	0.01243	0.40000	0.90087	0.400	0.00179
DS/SDSP8-9.1.0	0.01243	0.60000	0.90087	0.400	0.00269
DS/SDSP8-9.2.1	0.00710	0.00000	1.00000	0.400	0.00000
DS/SDSP8-9.2.2	0.00710	0.40000	0.00000	0.400	0.00000
DS/SDSP8-9.2.0	0.00710	0.60000	0.00000	0.400	0.00000
DS/SDSP8-9.3.1	0.00733	0.00000	1.00000	0.400	0.00000
DS/SDSP8-9.3.2	0.00733	0.40000	0.00000	0.400	0.00000
DS/SDSP8-9.3.0	0.00733	0.60000	0.00000	0.400	0.00000
DS/SDSP9-10.1.1	0.01243	0.00000	0.99773	0.400	0.00000
DS/SDSP9-10.1.2	0.01243	0.40000	0.89669	0.400	0.00178
DS/SDSP9-10.1.0	0.01243	0.60000	0.89669	0.400	0.00267
DS/SDSP9-10.2.1	0.00710	0.00000	1.00000	0.400	0.00000
DS/SDSP9-10.2.2-1	0.00710	0.40000	0.00000	0.400	0.00000
DS/SDSP9-10.2.0-1	0.00710	0.60000	0.00000	0.400	0.00000
DS/SDSP9-10.3.1	0.00733	0.00000	1.00000	0.400	0.00000
DS/SDSP9-10.3.2-1	0.00733	0.40000	0.00000	0.400	0.00000
DS/SDSP9-10.3.0-1	0.00733	0.60000	0.00000	0.400	0.00000
DS/SDSP10-11.1.1	0.01243	0.00000	0.99894	0.400	0.00000
DS/SDSP10-11.1.2	0.01243	0.40000	0.89798	0.400	0.00179
DS/SDSP10-11.1.0	0.01243	0.60000	0.89798	0.400	0.00268
DS/SDSP10-11.2.1	0.00710	0.00000	1.00000	0.400	0.00000
DS/SDSP10-11.2.2	0.00710	0.40000	0.87784	0.400	0.00100
DS/SDSP10-11.2.0	0.00710	0.60000	0.87784	0.400	0.00150
DS/SDSP10-11.3.1	0.00733	0.00000	1.00000	0.400	0.00000
DS/SDSP10-11.3.2	0.00733	0.40000	0.90237	0.400	0.00106
DS/SDSP10-11.3.0	0.00733	0.60000	0.90237	0.400	0.00159
DS/SDSP11-12.1.1	0.00732	0.00000	1.00000	0.400	0.00000
DS/SDSP11-12.1.2	0.00732	0.40000	1.00000	0.400	0.00117
DS/SDSP11-12.1.0	0.00732	0.60000	1.00000	0.400	0.00176
DS/SDSP11-12.2.1	0.00390	0.00000	1.00000	0.400	0.00000
DS/SDSP11-12.2.2	0.00390	0.40000	1.00000	0.400	0.00062

CASE	P	V	S	W	W*P*V*S
DS/SDSP11-12.2.0	0.00390	0.60000	1.00000	0.400	0.00094
DS/SDSP11-12.3.1	0.00641	0.00000	1.00000	0.400	0.00000
DS/SDSP11-12.3.2	0.00641	0.40000	1.00000	0.400	0.00103
DS/SDSP11-12.3.0	0.00641	0.60000	1.00000	0.400	0.00154
DS/SDSP11-12.4.1	0.00655	0.00000	1.00000	0.400	0.00000
DS/SDSP11-12.4.2	0.00655	0.40000	1.00000	0.400	0.00105
DS/SDSP11-12.4.0	0.00655	0.60000	1.00000	0.400	0.00157
DS/SDSP12-13.1.1-1	0.00622	0.40000	1.00000	0.400	0.00099
DS/SDSP12-13.1.2-1	0.00622	0.48936	1.00000	0.400	0.00122
DS/SDSP12-13.1.0-1	0.00622	0.11064	1.00000	0.400	0.00028
DS/SDSP12-13.2.1-1	0.01422	0.40000	1.00000	0.400	0.00227
DS/SDSP12-13.2.2-1	0.01422	0.48936	1.00000	0.400	0.00278
DS/SDSP12-13.2.0-1	0.01422	0.11064	1.00000	0.400	0.00063
DS/SDSP13-14.1.1-1	0.00690	0.40000	1.00000	0.400	0.00110
DS/SDSP13-14.1.2-1	0.00690	0.48936	1.00000	0.400	0.00135
DS/SDSP13-14.1.0-1	0.00690	0.11064	1.00000	0.400	0.00031
DS/SDSP13-14.2.1-1	0.00240	0.40000	1.00000	0.400	0.00038
DS/SDSP13-14.2.2-1	0.00240	0.48936	1.00000	0.400	0.00047
DS/SDSP13-14.2.0-1	0.00240	0.11064	1.00000	0.400	0.00011
DS/SDSP13-14.3.1-1	0.01344	0.40000	1.00000	0.400	0.00215
DS/SDSP13-14.3.2-1	0.01344	0.48936	1.00000	0.400	0.00263
DS/SDSP13-14.3.0-1	0.01344	0.11064	1.00000	0.400	0.00059
DS/SDSP14-15.1.1-1	0.00929	0.40000	1.00000	0.400	0.00149
DS/SDSP14-15.1.2-1	0.00929	0.48936	1.00000	0.400	0.00182
DS/SDSP14-15.1.0-1	0.00929	0.11064	1.00000	0.400	0.00041
DS/SDSP14-15.2.1-1	0.00196	0.40000	1.00000	0.400	0.00031
DS/SDSP14-15.2.2-1	0.00196	0.48936	1.00000	0.400	0.00038
DS/SDSP14-15.2.0-1	0.00196	0.11064	1.00000	0.400	0.00009
DS/SDSP14-15.3.1-1	0.01148	0.40000	1.00000	0.400	0.00184
DS/SDSP14-15.3.2-1	0.01148	0.48936	1.00000	0.400	0.00225
DS/SDSP14-15.3.0-1	0.01148	0.11064	1.00000	0.400	0.00051
DS/SDSP15-16.1.1	0.01016	0.40000	1.00000	0.400	0.00162
DS/SDSP15-16.1.2	0.01016	0.48936	1.00000	0.400	0.00199
DS/SDSP15-16.1.0	0.01016	0.11064	1.00000	0.400	0.00045
DS/SDSP15-16.2.1	0.00057	0.40000	1.00000	0.400	0.00009
DS/SDSP15-16.2.2	0.00057	0.48936	1.00000	0.400	0.00011
DS/SDSP15-16.2.0	0.00057	0.11064	1.00000	0.400	0.00003
DS/SDSP15-16.3.1-2	0.01089	0.40000	1.00000	0.400	0.00174
DS/SDSP15-16.3.2	0.01089	0.48936	1.00000	0.400	0.00213
DS/SDSP15-16.3.0	0.01089	0.11064	1.00000	0.400	0.00048
DS/SDSP16-17.1.1	0.00621	0.40000	1.00000	0.400	0.00099
DS/SDSP16-17.1.2	0.00621	0.48936	1.00000	0.400	0.00121
DS/SDSP16-17.1.0	0.00621	0.11064	1.00000	0.400	0.00027
DS/SDSP16-17.2.1	0.00517	0.40000	1.00000	0.400	0.00083
DS/SDSP16-17.2.2	0.00517	0.48936	1.00000	0.400	0.00101
DS/SDSP16-17.2.0	0.00517	0.11064	1.00000	0.400	0.00023
DS/SDSP16-17.3.1	0.01292	0.40000	1.00000	0.400	0.00207
DS/SDSP16-17.3.2	0.01292	0.48936	1.00000	0.400	0.00253
DS/SDSP16-17.3.0	0.01292	0.11064	1.00000	0.400	0.00057
DS/SDSP17-18.1.1	0.00917	0.40000	1.00000	0.400	0.00147
DS/SDSP17-18.1.2	0.00917	0.48936	1.00000	0.400	0.00180
DS/SDSP17-18.1.0	0.00917	0.11064	1.00000	0.400	0.00041
DS/SDSP17-18.2.1-1	0.02698	0.40000	1.00000	0.400	0.00432
DS/SDSP17-18.2.2-1	0.02698	0.48936	1.00000	0.400	0.00528
DS/SDSP17-18.2.0-1	0.02698	0.11064	1.00000	0.400	0.00119
DS/SDSP1-3.1.1	0.00000	0.40000	1.00000	0.400	0.00000
DS/SDSP1-3.1.0	0.00000	0.60000	1.00000	0.400	0.00000
DS/SDSP1-3.2.1	0.00228	0.40000	1.00000	0.400	0.00037
DS/SDSP1-3.2.0	0.00228	0.60000	1.00000	0.400	0.00055

CASE	P	V	S	W	W*P*V*S
DS/SDSP1-3.3.1	0.00139	0.40000	0.72231	0.400	0.00016
DS/SDSP1-3.3.0	0.00139	0.60000	0.72231	0.400	0.00024
DS/SDSP2-4.1.1	0.00513	0.40000	1.00000	0.400	0.00082
DS/SDSP2-4.1.0	0.00513	0.60000	1.00000	0.400	0.00123
DS/SDSP2-4.2.1	0.00625	0.40000	0.56897	0.400	0.00057
DS/SDSP2-4.2.0	0.00625	0.60000	0.56897	0.400	0.00085
DS/SDSP3-5.1.1-1	0.00455	0.00000	1.00000	0.400	0.00000
DS/SDSP3-5.1.2-1	0.00455	0.40000	1.00000	0.400	0.00073
DS/SDSP3-5.1.0-1	0.00455	0.60000	1.00000	0.400	0.00109
DS/SDSP3-5.2.1	0.00555	0.00000	0.89110	0.400	0.00000
DS/SDSP3-5.2.2-1	0.00555	0.40000	0.00000	0.400	0.00000
DS/SDSP3-5.2.0-1	0.00555	0.60000	0.00000	0.400	0.00000
DS/SDSP4-6.1.1	0.00285	0.00000	1.00000	0.400	0.00000
DS/SDSP4-6.1.2	0.00285	0.40000	0.93558	0.400	0.00043
DS/SDSP4-6.1.0	0.00285	0.60000	0.93558	0.400	0.00064
DS/SDSP4-6.2.1	0.00163	0.00000	0.78054	0.400	0.00000
DS/SDSP4-6.2.2-1	0.00163	0.40000	0.00000	0.400	0.00000
DS/SDSP4-6.2.0-1	0.00163	0.60000	0.00000	0.400	0.00000
DS/SDSP4-6.3.1	0.00185	0.00000	0.73839	0.400	0.00000
DS/SDSP4-6.3.2-1	0.00185	0.40000	0.00000	0.400	0.00000
DS/SDSP4-6.3.0-1	0.00185	0.60000	0.00000	0.400	0.00000
DS/SDSP5-7.1.1	0.00519	0.00000	0.88173	0.400	0.00000
DS/SDSP5-7.1.2	0.00519	0.40000	0.70226	0.400	0.00058
DS/SDSP5-7.1.0	0.00519	0.60000	0.70226	0.400	0.00088
DS/SDSP5-7.2.1-1	0.00297	0.00000	0.00000	0.400	0.00000
DS/SDSP5-7.2.2-1	0.00297	0.40000	0.00000	0.400	0.00000
DS/SDSP5-7.2.0-1	0.00297	0.60000	0.00000	0.400	0.00000
DS/SDSP5-7.3.1-1	0.00337	0.00000	0.00000	0.400	0.00000
DS/SDSP5-7.3.2-1	0.00337	0.40000	0.00000	0.400	0.00000
DS/SDSP5-7.3.0-1	0.00337	0.60000	0.00000	0.400	0.00000
DS/SDSP6-8.1.1	0.00519	0.00000	0.86361	0.400	0.00000
DS/SDSP6-8.1.2	0.00519	0.40000	0.58773	0.400	0.00049
DS/SDSP6-8.1.0	0.00519	0.60000	0.58773	0.400	0.00073
DS/SDSP6-8.2.1	0.00297	0.00000	0.00000	0.400	0.00000
DS/SDSP6-8.2.2-1	0.00297	0.40000	0.00000	0.400	0.00000
DS/SDSP6-8.2.0-1	0.00297	0.60000	0.00000	0.400	0.00000
DS/SDSP6-8.3.1	0.00337	0.00000	0.00000	0.400	0.00000
DS/SDSP6-8.3.2-1	0.00337	0.40000	0.00000	0.400	0.00000
DS/SDSP6-8.3.0-1	0.00337	0.60000	0.00000	0.400	0.00000
DS/SDSP7-9.1.1	0.00519	0.00000	0.81842	0.400	0.00000
DS/SDSP7-9.1.2	0.00519	0.40000	0.51912	0.400	0.00043
DS/SDSP7-9.1.0	0.00519	0.60000	0.51912	0.400	0.00065
DS/SDSP7-9.2.1	0.00297	0.00000	0.93801	0.400	0.00000
DS/SDSP7-9.2.2-1	0.00297	0.40000	0.00000	0.400	0.00000
DS/SDSP7-9.2.0-1	0.00297	0.60000	0.00000	0.400	0.00000
DS/SDSP7-9.3.1	0.00337	0.00000	0.96203	0.400	0.00000
DS/SDSP7-9.3.2-1	0.00337	0.40000	0.00000	0.400	0.00000
DS/SDSP7-9.3.0-1	0.00337	0.60000	0.00000	0.400	0.00000
DS/SDSP8-10.1.1	0.00519	0.00000	0.79899	0.400	0.00000
DS/SDSP8-10.1.2	0.00519	0.40000	0.49354	0.400	0.00041
DS/SDSP8-10.1.0	0.00519	0.60000	0.49354	0.400	0.00062
DS/SDSP8-10.2.1	0.00297	0.00000	0.99825	0.400	0.00000
DS/SDSP8-10.2.2-1	0.00297	0.40000	0.00000	0.400	0.00000
DS/SDSP8-10.2.0-1	0.00297	0.60000	0.00000	0.400	0.00000
DS/SDSP8-10.3.1	0.00337	0.00000	1.00000	0.400	0.00000
DS/SDSP8-10.3.2-1	0.00337	0.40000	0.00000	0.400	0.00000
DS/SDSP8-10.3.0-1	0.00337	0.60000	0.00000	0.400	0.00000
DS/SDSP9-11.1.1	0.00519	0.00000	0.79649	0.400	0.00000
DS/SDSP9-11.1.2	0.00519	0.40000	0.49302	0.400	0.00041

CASE	P	V	S	W	W*P*V*S
DS/SDSP9-11.1.0	0.00519	0.60000	0.49302	0.400	0.00061
DS/SDSP9-11.2.1	0.00297	0.00000	0.99655	0.400	0.00000
DS/SDSP9-11.2.2-1	0.00297	0.40000	0.00000	0.400	0.00000
DS/SDSP9-11.2.0-1	0.00297	0.60000	0.00000	0.400	0.00000
DS/SDSP9-11.3.1	0.00337	0.00000	1.00000	0.400	0.00000
DS/SDSP9-11.3.2-1	0.00337	0.40000	0.00000	0.400	0.00000
DS/SDSP9-11.3.0-1	0.00337	0.60000	0.00000	0.400	0.00000
DS/SDSP10-12.1.1	0.00317	0.00000	0.89774	0.400	0.00000
DS/SDSP10-12.1.2	0.00317	0.40000	0.75527	0.400	0.00038
DS/SDSP10-12.1.0	0.00317	0.60000	0.75527	0.400	0.00058
DS/SDSP10-12.2.1	0.00166	0.00000	0.89711	0.400	0.00000
DS/SDSP10-12.2.2	0.00166	0.40000	0.70547	0.400	0.00019
DS/SDSP10-12.2.0	0.00166	0.60000	0.70547	0.400	0.00028
DS/SDSP10-12.3.1	0.00276	0.00000	0.98991	0.400	0.00000
DS/SDSP10-12.3.2	0.00276	0.40000	0.71240	0.400	0.00031
DS/SDSP10-12.3.0	0.00276	0.60000	0.71240	0.400	0.00047
DS/SDSP10-12.4.1	0.00313	0.00000	1.00000	0.400	0.00000
DS/SDSP10-12.4.2	0.00313	0.40000	0.75100	0.400	0.00038
DS/SDSP10-12.4.0	0.00313	0.60000	0.75100	0.400	0.00056
DS/SDSP11-13.1.1	0.00351	0.00000	1.00000	0.400	0.00000
DS/SDSP11-13.1.2	0.00351	0.40000	0.95400	0.400	0.00054
DS/SDSP11-13.1.3	0.00351	0.48936	0.95385	0.400	0.00066
DS/SDSP11-13.1.0	0.00351	0.11064	0.95385	0.400	0.00015
DS/SDSP11-13.2.1	0.00183	0.00000	0.99165	0.400	0.00000
DS/SDSP11-13.2.2	0.00183	0.40000	0.91682	0.400	0.00027
DS/SDSP11-13.2.3	0.00183	0.48936	0.91229	0.400	0.00033
DS/SDSP11-13.2.0	0.00183	0.11064	0.91229	0.400	0.00007
DS/SDSP11-13.3.1	0.00305	0.00000	1.00000	0.400	0.00000
DS/SDSP11-13.3.2-1	0.00305	0.40000	0.93512	0.400	0.00046
DS/SDSP11-13.3.3	0.00305	0.48936	0.66647	0.400	0.00040
DS/SDSP11-13.3.0	0.00305	0.11064	0.66647	0.400	0.00009
DS/SDSP11-13.4.1	0.00346	0.00000	1.00000	0.400	0.00000
DS/SDSP11-13.4.2-1	0.00346	0.40000	0.93512	0.400	0.00052
DS/SDSP11-13.4.3	0.00346	0.48936	0.68365	0.400	0.00046
DS/SDSP11-13.4.0	0.00346	0.11064	0.68365	0.400	0.00010
DS/SDSP12-14.1.1-1	0.00393	0.40000	1.00000	0.400	0.00063
DS/SDSP12-14.1.2-1	0.00393	0.48936	1.00000	0.400	0.00077
DS/SDSP12-14.1.0-1	0.00393	0.11064	1.00000	0.400	0.00017
DS/SDSP12-14.2.1-1	0.00134	0.40000	0.98308	0.400	0.00021
DS/SDSP12-14.2.2-1	0.00134	0.48936	0.98314	0.400	0.00026
DS/SDSP12-14.2.0-1	0.00134	0.11064	0.98314	0.400	0.00006
DS/SDSP12-14.3.1-1	0.00802	0.40000	1.00000	0.400	0.00128
DS/SDSP12-14.3.2-1	0.00802	0.48936	0.96419	0.400	0.00151
DS/SDSP12-14.3.0-1	0.00802	0.11064	0.96419	0.400	0.00034
DS/SDSP13-15.1.1-1	0.00270	0.40000	1.00000	0.400	0.00043
DS/SDSP13-15.1.2-1	0.00270	0.48936	1.00000	0.400	0.00053
DS/SDSP13-15.1.0-1	0.00270	0.11064	1.00000	0.400	0.00012
DS/SDSP13-15.2.1-1	0.00092	0.40000	0.96450	0.400	0.00014
DS/SDSP13-15.2.2-1	0.00092	0.48936	0.96432	0.400	0.00017
DS/SDSP13-15.2.0-1	0.00092	0.11064	0.96432	0.400	0.00004
DS/SDSP13-15.3.1-1	0.00075	0.40000	1.00000	0.400	0.00012
DS/SDSP13-15.3.2-1	0.00075	0.48936	0.94186	0.400	0.00014
DS/SDSP13-15.3.0-1	0.00075	0.11064	0.94186	0.400	0.00003
DS/SDSP13-15.4.1-1	0.00475	0.40000	1.00000	0.400	0.00076
DS/SDSP13-15.4.2-1	0.00475	0.48936	0.94186	0.400	0.00088
DS/SDSP13-15.4.0-1	0.00475	0.11064	0.94186	0.400	0.00020
DS/SDSP14-16.1.1-1	0.00550	0.40000	1.00000	0.400	0.00088
DS/SDSP14-16.1.2-1	0.00550	0.48936	1.00000	0.400	0.00108
DS/SDSP14-16.1.0-1	0.00550	0.11064	1.00000	0.400	0.00024

CASE	P	V	S	W	W*P*V*S
DS/SDSP14-16.2.1-2	0.00080	0.40000	0.98293	0.400	0.00013
DS/SDSP14-16.2.2	0.00080	0.48936	0.97177	0.400	0.00015
DS/SDSP14-16.2.0	0.00080	0.11064	0.97177	0.400	0.00003
DS/SDSP14-16.3.1-2	0.00035	0.40000	1.00000	0.400	0.00006
DS/SDSP14-16.3.2	0.00035	0.48936	0.59605	0.400	0.00004
DS/SDSP14-16.3.0	0.00035	0.11064	0.59605	0.400	0.00001
DS/SDSP14-16.4.1-2	0.00721	0.40000	1.00000	0.400	0.00115
DS/SDSP14-16.4.2	0.00721	0.48936	0.59605	0.400	0.00084
DS/SDSP14-16.4.0	0.00721	0.11064	0.59605	0.400	0.00019
DS/SDSP15-17.1.1	0.00267	0.40000	1.00000	0.400	0.00043
DS/SDSP15-17.1.2	0.00267	0.48936	1.00000	0.400	0.00052
DS/SDSP15-17.1.0	0.00267	0.11064	1.00000	0.400	0.00012
DS/SDSP15-17.2.1	0.00218	0.40000	1.00000	0.400	0.00035
DS/SDSP15-17.2.2	0.00218	0.48936	1.00000	0.400	0.00043
DS/SDSP15-17.2.0	0.00218	0.11064	1.00000	0.400	0.00010
DS/SDSP15-17.3.1	0.00027	0.40000	1.00000	0.400	0.00004
DS/SDSP15-17.3.2	0.00027	0.48936	1.00000	0.400	0.00005
DS/SDSP15-17.3.0	0.00027	0.11064	1.00000	0.400	0.00001
DS/SDSP15-17.4.1-2	0.00556	0.40000	1.00000	0.400	0.00089
DS/SDSP15-17.4.2	0.00556	0.48936	0.68575	0.400	0.00075
DS/SDSP15-17.4.0	0.00556	0.11064	0.68575	0.400	0.00017
DS/SDSP16-18.1.1	0.00386	0.40000	1.00000	0.400	0.00062
DS/SDSP16-18.1.2	0.00386	0.48936	1.00000	0.400	0.00076
DS/SDSP16-18.1.0	0.00386	0.11064	1.00000	0.400	0.00017
DS/SDSP16-18.2.1	0.00315	0.40000	1.00000	0.400	0.00050
DS/SDSP16-18.2.2	0.00315	0.48936	1.00000	0.400	0.00062
DS/SDSP16-18.2.0	0.00315	0.11064	1.00000	0.400	0.00014
DS/SDSP16-18.3.1	0.00842	0.40000	1.00000	0.400	0.00135
DS/SDSP16-18.3.2	0.00842	0.48936	1.00000	0.400	0.00165
DS/SDSP16-18.3.0	0.00842	0.11064	1.00000	0.400	0.00037
DS/SDSP1-4.1.1	0.00000	0.40000	1.00000	0.400	0.00000
DS/SDSP1-4.1.0	0.00000	0.60000	1.00000	0.400	0.00000
DS/SDSP1-4.2.1	0.00142	0.40000	1.00000	0.400	0.00023
DS/SDSP1-4.2.0	0.00142	0.60000	1.00000	0.400	0.00034
DS/SDSP1-4.3.1	0.00086	0.40000	0.00000	0.400	0.00000
DS/SDSP1-4.3.0	0.00086	0.60000	0.00000	0.400	0.00000
DS/SDSP2-5.1.1-1	0.00705	0.00000	0.79189	0.400	0.00000
DS/SDSP2-5.1.2-1	0.00705	0.40000	0.79189	0.400	0.00089
DS/SDSP2-5.1.0-1	0.00705	0.60000	0.79189	0.400	0.00134
DS/SDSP2-5.2.1-1	0.00859	0.00000	0.00000	0.400	0.00000
DS/SDSP2-5.2.2-1	0.00859	0.40000	0.00000	0.400	0.00000
DS/SDSP2-5.2.0-1	0.00859	0.60000	0.00000	0.400	0.00000
DS/SDSP3-6.1.1	0.00177	0.00000	0.94196	0.400	0.00000
DS/SDSP3-6.1.2	0.00177	0.40000	0.83754	0.400	0.00024
DS/SDSP3-6.1.0	0.00177	0.60000	0.83754	0.400	0.00036
DS/SDSP3-6.2.1-1	0.00101	0.00000	0.00000	0.400	0.00000
DS/SDSP3-6.2.2-1	0.00101	0.40000	0.00000	0.400	0.00000
DS/SDSP3-6.2.0-1	0.00101	0.60000	0.00000	0.400	0.00000
DS/SDSP3-6.3.1-1	0.00115	0.00000	0.00000	0.400	0.00000
DS/SDSP3-6.3.2-1	0.00115	0.40000	0.00000	0.400	0.00000
DS/SDSP3-6.3.0-1	0.00115	0.60000	0.00000	0.400	0.00000
DS/SDSP4-7.1.1	0.00077	0.00000	0.77429	0.400	0.00000
DS/SDSP4-7.1.2	0.00077	0.40000	0.30269	0.400	0.00004
DS/SDSP4-7.1.0	0.00077	0.60000	0.30269	0.400	0.00006
DS/SDSP4-7.2.1-1	0.00044	0.00000	0.00000	0.400	0.00000
DS/SDSP4-7.2.2-1	0.00044	0.40000	0.00000	0.400	0.00000
DS/SDSP4-7.2.0-1	0.00044	0.60000	0.00000	0.400	0.00000
DS/SDSP4-7.3.1-1	0.00050	0.00000	0.00000	0.400	0.00000
DS/SDSP4-7.3.2-1	0.00050	0.40000	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP4-7.3.0-1	0.00050	0.60000	0.00000	0.400	0.00000
DS/SDSP5-8.1.1	0.00156	0.00000	0.64142	0.400	0.00000
DS/SDSP5-8.1.2	0.00156	0.40000	0.00000	0.400	0.00000
DS/SDSP5-8.1.0	0.00156	0.60000	0.00000	0.400	0.00000
DS/SDSP5-8.2.1-1	0.00089	0.00000	0.00000	0.400	0.00000
DS/SDSP5-8.2.2-1	0.00089	0.40000	0.00000	0.400	0.00000
DS/SDSP5-8.2.0-1	0.00089	0.60000	0.00000	0.400	0.00000
DS/SDSP5-8.3.1-1	0.00101	0.00000	0.00000	0.400	0.00000
DS/SDSP5-8.3.2-1	0.00101	0.40000	0.00000	0.400	0.00000
DS/SDSP5-8.3.0-1	0.00101	0.60000	0.00000	0.400	0.00000
DS/SDSP6-9.1.1	0.00156	0.00000	0.64069	0.400	0.00000
DS/SDSP6-9.1.2	0.00156	0.40000	0.00000	0.400	0.00000
DS/SDSP6-9.1.0	0.00156	0.60000	0.00000	0.400	0.00000
DS/SDSP6-9.2.1-1	0.00089	0.00000	0.00000	0.400	0.00000
DS/SDSP6-9.2.2-1	0.00089	0.40000	0.00000	0.400	0.00000
DS/SDSP6-9.2.0-1	0.00089	0.60000	0.00000	0.400	0.00000
DS/SDSP6-9.3.1-1	0.00101	0.00000	0.00000	0.400	0.00000
DS/SDSP6-9.3.2-1	0.00101	0.40000	0.00000	0.400	0.00000
DS/SDSP6-9.3.0-1	0.00101	0.60000	0.00000	0.400	0.00000
DS/SDSP7-10.1.1	0.00156	0.00000	0.58829	0.400	0.00000
DS/SDSP7-10.1.2	0.00156	0.40000	0.00000	0.400	0.00000
DS/SDSP7-10.1.0	0.00156	0.60000	0.00000	0.400	0.00000
DS/SDSP7-10.2.1	0.00089	0.00000	0.00000	0.400	0.00000
DS/SDSP7-10.2.2-1	0.00089	0.40000	0.00000	0.400	0.00000
DS/SDSP7-10.2.0-1	0.00089	0.60000	0.00000	0.400	0.00000
DS/SDSP7-10.3.1	0.00101	0.00000	0.00000	0.400	0.00000
DS/SDSP7-10.3.2-1	0.00101	0.40000	0.00000	0.400	0.00000
DS/SDSP7-10.3.0-1	0.00101	0.60000	0.00000	0.400	0.00000
DS/SDSP8-11.1.1	0.00156	0.00000	0.56760	0.400	0.00000
DS/SDSP8-11.1.2	0.00156	0.40000	0.00000	0.400	0.00000
DS/SDSP8-11.1.0	0.00156	0.60000	0.00000	0.400	0.00000
DS/SDSP8-11.2.1	0.00089	0.00000	0.00000	0.400	0.00000
DS/SDSP8-11.2.2-1	0.00089	0.40000	0.00000	0.400	0.00000
DS/SDSP8-11.2.0-1	0.00089	0.60000	0.00000	0.400	0.00000
DS/SDSP8-11.3.1	0.00101	0.00000	0.00000	0.400	0.00000
DS/SDSP8-11.3.2-1	0.00101	0.40000	0.00000	0.400	0.00000
DS/SDSP8-11.3.0-1	0.00101	0.60000	0.00000	0.400	0.00000
DS/SDSP9-12.1.1	0.00093	0.00000	0.67915	0.400	0.00000
DS/SDSP9-12.1.2	0.00093	0.40000	0.00000	0.400	0.00000
DS/SDSP9-12.1.0	0.00093	0.60000	0.00000	0.400	0.00000
DS/SDSP9-12.2.1	0.00048	0.00000	0.67973	0.400	0.00000
DS/SDSP9-12.2.2	0.00048	0.40000	0.00000	0.400	0.00000
DS/SDSP9-12.2.0	0.00048	0.60000	0.00000	0.400	0.00000
DS/SDSP9-12.3.1	0.00080	0.00000	0.00000	0.400	0.00000
DS/SDSP9-12.3.2-1	0.00080	0.40000	0.00000	0.400	0.00000
DS/SDSP9-12.3.0-1	0.00080	0.60000	0.00000	0.400	0.00000
DS/SDSP9-12.4.1	0.00091	0.00000	0.00000	0.400	0.00000
DS/SDSP9-12.4.2-1	0.00091	0.40000	0.00000	0.400	0.00000
DS/SDSP9-12.4.0-1	0.00091	0.60000	0.00000	0.400	0.00000
DS/SDSP10-13.1.1	0.00100	0.00000	0.79618	0.400	0.00000
DS/SDSP10-13.1.2	0.00100	0.40000	0.60270	0.400	0.00010
DS/SDSP10-13.1.3	0.00100	0.48936	0.60156	0.400	0.00012
DS/SDSP10-13.1.0	0.00100	0.11064	0.60156	0.400	0.00003
DS/SDSP10-13.2.1	0.00052	0.00000	0.79272	0.400	0.00000
DS/SDSP10-13.2.2	0.00052	0.40000	0.54858	0.400	0.00005
DS/SDSP10-13.2.3	0.00052	0.48936	0.00000	0.400	0.00000
DS/SDSP10-13.2.0	0.00052	0.11064	0.00000	0.400	0.00000
DS/SDSP10-13.3.1	0.00087	0.00000	0.90611	0.400	0.00000
DS/SDSP10-13.3.2	0.00087	0.40000	0.44007	0.400	0.00006

CASE	P	V	S	W	W*P*V*S
DS/SDSP10-13.3.3-1	0.00087	0.48936	0.00000	0.400	0.00000
DS/SDSP10-13.3.0-1	0.00087	0.11064	0.00000	0.400	0.00000
DS/SDSP10-13.4.1	0.00098	0.00000	0.92625	0.400	0.00000
DS/SDSP10-13.4.2-1	0.00098	0.40000	0.51045	0.400	0.00008
DS/SDSP10-13.4.3-1	0.00098	0.48936	0.00000	0.400	0.00000
DS/SDSP10-13.4.0-1	0.00098	0.11064	0.00000	0.400	0.00000
DS/SDSP11-14.1.1-1	0.00145	0.00000	0.84012	0.400	0.00000
DS/SDSP11-14.1.2-1	0.00145	0.40000	0.75104	0.400	0.00017
DS/SDSP11-14.1.3-1	0.00145	0.48936	0.75151	0.400	0.00021
DS/SDSP11-14.1.0-1	0.00145	0.11064	0.75151	0.400	0.00005
DS/SDSP11-14.2.1-1	0.00050	0.00000	0.79136	0.400	0.00000
DS/SDSP11-14.2.2-1	0.00050	0.40000	0.67832	0.400	0.00005
DS/SDSP11-14.2.3-1	0.00050	0.48936	0.58544	0.400	0.00006
DS/SDSP11-14.2.0-1	0.00050	0.11064	0.58544	0.400	0.00001
DS/SDSP11-14.3.1-1	0.00026	0.00000	0.90445	0.400	0.00000
DS/SDSP11-14.3.2-1	0.00026	0.40000	0.81372	0.400	0.00003
DS/SDSP11-14.3.3-1	0.00026	0.48936	0.00293	0.400	0.00000
DS/SDSP11-14.3.0-1	0.00026	0.11064	0.00293	0.400	0.00000
DS/SDSP11-14.4.1-1	0.00126	0.00000	1.00000	0.400	0.00000
DS/SDSP11-14.4.2-1	0.00126	0.40000	0.86379	0.400	0.00017
DS/SDSP11-14.4.3-1	0.00126	0.48936	0.00000	0.400	0.00000
DS/SDSP11-14.4.0-1	0.00126	0.11064	0.00000	0.400	0.00000
DS/SDSP11-14.5.1-1	0.00143	0.00000	1.00000	0.400	0.00000
DS/SDSP11-14.5.2-1	0.00143	0.40000	0.86379	0.400	0.00020
DS/SDSP11-14.5.3-1	0.00143	0.48936	0.00000	0.400	0.00000
DS/SDSP11-14.5.0-1	0.00143	0.11064	0.00000	0.400	0.00000
DS/SDSP12-15.1.1-1	0.00098	0.40000	0.87739	0.400	0.00014
DS/SDSP12-15.1.2-1	0.00098	0.48936	0.87706	0.400	0.00017
DS/SDSP12-15.1.0-1	0.00098	0.11064	0.87706	0.400	0.00004
DS/SDSP12-15.2.1-1	0.00033	0.40000	0.79138	0.400	0.00004
DS/SDSP12-15.2.2-1	0.00033	0.48936	0.77200	0.400	0.00005
DS/SDSP12-15.2.0-1	0.00033	0.11064	0.77200	0.400	0.00001
DS/SDSP12-15.3.1-1	0.00027	0.40000	0.90906	0.400	0.00004
DS/SDSP12-15.3.2-1	0.00027	0.48936	0.65740	0.400	0.00004
DS/SDSP12-15.3.0-1	0.00027	0.11064	0.65740	0.400	0.00001
DS/SDSP12-15.4.1-1	0.00172	0.40000	0.90906	0.400	0.00025
DS/SDSP12-15.4.2-1	0.00172	0.48936	0.65740	0.400	0.00022
DS/SDSP12-15.4.0-1	0.00172	0.11064	0.65740	0.400	0.00005
DS/SDSP13-16.1.1-2	0.00103	0.40000	0.91687	0.400	0.00015
DS/SDSP13-16.1.2-2	0.00103	0.48936	0.91624	0.400	0.00018
DS/SDSP13-16.1.0-2	0.00103	0.11064	0.91624	0.400	0.00004
DS/SDSP13-16.2.1-2	0.00035	0.40000	0.80722	0.400	0.00005
DS/SDSP13-16.2.2	0.00035	0.48936	0.47062	0.400	0.00003
DS/SDSP13-16.2.0	0.00035	0.11064	0.47062	0.400	0.00001
DS/SDSP13-16.3.1-2	0.00020	0.40000	0.92668	0.400	0.00003
DS/SDSP13-16.3.2-1	0.00020	0.48936	0.00000	0.400	0.00000
DS/SDSP13-16.3.0-1	0.00020	0.11064	0.00000	0.400	0.00000
DS/SDSP13-16.4.1-2	0.00009	0.40000	0.97670	0.400	0.00001
DS/SDSP13-16.4.2-1	0.00009	0.48936	0.00000	0.400	0.00000
DS/SDSP13-16.4.0-1	0.00009	0.11064	0.00000	0.400	0.00000
DS/SDSP13-16.5.1-2	0.00181	0.40000	0.97670	0.400	0.00028
DS/SDSP13-16.5.2-1	0.00181	0.48936	0.00000	0.400	0.00000
DS/SDSP13-16.5.0-1	0.00181	0.11064	0.00000	0.400	0.00000
DS/SDSP14-17.1.1-1	0.00109	0.40000	0.99307	0.400	0.00017
DS/SDSP14-17.1.2-1	0.00109	0.48936	0.99310	0.400	0.00021
DS/SDSP14-17.1.0-1	0.00109	0.11064	0.99310	0.400	0.00005
DS/SDSP14-17.2.1-1	0.00064	0.40000	1.00000	0.400	0.00010
DS/SDSP14-17.2.2-1	0.00064	0.48936	1.00000	0.400	0.00012
DS/SDSP14-17.2.0-1	0.00064	0.11064	1.00000	0.400	0.00003



CASE	P	V	S	W	W*P*V*S
DS/SDSP14-17.3.1-2	0.00025	0.40000	0.99594	0.400	0.00004
DS/SDSP14-17.3.2	0.00025	0.48936	0.00000	0.400	0.00000
DS/SDSP14-17.3.0	0.00025	0.11064	0.00000	0.400	0.00000
DS/SDSP14-17.4.1-2	0.00011	0.40000	1.00000	0.400	0.00002
DS/SDSP14-17.4.2-1	0.00011	0.48936	0.00000	0.400	0.00000
DS/SDSP14-17.4.0-1	0.00011	0.11064	0.00000	0.400	0.00000
DS/SDSP14-17.5.1-2	0.00226	0.40000	1.00000	0.400	0.00036
DS/SDSP14-17.5.2-1	0.00226	0.48936	0.00000	0.400	0.00000
DS/SDSP14-17.5.0-1	0.00226	0.11064	0.00000	0.400	0.00000
DS/SDSP15-18.1.1	0.00115	0.40000	1.00000	0.400	0.00018
DS/SDSP15-18.1.2	0.00115	0.48936	1.00000	0.400	0.00023
DS/SDSP15-18.1.0	0.00115	0.11064	1.00000	0.400	0.00005
DS/SDSP15-18.2.1	0.00094	0.40000	1.00000	0.400	0.00015
DS/SDSP15-18.2.2	0.00094	0.48936	1.00000	0.400	0.00018
DS/SDSP15-18.2.0	0.00094	0.11064	1.00000	0.400	0.00004
DS/SDSP15-18.3.1-1	0.00012	0.40000	1.00000	0.400	0.00002
DS/SDSP15-18.3.2	0.00012	0.48936	1.00000	0.400	0.00002
DS/SDSP15-18.3.0	0.00012	0.11064	1.00000	0.400	0.00001
DS/SDSP15-18.4.1-2	0.00240	0.40000	1.00000	0.400	0.00038
DS/SDSP15-18.4.2-1	0.00240	0.48936	0.00000	0.400	0.00000
DS/SDSP15-18.4.0-1	0.00240	0.11064	0.00000	0.400	0.00000
DS/SDSP1-5.1.1	0.00000	0.00000	0.48612	0.400	0.00000
DS/SDSP1-5.1.2	0.00000	0.40000	0.48612	0.400	0.00000
DS/SDSP1-5.1.0	0.00000	0.60000	0.48612	0.400	0.00000
DS/SDSP1-5.2.1	0.00156	0.00000	0.48612	0.400	0.00000
DS/SDSP1-5.2.2	0.00156	0.40000	0.48612	0.400	0.00012
DS/SDSP1-5.2.0	0.00156	0.60000	0.48612	0.400	0.00018
DS/SDSP1-5.3.1-1	0.00095	0.00000	0.00000	0.400	0.00000
DS/SDSP1-5.3.2-2	0.00095	0.40000	0.00000	0.400	0.00000
DS/SDSP1-5.3.0-2	0.00095	0.60000	0.00000	0.400	0.00000
DS/SDSP2-6.1.1	0.00213	0.00000	0.00000	0.400	0.00000
DS/SDSP2-6.1.2-1	0.00213	0.40000	0.00000	0.400	0.00000
DS/SDSP2-6.1.0-1	0.00213	0.60000	0.00000	0.400	0.00000
DS/SDSP2-6.2.1-1	0.00122	0.00000	0.00000	0.400	0.00000
DS/SDSP2-6.2.2-1	0.00122	0.40000	0.00000	0.400	0.00000
DS/SDSP2-6.2.0-1	0.00122	0.60000	0.00000	0.400	0.00000
DS/SDSP2-6.3.1-1	0.00138	0.00000	0.00000	0.400	0.00000
DS/SDSP2-6.3.2-1	0.00138	0.40000	0.00000	0.400	0.00000
DS/SDSP2-6.3.0-1	0.00138	0.60000	0.00000	0.400	0.00000
DS/SDSP3-7.1.1	0.00056	0.00000	0.60892	0.400	0.00000
DS/SDSP3-7.1.2-1	0.00056	0.40000	0.00000	0.400	0.00000
DS/SDSP3-7.1.0-1	0.00056	0.60000	0.00000	0.400	0.00000
DS/SDSP3-7.2.1-1	0.00032	0.00000	0.00000	0.400	0.00000
DS/SDSP3-7.2.2-1	0.00032	0.40000	0.00000	0.400	0.00000
DS/SDSP3-7.2.0-1	0.00032	0.60000	0.00000	0.400	0.00000
DS/SDSP3-7.3.1-1	0.00036	0.00000	0.00000	0.400	0.00000
DS/SDSP3-7.3.2-1	0.00036	0.40000	0.00000	0.400	0.00000
DS/SDSP3-7.3.0-1	0.00036	0.60000	0.00000	0.400	0.00000
DS/SDSP4-8.1.1	0.00037	0.00000	0.31688	0.400	0.00000
DS/SDSP4-8.1.2-1	0.00037	0.40000	0.00000	0.400	0.00000
DS/SDSP4-8.1.0-1	0.00037	0.60000	0.00000	0.400	0.00000
DS/SDSP4-8.2.1-1	0.00021	0.00000	0.00000	0.400	0.00000
DS/SDSP4-8.2.2-1	0.00021	0.40000	0.00000	0.400	0.00000
DS/SDSP4-8.2.0-1	0.00021	0.60000	0.00000	0.400	0.00000
DS/SDSP4-8.3.1-1	0.00024	0.00000	0.00000	0.400	0.00000
DS/SDSP4-8.3.2-1	0.00024	0.40000	0.00000	0.400	0.00000
DS/SDSP4-8.3.0-1	0.00024	0.60000	0.00000	0.400	0.00000
DS/SDSP5-9.1.1	0.00069	0.00000	0.00000	0.400	0.00000
DS/SDSP5-9.1.2-1	0.00069	0.40000	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP5-9.1.0-1	0.00069	0.60000	0.00000	0.400	0.00000
DS/SDSP5-9.2.1-1	0.00039	0.00000	0.00000	0.400	0.00000
DS/SDSP5-9.2.2-1	0.00039	0.40000	0.00000	0.400	0.00000
DS/SDSP5-9.2.0-1	0.00039	0.60000	0.00000	0.400	0.00000
DS/SDSP5-9.3.1-1	0.00044	0.00000	0.00000	0.400	0.00000
DS/SDSP5-9.3.2-1	0.00044	0.40000	0.00000	0.400	0.00000
DS/SDSP5-9.3.0-1	0.00044	0.60000	0.00000	0.400	0.00000
DS/SDSP6-10.1.1	0.00069	0.00000	0.26846	0.400	0.00000
DS/SDSP6-10.1.2-1	0.00069	0.40000	0.00000	0.400	0.00000
DS/SDSP6-10.1.0-1	0.00069	0.60000	0.00000	0.400	0.00000
DS/SDSP6-10.2.1-1	0.00039	0.00000	0.00000	0.400	0.00000
DS/SDSP6-10.2.2-1	0.00039	0.40000	0.00000	0.400	0.00000
DS/SDSP6-10.2.0-1	0.00039	0.60000	0.00000	0.400	0.00000
DS/SDSP6-10.3.1-1	0.00044	0.00000	0.00000	0.400	0.00000
DS/SDSP6-10.3.2-1	0.00044	0.40000	0.00000	0.400	0.00000
DS/SDSP6-10.3.0-1	0.00044	0.60000	0.00000	0.400	0.00000
DS/SDSP7-11.1.1	0.00069	0.00000	0.07833	0.400	0.00000
DS/SDSP7-11.1.2-1	0.00069	0.40000	0.00000	0.400	0.00000
DS/SDSP7-11.1.0-1	0.00069	0.60000	0.00000	0.400	0.00000
DS/SDSP7-11.2.1	0.00039	0.00000	0.00000	0.400	0.00000
DS/SDSP7-11.2.2-1	0.00039	0.40000	0.00000	0.400	0.00000
DS/SDSP7-11.2.0-1	0.00039	0.60000	0.00000	0.400	0.00000
DS/SDSP7-11.3.1	0.00044	0.00000	0.00000	0.400	0.00000
DS/SDSP7-11.3.2-1	0.00044	0.40000	0.00000	0.400	0.00000
DS/SDSP7-11.3.0-1	0.00044	0.60000	0.00000	0.400	0.00000
DS/SDSP8-12.1.1	0.00042	0.00000	0.38694	0.400	0.00000
DS/SDSP8-12.1.2-1	0.00042	0.40000	0.00000	0.400	0.00000
DS/SDSP8-12.1.0-1	0.00042	0.60000	0.00000	0.400	0.00000
DS/SDSP8-12.2.1	0.00022	0.00000	0.21928	0.400	0.00000
DS/SDSP8-12.2.2-1	0.00022	0.40000	0.00000	0.400	0.00000
DS/SDSP8-12.2.0-1	0.00022	0.60000	0.00000	0.400	0.00000
DS/SDSP8-12.3.1-1	0.00037	0.00000	0.00000	0.400	0.00000
DS/SDSP8-12.3.2-1	0.00037	0.40000	0.00000	0.400	0.00000
DS/SDSP8-12.3.0-1	0.00037	0.60000	0.00000	0.400	0.00000
DS/SDSP8-12.4.1-1	0.00041	0.00000	0.00000	0.400	0.00000
DS/SDSP8-12.4.2-1	0.00041	0.40000	0.00000	0.400	0.00000
DS/SDSP8-12.4.0-1	0.00041	0.60000	0.00000	0.400	0.00000
DS/SDSP9-13.1.1	0.00046	0.00000	0.55273	0.400	0.00000
DS/SDSP9-13.1.2	0.00046	0.40000	0.00000	0.400	0.00000
DS/SDSP9-13.1.3	0.00046	0.48936	0.00000	0.400	0.00000
DS/SDSP9-13.1.0	0.00046	0.11064	0.00000	0.400	0.00000
DS/SDSP9-13.2.1	0.00024	0.00000	0.53112	0.400	0.00000
DS/SDSP9-13.2.2-1	0.00024	0.40000	0.00000	0.400	0.00000
DS/SDSP9-13.2.3-1	0.00024	0.48936	0.00000	0.400	0.00000
DS/SDSP9-13.2.0-1	0.00024	0.11064	0.00000	0.400	0.00000
DS/SDSP9-13.3.1	0.00040	0.00000	0.00000	0.400	0.00000
DS/SDSP9-13.3.2-1	0.00040	0.40000	0.00000	0.400	0.00000
DS/SDSP9-13.3.3-1	0.00040	0.48936	0.00000	0.400	0.00000
DS/SDSP9-13.3.0-1	0.00040	0.11064	0.00000	0.400	0.00000
DS/SDSP9-13.4.1	0.00045	0.00000	0.00000	0.400	0.00000
DS/SDSP9-13.4.2-1	0.00045	0.40000	0.00000	0.400	0.00000
DS/SDSP9-13.4.3-1	0.00045	0.48936	0.00000	0.400	0.00000
DS/SDSP9-13.4.0-1	0.00045	0.11064	0.00000	0.400	0.00000
DS/SDSP10-14.1.1	0.00062	0.00000	0.61104	0.400	0.00000
DS/SDSP10-14.1.2-1	0.00062	0.40000	0.20213	0.400	0.00002
DS/SDSP10-14.1.3	0.00062	0.48936	0.00000	0.400	0.00000
DS/SDSP10-14.1.0	0.00062	0.11064	0.00000	0.400	0.00000
DS/SDSP10-14.2.1-1	0.00021	0.00000	0.58065	0.400	0.00000
DS/SDSP10-14.2.2-1	0.00021	0.40000	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP10-14.2.3-1	0.00021	0.48936	0.00000	0.400	0.00000
DS/SDSP10-14.2.0-1	0.00021	0.11064	0.00000	0.400	0.00000
DS/SDSP10-14.3.1-1	0.00011	0.00000	0.73936	0.400	0.00000
DS/SDSP10-14.3.2-1	0.00011	0.40000	0.40917	0.400	0.00001
DS/SDSP10-14.3.3-1	0.00011	0.48936	0.00000	0.400	0.00000
DS/SDSP10-14.3.0-1	0.00011	0.11064	0.00000	0.400	0.00000
DS/SDSP10-14.4.1	0.00054	0.00000	0.85229	0.400	0.00000
DS/SDSP10-14.4.2-1	0.00054	0.40000	0.33146	0.400	0.00003
DS/SDSP10-14.4.3-1	0.00054	0.48936	0.00000	0.400	0.00000
DS/SDSP10-14.4.0-1	0.00054	0.11064	0.00000	0.400	0.00000
DS/SDSP10-14.5.1	0.00061	0.00000	0.86768	0.400	0.00000
DS/SDSP10-14.5.2-1	0.00061	0.40000	0.33146	0.400	0.00003
DS/SDSP10-14.5.3-1	0.00061	0.48936	0.00000	0.400	0.00000
DS/SDSP10-14.5.0-1	0.00061	0.11064	0.00000	0.400	0.00000
DS/SDSP11-15.1.1-1	0.00054	0.00000	0.62816	0.400	0.00000
DS/SDSP11-15.1.2-1	0.00054	0.40000	0.47629	0.400	0.00004
DS/SDSP11-15.1.3-1	0.00054	0.48936	0.45647	0.400	0.00005
DS/SDSP11-15.1.0-1	0.00054	0.11064	0.45647	0.400	0.00001
DS/SDSP11-15.2.1-1	0.00018	0.00000	0.58079	0.400	0.00000
DS/SDSP11-15.2.2-1	0.00018	0.40000	0.38128	0.400	0.00001
DS/SDSP11-15.2.3-1	0.00018	0.48936	0.00000	0.400	0.00000
DS/SDSP11-15.2.0-1	0.00018	0.11064	0.00000	0.400	0.00000
DS/SDSP11-15.3.1-1	0.00010	0.00000	0.74697	0.400	0.00000
DS/SDSP11-15.3.2-1	0.00010	0.40000	0.61767	0.400	0.00001
DS/SDSP11-15.3.3-1	0.00010	0.48936	0.00000	0.400	0.00000
DS/SDSP11-15.3.0-1	0.00010	0.11064	0.00000	0.400	0.00000
DS/SDSP11-15.4.1-1	0.00005	0.00000	0.87619	0.400	0.00000
DS/SDSP11-15.4.2-1	0.00005	0.40000	0.65345	0.400	0.00001
DS/SDSP11-15.4.3-1	0.00005	0.48936	0.00000	0.400	0.00000
DS/SDSP11-15.4.0-1	0.00005	0.11064	0.00000	0.400	0.00000
DS/SDSP11-15.5.1-1	0.00042	0.00000	0.87619	0.400	0.00000
DS/SDSP11-15.5.2-1	0.00042	0.40000	0.65345	0.400	0.00004
DS/SDSP11-15.5.3-1	0.00042	0.48936	0.00000	0.400	0.00000
DS/SDSP11-15.5.0-1	0.00042	0.11064	0.00000	0.400	0.00000
DS/SDSP11-15.6.1-1	0.00053	0.00000	0.87619	0.400	0.00000
DS/SDSP11-15.6.2-1	0.00053	0.40000	0.65345	0.400	0.00006
DS/SDSP11-15.6.3-1	0.00053	0.48936	0.00000	0.400	0.00000
DS/SDSP11-15.6.0-1	0.00053	0.11064	0.00000	0.400	0.00000
DS/SDSP12-16.1.1-2	0.00057	0.40000	0.69558	0.400	0.00006
DS/SDSP12-16.1.2-2	0.00057	0.48936	0.68701	0.400	0.00008
DS/SDSP12-16.1.0-2	0.00057	0.11064	0.68701	0.400	0.00002
DS/SDSP12-16.2.1-2	0.00020	0.40000	0.61996	0.400	0.00002
DS/SDSP12-16.2.2-1	0.00020	0.48936	0.00000	0.400	0.00000
DS/SDSP12-16.2.0-1	0.00020	0.11064	0.00000	0.400	0.00000
DS/SDSP12-16.3.1-2	0.00011	0.40000	0.78361	0.400	0.00001
DS/SDSP12-16.3.2-1	0.00011	0.48936	0.00000	0.400	0.00000
DS/SDSP12-16.3.0-1	0.00011	0.11064	0.00000	0.400	0.00000
DS/SDSP12-16.4.1-2	0.00005	0.40000	0.84532	0.400	0.00001
DS/SDSP12-16.4.2-1	0.00005	0.48936	0.00000	0.400	0.00000
DS/SDSP12-16.4.0-1	0.00005	0.11064	0.00000	0.400	0.00000
DS/SDSP12-16.5.1-2	0.00101	0.40000	0.84532	0.400	0.00014
DS/SDSP12-16.5.2-1	0.00101	0.48936	0.00000	0.400	0.00000
DS/SDSP12-16.5.0-1	0.00101	0.11064	0.00000	0.400	0.00000
DS/SDSP13-17.1.1-2	0.00042	0.40000	0.82533	0.400	0.00005
DS/SDSP13-17.1.2-1	0.00042	0.48936	0.82013	0.400	0.00007
DS/SDSP13-17.1.0-1	0.00042	0.11064	0.82013	0.400	0.00002
DS/SDSP13-17.2.1-2	0.00008	0.40000	0.84448	0.400	0.00001
DS/SDSP13-17.2.2-2	0.00008	0.48936	0.84502	0.400	0.00001
DS/SDSP13-17.2.0-2	0.00008	0.11064	0.84502	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP13-17.3.1-2	0.00017	0.40000	0.82738	0.400	0.00002
DS/SDSP13-17.3.2-1	0.00017	0.48936	0.00000	0.400	0.00000
DS/SDSP13-17.3.0-1	0.00017	0.11064	0.00000	0.400	0.00000
DS/SDSP13-17.4.1-2	0.00010	0.40000	0.98331	0.400	0.00002
DS/SDSP13-17.4.2-1	0.00010	0.48936	0.00000	0.400	0.00000
DS/SDSP13-17.4.0-1	0.00010	0.11064	0.00000	0.400	0.00000
DS/SDSP13-17.5.1-2	0.00004	0.40000	1.00000	0.400	0.00001
DS/SDSP13-17.5.2-2	0.00004	0.48936	0.00000	0.400	0.00000
DS/SDSP13-17.5.0-2	0.00004	0.11064	0.00000	0.400	0.00000
DS/SDSP13-17.6.1-2	0.00086	0.40000	1.00000	0.400	0.00014
DS/SDSP13-17.6.2-2	0.00086	0.48936	0.00000	0.400	0.00000
DS/SDSP13-17.6.0-2	0.00086	0.11064	0.00000	0.400	0.00000
DS/SDSP14-18.1.1-1	0.00063	0.40000	0.96786	0.400	0.00010
DS/SDSP14-18.1.2	0.00063	0.48936	0.96074	0.400	0.00012
DS/SDSP14-18.1.0	0.00063	0.11064	0.96074	0.400	0.00003
DS/SDSP14-18.2.1-1	0.00037	0.40000	0.99474	0.400	0.00006
DS/SDSP14-18.2.2-1	0.00037	0.48936	0.98843	0.400	0.00007
DS/SDSP14-18.2.0-1	0.00037	0.11064	0.98843	0.400	0.00002
DS/SDSP14-18.3.1-2	0.00014	0.40000	1.00000	0.400	0.00002
DS/SDSP14-18.3.2-1	0.00014	0.48936	0.00000	0.400	0.00000
DS/SDSP14-18.3.0-1	0.00014	0.11064	0.00000	0.400	0.00000
DS/SDSP14-18.4.1-2	0.00006	0.40000	1.00000	0.400	0.00001
DS/SDSP14-18.4.2-1	0.00006	0.48936	0.00000	0.400	0.00000
DS/SDSP14-18.4.0-1	0.00006	0.11064	0.00000	0.400	0.00000
DS/SDSP14-18.5.1-2	0.00131	0.40000	1.00000	0.400	0.00021
DS/SDSP14-18.5.2-1	0.00131	0.48936	0.00000	0.400	0.00000
DS/SDSP14-18.5.0-1	0.00131	0.11064	0.00000	0.400	0.00000
SUBTOTAL				0.400	0.30869
TOTAL				0.200	0.70533