

# CALCULATION SUMMARY

## INITIAL CONDITIONS

### INIT GROUP SDSINI

INIT		DL	DP	DS
<hr/>				
T0	m	4.700	6.200	7.200
TR0	m	-0.100	0.000	0.000
HEEL0	degree	0.0	0.0	0.0
DSP0	t	6302.0	8809.7	10535.5
LCB	m	39.936	38.573	37.808
TCB	m	0.000	0.000	0.000
VCB	m	2.557	3.383	3.927
GM0	m	1.600	1.600	2.300
GM	m	1.600	1.600	2.300
KG	m	10.12	8.98	7.84
KMT	m	11.717	10.582	10.137

## INDEX SUMMARY

TRIM 0

### ATTAINED AND REQUIRED SUBDIVISION INDEX

Subdivision length	89.122 m
Breadth at the load line	22.000 m
Breadth at the bulkhead deck	22.000 m
Number of persons N1	0
Number of persons N2	0

Required subdivision index  $R = 0.53880$

Attained subdivision index  $A = 0.63999$

INIT	T m	GM m	A/R	A	A*WCOEF	WCOEF
DL	4.700	1.600	1.37	0.73742	0.14748	0.200
DP	6.200	1.600	1.21	0.65076	0.26031	0.400
DS	7.200	2.300	1.08	0.58051	0.23220	0.400


### INDEX ACCORDING TO NUMBER OF ZONES

DAMAGES	W*P*V*S
1-ZONE DAMAGES	0.32186
2-ZONE DAMAGES	0.23675
3-ZONE DAMAGES	0.06509
4-ZONE DAMAGES	0.01343
5-ZONE DAMAGES	0.00287
A-INDEX TOTAL	0.63999

# GENERAL DATA

## BUOYANT HULL

Name of buoyant hull: DAMHULL  
Date of buoyant hull: 2015-03-10




Description of DAMHULL:

ROOM DAMHULL 'Hull for damage stability'  
LIM <STABHULL

## HYDROSTATIC DATA

T m	DISP t	CB	LCB m	LCF m	TPC t/cm	MCT tm/cm	KMT m
1.000	1027.7	0.5615	43.463	42.72	11.6	40.4	34.466
1.500	1631.5	0.5967	43.039	42.02	12.5	47.3	25.129
2.000	2275.9	0.6254	42.613	41.07	13.3	55.3	20.082
2.500	2956.4	0.6508	42.163	40.26	13.9	62.4	17.040
3.000	3665.2	0.6729	41.736	39.54	14.4	68.7	14.973
3.500	4405.3	0.6936	41.266	38.45	15.1	77.1	13.655
4.000	5171.9	0.7128	40.789	37.60	15.6	83.8	12.639
4.500	5964.2	0.7309	40.292	36.69	16.0	90.4	11.834
5.000	6780.7	0.7481	39.774	35.45	16.6	98.9	11.395
5.500	7619.1	0.7643	39.243	34.64	16.9	104.0	10.978
6.000	8467.6	0.7788	38.757	34.13	17.1	106.4	10.691
6.500	9324.8	0.7918	38.317	33.88	17.2	107.8	10.430
7.000	10188.8	0.8035	37.942	33.84	17.3	109.3	10.212
7.500	11056.7	0.8139	37.623	33.92	17.4	110.8	10.039
8.000	11929.1	0.8234	37.358	34.08	17.5	112.3	9.912
8.500	12805.9	0.8320	37.140	34.28	17.6	114.0	9.833
9.000	13687.6	0.8399	36.963	34.49	17.7	115.8	9.798
9.500	13918.3	0.8083	37.383	64.95	4.4	2.3	5.935
10.000	14140.1	0.7801	37.817	65.18	4.5	2.5	6.034
10.500	14368.2	0.7550	38.254	65.43	4.6	2.6	6.141
11.000	14602.8	0.7325	38.692	65.69	4.8	2.8	6.259
11.500	14844.7	0.7123	39.135	65.96	4.9	3.0	6.386
12.000	15094.2	0.6941	39.581	66.25	5.1	3.2	6.522
12.500	15350.8	0.6777	40.030	66.58	5.2	3.5	6.666
13.000	15615.2	0.6628	40.482	66.90	5.4	3.7	6.820
13.500	15888.2	0.6495	40.938	67.22	5.5	4.0	6.983
14.000	16170.0	0.6374	41.399	67.52	5.7	4.2	7.158
14.500	16460.5	0.6265	41.864	67.83	5.9	4.5	7.342
15.000	16755.8	0.6165	42.323	67.90	5.9	4.6	7.484

WIND PROFILE



## SHIP MODEL ARRANGEMENT

NAME	DES	VNET m3	PERM	IPERM
------	-----	------------	------	-------

### CAPACITY OF ACCOMMODATION (RHO=1)

R101	Forpeak	298.6	0.95
R102	Main superstructure front	1102.4	0.95
R103	Main superstructure aft	1573.6	0.95

SUBTOTAL	2974.6
----------	--------

### CAPACITY OF FRESH WATER (RHO=1)

10P	fw	60.6	0.95
10S	FW	60.6	0.95
11P	fw	98.0	0.95
11S	fw	98.0	0.95
41P	fw	53.0	0.95
41S	fw	53.0	0.95

SUBTOTAL	423.2
----------	-------

### CAPACITY OF Machinery Sp. (RHO=1)

C10	Thruster room front	469.3	0.85
C20	Engine room	1825.2	0.85
C40	Thruster room aft	304.5	0.85
C41	Thr aft sb	33.9	0.85
C42	Thr aft ps	33.9	0.85

SUBTOTAL	2666.8
----------	--------

### CAPACITY OF VOID (RHO=1)


311C	Cargo	1142.5	0.95
312C	Cargo	1086.7	0.95
313C	Cargo	916.8	0.95
31P	void	43.0	0.95
31S	void	43.0	0.95
31SU	void	33.6	0.95
31PU	void	33.6	0.95
321C	Cargo	882.8	0.95
322C	Cargo	844.5	0.95
323C	Cargo	844.5	0.95
32P	void	39.8	0.95
32S	void	39.8	0.95
32SU	void	30.8	0.95
32PU	void	30.8	0.95
33P	void	39.8	0.95
33S	void	39.8	0.95
33SU	void	30.8	0.95
33PU	void	30.8	0.95
34P	void	38.8	0.95
34S	void	38.8	0.95
34SU	void	30.8	0.95

NAME	DES	VNET m3	PERM	IPERM
34PU	void	30.8	0.95	
35P	void	33.4	0.95	
35S	void	33.4	0.95	
35SU	void	30.8	0.95	
35PU	void	30.8	0.95	
36P	void	23.4	0.95	
36S	void	23.4	0.95	
36SU	void	30.8	0.95	
36PU	void	30.8	0.95	
SUBTOTAL		6529.6		

CAPACITY OF WATER BALLAST (RHO=1.025)

01C	WB	152.3	0.95	
101C	wb	207.9	0.95	
201C	wb	168.8	0.95	
202C	wb	217.8	0.95	
21P	wb	64.1	0.95	
21S	wb	64.1	0.95	
22P	wb	73.2	0.95	
22S	wb	73.2	0.95	
23P	wb	141.2	0.95	
23S	wb	141.2	0.95	
301C	wb	81.7	0.95	
301P	wb	47.0	0.95	
301S	wb	47.0	0.95	
302C	wb	74.9	0.95	
302P	wb	44.8	0.95	
302S	wb	44.8	0.95	
303C	wb	74.9	0.95	
303P	wb	44.2	0.95	
303S	wb	44.2	0.95	
304C	wb	77.6	0.95	
304S	wb	39.6	0.95	
304P	wb	39.6	0.95	
305C	wb	155.4	0.95	
306C	wb	110.5	0.95	
401C	wb	49.8	0.95	
402P	wb	104.3	0.95	
402S	wb	104.3	0.95	
403C	wb	169.6	0.95	
410C	wb	365.5	0.95	
411C	WB roll red	221.0	0.95	
412C	WB roll red	265.2	0.95	
SUBTOTAL		3509.9		
TOTAL		16104.1		

SUBDIVISION OF THE VESSEL



SUBDIVISION DEFINITION

ZONE	X1 m	X2 m	BP	BS	HHSD	HHSU	PLIMIT	SLIMIT
Z01	-4.900	-3.000	0/0	0/0	-	9		
Z02	-3.000	4.200	3.8	3.8	5.6	5.6/9		
Z03	4.200	7.800	-	-	2.5/5.6	5.6/9		
Z04	7.800	10.800	-	-	2.5/5.6	5.6/9		
Z05	10.800	17.400	1.4/6.2	1.4/6.2	2.365/5.6	5.6/9		
Z06	17.400	24.000	1.4/6.2	1.4/6.2	1.889/5.6	5.6/9		
Z07	24.000	30.600	1.4/6.2	1.4/6.2	1.412/5.6	5.6/9		
Z08	30.600	37.200	1.4/6.2	1.4/6.2	1.2/5.6	5.6/9		
Z09	37.200	43.800	1.4/6.2	1.4/6.2	1.2/5.6	5.6/9		
Z10	43.800	51.000	1.4/6.2	1.4/6.2	1.2/5.6	5.6/9		
Z11	51.000	54.600	2.6	2.6	1.5/5.6	5.6/9		
Z12	54.600	58.800	2.6	2.6	1.5/5.6	5.6/9/12.		
Z13	58.800	63.000	2.887	2.887	1.5/5.6	5.6/9/12.		
Z14	63.000	66.600	3.061	3.061	1.5/5.6	5.6/9/12.		
Z15	66.600	71.400	3.473	3.473	2.4/5.6	5.6/9/12.		
Z16	71.400	76.800	1.823	1.823	2.4/5.6	5.6/9/12.		
Z17	76.800	84.225	-	-	5.6	5.6/9/12.		



LIGHT SERVICE CONDITION

INIT		DL
-----		
T0	m	4.700
TR0	m	-0.100
HEEL0	degree	0.0
DSP0	t	6302.0
LCB	m	39.936
TCB	m	0.000
VCB	m	2.557
GM0	m	1.600
GM	m	1.600
KG	m	10.12
KMT	m	11.717

PART B-1

CALCULATION RESULTS FOR INDEX CALCULATION

Trim: 0     Reult table: TAB\*SDSD1RES2-TR0

-----	
DAMAGES	W*P*V*S
-----	
1-ZONE DAMAGES	0.32186
2-ZONE DAMAGES	0.23675
3-ZONE DAMAGES	0.06509
4-ZONE DAMAGES	0.01343
5-ZONE DAMAGES	0.00287
-----	
A-INDEX TOTAL	0.63999
-----	

## CALCULATION RESULTS FOR INDEX CALCULATION

Trim: 0    Reult table: TAB\*SDSD1RES2-TR0

CASE	P	V	S	W	W*P*V*S
DL/SDSP1.1.1	0.00000	0.44103	1.00000	0.200	0.00000
DL/SDSP1.1.0	0.00000	0.55897	1.00000	0.200	0.00000
DL/SDSP1.2.1	0.00000	0.44103	1.00000	0.200	0.00000
DL/SDSP1.2.0	0.00000	0.55897	1.00000	0.200	0.00000
DL/SDSP1.3.1	0.01186	0.44103	1.00000	0.200	0.00105
DL/SDSP1.3.0	0.01186	0.55897	1.00000	0.200	0.00133
DL/SDSP2.1.1	0.01928	0.09231	1.00000	0.200	0.00036
DL/SDSP2.1.2-1	0.01928	0.34872	1.00000	0.200	0.00134
DL/SDSP2.1.0-1	0.01928	0.55897	1.00000	0.200	0.00215
DL/SDSP2.2.1	0.01088	0.09231	1.00000	0.200	0.00020
DL/SDSP2.2.2	0.01088	0.34872	1.00000	0.200	0.00076
DL/SDSP2.2.0	0.01088	0.55897	1.00000	0.200	0.00122
DL/SDSP3.1.1-1	0.00826	0.09231	1.00000	0.200	0.00015
DL/SDSP3.1.2-1	0.00826	0.34872	1.00000	0.200	0.00058
DL/SDSP3.1.0-1	0.00826	0.55897	1.00000	0.200	0.00092
DL/SDSP4.1.1-1	0.00582	0.09231	1.00000	0.200	0.00011
DL/SDSP4.1.2-1	0.00582	0.34872	1.00000	0.200	0.00041
DL/SDSP4.1.0-1	0.00582	0.55897	1.00000	0.200	0.00065
DL/SDSP5.1.1-1	0.00766	0.09231	1.00000	0.200	0.00014
DL/SDSP5.1.2-1	0.00766	0.34872	1.00000	0.200	0.00053
DL/SDSP5.1.0-1	0.00766	0.55897	1.00000	0.200	0.00086
DL/SDSP5.2.1-1	0.01430	0.09231	1.00000	0.200	0.00026
DL/SDSP5.2.2-1	0.01430	0.34872	1.00000	0.200	0.00100
DL/SDSP5.2.0-1	0.01430	0.55897	1.00000	0.200	0.00160
DL/SDSP5.3.1-1	0.00378	0.09231	1.00000	0.200	0.00007
DL/SDSP5.3.2-1	0.00378	0.34872	1.00000	0.200	0.00026
DL/SDSP5.3.0-1	0.00378	0.55897	1.00000	0.200	0.00042
DL/SDSP6.1.1-1	0.00766	0.09231	1.00000	0.200	0.00014
DL/SDSP6.1.2-1	0.00766	0.34872	1.00000	0.200	0.00053
DL/SDSP6.1.0-1	0.00766	0.55897	1.00000	0.200	0.00086
DL/SDSP6.2.1-1	0.01430	0.09231	1.00000	0.200	0.00026
DL/SDSP6.2.2-1	0.01430	0.34872	1.00000	0.200	0.00100
DL/SDSP6.2.0-1	0.01430	0.55897	1.00000	0.200	0.00160
DL/SDSP6.3.1-1	0.00378	0.09231	1.00000	0.200	0.00007
DL/SDSP6.3.2-1	0.00378	0.34872	1.00000	0.200	0.00026
DL/SDSP6.3.0-1	0.00378	0.55897	1.00000	0.200	0.00042
DL/SDSP7.1.1	0.00766	0.09231	1.00000	0.200	0.00014
DL/SDSP7.1.2	0.00766	0.34872	1.00000	0.200	0.00053
DL/SDSP7.1.0	0.00766	0.55897	1.00000	0.200	0.00086
DL/SDSP7.2.1	0.01430	0.09231	1.00000	0.200	0.00026
DL/SDSP7.2.2	0.01430	0.34872	1.00000	0.200	0.00100
DL/SDSP7.2.0	0.01430	0.55897	1.00000	0.200	0.00160
DL/SDSP7.3.1	0.00378	0.09231	1.00000	0.200	0.00007
DL/SDSP7.3.2	0.00378	0.34872	1.00000	0.200	0.00026
DL/SDSP7.3.0	0.00378	0.55897	1.00000	0.200	0.00042
DL/SDSP8.1.1	0.00766	0.09231	1.00000	0.200	0.00014
DL/SDSP8.1.2	0.00766	0.34872	1.00000	0.200	0.00053
DL/SDSP8.1.0	0.00766	0.55897	1.00000	0.200	0.00086
DL/SDSP8.2.1	0.01430	0.09231	1.00000	0.200	0.00026
DL/SDSP8.2.2	0.01430	0.34872	1.00000	0.200	0.00100
DL/SDSP8.2.0	0.01430	0.55897	1.00000	0.200	0.00160
DL/SDSP8.3.1	0.00378	0.09231	1.00000	0.200	0.00007

CASE	P	V	S	W	W*P*V*S
DL/SDSP8.3.2	0.00378	0.34872	1.00000	0.200	0.00026
DL/SDSP8.3.0	0.00378	0.55897	1.00000	0.200	0.00042
DL/SDSP9.1.1	0.00766	0.09231	1.00000	0.200	0.00014
DL/SDSP9.1.2	0.00766	0.34872	1.00000	0.200	0.00053
DL/SDSP9.1.0	0.00766	0.55897	1.00000	0.200	0.00086
DL/SDSP9.2.1	0.01430	0.09231	1.00000	0.200	0.00026
DL/SDSP9.2.2	0.01430	0.34872	0.92792	0.200	0.00093
DL/SDSP9.2.0	0.01430	0.55897	0.92792	0.200	0.00148
DL/SDSP9.3.1	0.00378	0.09231	1.00000	0.200	0.00007
DL/SDSP9.3.2	0.00378	0.34872	0.96989	0.200	0.00026
DL/SDSP9.3.0	0.00378	0.55897	0.96989	0.200	0.00041
DL/SDSP10.1.1	0.00877	0.09231	1.00000	0.200	0.00016
DL/SDSP10.1.2	0.00877	0.34872	1.00000	0.200	0.00061
DL/SDSP10.1.0	0.00877	0.55897	1.00000	0.200	0.00098
DL/SDSP10.2.1	0.01671	0.09231	1.00000	0.200	0.00031
DL/SDSP10.2.2	0.01671	0.34872	0.87510	0.200	0.00102
DL/SDSP10.2.0	0.01671	0.55897	0.87510	0.200	0.00163
DL/SDSP10.3.1	0.00467	0.09231	1.00000	0.200	0.00009
DL/SDSP10.3.2	0.00467	0.34872	0.92064	0.200	0.00030
DL/SDSP10.3.0	0.00467	0.55897	0.92064	0.200	0.00048
DL/SDSP11.1.1-1	0.00487	0.09231	1.00000	0.200	0.00009
DL/SDSP11.1.2-1	0.00487	0.34872	1.00000	0.200	0.00034
DL/SDSP11.1.0-1	0.00487	0.55897	1.00000	0.200	0.00054
DL/SDSP11.2.1-1	0.00339	0.09231	0.85772	0.200	0.00005
DL/SDSP11.2.2-1	0.00339	0.34872	0.85772	0.200	0.00020
DL/SDSP11.2.0-1	0.00339	0.55897	0.85772	0.200	0.00032
DL/SDSP12.1.1-1	0.00621	0.09231	1.00000	0.200	0.00011
DL/SDSP12.1.2-1	0.00621	0.34872	1.00000	0.200	0.00043
DL/SDSP12.1.3-1	0.00621	0.30769	1.00000	0.200	0.00038
DL/SDSP12.1.4-1	0.00621	0.15767	1.00000	0.200	0.00020
DL/SDSP12.1.0-1	0.00621	0.09362	1.00000	0.200	0.00012
DL/SDSP12.2.1-1	0.00486	0.09231	0.85772	0.200	0.00008
DL/SDSP12.2.2-1	0.00486	0.34872	0.85772	0.200	0.00029
DL/SDSP12.2.3-1	0.00486	0.30769	0.85803	0.200	0.00026
DL/SDSP12.2.4-1	0.00486	0.15767	0.85803	0.200	0.00013
DL/SDSP12.2.0-1	0.00486	0.09362	0.85803	0.200	0.00008
DL/SDSP13.1.1	0.00669	0.09231	1.00000	0.200	0.00012
DL/SDSP13.1.2	0.00669	0.34872	1.00000	0.200	0.00047
DL/SDSP13.1.3	0.00669	0.30769	1.00000	0.200	0.00041
DL/SDSP13.1.4	0.00669	0.15767	1.00000	0.200	0.00021
DL/SDSP13.1.0	0.00669	0.09362	1.00000	0.200	0.00013
DL/SDSP13.2.1-1	0.00439	0.09231	1.00000	0.200	0.00008
DL/SDSP13.2.2-1	0.00439	0.34872	1.00000	0.200	0.00031
DL/SDSP13.2.3-1	0.00439	0.30769	1.00000	0.200	0.00027
DL/SDSP13.2.4-1	0.00439	0.15767	1.00000	0.200	0.00014
DL/SDSP13.2.0-1	0.00439	0.09362	1.00000	0.200	0.00008
DL/SDSP14.1.1	0.00543	0.09231	1.00000	0.200	0.00010
DL/SDSP14.1.2	0.00543	0.34872	1.00000	0.200	0.00038
DL/SDSP14.1.3	0.00543	0.30769	1.00000	0.200	0.00033
DL/SDSP14.1.4	0.00543	0.15767	1.00000	0.200	0.00017
DL/SDSP14.1.0	0.00543	0.09362	1.00000	0.200	0.00010
DL/SDSP14.2.1	0.00283	0.09231	1.00000	0.200	0.00005
DL/SDSP14.2.2	0.00283	0.34872	1.00000	0.200	0.00020
DL/SDSP14.2.3	0.00283	0.30769	1.00000	0.200	0.00017
DL/SDSP14.2.4	0.00283	0.15767	1.00000	0.200	0.00009
DL/SDSP14.2.0	0.00283	0.09362	1.00000	0.200	0.00005
DL/SDSP15.1.1	0.00937	0.09231	1.00000	0.200	0.00017
DL/SDSP15.1.2	0.00937	0.34872	1.00000	0.200	0.00065
DL/SDSP15.1.3	0.00937	0.30769	1.00000	0.200	0.00058

CASE	P	V	S	W	W*P*V*S
DL/SDSP15.1.4	0.00937	0.15767	1.00000	0.200	0.00030
DL/SDSP15.1.0	0.00937	0.09362	1.00000	0.200	0.00018
DL/SDSP15.2.1-1	0.00488	0.09231	1.00000	0.200	0.00009
DL/SDSP15.2.2-1	0.00488	0.34872	1.00000	0.200	0.00034
DL/SDSP15.2.3-1	0.00488	0.30769	1.00000	0.200	0.00030
DL/SDSP15.2.4-1	0.00488	0.15767	1.00000	0.200	0.00015
DL/SDSP15.2.0-1	0.00488	0.09362	1.00000	0.200	0.00009
DL/SDSP16.1.1	0.00702	0.09231	1.00000	0.200	0.00013
DL/SDSP16.1.2	0.00702	0.34872	1.00000	0.200	0.00049
DL/SDSP16.1.3	0.00702	0.30769	1.00000	0.200	0.00043
DL/SDSP16.1.4	0.00702	0.15767	1.00000	0.200	0.00022
DL/SDSP16.1.0	0.00702	0.09362	1.00000	0.200	0.00013
DL/SDSP16.2.1-1	0.01075	0.09231	1.00000	0.200	0.00020
DL/SDSP16.2.2-1	0.01075	0.34872	1.00000	0.200	0.00075
DL/SDSP16.2.3-1	0.01075	0.30769	1.00000	0.200	0.00066
DL/SDSP16.2.4-1	0.01075	0.15767	1.00000	0.200	0.00034
DL/SDSP16.2.0-1	0.01075	0.09362	1.00000	0.200	0.00020
DL/SDSP17.1.1	0.05736	0.09231	1.00000	0.200	0.00106
DL/SDSP17.1.2-1	0.05736	0.34872	1.00000	0.200	0.00400
DL/SDSP17.1.3-1	0.05736	0.30769	1.00000	0.200	0.00353
DL/SDSP17.1.4-1	0.05736	0.15767	1.00000	0.200	0.00181
DL/SDSP17.1.0-1	0.05736	0.09362	1.00000	0.200	0.00107
DL/SDSP1-2.1.1	0.00000	0.09231	1.00000	0.200	0.00000
DL/SDSP1-2.1.2-1	0.00000	0.34872	1.00000	0.200	0.00000
DL/SDSP1-2.1.0-1	0.00000	0.55897	1.00000	0.200	0.00000
DL/SDSP1-2.2.1	0.01572	0.09231	1.00000	0.200	0.00029
DL/SDSP1-2.2.2-1	0.01572	0.34872	1.00000	0.200	0.00110
DL/SDSP1-2.2.0-1	0.01572	0.55897	1.00000	0.200	0.00176
DL/SDSP1-2.3.1	0.01620	0.09231	1.00000	0.200	0.00030
DL/SDSP1-2.3.2	0.01620	0.34872	1.00000	0.200	0.00113
DL/SDSP1-2.3.0	0.01620	0.55897	1.00000	0.200	0.00181
DL/SDSP2-3.1.1-2	0.01142	0.09231	1.00000	0.200	0.00021
DL/SDSP2-3.1.2	0.01142	0.34872	1.00000	0.200	0.00080
DL/SDSP2-3.1.0	0.01142	0.55897	1.00000	0.200	0.00128
DL/SDSP2-3.2.1-2	0.01156	0.09231	1.00000	0.200	0.00021
DL/SDSP2-3.2.2	0.01156	0.34872	1.00000	0.200	0.00081
DL/SDSP2-3.2.0	0.01156	0.55897	1.00000	0.200	0.00129
DL/SDSP3-4.1.1-2	0.01167	0.09231	1.00000	0.200	0.00022
DL/SDSP3-4.1.2-1	0.01167	0.34872	1.00000	0.200	0.00081
DL/SDSP3-4.1.0-1	0.01167	0.55897	1.00000	0.200	0.00130
DL/SDSP4-5.1.1-3	0.00369	0.09231	1.00000	0.200	0.00007
DL/SDSP4-5.1.2-2	0.00369	0.34872	1.00000	0.200	0.00026
DL/SDSP4-5.1.0-2	0.00369	0.55897	1.00000	0.200	0.00041
DL/SDSP4-5.2.1-3	0.01009	0.09231	1.00000	0.200	0.00019
DL/SDSP4-5.2.2-2	0.01009	0.34872	1.00000	0.200	0.00070
DL/SDSP4-5.2.0-2	0.01009	0.55897	1.00000	0.200	0.00113
DL/SDSP4-5.3.1-3	0.00487	0.09231	1.00000	0.200	0.00009
DL/SDSP4-5.3.2-2	0.00487	0.34872	1.00000	0.200	0.00034
DL/SDSP4-5.3.0-2	0.00487	0.55897	1.00000	0.200	0.00054
DL/SDSP5-6.1.1-3	0.00663	0.09231	1.00000	0.200	0.00012
DL/SDSP5-6.1.2-2	0.00663	0.34872	1.00000	0.200	0.00046
DL/SDSP5-6.1.0-2	0.00663	0.55897	1.00000	0.200	0.00074
DL/SDSP5-6.2.1-3	0.01792	0.09231	1.00000	0.200	0.00033
DL/SDSP5-6.2.2-2	0.01792	0.34872	1.00000	0.200	0.00125
DL/SDSP5-6.2.0-2	0.01792	0.55897	1.00000	0.200	0.00200
DL/SDSP5-6.3.1-3	0.00924	0.09231	1.00000	0.200	0.00017
DL/SDSP5-6.3.2-2	0.00924	0.34872	1.00000	0.200	0.00064
DL/SDSP5-6.3.0-2	0.00924	0.55897	1.00000	0.200	0.00103
DL/SDSP6-7.1.1	0.00663	0.09231	1.00000	0.200	0.00012

CASE	P	V	S	W	W*P*V*S
DL/SDSP6-7.1.2	0.00663	0.34872	1.00000	0.200	0.00046
DL/SDSP6-7.1.0	0.00663	0.55897	1.00000	0.200	0.00074
DL/SDSP6-7.2.1	0.01792	0.09231	1.00000	0.200	0.00033
DL/SDSP6-7.2.2-1	0.01792	0.34872	0.00000	0.200	0.00000
DL/SDSP6-7.2.0-1	0.01792	0.55897	0.00000	0.200	0.00000
DL/SDSP6-7.3.1	0.00924	0.09231	1.00000	0.200	0.00017
DL/SDSP6-7.3.2-1	0.00924	0.34872	0.00000	0.200	0.00000
DL/SDSP6-7.3.0-1	0.00924	0.55897	0.00000	0.200	0.00000
DL/SDSP7-8.1.1	0.00663	0.09231	0.97881	0.200	0.00012
DL/SDSP7-8.1.2	0.00663	0.34872	0.94339	0.200	0.00044
DL/SDSP7-8.1.0	0.00663	0.55897	0.94339	0.200	0.00070
DL/SDSP7-8.2.1	0.01792	0.09231	0.98902	0.200	0.00033
DL/SDSP7-8.2.2	0.01792	0.34872	0.64859	0.200	0.00081
DL/SDSP7-8.2.0	0.01792	0.55897	0.64859	0.200	0.00130
DL/SDSP7-8.3.1	0.00924	0.09231	1.00000	0.200	0.00017
DL/SDSP7-8.3.2	0.00924	0.34872	0.77845	0.200	0.00050
DL/SDSP7-8.3.0	0.00924	0.55897	0.77845	0.200	0.00080
DL/SDSP8-9.1.1	0.00663	0.09231	0.95368	0.200	0.00012
DL/SDSP8-9.1.2	0.00663	0.34872	0.91147	0.200	0.00042
DL/SDSP8-9.1.0	0.00663	0.55897	0.91147	0.200	0.00068
DL/SDSP8-9.2.1	0.01792	0.09231	1.00000	0.200	0.00033
DL/SDSP8-9.2.2-1	0.01792	0.34872	0.00000	0.200	0.00000
DL/SDSP8-9.2.0-1	0.01792	0.55897	0.00000	0.200	0.00000
DL/SDSP8-9.3.1	0.00924	0.09231	1.00000	0.200	0.00017
DL/SDSP8-9.3.2-1	0.00924	0.34872	0.00000	0.200	0.00000
DL/SDSP8-9.3.0-1	0.00924	0.55897	0.00000	0.200	0.00000
DL/SDSP9-10.1.1	0.00697	0.09231	0.93012	0.200	0.00012
DL/SDSP9-10.1.2	0.00697	0.34872	0.87581	0.200	0.00043
DL/SDSP9-10.1.0	0.00697	0.55897	0.87581	0.200	0.00068
DL/SDSP9-10.2.1	0.01883	0.09231	0.89458	0.200	0.00031
DL/SDSP9-10.2.2	0.01883	0.34872	0.00000	0.200	0.00000
DL/SDSP9-10.2.0	0.01883	0.55897	0.00000	0.200	0.00000
DL/SDSP9-10.3.1	0.00975	0.09231	0.97021	0.200	0.00017
DL/SDSP9-10.3.2	0.00975	0.34872	0.25753	0.200	0.00018
DL/SDSP9-10.3.0	0.00975	0.55897	0.25753	0.200	0.00028
DL/SDSP10-11.1.1	0.00453	0.09231	0.91152	0.200	0.00008
DL/SDSP10-11.1.2	0.00453	0.34872	0.86801	0.200	0.00027
DL/SDSP10-11.1.0	0.00453	0.55897	0.86801	0.200	0.00044
DL/SDSP10-11.2.1	0.00360	0.09231	0.87655	0.200	0.00006
DL/SDSP10-11.2.2-2	0.00360	0.34872	0.00000	0.200	0.00000
DL/SDSP10-11.2.0-2	0.00360	0.55897	0.00000	0.200	0.00000
DL/SDSP10-11.3.1	0.00872	0.09231	0.88966	0.200	0.00014
DL/SDSP10-11.3.2-3	0.00872	0.34872	0.00000	0.200	0.00000
DL/SDSP10-11.3.0-3	0.00872	0.55897	0.00000	0.200	0.00000
DL/SDSP10-11.4.1-3	0.00612	0.09231	0.89796	0.200	0.00010
DL/SDSP10-11.4.2-3	0.00612	0.34872	0.00000	0.200	0.00000
DL/SDSP10-11.4.0-3	0.00612	0.55897	0.00000	0.200	0.00000
DL/SDSP11-12.1.1-2	0.00556	0.09231	1.00000	0.200	0.00010
DL/SDSP11-12.1.2-2	0.00556	0.34872	1.00000	0.200	0.00039
DL/SDSP11-12.1.3-2	0.00556	0.30769	1.00000	0.200	0.00034
DL/SDSP11-12.1.4-2	0.00556	0.15767	1.00000	0.200	0.00018
DL/SDSP11-12.1.0-2	0.00556	0.09362	1.00000	0.200	0.00010
DL/SDSP11-12.2.1-2	0.00994	0.09231	0.85772	0.200	0.00016
DL/SDSP11-12.2.2-2	0.00994	0.34872	0.85772	0.200	0.00059
DL/SDSP11-12.2.3-2	0.00994	0.30769	0.85803	0.200	0.00052
DL/SDSP11-12.2.4-2	0.00994	0.15767	0.85803	0.200	0.00027
DL/SDSP11-12.2.0-2	0.00994	0.09362	0.85803	0.200	0.00016
DL/SDSP12-13.1.1	0.00628	0.09231	1.00000	0.200	0.00012
DL/SDSP12-13.1.2	0.00628	0.34872	1.00000	0.200	0.00044

CASE	P	V	S	W	W*P*V*S
DL/SDSP12-13.1.3	0.00628	0.30769	1.00000	0.200	0.00039
DL/SDSP12-13.1.4	0.00628	0.15767	1.00000	0.200	0.00020
DL/SDSP12-13.1.0	0.00628	0.09362	1.00000	0.200	0.00012
DL/SDSP12-13.2.1-2	0.00063	0.09231	0.01611	0.200	0.00000
DL/SDSP12-13.2.2-2	0.00063	0.34872	0.01611	0.200	0.00000
DL/SDSP12-13.2.3-2	0.00063	0.30769	0.00000	0.200	0.00000
DL/SDSP12-13.2.4-2	0.00063	0.15767	0.00000	0.200	0.00000
DL/SDSP12-13.2.0-2	0.00063	0.09362	0.00000	0.200	0.00000
DL/SDSP12-13.3.1-2	0.01068	0.09231	0.01611	0.200	0.00000
DL/SDSP12-13.3.2-2	0.01068	0.34872	0.01611	0.200	0.00001
DL/SDSP12-13.3.3-2	0.01068	0.30769	0.00000	0.200	0.00000
DL/SDSP12-13.3.4-2	0.01068	0.15767	0.00000	0.200	0.00000
DL/SDSP12-13.3.0-2	0.01068	0.09362	0.00000	0.200	0.00000
DL/SDSP13-14.1.1	0.00612	0.09231	1.00000	0.200	0.00011
DL/SDSP13-14.1.2	0.00612	0.34872	1.00000	0.200	0.00043
DL/SDSP13-14.1.3	0.00612	0.30769	1.00000	0.200	0.00038
DL/SDSP13-14.1.4	0.00612	0.15767	1.00000	0.200	0.00019
DL/SDSP13-14.1.0	0.00612	0.09362	1.00000	0.200	0.00011
DL/SDSP13-14.2.1-2	0.00033	0.09231	0.98668	0.200	0.00001
DL/SDSP13-14.2.2-2	0.00033	0.34872	0.98668	0.200	0.00002
DL/SDSP13-14.2.3-2	0.00033	0.30769	0.98672	0.200	0.00002
DL/SDSP13-14.2.4-2	0.00033	0.15767	0.98672	0.200	0.00001
DL/SDSP13-14.2.0-2	0.00033	0.09362	0.98672	0.200	0.00001
DL/SDSP13-14.3.1-2	0.00904	0.09231	0.98668	0.200	0.00016
DL/SDSP13-14.3.2-2	0.00904	0.34872	0.98668	0.200	0.00062
DL/SDSP13-14.3.3-2	0.00904	0.30769	0.98672	0.200	0.00055
DL/SDSP13-14.3.4-2	0.00904	0.15767	0.98672	0.200	0.00028
DL/SDSP13-14.3.0-2	0.00904	0.09362	0.98672	0.200	0.00017
DL/SDSP14-15.1.1	0.00715	0.09231	1.00000	0.200	0.00013
DL/SDSP14-15.1.2	0.00715	0.34872	1.00000	0.200	0.00050
DL/SDSP14-15.1.3	0.00715	0.30769	1.00000	0.200	0.00044
DL/SDSP14-15.1.4	0.00715	0.15767	1.00000	0.200	0.00023
DL/SDSP14-15.1.0	0.00715	0.09362	1.00000	0.200	0.00013
DL/SDSP14-15.2.1-1	0.00085	0.09231	0.99555	0.200	0.00002
DL/SDSP14-15.2.2-1	0.00085	0.34872	0.99555	0.200	0.00006
DL/SDSP14-15.2.3	0.00085	0.30769	0.96140	0.200	0.00005
DL/SDSP14-15.2.4	0.00085	0.15767	0.96140	0.200	0.00003
DL/SDSP14-15.2.0	0.00085	0.09362	0.96140	0.200	0.00002
DL/SDSP14-15.3.1-3	0.00923	0.09231	1.00000	0.200	0.00017
DL/SDSP14-15.3.2-3	0.00923	0.34872	1.00000	0.200	0.00064
DL/SDSP14-15.3.3-1	0.00923	0.30769	0.00000	0.200	0.00000
DL/SDSP14-15.3.4-1	0.00923	0.15767	0.00000	0.200	0.00000
DL/SDSP14-15.3.0-1	0.00923	0.09362	0.00000	0.200	0.00000
DL/SDSP15-16.1.1	0.00602	0.09231	1.00000	0.200	0.00011
DL/SDSP15-16.1.2	0.00602	0.34872	1.00000	0.200	0.00042
DL/SDSP15-16.1.3	0.00602	0.30769	1.00000	0.200	0.00037
DL/SDSP15-16.1.4	0.00602	0.15767	1.00000	0.200	0.00019
DL/SDSP15-16.1.0	0.00602	0.09362	1.00000	0.200	0.00011
DL/SDSP15-16.2.1	0.00486	0.09231	1.00000	0.200	0.00009
DL/SDSP15-16.2.2	0.00486	0.34872	1.00000	0.200	0.00034
DL/SDSP15-16.2.3	0.00486	0.30769	1.00000	0.200	0.00030
DL/SDSP15-16.2.4	0.00486	0.15767	1.00000	0.200	0.00015
DL/SDSP15-16.2.0	0.00486	0.09362	1.00000	0.200	0.00009
DL/SDSP15-16.3.1-2	0.01282	0.09231	1.00000	0.200	0.00024
DL/SDSP15-16.3.2-2	0.01282	0.34872	1.00000	0.200	0.00089
DL/SDSP15-16.3.3-2	0.01282	0.30769	1.00000	0.200	0.00079
DL/SDSP15-16.3.4-2	0.01282	0.15767	1.00000	0.200	0.00040
DL/SDSP15-16.3.0-2	0.01282	0.09362	1.00000	0.200	0.00024
DL/SDSP16-17.1.1	0.00940	0.09231	1.00000	0.200	0.00017

CASE	P	V	S	W	W*P*V*S
DL/SDSP16-17.1.2	0.00940	0.34872	1.00000	0.200	0.00066
DL/SDSP16-17.1.3	0.00940	0.30769	1.00000	0.200	0.00058
DL/SDSP16-17.1.4	0.00940	0.15767	1.00000	0.200	0.00030
DL/SDSP16-17.1.0	0.00940	0.09362	1.00000	0.200	0.00018
DL/SDSP16-17.2.1-2	0.02768	0.09231	1.00000	0.200	0.00051
DL/SDSP16-17.2.2-2	0.02768	0.34872	1.00000	0.200	0.00193
DL/SDSP16-17.2.3-2	0.02768	0.30769	1.00000	0.200	0.00170
DL/SDSP16-17.2.4-2	0.02768	0.15767	1.00000	0.200	0.00087
DL/SDSP16-17.2.0-2	0.02768	0.09362	1.00000	0.200	0.00052
DL/SDSP1-3.1.1	0.00000	0.09231	1.00000	0.200	0.00000
DL/SDSP1-3.1.2	0.00000	0.34872	1.00000	0.200	0.00000
DL/SDSP1-3.1.0	0.00000	0.55897	1.00000	0.200	0.00000
DL/SDSP1-3.2.1	0.00297	0.09231	1.00000	0.200	0.00005
DL/SDSP1-3.2.2	0.00297	0.34872	1.00000	0.200	0.00021
DL/SDSP1-3.2.0	0.00297	0.55897	1.00000	0.200	0.00033
DL/SDSP1-3.3.1	0.00320	0.09231	1.00000	0.200	0.00006
DL/SDSP1-3.3.2	0.00320	0.34872	1.00000	0.200	0.00022
DL/SDSP1-3.3.0	0.00320	0.55897	1.00000	0.200	0.00036
DL/SDSP2-4.1.1-2	0.00605	0.09231	1.00000	0.200	0.00011
DL/SDSP2-4.1.2	0.00605	0.34872	1.00000	0.200	0.00042
DL/SDSP2-4.1.0	0.00605	0.55897	1.00000	0.200	0.00068
DL/SDSP2-4.2.1-2	0.00652	0.09231	1.00000	0.200	0.00012
DL/SDSP2-4.2.2	0.00652	0.34872	1.00000	0.200	0.00045
DL/SDSP2-4.2.0	0.00652	0.55897	1.00000	0.200	0.00073
DL/SDSP3-5.1.1-3	0.00294	0.09231	1.00000	0.200	0.00005
DL/SDSP3-5.1.2-2	0.00294	0.34872	1.00000	0.200	0.00020
DL/SDSP3-5.1.0-2	0.00294	0.55897	1.00000	0.200	0.00033
DL/SDSP3-5.2.1-3	0.00783	0.09231	1.00000	0.200	0.00014
DL/SDSP3-5.2.2-2	0.00783	0.34872	0.96275	0.200	0.00053
DL/SDSP3-5.2.0-2	0.00783	0.55897	0.96275	0.200	0.00084
DL/SDSP3-5.3.1-3	0.00437	0.09231	1.00000	0.200	0.00008
DL/SDSP3-5.3.2-2	0.00437	0.34872	0.96275	0.200	0.00029
DL/SDSP3-5.3.0-2	0.00437	0.55897	0.96275	0.200	0.00047
DL/SDSP4-6.1.1-4	0.00133	0.09231	1.00000	0.200	0.00002
DL/SDSP4-6.1.2-3	0.00133	0.34872	1.00000	0.200	0.00009
DL/SDSP4-6.1.0-3	0.00133	0.55897	1.00000	0.200	0.00015
DL/SDSP4-6.2.1-4	0.00355	0.09231	1.00000	0.200	0.00007
DL/SDSP4-6.2.2-3	0.00355	0.34872	0.99723	0.200	0.00025
DL/SDSP4-6.2.0-3	0.00355	0.55897	0.99723	0.200	0.00040
DL/SDSP4-6.3.1-4	0.00198	0.09231	1.00000	0.200	0.00004
DL/SDSP4-6.3.2-3	0.00198	0.34872	0.99723	0.200	0.00014
DL/SDSP4-6.3.0-3	0.00198	0.55897	0.99723	0.200	0.00022
DL/SDSP5-7.1.1	0.00207	0.09231	1.00000	0.200	0.00004
DL/SDSP5-7.1.2	0.00207	0.34872	1.00000	0.200	0.00014
DL/SDSP5-7.1.0	0.00207	0.55897	1.00000	0.200	0.00023
DL/SDSP5-7.2.1	0.00552	0.09231	1.00000	0.200	0.00010
DL/SDSP5-7.2.2-1	0.00552	0.34872	0.00000	0.200	0.00000
DL/SDSP5-7.2.0-1	0.00552	0.55897	0.00000	0.200	0.00000
DL/SDSP5-7.3.1	0.00308	0.09231	1.00000	0.200	0.00006
DL/SDSP5-7.3.2-1	0.00308	0.34872	0.00000	0.200	0.00000
DL/SDSP5-7.3.0-1	0.00308	0.55897	0.00000	0.200	0.00000
DL/SDSP6-8.1.1	0.00207	0.09231	0.94079	0.200	0.00004
DL/SDSP6-8.1.2	0.00207	0.34872	0.86374	0.200	0.00012
DL/SDSP6-8.1.0	0.00207	0.55897	0.86374	0.200	0.00020
DL/SDSP6-8.2.1	0.00552	0.09231	1.00000	0.200	0.00010
DL/SDSP6-8.2.2-1	0.00552	0.34872	0.00000	0.200	0.00000
DL/SDSP6-8.2.0-1	0.00552	0.55897	0.00000	0.200	0.00000
DL/SDSP6-8.3.1	0.00308	0.09231	1.00000	0.200	0.00006
DL/SDSP6-8.3.2-1	0.00308	0.34872	0.00000	0.200	0.00000



CASE	P	V	S	W	W*P*V*S
DL/SDSP6-8.3.0-1	0.00308	0.55897	0.00000	0.200	0.00000
DL/SDSP7-9.1.1	0.00207	0.09231	0.74723	0.200	0.00003
DL/SDSP7-9.1.2	0.00207	0.34872	0.58301	0.200	0.00008
DL/SDSP7-9.1.0	0.00207	0.55897	0.58301	0.200	0.00013
DL/SDSP7-9.2.1	0.00552	0.09231	1.00000	0.200	0.00010
DL/SDSP7-9.2.2-1	0.00552	0.34872	0.00000	0.200	0.00000
DL/SDSP7-9.2.0-1	0.00552	0.55897	0.00000	0.200	0.00000
DL/SDSP7-9.3.1	0.00308	0.09231	1.00000	0.200	0.00006
DL/SDSP7-9.3.2-1	0.00308	0.34872	0.00000	0.200	0.00000
DL/SDSP7-9.3.0-1	0.00308	0.55897	0.00000	0.200	0.00000
DL/SDSP8-10.1.1	0.00215	0.09231	0.69142	0.200	0.00003
DL/SDSP8-10.1.2	0.00215	0.34872	0.46505	0.200	0.00007
DL/SDSP8-10.1.0	0.00215	0.55897	0.46505	0.200	0.00011
DL/SDSP8-10.2.1	0.00573	0.09231	0.97783	0.200	0.00010
DL/SDSP8-10.2.2-1	0.00573	0.34872	0.00000	0.200	0.00000
DL/SDSP8-10.2.0-1	0.00573	0.55897	0.00000	0.200	0.00000
DL/SDSP8-10.3.1	0.00320	0.09231	1.00000	0.200	0.00006
DL/SDSP8-10.3.2-1	0.00320	0.34872	0.00000	0.200	0.00000
DL/SDSP8-10.3.0-1	0.00320	0.55897	0.00000	0.200	0.00000
DL/SDSP9-11.1.1	0.00131	0.09231	0.61731	0.200	0.00001
DL/SDSP9-11.1.2	0.00131	0.34872	0.37552	0.200	0.00003
DL/SDSP9-11.1.0	0.00131	0.55897	0.37552	0.200	0.00005
DL/SDSP9-11.2.1	0.00102	0.09231	0.58310	0.200	0.00001
DL/SDSP9-11.2.2-2	0.00102	0.34872	0.00000	0.200	0.00000
DL/SDSP9-11.2.0-2	0.00102	0.55897	0.00000	0.200	0.00000
DL/SDSP9-11.3.1	0.00247	0.09231	0.67995	0.200	0.00003
DL/SDSP9-11.3.2-2	0.00247	0.34872	0.00000	0.200	0.00000
DL/SDSP9-11.3.0-2	0.00247	0.55897	0.00000	0.200	0.00000
DL/SDSP9-11.4.1-3	0.00195	0.09231	0.73377	0.200	0.00003
DL/SDSP9-11.4.2-2	0.00195	0.34872	0.00000	0.200	0.00000
DL/SDSP9-11.4.0-2	0.00195	0.55897	0.00000	0.200	0.00000
DL/SDSP10-12.1.1	0.00310	0.09231	0.91152	0.200	0.00005
DL/SDSP10-12.1.2	0.00310	0.34872	0.86801	0.200	0.00019
DL/SDSP10-12.1.3	0.00310	0.30769	0.86793	0.200	0.00017
DL/SDSP10-12.1.4	0.00310	0.15767	0.86793	0.200	0.00008
DL/SDSP10-12.1.0	0.00310	0.09362	0.86793	0.200	0.00005
DL/SDSP10-12.2.1	0.00241	0.09231	0.87655	0.200	0.00004
DL/SDSP10-12.2.2-2	0.00241	0.34872	0.00000	0.200	0.00000
DL/SDSP10-12.2.3-2	0.00241	0.30769	0.00000	0.200	0.00000
DL/SDSP10-12.2.4-2	0.00241	0.15767	0.00000	0.200	0.00000
DL/SDSP10-12.2.0-2	0.00241	0.09362	0.00000	0.200	0.00000
DL/SDSP10-12.3.1	0.00585	0.09231	0.88966	0.200	0.00010
DL/SDSP10-12.3.2-3	0.00585	0.34872	0.00000	0.200	0.00000
DL/SDSP10-12.3.3-1	0.00585	0.30769	0.00000	0.200	0.00000
DL/SDSP10-12.3.4-1	0.00585	0.15767	0.00000	0.200	0.00000
DL/SDSP10-12.3.0-1	0.00585	0.09362	0.00000	0.200	0.00000
DL/SDSP10-12.4.1-3	0.00461	0.09231	0.89796	0.200	0.00008
DL/SDSP10-12.4.2-3	0.00461	0.34872	0.00000	0.200	0.00000
DL/SDSP10-12.4.3-1	0.00461	0.30769	0.00000	0.200	0.00000
DL/SDSP10-12.4.4-1	0.00461	0.15767	0.00000	0.200	0.00000
DL/SDSP10-12.4.0-1	0.00461	0.09362	0.00000	0.200	0.00000
DL/SDSP11-13.1.1	0.00332	0.09231	1.00000	0.200	0.00006
DL/SDSP11-13.1.2	0.00332	0.34872	1.00000	0.200	0.00023
DL/SDSP11-13.1.3	0.00332	0.30769	1.00000	0.200	0.00020
DL/SDSP11-13.1.4	0.00332	0.15767	1.00000	0.200	0.00010
DL/SDSP11-13.1.0	0.00332	0.09362	1.00000	0.200	0.00006
DL/SDSP11-13.2.1-2	0.00033	0.09231	0.01611	0.200	0.00000
DL/SDSP11-13.2.2-2	0.00033	0.34872	0.01611	0.200	0.00000
DL/SDSP11-13.2.3-2	0.00033	0.30769	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP11-13.2.4-2	0.00033	0.15767	0.00000	0.200	0.00000
DL/SDSP11-13.2.0-2	0.00033	0.09362	0.00000	0.200	0.00000
DL/SDSP11-13.3.1-2	0.00599	0.09231	0.01611	0.200	0.00000
DL/SDSP11-13.3.2-2	0.00599	0.34872	0.01611	0.200	0.00001
DL/SDSP11-13.3.3-2	0.00599	0.30769	0.00000	0.200	0.00000
DL/SDSP11-13.3.4-2	0.00599	0.15767	0.00000	0.200	0.00000
DL/SDSP11-13.3.0-2	0.00599	0.09362	0.00000	0.200	0.00000
DL/SDSP12-14.1.1	0.00332	0.09231	0.94177	0.200	0.00006
DL/SDSP12-14.1.2	0.00332	0.34872	0.94177	0.200	0.00022
DL/SDSP12-14.1.3	0.00332	0.30769	0.94147	0.200	0.00019
DL/SDSP12-14.1.4	0.00332	0.15767	0.94147	0.200	0.00010
DL/SDSP12-14.1.0	0.00332	0.09362	0.94147	0.200	0.00006
DL/SDSP12-14.2.1-2	0.00033	0.09231	0.00000	0.200	0.00000
DL/SDSP12-14.2.2-2	0.00033	0.34872	0.00000	0.200	0.00000
DL/SDSP12-14.2.3-2	0.00033	0.30769	0.00000	0.200	0.00000
DL/SDSP12-14.2.4-2	0.00033	0.15767	0.00000	0.200	0.00000
DL/SDSP12-14.2.0-2	0.00033	0.09362	0.00000	0.200	0.00000
DL/SDSP12-14.3.1-2	0.00019	0.09231	0.00000	0.200	0.00000
DL/SDSP12-14.3.2-2	0.00019	0.34872	0.00000	0.200	0.00000
DL/SDSP12-14.3.3-2	0.00019	0.30769	0.00000	0.200	0.00000
DL/SDSP12-14.3.4-2	0.00019	0.15767	0.00000	0.200	0.00000
DL/SDSP12-14.3.0-2	0.00019	0.09362	0.00000	0.200	0.00000
DL/SDSP12-14.4.1-2	0.00579	0.09231	0.00000	0.200	0.00000
DL/SDSP12-14.4.2-2	0.00579	0.34872	0.00000	0.200	0.00000
DL/SDSP12-14.4.3-2	0.00579	0.30769	0.00000	0.200	0.00000
DL/SDSP12-14.4.4-2	0.00579	0.15767	0.00000	0.200	0.00000
DL/SDSP12-14.4.0-2	0.00579	0.09362	0.00000	0.200	0.00000
DL/SDSP13-15.1.1	0.00486	0.09231	1.00000	0.200	0.00009
DL/SDSP13-15.1.2	0.00486	0.34872	1.00000	0.200	0.00034
DL/SDSP13-15.1.3	0.00486	0.30769	1.00000	0.200	0.00030
DL/SDSP13-15.1.4	0.00486	0.15767	1.00000	0.200	0.00015
DL/SDSP13-15.1.0	0.00486	0.09362	1.00000	0.200	0.00009
DL/SDSP13-15.2.1-3	0.00026	0.09231	0.49103	0.200	0.00000
DL/SDSP13-15.2.2-3	0.00026	0.34872	0.49103	0.200	0.00001
DL/SDSP13-15.2.3	0.00026	0.30769	0.00000	0.200	0.00000
DL/SDSP13-15.2.4	0.00026	0.15767	0.00000	0.200	0.00000
DL/SDSP13-15.2.0	0.00026	0.09362	0.00000	0.200	0.00000
DL/SDSP13-15.3.1-3	0.00060	0.09231	0.49103	0.200	0.00001
DL/SDSP13-15.3.2-3	0.00060	0.34872	0.49103	0.200	0.00002
DL/SDSP13-15.3.3	0.00060	0.30769	0.00000	0.200	0.00000
DL/SDSP13-15.3.4	0.00060	0.15767	0.00000	0.200	0.00000
DL/SDSP13-15.3.0	0.00060	0.09362	0.00000	0.200	0.00000
DL/SDSP13-15.4.1-3	0.00713	0.09231	0.67397	0.200	0.00009
DL/SDSP13-15.4.2-3	0.00713	0.34872	0.67397	0.200	0.00033
DL/SDSP13-15.4.3-1	0.00713	0.30769	0.00000	0.200	0.00000
DL/SDSP13-15.4.4-1	0.00713	0.15767	0.00000	0.200	0.00000
DL/SDSP13-15.4.0-1	0.00713	0.09362	0.00000	0.200	0.00000
DL/SDSP14-16.1.1	0.00255	0.09231	1.00000	0.200	0.00005
DL/SDSP14-16.1.2	0.00255	0.34872	1.00000	0.200	0.00018
DL/SDSP14-16.1.3	0.00255	0.30769	1.00000	0.200	0.00016
DL/SDSP14-16.1.4	0.00255	0.15767	1.00000	0.200	0.00008
DL/SDSP14-16.1.0	0.00255	0.09362	1.00000	0.200	0.00005
DL/SDSP14-16.2.1	0.00154	0.09231	1.00000	0.200	0.00003
DL/SDSP14-16.2.2	0.00154	0.34872	1.00000	0.200	0.00011
DL/SDSP14-16.2.3	0.00154	0.30769	1.00000	0.200	0.00009
DL/SDSP14-16.2.4	0.00154	0.15767	1.00000	0.200	0.00005
DL/SDSP14-16.2.0	0.00154	0.09362	1.00000	0.200	0.00003
DL/SDSP14-16.3.1-3	0.00048	0.09231	0.79978	0.200	0.00001
DL/SDSP14-16.3.2-3	0.00048	0.34872	0.79978	0.200	0.00003

CASE	P	V	S	W	W*P*V*S
DL/SDSP14-16.3.3-1	0.00048	0.30769	0.00000	0.200	0.00000
DL/SDSP14-16.3.4-1	0.00048	0.15767	0.00000	0.200	0.00000
DL/SDSP14-16.3.0-1	0.00048	0.09362	0.00000	0.200	0.00000
DL/SDSP14-16.4.1-3	0.00568	0.09231	1.00000	0.200	0.00010
DL/SDSP14-16.4.2-3	0.00568	0.34872	1.00000	0.200	0.00040
DL/SDSP14-16.4.3-1	0.00568	0.30769	0.00000	0.200	0.00000
DL/SDSP14-16.4.4-1	0.00568	0.15767	0.00000	0.200	0.00000
DL/SDSP14-16.4.0-1	0.00568	0.09362	0.00000	0.200	0.00000
DL/SDSP15-17.1.1	0.00353	0.09231	1.00000	0.200	0.00007
DL/SDSP15-17.1.2	0.00353	0.34872	1.00000	0.200	0.00025
DL/SDSP15-17.1.3	0.00353	0.30769	1.00000	0.200	0.00022
DL/SDSP15-17.1.4	0.00353	0.15767	1.00000	0.200	0.00011
DL/SDSP15-17.1.0	0.00353	0.09362	1.00000	0.200	0.00007
DL/SDSP15-17.2.1	0.00279	0.09231	1.00000	0.200	0.00005
DL/SDSP15-17.2.2	0.00279	0.34872	1.00000	0.200	0.00019
DL/SDSP15-17.2.3	0.00279	0.30769	1.00000	0.200	0.00017
DL/SDSP15-17.2.4	0.00279	0.15767	1.00000	0.200	0.00009
DL/SDSP15-17.2.0	0.00279	0.09362	1.00000	0.200	0.00005
DL/SDSP15-17.3.1-2	0.00776	0.09231	1.00000	0.200	0.00014
DL/SDSP15-17.3.2-2	0.00776	0.34872	1.00000	0.200	0.00054
DL/SDSP15-17.3.3-2	0.00776	0.30769	1.00000	0.200	0.00048
DL/SDSP15-17.3.4-2	0.00776	0.15767	1.00000	0.200	0.00024
DL/SDSP15-17.3.0-2	0.00776	0.09362	1.00000	0.200	0.00015
DL/SDSP1-4.1.1	0.00000	0.09231	1.00000	0.200	0.00000
DL/SDSP1-4.1.2	0.00000	0.34872	1.00000	0.200	0.00000
DL/SDSP1-4.1.0	0.00000	0.55897	1.00000	0.200	0.00000
DL/SDSP1-4.2.1	0.00112	0.09231	1.00000	0.200	0.00002
DL/SDSP1-4.2.2	0.00112	0.34872	1.00000	0.200	0.00008
DL/SDSP1-4.2.0	0.00112	0.55897	1.00000	0.200	0.00013
DL/SDSP1-4.3.1	0.00121	0.09231	1.00000	0.200	0.00002
DL/SDSP1-4.3.2	0.00121	0.34872	1.00000	0.200	0.00008
DL/SDSP1-4.3.0	0.00121	0.55897	1.00000	0.200	0.00014
DL/SDSP2-5.1.1-3	0.00215	0.09231	1.00000	0.200	0.00004
DL/SDSP2-5.1.2-2	0.00215	0.34872	1.00000	0.200	0.00015
DL/SDSP2-5.1.0-2	0.00215	0.55897	1.00000	0.200	0.00024
DL/SDSP2-5.2.1-3	0.00318	0.09231	1.00000	0.200	0.00006
DL/SDSP2-5.2.2-1	0.00318	0.34872	0.00000	0.200	0.00000
DL/SDSP2-5.2.0-1	0.00318	0.55897	0.00000	0.200	0.00000
DL/SDSP2-5.3.1-3	0.00255	0.09231	1.00000	0.200	0.00005
DL/SDSP2-5.3.2-1	0.00255	0.34872	0.00000	0.200	0.00000
DL/SDSP2-5.3.0-1	0.00255	0.55897	0.00000	0.200	0.00000
DL/SDSP2-5.4.1-3	0.00320	0.09231	1.00000	0.200	0.00006
DL/SDSP2-5.4.2-1	0.00320	0.34872	0.00000	0.200	0.00000
DL/SDSP2-5.4.0-1	0.00320	0.55897	0.00000	0.200	0.00000
DL/SDSP3-6.1.1-4	0.00074	0.09231	1.00000	0.200	0.00001
DL/SDSP3-6.1.2-3	0.00074	0.34872	1.00000	0.200	0.00005
DL/SDSP3-6.1.0-3	0.00074	0.55897	1.00000	0.200	0.00008
DL/SDSP3-6.2.1-4	0.00197	0.09231	1.00000	0.200	0.00004
DL/SDSP3-6.2.2-1	0.00197	0.34872	0.00000	0.200	0.00000
DL/SDSP3-6.2.0-1	0.00197	0.55897	0.00000	0.200	0.00000
DL/SDSP3-6.3.1-4	0.00110	0.09231	1.00000	0.200	0.00002
DL/SDSP3-6.3.2-1	0.00110	0.34872	0.00000	0.200	0.00000
DL/SDSP3-6.3.0-1	0.00110	0.55897	0.00000	0.200	0.00000
DL/SDSP4-7.1.1-5	0.00035	0.09231	1.00000	0.200	0.00001
DL/SDSP4-7.1.2-4	0.00035	0.34872	0.94190	0.200	0.00002
DL/SDSP4-7.1.0-4	0.00035	0.55897	0.94190	0.200	0.00004
DL/SDSP4-7.2.1	0.00095	0.09231	1.00000	0.200	0.00002
DL/SDSP4-7.2.2-1	0.00095	0.34872	0.00000	0.200	0.00000
DL/SDSP4-7.2.0-1	0.00095	0.55897	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP4-7.3.1	0.00053	0.09231	1.00000	0.200	0.00001
DL/SDSP4-7.3.2-1	0.00053	0.34872	0.00000	0.200	0.00000
DL/SDSP4-7.3.0-1	0.00053	0.55897	0.00000	0.200	0.00000
DL/SDSP5-8.1.1	0.00062	0.09231	0.91967	0.200	0.00001
DL/SDSP5-8.1.2	0.00062	0.34872	0.78756	0.200	0.00003
DL/SDSP5-8.1.0	0.00062	0.55897	0.78756	0.200	0.00005
DL/SDSP5-8.2.1	0.00167	0.09231	1.00000	0.200	0.00003
DL/SDSP5-8.2.2-1	0.00167	0.34872	0.00000	0.200	0.00000
DL/SDSP5-8.2.0-1	0.00167	0.55897	0.00000	0.200	0.00000
DL/SDSP5-8.3.1	0.00093	0.09231	1.00000	0.200	0.00002
DL/SDSP5-8.3.2-1	0.00093	0.34872	0.00000	0.200	0.00000
DL/SDSP5-8.3.0-1	0.00093	0.55897	0.00000	0.200	0.00000
DL/SDSP6-9.1.1	0.00062	0.09231	0.72909	0.200	0.00001
DL/SDSP6-9.1.2	0.00062	0.34872	0.47049	0.200	0.00002
DL/SDSP6-9.1.0	0.00062	0.55897	0.47049	0.200	0.00003
DL/SDSP6-9.2.1	0.00167	0.09231	1.00000	0.200	0.00003
DL/SDSP6-9.2.2-1	0.00167	0.34872	0.00000	0.200	0.00000
DL/SDSP6-9.2.0-1	0.00167	0.55897	0.00000	0.200	0.00000
DL/SDSP6-9.3.1	0.00093	0.09231	1.00000	0.200	0.00002
DL/SDSP6-9.3.2-1	0.00093	0.34872	0.00000	0.200	0.00000
DL/SDSP6-9.3.0-1	0.00093	0.55897	0.00000	0.200	0.00000
DL/SDSP7-10.1.1	0.00065	0.09231	0.41433	0.200	0.00000
DL/SDSP7-10.1.2	0.00065	0.34872	0.00000	0.200	0.00000
DL/SDSP7-10.1.0	0.00065	0.55897	0.00000	0.200	0.00000
DL/SDSP7-10.2.1	0.00174	0.09231	0.80404	0.200	0.00003
DL/SDSP7-10.2.2-1	0.00174	0.34872	0.00000	0.200	0.00000
DL/SDSP7-10.2.0-1	0.00174	0.55897	0.00000	0.200	0.00000
DL/SDSP7-10.3.1	0.00097	0.09231	0.95257	0.200	0.00002
DL/SDSP7-10.3.2-1	0.00097	0.34872	0.00000	0.200	0.00000
DL/SDSP7-10.3.0-1	0.00097	0.55897	0.00000	0.200	0.00000
DL/SDSP8-11.1.1	0.00038	0.09231	0.12154	0.200	0.00000
DL/SDSP8-11.1.2	0.00038	0.34872	0.00000	0.200	0.00000
DL/SDSP8-11.1.0	0.00038	0.55897	0.00000	0.200	0.00000
DL/SDSP8-11.2.1	0.00030	0.09231	0.74873	0.200	0.00000
DL/SDSP8-11.2.2-1	0.00030	0.34872	0.00000	0.200	0.00000
DL/SDSP8-11.2.0-1	0.00030	0.55897	0.00000	0.200	0.00000
DL/SDSP8-11.3.1	0.00072	0.09231	0.82810	0.200	0.00001
DL/SDSP8-11.3.2-1	0.00072	0.34872	0.00000	0.200	0.00000
DL/SDSP8-11.3.0-1	0.00072	0.55897	0.00000	0.200	0.00000
DL/SDSP8-11.4.1	0.00057	0.09231	0.89250	0.200	0.00001
DL/SDSP8-11.4.2-1	0.00057	0.34872	0.00000	0.200	0.00000
DL/SDSP8-11.4.0-1	0.00057	0.55897	0.00000	0.200	0.00000
DL/SDSP9-12.1.1	0.00065	0.09231	0.61731	0.200	0.00001
DL/SDSP9-12.1.2	0.00065	0.34872	0.37552	0.200	0.00002
DL/SDSP9-12.1.3	0.00065	0.30769	0.37435	0.200	0.00001
DL/SDSP9-12.1.4	0.00065	0.15767	0.37435	0.200	0.00001
DL/SDSP9-12.1.0	0.00065	0.09362	0.37435	0.200	0.00000
DL/SDSP9-12.2.1	0.00050	0.09231	0.58310	0.200	0.00001
DL/SDSP9-12.2.2-2	0.00050	0.34872	0.00000	0.200	0.00000
DL/SDSP9-12.2.3-1	0.00050	0.30769	0.00000	0.200	0.00000
DL/SDSP9-12.2.4-1	0.00050	0.15767	0.00000	0.200	0.00000
DL/SDSP9-12.2.0-1	0.00050	0.09362	0.00000	0.200	0.00000
DL/SDSP9-12.3.1	0.00123	0.09231	0.67995	0.200	0.00002
DL/SDSP9-12.3.2-2	0.00123	0.34872	0.00000	0.200	0.00000
DL/SDSP9-12.3.3-1	0.00123	0.30769	0.00000	0.200	0.00000
DL/SDSP9-12.3.4-1	0.00123	0.15767	0.00000	0.200	0.00000
DL/SDSP9-12.3.0-1	0.00123	0.09362	0.00000	0.200	0.00000
DL/SDSP9-12.4.1-3	0.00097	0.09231	0.73377	0.200	0.00001
DL/SDSP9-12.4.2-2	0.00097	0.34872	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP9-12.4.3-1	0.00097	0.30769	0.00000	0.200	0.00000
DL/SDSP9-12.4.4-1	0.00097	0.15767	0.00000	0.200	0.00000
DL/SDSP9-12.4.0-1	0.00097	0.09362	0.00000	0.200	0.00000
DL/SDSP10-13.1.1	0.00130	0.09231	0.73874	0.200	0.00002
DL/SDSP10-13.1.2	0.00130	0.34872	0.64459	0.200	0.00006
DL/SDSP10-13.1.3	0.00130	0.30769	0.64462	0.200	0.00005
DL/SDSP10-13.1.4	0.00130	0.15767	0.64462	0.200	0.00003
DL/SDSP10-13.1.0	0.00130	0.09362	0.64462	0.200	0.00002
DL/SDSP10-13.2.1-3	0.00101	0.09231	0.62534	0.200	0.00001
DL/SDSP10-13.2.2-2	0.00101	0.34872	0.00000	0.200	0.00000
DL/SDSP10-13.2.3-1	0.00101	0.30769	0.00000	0.200	0.00000
DL/SDSP10-13.2.4-1	0.00101	0.15767	0.00000	0.200	0.00000
DL/SDSP10-13.2.0-1	0.00101	0.09362	0.00000	0.200	0.00000
DL/SDSP10-13.3.1-3	0.00023	0.09231	0.60414	0.200	0.00000
DL/SDSP10-13.3.2-2	0.00023	0.34872	0.00000	0.200	0.00000
DL/SDSP10-13.3.3-1	0.00023	0.30769	0.00000	0.200	0.00000
DL/SDSP10-13.3.4-1	0.00023	0.15767	0.00000	0.200	0.00000
DL/SDSP10-13.3.0-1	0.00023	0.09362	0.00000	0.200	0.00000
DL/SDSP10-13.4.1-3	0.00222	0.09231	0.60414	0.200	0.00002
DL/SDSP10-13.4.2-2	0.00222	0.34872	0.00000	0.200	0.00000
DL/SDSP10-13.4.3-1	0.00222	0.30769	0.00000	0.200	0.00000
DL/SDSP10-13.4.4-1	0.00222	0.15767	0.00000	0.200	0.00000
DL/SDSP10-13.4.0-1	0.00222	0.09362	0.00000	0.200	0.00000
DL/SDSP10-13.5.1-3	0.00193	0.09231	0.60414	0.200	0.00002
DL/SDSP10-13.5.2-2	0.00193	0.34872	0.00000	0.200	0.00000
DL/SDSP10-13.5.3-1	0.00193	0.30769	0.00000	0.200	0.00000
DL/SDSP10-13.5.4-1	0.00193	0.15767	0.00000	0.200	0.00000
DL/SDSP10-13.5.0-1	0.00193	0.09362	0.00000	0.200	0.00000
DL/SDSP11-14.1.1	0.00128	0.09231	0.94177	0.200	0.00002
DL/SDSP11-14.1.2	0.00128	0.34872	0.94177	0.200	0.00008
DL/SDSP11-14.1.3	0.00128	0.30769	0.94147	0.200	0.00007
DL/SDSP11-14.1.4	0.00128	0.15767	0.94147	0.200	0.00004
DL/SDSP11-14.1.0	0.00128	0.09362	0.94147	0.200	0.00002
DL/SDSP11-14.2.1-2	0.00013	0.09231	0.00000	0.200	0.00000
DL/SDSP11-14.2.2-2	0.00013	0.34872	0.00000	0.200	0.00000
DL/SDSP11-14.2.3-2	0.00013	0.30769	0.00000	0.200	0.00000
DL/SDSP11-14.2.4-2	0.00013	0.15767	0.00000	0.200	0.00000
DL/SDSP11-14.2.0-2	0.00013	0.09362	0.00000	0.200	0.00000
DL/SDSP11-14.3.1-2	0.00008	0.09231	0.00000	0.200	0.00000
DL/SDSP11-14.3.2-2	0.00008	0.34872	0.00000	0.200	0.00000
DL/SDSP11-14.3.3-2	0.00008	0.30769	0.00000	0.200	0.00000
DL/SDSP11-14.3.4-2	0.00008	0.15767	0.00000	0.200	0.00000
DL/SDSP11-14.3.0-2	0.00008	0.09362	0.00000	0.200	0.00000
DL/SDSP11-14.4.1-2	0.00224	0.09231	0.00000	0.200	0.00000
DL/SDSP11-14.4.2-2	0.00224	0.34872	0.00000	0.200	0.00000
DL/SDSP11-14.4.3-2	0.00224	0.30769	0.00000	0.200	0.00000
DL/SDSP11-14.4.4-2	0.00224	0.15767	0.00000	0.200	0.00000
DL/SDSP11-14.4.0-2	0.00224	0.09362	0.00000	0.200	0.00000
DL/SDSP12-15.1.1-1	0.00190	0.09231	0.63006	0.200	0.00002
DL/SDSP12-15.1.2-1	0.00190	0.34872	0.63006	0.200	0.00008
DL/SDSP12-15.1.3-1	0.00190	0.30769	0.63006	0.200	0.00007
DL/SDSP12-15.1.4-1	0.00190	0.15767	0.63006	0.200	0.00004
DL/SDSP12-15.1.0-1	0.00190	0.09362	0.63006	0.200	0.00002
DL/SDSP12-15.2.1-3	0.00019	0.09231	0.00000	0.200	0.00000
DL/SDSP12-15.2.2-3	0.00019	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.2.3-1	0.00019	0.30769	0.00000	0.200	0.00000
DL/SDSP12-15.2.4-1	0.00019	0.15767	0.00000	0.200	0.00000
DL/SDSP12-15.2.0-1	0.00019	0.09362	0.00000	0.200	0.00000
DL/SDSP12-15.3.1-3	0.00011	0.09231	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP12-15.3.2-3	0.00011	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.3.3-1	0.00011	0.30769	0.00000	0.200	0.00000
DL/SDSP12-15.3.4-1	0.00011	0.15767	0.00000	0.200	0.00000
DL/SDSP12-15.3.0-1	0.00011	0.09362	0.00000	0.200	0.00000
DL/SDSP12-15.4.1-3	0.00026	0.09231	0.00000	0.200	0.00000
DL/SDSP12-15.4.2-3	0.00026	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.4.3-1	0.00026	0.30769	0.00000	0.200	0.00000
DL/SDSP12-15.4.4-1	0.00026	0.15767	0.00000	0.200	0.00000
DL/SDSP12-15.4.0-1	0.00026	0.09362	0.00000	0.200	0.00000
DL/SDSP12-15.5.1-3	0.00306	0.09231	0.00000	0.200	0.00000
DL/SDSP12-15.5.2-3	0.00306	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.5.3-1	0.00306	0.30769	0.00000	0.200	0.00000
DL/SDSP12-15.5.4-1	0.00306	0.15767	0.00000	0.200	0.00000
DL/SDSP12-15.5.0-1	0.00306	0.09362	0.00000	0.200	0.00000
DL/SDSP13-16.1.1	0.00125	0.09231	1.00000	0.200	0.00002
DL/SDSP13-16.1.2	0.00125	0.34872	1.00000	0.200	0.00009
DL/SDSP13-16.1.3	0.00125	0.30769	1.00000	0.200	0.00008
DL/SDSP13-16.1.4	0.00125	0.15767	1.00000	0.200	0.00004
DL/SDSP13-16.1.0	0.00125	0.09362	1.00000	0.200	0.00002
DL/SDSP13-16.2.1	0.00065	0.09231	0.99933	0.200	0.00001
DL/SDSP13-16.2.2	0.00065	0.34872	0.99933	0.200	0.00005
DL/SDSP13-16.2.3	0.00065	0.30769	0.99933	0.200	0.00004
DL/SDSP13-16.2.4	0.00065	0.15767	0.99933	0.200	0.00002
DL/SDSP13-16.2.0	0.00065	0.09362	0.99933	0.200	0.00001
DL/SDSP13-16.3.1-3	0.00010	0.09231	0.35895	0.200	0.00000
DL/SDSP13-16.3.2-3	0.00010	0.34872	0.35895	0.200	0.00000
DL/SDSP13-16.3.3-1	0.00010	0.30769	0.00000	0.200	0.00000
DL/SDSP13-16.3.4-1	0.00010	0.15767	0.00000	0.200	0.00000
DL/SDSP13-16.3.0-1	0.00010	0.09362	0.00000	0.200	0.00000
DL/SDSP13-16.4.1-3	0.00023	0.09231	0.35895	0.200	0.00000
DL/SDSP13-16.4.2-3	0.00023	0.34872	0.35895	0.200	0.00001
DL/SDSP13-16.4.3-1	0.00023	0.30769	0.00000	0.200	0.00000
DL/SDSP13-16.4.4-1	0.00023	0.15767	0.00000	0.200	0.00000
DL/SDSP13-16.4.0-1	0.00023	0.09362	0.00000	0.200	0.00000
DL/SDSP13-16.5.1-3	0.00278	0.09231	0.73388	0.200	0.00004
DL/SDSP13-16.5.2-3	0.00278	0.34872	0.73388	0.200	0.00014
DL/SDSP13-16.5.3-1	0.00278	0.30769	0.00000	0.200	0.00000
DL/SDSP13-16.5.4-1	0.00278	0.15767	0.00000	0.200	0.00000
DL/SDSP13-16.5.0-1	0.00278	0.09362	0.00000	0.200	0.00000
DL/SDSP14-17.1.1	0.00103	0.09231	1.00000	0.200	0.00002
DL/SDSP14-17.1.2	0.00103	0.34872	1.00000	0.200	0.00007
DL/SDSP14-17.1.3	0.00103	0.30769	1.00000	0.200	0.00006
DL/SDSP14-17.1.4	0.00103	0.15767	1.00000	0.200	0.00003
DL/SDSP14-17.1.0	0.00103	0.09362	1.00000	0.200	0.00002
DL/SDSP14-17.2.1	0.00062	0.09231	1.00000	0.200	0.00001
DL/SDSP14-17.2.2	0.00062	0.34872	1.00000	0.200	0.00004
DL/SDSP14-17.2.3	0.00062	0.30769	1.00000	0.200	0.00004
DL/SDSP14-17.2.4	0.00062	0.15767	1.00000	0.200	0.00002
DL/SDSP14-17.2.0	0.00062	0.09362	1.00000	0.200	0.00001
DL/SDSP14-17.3.1-3	0.00019	0.09231	0.90216	0.200	0.00000
DL/SDSP14-17.3.2-3	0.00019	0.34872	0.90216	0.200	0.00001
DL/SDSP14-17.3.3-1	0.00019	0.30769	0.00000	0.200	0.00000
DL/SDSP14-17.3.4-1	0.00019	0.15767	0.00000	0.200	0.00000
DL/SDSP14-17.3.0-1	0.00019	0.09362	0.00000	0.200	0.00000
DL/SDSP14-17.4.1-3	0.00226	0.09231	1.00000	0.200	0.00004
DL/SDSP14-17.4.2-3	0.00226	0.34872	1.00000	0.200	0.00016
DL/SDSP14-17.4.3-1	0.00226	0.30769	0.00000	0.200	0.00000
DL/SDSP14-17.4.4-1	0.00226	0.15767	0.00000	0.200	0.00000
DL/SDSP14-17.4.0-1	0.00226	0.09362	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP1-5.1.1-3	0.000000	0.09231	1.00000	0.200	0.00000
DL/SDSP1-5.1.2-2	0.000000	0.34872	1.00000	0.200	0.00000
DL/SDSP1-5.1.0-2	0.000000	0.55897	1.00000	0.200	0.00000
DL/SDSP1-5.2.1-3	0.00045	0.09231	1.00000	0.200	0.00001
DL/SDSP1-5.2.2-2	0.00045	0.34872	1.00000	0.200	0.00003
DL/SDSP1-5.2.0-2	0.00045	0.55897	1.00000	0.200	0.00005
DL/SDSP1-5.3.1	0.00066	0.09231	1.00000	0.200	0.00001
DL/SDSP1-5.3.2-1	0.00066	0.34872	0.00000	0.200	0.00000
DL/SDSP1-5.3.0-1	0.00066	0.55897	0.00000	0.200	0.00000
DL/SDSP1-5.4.1	0.00053	0.09231	1.00000	0.200	0.00001
DL/SDSP1-5.4.2-1	0.00053	0.34872	0.00000	0.200	0.00000
DL/SDSP1-5.4.0-1	0.00053	0.55897	0.00000	0.200	0.00000
DL/SDSP1-5.5.1	0.00066	0.09231	1.00000	0.200	0.00001
DL/SDSP1-5.5.2-1	0.00066	0.34872	0.00000	0.200	0.00000
DL/SDSP1-5.5.0-1	0.00066	0.55897	0.00000	0.200	0.00000
DL/SDSP2-6.1.1-4	0.00065	0.09231	1.00000	0.200	0.00001
DL/SDSP2-6.1.2-3	0.00065	0.34872	0.86609	0.200	0.00004
DL/SDSP2-6.1.0-3	0.00065	0.55897	0.86609	0.200	0.00006
DL/SDSP2-6.2.1-4	0.00097	0.09231	1.00000	0.200	0.00002
DL/SDSP2-6.2.2-1	0.00097	0.34872	0.00000	0.200	0.00000
DL/SDSP2-6.2.0-1	0.00097	0.55897	0.00000	0.200	0.00000
DL/SDSP2-6.3.1-4	0.00077	0.09231	1.00000	0.200	0.00001
DL/SDSP2-6.3.2-1	0.00077	0.34872	0.00000	0.200	0.00000
DL/SDSP2-6.3.0-1	0.00077	0.55897	0.00000	0.200	0.00000
DL/SDSP2-6.4.1-4	0.00097	0.09231	1.00000	0.200	0.00002
DL/SDSP2-6.4.2-1	0.00097	0.34872	0.00000	0.200	0.00000
DL/SDSP2-6.4.0-1	0.00097	0.55897	0.00000	0.200	0.00000
DL/SDSP3-7.1.1-5	0.00027	0.09231	1.00000	0.200	0.00000
DL/SDSP3-7.1.2-4	0.00027	0.34872	0.84548	0.200	0.00002
DL/SDSP3-7.1.0-4	0.00027	0.55897	0.84548	0.200	0.00003
DL/SDSP3-7.2.1	0.00072	0.09231	1.00000	0.200	0.00001
DL/SDSP3-7.2.2-2	0.00072	0.34872	0.00000	0.200	0.00000
DL/SDSP3-7.2.0-2	0.00072	0.55897	0.00000	0.200	0.00000
DL/SDSP3-7.3.1	0.00040	0.09231	1.00000	0.200	0.00001
DL/SDSP3-7.3.2-2	0.00040	0.34872	0.00000	0.200	0.00000
DL/SDSP3-7.3.0-2	0.00040	0.55897	0.00000	0.200	0.00000
DL/SDSP4-8.1.1-6	0.00010	0.09231	0.93316	0.200	0.00000
DL/SDSP4-8.1.2	0.00010	0.34872	0.63257	0.200	0.00000
DL/SDSP4-8.1.0	0.00010	0.55897	0.63257	0.200	0.00001
DL/SDSP4-8.2.1	0.00026	0.09231	1.00000	0.200	0.00000
DL/SDSP4-8.2.2-1	0.00026	0.34872	0.00000	0.200	0.00000
DL/SDSP4-8.2.0-1	0.00026	0.55897	0.00000	0.200	0.00000
DL/SDSP4-8.3.1	0.00015	0.09231	1.00000	0.200	0.00000
DL/SDSP4-8.3.2-1	0.00015	0.34872	0.00000	0.200	0.00000
DL/SDSP4-8.3.0-1	0.00015	0.55897	0.00000	0.200	0.00000
DL/SDSP5-9.1.1	0.00012	0.09231	0.72101	0.200	0.00000
DL/SDSP5-9.1.2	0.00012	0.34872	0.31809	0.200	0.00000
DL/SDSP5-9.1.0	0.00012	0.55897	0.31809	0.200	0.00000
DL/SDSP5-9.2.1	0.00033	0.09231	1.00000	0.200	0.00001
DL/SDSP5-9.2.2-1	0.00033	0.34872	0.00000	0.200	0.00000
DL/SDSP5-9.2.0-1	0.00033	0.55897	0.00000	0.200	0.00000
DL/SDSP5-9.3.1	0.00018	0.09231	1.00000	0.200	0.00000
DL/SDSP5-9.3.2-1	0.00018	0.34872	0.00000	0.200	0.00000
DL/SDSP5-9.3.0-1	0.00018	0.55897	0.00000	0.200	0.00000
DL/SDSP6-10.1.1	0.00012	0.09231	0.43075	0.200	0.00000
DL/SDSP6-10.1.2	0.00012	0.34872	0.00000	0.200	0.00000
DL/SDSP6-10.1.0	0.00012	0.55897	0.00000	0.200	0.00000
DL/SDSP6-10.2.1	0.00033	0.09231	0.99839	0.200	0.00001
DL/SDSP6-10.2.2-1	0.00033	0.34872	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP6-10.2.0-1	0.00033	0.55897	0.00000	0.200	0.00000
DL/SDSP6-10.3.1	0.00018	0.09231	1.00000	0.200	0.00000
DL/SDSP6-10.3.2-1	0.00018	0.34872	0.00000	0.200	0.00000
DL/SDSP6-10.3.0-1	0.00018	0.55897	0.00000	0.200	0.00000
DL/SDSP7-11.1.1	0.00009	0.09231	0.00000	0.200	0.00000
DL/SDSP7-11.1.2	0.00009	0.34872	0.00000	0.200	0.00000
DL/SDSP7-11.1.0	0.00009	0.55897	0.00000	0.200	0.00000
DL/SDSP7-11.2.1	0.00007	0.09231	0.52706	0.200	0.00000
DL/SDSP7-11.2.2-1	0.00007	0.34872	0.00000	0.200	0.00000
DL/SDSP7-11.2.0-1	0.00007	0.55897	0.00000	0.200	0.00000
DL/SDSP7-11.3.1	0.00016	0.09231	0.67204	0.200	0.00000
DL/SDSP7-11.3.2-1	0.00016	0.34872	0.00000	0.200	0.00000
DL/SDSP7-11.3.0-1	0.00016	0.55897	0.00000	0.200	0.00000
DL/SDSP7-11.4.1	0.00013	0.09231	0.79132	0.200	0.00000
DL/SDSP7-11.4.2-1	0.00013	0.34872	0.00000	0.200	0.00000
DL/SDSP7-11.4.0-1	0.00013	0.55897	0.00000	0.200	0.00000
DL/SDSP8-12.1.1	0.00023	0.09231	0.12154	0.200	0.00000
DL/SDSP8-12.1.2	0.00023	0.34872	0.00000	0.200	0.00000
DL/SDSP8-12.1.3	0.00023	0.30769	0.00000	0.200	0.00000
DL/SDSP8-12.1.4	0.00023	0.15767	0.00000	0.200	0.00000
DL/SDSP8-12.1.0	0.00023	0.09362	0.00000	0.200	0.00000
DL/SDSP8-12.2.1	0.00018	0.09231	0.74873	0.200	0.00000
DL/SDSP8-12.2.2-1	0.00018	0.34872	0.00000	0.200	0.00000
DL/SDSP8-12.2.3-1	0.00018	0.30769	0.00000	0.200	0.00000
DL/SDSP8-12.2.4-1	0.00018	0.15767	0.00000	0.200	0.00000
DL/SDSP8-12.2.0-1	0.00018	0.09362	0.00000	0.200	0.00000
DL/SDSP8-12.3.1	0.00044	0.09231	0.82810	0.200	0.00001
DL/SDSP8-12.3.2-1	0.00044	0.34872	0.00000	0.200	0.00000
DL/SDSP8-12.3.3-1	0.00044	0.30769	0.00000	0.200	0.00000
DL/SDSP8-12.3.4-1	0.00044	0.15767	0.00000	0.200	0.00000
DL/SDSP8-12.3.0-1	0.00044	0.09362	0.00000	0.200	0.00000
DL/SDSP8-12.4.1	0.00035	0.09231	0.89250	0.200	0.00001
DL/SDSP8-12.4.2-1	0.00035	0.34872	0.00000	0.200	0.00000
DL/SDSP8-12.4.3-1	0.00035	0.30769	0.00000	0.200	0.00000
DL/SDSP8-12.4.4-1	0.00035	0.15767	0.00000	0.200	0.00000
DL/SDSP8-12.4.0-1	0.00035	0.09362	0.00000	0.200	0.00000
DL/SDSP9-13.1.1	0.00036	0.09231	0.33190	0.200	0.00000
DL/SDSP9-13.1.2	0.00036	0.34872	0.00000	0.200	0.00000
DL/SDSP9-13.1.3	0.00036	0.30769	0.00000	0.200	0.00000
DL/SDSP9-13.1.4	0.00036	0.15767	0.00000	0.200	0.00000
DL/SDSP9-13.1.0	0.00036	0.09362	0.00000	0.200	0.00000
DL/SDSP9-13.2.1-3	0.00028	0.09231	0.25964	0.200	0.00000
DL/SDSP9-13.2.2-2	0.00028	0.34872	0.00000	0.200	0.00000
DL/SDSP9-13.2.3-1	0.00028	0.30769	0.00000	0.200	0.00000
DL/SDSP9-13.2.4-1	0.00028	0.15767	0.00000	0.200	0.00000
DL/SDSP9-13.2.0-1	0.00028	0.09362	0.00000	0.200	0.00000
DL/SDSP9-13.3.1-3	0.00006	0.09231	0.32052	0.200	0.00000
DL/SDSP9-13.3.2-2	0.00006	0.34872	0.00000	0.200	0.00000
DL/SDSP9-13.3.3-1	0.00006	0.30769	0.00000	0.200	0.00000
DL/SDSP9-13.3.4-1	0.00006	0.15767	0.00000	0.200	0.00000
DL/SDSP9-13.3.0-1	0.00006	0.09362	0.00000	0.200	0.00000
DL/SDSP9-13.4.1-3	0.00062	0.09231	0.32052	0.200	0.00000
DL/SDSP9-13.4.2-2	0.00062	0.34872	0.00000	0.200	0.00000
DL/SDSP9-13.4.3-1	0.00062	0.30769	0.00000	0.200	0.00000
DL/SDSP9-13.4.4-1	0.00062	0.15767	0.00000	0.200	0.00000
DL/SDSP9-13.4.0-1	0.00062	0.09362	0.00000	0.200	0.00000
DL/SDSP9-13.5.1-3	0.00054	0.09231	0.32052	0.200	0.00000
DL/SDSP9-13.5.2-2	0.00054	0.34872	0.00000	0.200	0.00000
DL/SDSP9-13.5.3-1	0.00054	0.30769	0.00000	0.200	0.00000



CASE	P	V	S	W	W*P*V*S
DL/SDSP9-13.5.4-1	0.00054	0.15767	0.00000	0.200	0.00000
DL/SDSP9-13.5.0-1	0.00054	0.09362	0.00000	0.200	0.00000
DL/SDSP10-14.1.1	0.00050	0.09231	0.52733	0.200	0.00000
DL/SDSP10-14.1.2	0.00050	0.34872	0.31233	0.200	0.00001
DL/SDSP10-14.1.3	0.00050	0.30769	0.31282	0.200	0.00001
DL/SDSP10-14.1.4	0.00050	0.15767	0.31282	0.200	0.00000
DL/SDSP10-14.1.0	0.00050	0.09362	0.31282	0.200	0.00000
DL/SDSP10-14.2.1-3	0.00039	0.09231	0.09730	0.200	0.00000
DL/SDSP10-14.2.2-2	0.00039	0.34872	0.00000	0.200	0.00000
DL/SDSP10-14.2.3-1	0.00039	0.30769	0.00000	0.200	0.00000
DL/SDSP10-14.2.4-1	0.00039	0.15767	0.00000	0.200	0.00000
DL/SDSP10-14.2.0-1	0.00039	0.09362	0.00000	0.200	0.00000
DL/SDSP10-14.3.1-3	0.00009	0.09231	0.16300	0.200	0.00000
DL/SDSP10-14.3.2-2	0.00009	0.34872	0.00000	0.200	0.00000
DL/SDSP10-14.3.3-1	0.00009	0.30769	0.00000	0.200	0.00000
DL/SDSP10-14.3.4-1	0.00009	0.15767	0.00000	0.200	0.00000
DL/SDSP10-14.3.0-1	0.00009	0.09362	0.00000	0.200	0.00000
DL/SDSP10-14.4.1-3	0.00005	0.09231	0.16300	0.200	0.00000
DL/SDSP10-14.4.2-2	0.00005	0.34872	0.00000	0.200	0.00000
DL/SDSP10-14.4.3-1	0.00005	0.30769	0.00000	0.200	0.00000
DL/SDSP10-14.4.4-1	0.00005	0.15767	0.00000	0.200	0.00000
DL/SDSP10-14.4.0-1	0.00005	0.09362	0.00000	0.200	0.00000
DL/SDSP10-14.5.1-3	0.00081	0.09231	0.16300	0.200	0.00000
DL/SDSP10-14.5.2-2	0.00081	0.34872	0.00000	0.200	0.00000
DL/SDSP10-14.5.3-1	0.00081	0.30769	0.00000	0.200	0.00000
DL/SDSP10-14.5.4-1	0.00081	0.15767	0.00000	0.200	0.00000
DL/SDSP10-14.5.0-1	0.00081	0.09362	0.00000	0.200	0.00000
DL/SDSP10-14.6.1-3	0.00075	0.09231	0.16300	0.200	0.00000
DL/SDSP10-14.6.2-2	0.00075	0.34872	0.00000	0.200	0.00000
DL/SDSP10-14.6.3-1	0.00075	0.30769	0.00000	0.200	0.00000
DL/SDSP10-14.6.4-1	0.00075	0.15767	0.00000	0.200	0.00000
DL/SDSP10-14.6.0-1	0.00075	0.09362	0.00000	0.200	0.00000
DL/SDSP11-15.1.1-1	0.00068	0.09231	0.63006	0.200	0.00001
DL/SDSP11-15.1.2-1	0.00068	0.34872	0.63006	0.200	0.00003
DL/SDSP11-15.1.3-1	0.00068	0.30769	0.63006	0.200	0.00003
DL/SDSP11-15.1.4-1	0.00068	0.15767	0.63006	0.200	0.00001
DL/SDSP11-15.1.0-1	0.00068	0.09362	0.63006	0.200	0.00001
DL/SDSP11-15.2.1-3	0.00007	0.09231	0.00000	0.200	0.00000
DL/SDSP11-15.2.2-3	0.00007	0.34872	0.00000	0.200	0.00000
DL/SDSP11-15.2.3-1	0.00007	0.30769	0.00000	0.200	0.00000
DL/SDSP11-15.2.4-1	0.00007	0.15767	0.00000	0.200	0.00000
DL/SDSP11-15.2.0-1	0.00007	0.09362	0.00000	0.200	0.00000
DL/SDSP11-15.3.1-3	0.00004	0.09231	0.00000	0.200	0.00000
DL/SDSP11-15.3.2-3	0.00004	0.34872	0.00000	0.200	0.00000
DL/SDSP11-15.3.3-1	0.00004	0.30769	0.00000	0.200	0.00000
DL/SDSP11-15.3.4-1	0.00004	0.15767	0.00000	0.200	0.00000
DL/SDSP11-15.3.0-1	0.00004	0.09362	0.00000	0.200	0.00000
DL/SDSP11-15.4.1-3	0.00009	0.09231	0.00000	0.200	0.00000
DL/SDSP11-15.4.2-3	0.00009	0.34872	0.00000	0.200	0.00000
DL/SDSP11-15.4.3-1	0.00009	0.30769	0.00000	0.200	0.00000
DL/SDSP11-15.4.4-1	0.00009	0.15767	0.00000	0.200	0.00000
DL/SDSP11-15.4.0-1	0.00009	0.09362	0.00000	0.200	0.00000
DL/SDSP11-15.5.1-3	0.00109	0.09231	0.00000	0.200	0.00000
DL/SDSP11-15.5.2-3	0.00109	0.34872	0.00000	0.200	0.00000
DL/SDSP11-15.5.3-1	0.00109	0.30769	0.00000	0.200	0.00000
DL/SDSP11-15.5.4-1	0.00109	0.15767	0.00000	0.200	0.00000
DL/SDSP11-15.5.0-1	0.00109	0.09362	0.00000	0.200	0.00000
DL/SDSP12-16.1.1-1	0.00056	0.09231	0.44586	0.200	0.00000
DL/SDSP12-16.1.2-1	0.00056	0.34872	0.44586	0.200	0.00002

CASE	P	V	S	W	W*P*V*S
DL/SDSP12-16.1.3-1	0.00056	0.30769	0.44643	0.200	0.00002
DL/SDSP12-16.1.4-1	0.00056	0.15767	0.44643	0.200	0.00001
DL/SDSP12-16.1.0-1	0.00056	0.09362	0.44643	0.200	0.00000
DL/SDSP12-16.2.1-1	0.00022	0.09231	0.00000	0.200	0.00000
DL/SDSP12-16.2.2-1	0.00022	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.2.3	0.00022	0.30769	0.00000	0.200	0.00000
DL/SDSP12-16.2.4	0.00022	0.15767	0.00000	0.200	0.00000
DL/SDSP12-16.2.0	0.00022	0.09362	0.00000	0.200	0.00000
DL/SDSP12-16.3.1-3	0.00008	0.09231	0.00000	0.200	0.00000
DL/SDSP12-16.3.2-3	0.00008	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.3.3-1	0.00008	0.30769	0.00000	0.200	0.00000
DL/SDSP12-16.3.4-1	0.00008	0.15767	0.00000	0.200	0.00000
DL/SDSP12-16.3.0-1	0.00008	0.09362	0.00000	0.200	0.00000
DL/SDSP12-16.4.1-3	0.00005	0.09231	0.00000	0.200	0.00000
DL/SDSP12-16.4.2-3	0.00005	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.4.3-1	0.00005	0.30769	0.00000	0.200	0.00000
DL/SDSP12-16.4.4-1	0.00005	0.15767	0.00000	0.200	0.00000
DL/SDSP12-16.4.0-1	0.00005	0.09362	0.00000	0.200	0.00000
DL/SDSP12-16.5.1-3	0.00010	0.09231	0.00000	0.200	0.00000
DL/SDSP12-16.5.2-3	0.00010	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.5.3-1	0.00010	0.30769	0.00000	0.200	0.00000
DL/SDSP12-16.5.4-1	0.00010	0.15767	0.00000	0.200	0.00000
DL/SDSP12-16.5.0-1	0.00010	0.09362	0.00000	0.200	0.00000
DL/SDSP12-16.6.1-3	0.00125	0.09231	0.00000	0.200	0.00000
DL/SDSP12-16.6.2-3	0.00125	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.6.3-1	0.00125	0.30769	0.00000	0.200	0.00000
DL/SDSP12-16.6.4-1	0.00125	0.15767	0.00000	0.200	0.00000
DL/SDSP12-16.6.0-1	0.00125	0.09362	0.00000	0.200	0.00000
DL/SDSP13-17.1.1	0.00063	0.09231	1.00000	0.200	0.00001
DL/SDSP13-17.1.2	0.00063	0.34872	1.00000	0.200	0.00004
DL/SDSP13-17.1.3	0.00063	0.30769	1.00000	0.200	0.00004
DL/SDSP13-17.1.4	0.00063	0.15767	1.00000	0.200	0.00002
DL/SDSP13-17.1.0	0.00063	0.09362	1.00000	0.200	0.00001
DL/SDSP13-17.2.1	0.00033	0.09231	0.90548	0.200	0.00001
DL/SDSP13-17.2.2	0.00033	0.34872	0.90548	0.200	0.00002
DL/SDSP13-17.2.3	0.00033	0.30769	0.90514	0.200	0.00002
DL/SDSP13-17.2.4	0.00033	0.15767	0.90514	0.200	0.00001
DL/SDSP13-17.2.0	0.00033	0.09362	0.90514	0.200	0.00001
DL/SDSP13-17.3.1-3	0.00005	0.09231	0.57530	0.200	0.00000
DL/SDSP13-17.3.2-3	0.00005	0.34872	0.57530	0.200	0.00000
DL/SDSP13-17.3.3-1	0.00005	0.30769	0.00000	0.200	0.00000
DL/SDSP13-17.3.4-1	0.00005	0.15767	0.00000	0.200	0.00000
DL/SDSP13-17.3.0-1	0.00005	0.09362	0.00000	0.200	0.00000
DL/SDSP13-17.4.1-3	0.00012	0.09231	0.57530	0.200	0.00000
DL/SDSP13-17.4.2-3	0.00012	0.34872	0.57530	0.200	0.00000
DL/SDSP13-17.4.3-1	0.00012	0.30769	0.00000	0.200	0.00000
DL/SDSP13-17.4.4-1	0.00012	0.15767	0.00000	0.200	0.00000
DL/SDSP13-17.4.0-1	0.00012	0.09362	0.00000	0.200	0.00000
DL/SDSP13-17.5.1-3	0.00138	0.09231	0.90344	0.200	0.00002
DL/SDSP13-17.5.2-3	0.00138	0.34872	0.90344	0.200	0.00009
DL/SDSP13-17.5.3-1	0.00138	0.30769	0.00000	0.200	0.00000
DL/SDSP13-17.5.4-1	0.00138	0.15767	0.00000	0.200	0.00000
DL/SDSP13-17.5.0-1	0.00138	0.09362	0.00000	0.200	0.00000
SUBTOTAL				0.200	0.14748

CASE	P	V	S	W	W*P*V*S
DP/SDSP1.1.1	0.00000	0.28718	1.00000	0.400	0.00000
DP/SDSP1.1.0	0.00000	0.71282	1.00000	0.400	0.00000
DP/SDSP1.2.1	0.00000	0.28718	1.00000	0.400	0.00000
DP/SDSP1.2.0	0.00000	0.71282	1.00000	0.400	0.00000
DP/SDSP1.3.1	0.01186	0.28718	1.00000	0.400	0.00136
DP/SDSP1.3.0	0.01186	0.71282	1.00000	0.400	0.00338
DP/SDSP2.1.1	0.01928	0.00000	1.00000	0.400	0.00000
DP/SDSP2.1.2	0.01928	0.28718	1.00000	0.400	0.00221
DP/SDSP2.1.0	0.01928	0.71282	1.00000	0.400	0.00550
DP/SDSP2.2.1	0.01088	0.00000	1.00000	0.400	0.00000
DP/SDSP2.2.2	0.01088	0.28718	1.00000	0.400	0.00125
DP/SDSP2.2.0	0.01088	0.71282	1.00000	0.400	0.00310
DP/SDSP3.1.1-1	0.00826	0.00000	1.00000	0.400	0.00000
DP/SDSP3.1.2-1	0.00826	0.28718	1.00000	0.400	0.00095
DP/SDSP3.1.0-1	0.00826	0.71282	1.00000	0.400	0.00235
DP/SDSP4.1.1-1	0.00582	0.00000	1.00000	0.400	0.00000
DP/SDSP4.1.2-1	0.00582	0.28718	1.00000	0.400	0.00067
DP/SDSP4.1.0-1	0.00582	0.71282	1.00000	0.400	0.00166
DP/SDSP5.1.1-1	0.00766	0.00000	1.00000	0.400	0.00000
DP/SDSP5.1.2-1	0.00766	0.28718	1.00000	0.400	0.00088
DP/SDSP5.1.0-1	0.00766	0.71282	1.00000	0.400	0.00219
DP/SDSP5.2.1-1	0.01430	0.00000	1.00000	0.400	0.00000
DP/SDSP5.2.2	0.01430	0.28718	0.94109	0.400	0.00155
DP/SDSP5.2.0	0.01430	0.71282	0.94109	0.400	0.00384
DP/SDSP5.3.1-1	0.00378	0.00000	1.00000	0.400	0.00000
DP/SDSP5.3.2	0.00378	0.28718	0.94109	0.400	0.00041
DP/SDSP5.3.0	0.00378	0.71282	0.94109	0.400	0.00101
DP/SDSP6.1.1-1	0.00766	0.00000	1.00000	0.400	0.00000
DP/SDSP6.1.2-1	0.00766	0.28718	1.00000	0.400	0.00088
DP/SDSP6.1.0-1	0.00766	0.71282	1.00000	0.400	0.00219
DP/SDSP6.2.1-1	0.01430	0.00000	1.00000	0.400	0.00000
DP/SDSP6.2.2	0.01430	0.28718	0.90655	0.400	0.00149
DP/SDSP6.2.0	0.01430	0.71282	0.90655	0.400	0.00370
DP/SDSP6.3.1-1	0.00378	0.00000	1.00000	0.400	0.00000
DP/SDSP6.3.2	0.00378	0.28718	0.90655	0.400	0.00039
DP/SDSP6.3.0	0.00378	0.71282	0.90655	0.400	0.00098
DP/SDSP7.1.1	0.00766	0.00000	1.00000	0.400	0.00000
DP/SDSP7.1.2	0.00766	0.28718	1.00000	0.400	0.00088
DP/SDSP7.1.0	0.00766	0.71282	1.00000	0.400	0.00219
DP/SDSP7.2.1	0.01430	0.00000	1.00000	0.400	0.00000
DP/SDSP7.2.2	0.01430	0.28718	1.00000	0.400	0.00164
DP/SDSP7.2.0	0.01430	0.71282	1.00000	0.400	0.00408
DP/SDSP7.3.1	0.00378	0.00000	1.00000	0.400	0.00000
DP/SDSP7.3.2	0.00378	0.28718	1.00000	0.400	0.00043
DP/SDSP7.3.0	0.00378	0.71282	1.00000	0.400	0.00108
DP/SDSP8.1.1	0.00766	0.00000	1.00000	0.400	0.00000
DP/SDSP8.1.2	0.00766	0.28718	1.00000	0.400	0.00088
DP/SDSP8.1.0	0.00766	0.71282	1.00000	0.400	0.00219
DP/SDSP8.2.1	0.01430	0.00000	1.00000	0.400	0.00000
DP/SDSP8.2.2	0.01430	0.28718	0.99739	0.400	0.00164
DP/SDSP8.2.0	0.01430	0.71282	0.99739	0.400	0.00407
DP/SDSP8.3.1	0.00378	0.00000	1.00000	0.400	0.00000
DP/SDSP8.3.2	0.00378	0.28718	0.99998	0.400	0.00043
DP/SDSP8.3.0	0.00378	0.71282	0.99998	0.400	0.00108
DP/SDSP9.1.1	0.00766	0.00000	1.00000	0.400	0.00000
DP/SDSP9.1.2	0.00766	0.28718	1.00000	0.400	0.00088
DP/SDSP9.1.0	0.00766	0.71282	1.00000	0.400	0.00219
DP/SDSP9.2.1	0.01430	0.00000	1.00000	0.400	0.00000
DP/SDSP9.2.2	0.01430	0.28718	1.00000	0.400	0.00164

CASE	P	V	S	W	W*P*V*S
DP/SDSP9.2.0	0.01430	0.71282	1.00000	0.400	0.00408
DP/SDSP9.3.1	0.00378	0.00000	1.00000	0.400	0.00000
DP/SDSP9.3.2	0.00378	0.28718	1.00000	0.400	0.00043
DP/SDSP9.3.0	0.00378	0.71282	1.00000	0.400	0.00108
DP/SDSP10.1.1	0.00877	0.00000	1.00000	0.400	0.00000
DP/SDSP10.1.2	0.00877	0.28718	1.00000	0.400	0.00101
DP/SDSP10.1.0	0.00877	0.71282	1.00000	0.400	0.00250
DP/SDSP10.2.1	0.01671	0.00000	1.00000	0.400	0.00000
DP/SDSP10.2.2	0.01671	0.28718	1.00000	0.400	0.00192
DP/SDSP10.2.0	0.01671	0.71282	1.00000	0.400	0.00476
DP/SDSP10.3.1	0.00467	0.00000	1.00000	0.400	0.00000
DP/SDSP10.3.2	0.00467	0.28718	1.00000	0.400	0.00054
DP/SDSP10.3.0	0.00467	0.71282	1.00000	0.400	0.00133
DP/SDSP11.1.1-1	0.00487	0.00000	1.00000	0.400	0.00000
DP/SDSP11.1.2-1	0.00487	0.28718	1.00000	0.400	0.00056
DP/SDSP11.1.0-1	0.00487	0.71282	1.00000	0.400	0.00139
DP/SDSP11.2.1-1	0.00339	0.00000	1.00000	0.400	0.00000
DP/SDSP11.2.2-1	0.00339	0.28718	1.00000	0.400	0.00039
DP/SDSP11.2.0-1	0.00339	0.71282	1.00000	0.400	0.00097
DP/SDSP12.1.1-1	0.00621	0.00000	1.00000	0.400	0.00000
DP/SDSP12.1.2-1	0.00621	0.28718	1.00000	0.400	0.00071
DP/SDSP12.1.3-1	0.00621	0.30769	1.00000	0.400	0.00076
DP/SDSP12.1.4-1	0.00621	0.24768	1.00000	0.400	0.00062
DP/SDSP12.1.0-1	0.00621	0.15745	1.00000	0.400	0.00039
DP/SDSP12.2.1-1	0.00486	0.00000	1.00000	0.400	0.00000
DP/SDSP12.2.2-1	0.00486	0.28718	1.00000	0.400	0.00056
DP/SDSP12.2.3-1	0.00486	0.30769	0.90740	0.400	0.00054
DP/SDSP12.2.4-1	0.00486	0.24768	0.90740	0.400	0.00044
DP/SDSP12.2.0-1	0.00486	0.15745	0.90740	0.400	0.00028
DP/SDSP13.1.1	0.00669	0.00000	1.00000	0.400	0.00000
DP/SDSP13.1.2	0.00669	0.28718	1.00000	0.400	0.00077
DP/SDSP13.1.3	0.00669	0.30769	1.00000	0.400	0.00082
DP/SDSP13.1.4	0.00669	0.24768	1.00000	0.400	0.00066
DP/SDSP13.1.0	0.00669	0.15745	1.00000	0.400	0.00042
DP/SDSP13.2.1-1	0.00439	0.00000	1.00000	0.400	0.00000
DP/SDSP13.2.2-1	0.00439	0.28718	1.00000	0.400	0.00050
DP/SDSP13.2.3-1	0.00439	0.30769	1.00000	0.400	0.00054
DP/SDSP13.2.4-1	0.00439	0.24768	1.00000	0.400	0.00043
DP/SDSP13.2.0-1	0.00439	0.15745	1.00000	0.400	0.00028
DP/SDSP14.1.1	0.00543	0.00000	1.00000	0.400	0.00000
DP/SDSP14.1.2	0.00543	0.28718	1.00000	0.400	0.00062
DP/SDSP14.1.3	0.00543	0.30769	1.00000	0.400	0.00067
DP/SDSP14.1.4	0.00543	0.24768	1.00000	0.400	0.00054
DP/SDSP14.1.0	0.00543	0.15745	1.00000	0.400	0.00034
DP/SDSP14.2.1-1	0.00283	0.00000	1.00000	0.400	0.00000
DP/SDSP14.2.2-1	0.00283	0.28718	1.00000	0.400	0.00032
DP/SDSP14.2.3-1	0.00283	0.30769	1.00000	0.400	0.00035
DP/SDSP14.2.4-1	0.00283	0.24768	1.00000	0.400	0.00028
DP/SDSP14.2.0-1	0.00283	0.15745	1.00000	0.400	0.00018
DP/SDSP15.1.1	0.00937	0.00000	1.00000	0.400	0.00000
DP/SDSP15.1.2	0.00937	0.28718	1.00000	0.400	0.00108
DP/SDSP15.1.3	0.00937	0.30769	1.00000	0.400	0.00115
DP/SDSP15.1.4	0.00937	0.24768	1.00000	0.400	0.00093
DP/SDSP15.1.0	0.00937	0.15745	1.00000	0.400	0.00059
DP/SDSP15.2.1-1	0.00488	0.00000	1.00000	0.400	0.00000
DP/SDSP15.2.2-1	0.00488	0.28718	1.00000	0.400	0.00056
DP/SDSP15.2.3-1	0.00488	0.30769	1.00000	0.400	0.00060
DP/SDSP15.2.4-1	0.00488	0.24768	1.00000	0.400	0.00048
DP/SDSP15.2.0-1	0.00488	0.15745	1.00000	0.400	0.00031

CASE	P	V	S	W	W*P*V*S
DP/SDSP16.1.1	0.00702	0.00000	1.00000	0.400	0.00000
DP/SDSP16.1.2	0.00702	0.28718	1.00000	0.400	0.00081
DP/SDSP16.1.3	0.00702	0.30769	1.00000	0.400	0.00086
DP/SDSP16.1.4	0.00702	0.24768	1.00000	0.400	0.00070
DP/SDSP16.1.0	0.00702	0.15745	1.00000	0.400	0.00044
DP/SDSP16.2.1-1	0.01075	0.00000	1.00000	0.400	0.00000
DP/SDSP16.2.2-1	0.01075	0.28718	1.00000	0.400	0.00124
DP/SDSP16.2.3-1	0.01075	0.30769	1.00000	0.400	0.00132
DP/SDSP16.2.4-1	0.01075	0.24768	1.00000	0.400	0.00107
DP/SDSP16.2.0-1	0.01075	0.15745	1.00000	0.400	0.00068
DP/SDSP17.1.1	0.05736	0.00000	1.00000	0.400	0.00000
DP/SDSP17.1.2-1	0.05736	0.28718	1.00000	0.400	0.00659
DP/SDSP17.1.3-1	0.05736	0.30769	1.00000	0.400	0.00706
DP/SDSP17.1.4-1	0.05736	0.24768	1.00000	0.400	0.00568
DP/SDSP17.1.0-1	0.05736	0.15745	1.00000	0.400	0.00361
DP/SDSP1-2.1.1	0.00000	0.00000	1.00000	0.400	0.00000
DP/SDSP1-2.1.2	0.00000	0.28718	1.00000	0.400	0.00000
DP/SDSP1-2.1.0	0.00000	0.71282	1.00000	0.400	0.00000
DP/SDSP1-2.2.1	0.01572	0.00000	1.00000	0.400	0.00000
DP/SDSP1-2.2.2	0.01572	0.28718	1.00000	0.400	0.00181
DP/SDSP1-2.2.0	0.01572	0.71282	1.00000	0.400	0.00448
DP/SDSP1-2.3.1	0.01620	0.00000	1.00000	0.400	0.00000
DP/SDSP1-2.3.2	0.01620	0.28718	1.00000	0.400	0.00186
DP/SDSP1-2.3.0	0.01620	0.71282	1.00000	0.400	0.00462
DP/SDSP2-3.1.1-2	0.01142	0.00000	1.00000	0.400	0.00000
DP/SDSP2-3.1.2	0.01142	0.28718	1.00000	0.400	0.00131
DP/SDSP2-3.1.0	0.01142	0.71282	1.00000	0.400	0.00326
DP/SDSP2-3.2.1	0.01156	0.00000	1.00000	0.400	0.00000
DP/SDSP2-3.2.2	0.01156	0.28718	0.93705	0.400	0.00124
DP/SDSP2-3.2.0	0.01156	0.71282	0.93705	0.400	0.00309
DP/SDSP3-4.1.1-2	0.01167	0.00000	1.00000	0.400	0.00000
DP/SDSP3-4.1.2-1	0.01167	0.28718	1.00000	0.400	0.00134
DP/SDSP3-4.1.0-1	0.01167	0.71282	1.00000	0.400	0.00333
DP/SDSP4-5.1.1-3	0.00369	0.00000	1.00000	0.400	0.00000
DP/SDSP4-5.1.2-2	0.00369	0.28718	1.00000	0.400	0.00042
DP/SDSP4-5.1.0-2	0.00369	0.71282	1.00000	0.400	0.00105
DP/SDSP4-5.2.1-3	0.01009	0.00000	1.00000	0.400	0.00000
DP/SDSP4-5.2.2-1	0.01009	0.28718	0.00000	0.400	0.00000
DP/SDSP4-5.2.0-1	0.01009	0.71282	0.00000	0.400	0.00000
DP/SDSP4-5.3.1-3	0.00487	0.00000	1.00000	0.400	0.00000
DP/SDSP4-5.3.2-1	0.00487	0.28718	0.00000	0.400	0.00000
DP/SDSP4-5.3.0-1	0.00487	0.71282	0.00000	0.400	0.00000
DP/SDSP5-6.1.1-3	0.00663	0.00000	1.00000	0.400	0.00000
DP/SDSP5-6.1.2-2	0.00663	0.28718	1.00000	0.400	0.00076
DP/SDSP5-6.1.0-2	0.00663	0.71282	1.00000	0.400	0.00189
DP/SDSP5-6.2.1-3	0.01792	0.00000	1.00000	0.400	0.00000
DP/SDSP5-6.2.2	0.01792	0.28718	0.00000	0.400	0.00000
DP/SDSP5-6.2.0	0.01792	0.71282	0.00000	0.400	0.00000
DP/SDSP5-6.3.1-3	0.00924	0.00000	1.00000	0.400	0.00000
DP/SDSP5-6.3.2	0.00924	0.28718	0.00000	0.400	0.00000
DP/SDSP5-6.3.0	0.00924	0.71282	0.00000	0.400	0.00000
DP/SDSP6-7.1.1	0.00663	0.00000	1.00000	0.400	0.00000
DP/SDSP6-7.1.2	0.00663	0.28718	1.00000	0.400	0.00076
DP/SDSP6-7.1.0	0.00663	0.71282	1.00000	0.400	0.00189
DP/SDSP6-7.2.1	0.01792	0.00000	1.00000	0.400	0.00000
DP/SDSP6-7.2.2-3	0.01792	0.28718	0.00000	0.400	0.00000
DP/SDSP6-7.2.0-3	0.01792	0.71282	0.00000	0.400	0.00000
DP/SDSP6-7.3.1	0.00924	0.00000	1.00000	0.400	0.00000
DP/SDSP6-7.3.2-3	0.00924	0.28718	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP6-7.3.0-3	0.00924	0.71282	0.00000	0.400	0.00000
DP/SDSP7-8.1.1	0.00663	0.00000	1.00000	0.400	0.00000
DP/SDSP7-8.1.2	0.00663	0.28718	1.00000	0.400	0.00076
DP/SDSP7-8.1.0	0.00663	0.71282	1.00000	0.400	0.00189
DP/SDSP7-8.2.1	0.01792	0.00000	1.00000	0.400	0.00000
DP/SDSP7-8.2.2	0.01792	0.28718	0.00000	0.400	0.00000
DP/SDSP7-8.2.0	0.01792	0.71282	0.00000	0.400	0.00000
DP/SDSP7-8.3.1	0.00924	0.00000	1.00000	0.400	0.00000
DP/SDSP7-8.3.2	0.00924	0.28718	0.02525	0.400	0.00003
DP/SDSP7-8.3.0	0.00924	0.71282	0.02525	0.400	0.00007
DP/SDSP8-9.1.1	0.00663	0.00000	1.00000	0.400	0.00000
DP/SDSP8-9.1.2	0.00663	0.28718	0.99874	0.400	0.00076
DP/SDSP8-9.1.0	0.00663	0.71282	0.99874	0.400	0.00189
DP/SDSP8-9.2.1	0.01792	0.00000	1.00000	0.400	0.00000
DP/SDSP8-9.2.2-1	0.01792	0.28718	0.00000	0.400	0.00000
DP/SDSP8-9.2.0-1	0.01792	0.71282	0.00000	0.400	0.00000
DP/SDSP8-9.3.1	0.00924	0.00000	1.00000	0.400	0.00000
DP/SDSP8-9.3.2-1	0.00924	0.28718	0.00000	0.400	0.00000
DP/SDSP8-9.3.0-1	0.00924	0.71282	0.00000	0.400	0.00000
DP/SDSP9-10.1.1	0.00697	0.00000	1.00000	0.400	0.00000
DP/SDSP9-10.1.2	0.00697	0.28718	0.97723	0.400	0.00078
DP/SDSP9-10.1.0	0.00697	0.71282	0.97723	0.400	0.00194
DP/SDSP9-10.2.1	0.01883	0.00000	1.00000	0.400	0.00000
DP/SDSP9-10.2.2	0.01883	0.28718	0.33286	0.400	0.00072
DP/SDSP9-10.2.0	0.01883	0.71282	0.33286	0.400	0.00179
DP/SDSP9-10.3.1	0.00975	0.00000	1.00000	0.400	0.00000
DP/SDSP9-10.3.2	0.00975	0.28718	0.69461	0.400	0.00078
DP/SDSP9-10.3.0	0.00975	0.71282	0.69461	0.400	0.00193
DP/SDSP10-11.1.1	0.00453	0.00000	1.00000	0.400	0.00000
DP/SDSP10-11.1.2	0.00453	0.28718	0.95236	0.400	0.00050
DP/SDSP10-11.1.0	0.00453	0.71282	0.95236	0.400	0.00123
DP/SDSP10-11.2.1	0.00360	0.00000	1.00000	0.400	0.00000
DP/SDSP10-11.2.2	0.00360	0.28718	0.11125	0.400	0.00005
DP/SDSP10-11.2.0	0.00360	0.71282	0.11125	0.400	0.00011
DP/SDSP10-11.3.1	0.00872	0.00000	1.00000	0.400	0.00000
DP/SDSP10-11.3.2-3	0.00872	0.28718	0.00000	0.400	0.00000
DP/SDSP10-11.3.0-3	0.00872	0.71282	0.00000	0.400	0.00000
DP/SDSP10-11.4.1	0.00612	0.00000	1.00000	0.400	0.00000
DP/SDSP10-11.4.2-3	0.00612	0.28718	0.00000	0.400	0.00000
DP/SDSP10-11.4.0-3	0.00612	0.71282	0.00000	0.400	0.00000
DP/SDSP11-12.1.1-2	0.00556	0.00000	1.00000	0.400	0.00000
DP/SDSP11-12.1.2-2	0.00556	0.28718	1.00000	0.400	0.00064
DP/SDSP11-12.1.3-2	0.00556	0.30769	1.00000	0.400	0.00068
DP/SDSP11-12.1.4-2	0.00556	0.24768	1.00000	0.400	0.00055
DP/SDSP11-12.1.0-2	0.00556	0.15745	1.00000	0.400	0.00035
DP/SDSP11-12.2.1-2	0.00994	0.00000	1.00000	0.400	0.00000
DP/SDSP11-12.2.2-2	0.00994	0.28718	1.00000	0.400	0.00114
DP/SDSP11-12.2.3-2	0.00994	0.30769	0.90740	0.400	0.00111
DP/SDSP11-12.2.4-2	0.00994	0.24768	0.90740	0.400	0.00089
DP/SDSP11-12.2.0-2	0.00994	0.15745	0.90740	0.400	0.00057
DP/SDSP12-13.1.1-2	0.00628	0.00000	1.00000	0.400	0.00000
DP/SDSP12-13.1.2-2	0.00628	0.28718	1.00000	0.400	0.00072
DP/SDSP12-13.1.3-2	0.00628	0.30769	1.00000	0.400	0.00077
DP/SDSP12-13.1.4-2	0.00628	0.24768	1.00000	0.400	0.00062
DP/SDSP12-13.1.0-2	0.00628	0.15745	1.00000	0.400	0.00040
DP/SDSP12-13.2.1-2	0.00063	0.00000	0.91679	0.400	0.00000
DP/SDSP12-13.2.2-2	0.00063	0.28718	0.91679	0.400	0.00007
DP/SDSP12-13.2.3-2	0.00063	0.30769	0.00000	0.400	0.00000
DP/SDSP12-13.2.4-2	0.00063	0.24768	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP12-13.2.0-2	0.00063	0.15745	0.00000	0.400	0.00000
DP/SDSP12-13.3.1-2	0.01068	0.00000	0.91679	0.400	0.00000
DP/SDSP12-13.3.2-2	0.01068	0.28718	0.91679	0.400	0.00112
DP/SDSP12-13.3.3-2	0.01068	0.30769	0.00000	0.400	0.00000
DP/SDSP12-13.3.4-2	0.01068	0.24768	0.00000	0.400	0.00000
DP/SDSP12-13.3.0-2	0.01068	0.15745	0.00000	0.400	0.00000
DP/SDSP13-14.1.1	0.00612	0.00000	1.00000	0.400	0.00000
DP/SDSP13-14.1.2	0.00612	0.28718	1.00000	0.400	0.00070
DP/SDSP13-14.1.3	0.00612	0.30769	1.00000	0.400	0.00075
DP/SDSP13-14.1.4	0.00612	0.24768	1.00000	0.400	0.00061
DP/SDSP13-14.1.0	0.00612	0.15745	1.00000	0.400	0.00039
DP/SDSP13-14.2.1-2	0.00033	0.00000	1.00000	0.400	0.00000
DP/SDSP13-14.2.2-2	0.00033	0.28718	1.00000	0.400	0.00004
DP/SDSP13-14.2.3	0.00033	0.30769	0.94625	0.400	0.00004
DP/SDSP13-14.2.4	0.00033	0.24768	0.94625	0.400	0.00003
DP/SDSP13-14.2.0	0.00033	0.15745	0.94625	0.400	0.00002
DP/SDSP13-14.3.1-2	0.00904	0.00000	1.00000	0.400	0.00000
DP/SDSP13-14.3.2-2	0.00904	0.28718	1.00000	0.400	0.00104
DP/SDSP13-14.3.3	0.00904	0.30769	0.94625	0.400	0.00105
DP/SDSP13-14.3.4	0.00904	0.24768	0.94625	0.400	0.00085
DP/SDSP13-14.3.0	0.00904	0.15745	0.94625	0.400	0.00054
DP/SDSP14-15.1.1	0.00715	0.00000	1.00000	0.400	0.00000
DP/SDSP14-15.1.2	0.00715	0.28718	1.00000	0.400	0.00082
DP/SDSP14-15.1.3	0.00715	0.30769	1.00000	0.400	0.00088
DP/SDSP14-15.1.4	0.00715	0.24768	1.00000	0.400	0.00071
DP/SDSP14-15.1.0	0.00715	0.15745	1.00000	0.400	0.00045
DP/SDSP14-15.2.1-3	0.00085	0.00000	1.00000	0.400	0.00000
DP/SDSP14-15.2.2-3	0.00085	0.28718	1.00000	0.400	0.00010
DP/SDSP14-15.2.3-1	0.00085	0.30769	0.00000	0.400	0.00000
DP/SDSP14-15.2.4-1	0.00085	0.24768	0.00000	0.400	0.00000
DP/SDSP14-15.2.0-1	0.00085	0.15745	0.00000	0.400	0.00000
DP/SDSP14-15.3.1-3	0.00923	0.00000	1.00000	0.400	0.00000
DP/SDSP14-15.3.2-3	0.00923	0.28718	1.00000	0.400	0.00106
DP/SDSP14-15.3.3-1	0.00923	0.30769	0.00000	0.400	0.00000
DP/SDSP14-15.3.4-1	0.00923	0.24768	0.00000	0.400	0.00000
DP/SDSP14-15.3.0-1	0.00923	0.15745	0.00000	0.400	0.00000
DP/SDSP15-16.1.1	0.00602	0.00000	1.00000	0.400	0.00000
DP/SDSP15-16.1.2	0.00602	0.28718	1.00000	0.400	0.00069
DP/SDSP15-16.1.3	0.00602	0.30769	1.00000	0.400	0.00074
DP/SDSP15-16.1.4	0.00602	0.24768	1.00000	0.400	0.00060
DP/SDSP15-16.1.0	0.00602	0.15745	1.00000	0.400	0.00038
DP/SDSP15-16.2.1	0.00486	0.00000	1.00000	0.400	0.00000
DP/SDSP15-16.2.2	0.00486	0.28718	1.00000	0.400	0.00056
DP/SDSP15-16.2.3	0.00486	0.30769	1.00000	0.400	0.00060
DP/SDSP15-16.2.4	0.00486	0.24768	1.00000	0.400	0.00048
DP/SDSP15-16.2.0	0.00486	0.15745	1.00000	0.400	0.00031
DP/SDSP15-16.3.1-2	0.01282	0.00000	1.00000	0.400	0.00000
DP/SDSP15-16.3.2-2	0.01282	0.28718	1.00000	0.400	0.00147
DP/SDSP15-16.3.3-2	0.01282	0.30769	1.00000	0.400	0.00158
DP/SDSP15-16.3.4-2	0.01282	0.24768	1.00000	0.400	0.00127
DP/SDSP15-16.3.0-2	0.01282	0.15745	1.00000	0.400	0.00081
DP/SDSP16-17.1.1	0.00940	0.00000	1.00000	0.400	0.00000
DP/SDSP16-17.1.2	0.00940	0.28718	1.00000	0.400	0.00108
DP/SDSP16-17.1.3	0.00940	0.30769	1.00000	0.400	0.00116
DP/SDSP16-17.1.4	0.00940	0.24768	1.00000	0.400	0.00093
DP/SDSP16-17.1.0	0.00940	0.15745	1.00000	0.400	0.00059
DP/SDSP16-17.2.1-2	0.02768	0.00000	1.00000	0.400	0.00000
DP/SDSP16-17.2.2-2	0.02768	0.28718	1.00000	0.400	0.00318
DP/SDSP16-17.2.3-2	0.02768	0.30769	1.00000	0.400	0.00341

CASE	P	V	S	W	W*P*V*S
DP/SDSP16-17.2.4-2	0.02768	0.24768	1.00000	0.400	0.00274
DP/SDSP16-17.2.0-2	0.02768	0.15745	1.00000	0.400	0.00174
DP/SDSP1-3.1.1	0.00000	0.00000	1.00000	0.400	0.00000
DP/SDSP1-3.1.2	0.00000	0.28718	1.00000	0.400	0.00000
DP/SDSP1-3.1.0	0.00000	0.71282	1.00000	0.400	0.00000
DP/SDSP1-3.2.1	0.00297	0.00000	1.00000	0.400	0.00000
DP/SDSP1-3.2.2	0.00297	0.28718	1.00000	0.400	0.00034
DP/SDSP1-3.2.0	0.00297	0.71282	1.00000	0.400	0.00085
DP/SDSP1-3.3.1	0.00320	0.00000	1.00000	0.400	0.00000
DP/SDSP1-3.3.2	0.00320	0.28718	0.76869	0.400	0.00028
DP/SDSP1-3.3.0	0.00320	0.71282	0.76869	0.400	0.00070
DP/SDSP2-4.1.1-2	0.00605	0.00000	1.00000	0.400	0.00000
DP/SDSP2-4.1.2	0.00605	0.28718	1.00000	0.400	0.00069
DP/SDSP2-4.1.0	0.00605	0.71282	1.00000	0.400	0.00172
DP/SDSP2-4.2.1	0.00652	0.00000	1.00000	0.400	0.00000
DP/SDSP2-4.2.2	0.00652	0.28718	0.00000	0.400	0.00000
DP/SDSP2-4.2.0	0.00652	0.71282	0.00000	0.400	0.00000
DP/SDSP3-5.1.1-3	0.00294	0.00000	1.00000	0.400	0.00000
DP/SDSP3-5.1.2-2	0.00294	0.28718	1.00000	0.400	0.00034
DP/SDSP3-5.1.0-2	0.00294	0.71282	1.00000	0.400	0.00084
DP/SDSP3-5.2.1-3	0.00783	0.00000	1.00000	0.400	0.00000
DP/SDSP3-5.2.2-1	0.00783	0.28718	0.00000	0.400	0.00000
DP/SDSP3-5.2.0-1	0.00783	0.71282	0.00000	0.400	0.00000
DP/SDSP3-5.3.1-3	0.00437	0.00000	1.00000	0.400	0.00000
DP/SDSP3-5.3.2-1	0.00437	0.28718	0.00000	0.400	0.00000
DP/SDSP3-5.3.0-1	0.00437	0.71282	0.00000	0.400	0.00000
DP/SDSP4-6.1.1-4	0.00133	0.00000	1.00000	0.400	0.00000
DP/SDSP4-6.1.2-3	0.00133	0.28718	1.00000	0.400	0.00015
DP/SDSP4-6.1.0-3	0.00133	0.71282	1.00000	0.400	0.00038
DP/SDSP4-6.2.1-4	0.00355	0.00000	1.00000	0.400	0.00000
DP/SDSP4-6.2.2-1	0.00355	0.28718	0.00000	0.400	0.00000
DP/SDSP4-6.2.0-1	0.00355	0.71282	0.00000	0.400	0.00000
DP/SDSP4-6.3.1-4	0.00198	0.00000	1.00000	0.400	0.00000
DP/SDSP4-6.3.2-1	0.00198	0.28718	0.00000	0.400	0.00000
DP/SDSP4-6.3.0-1	0.00198	0.71282	0.00000	0.400	0.00000
DP/SDSP5-7.1.1	0.00207	0.00000	1.00000	0.400	0.00000
DP/SDSP5-7.1.2	0.00207	0.28718	1.00000	0.400	0.00024
DP/SDSP5-7.1.0	0.00207	0.71282	1.00000	0.400	0.00059
DP/SDSP5-7.2.1	0.00552	0.00000	0.98824	0.400	0.00000
DP/SDSP5-7.2.2-4	0.00552	0.28718	0.00000	0.400	0.00000
DP/SDSP5-7.2.0-4	0.00552	0.71282	0.00000	0.400	0.00000
DP/SDSP5-7.3.1	0.00308	0.00000	0.97834	0.400	0.00000
DP/SDSP5-7.3.2-4	0.00308	0.28718	0.00000	0.400	0.00000
DP/SDSP5-7.3.0-4	0.00308	0.71282	0.00000	0.400	0.00000
DP/SDSP6-8.1.1	0.00207	0.00000	1.00000	0.400	0.00000
DP/SDSP6-8.1.2	0.00207	0.28718	0.91157	0.400	0.00022
DP/SDSP6-8.1.0	0.00207	0.71282	0.91157	0.400	0.00054
DP/SDSP6-8.2.1	0.00552	0.00000	0.95960	0.400	0.00000
DP/SDSP6-8.2.2-4	0.00552	0.28718	0.00000	0.400	0.00000
DP/SDSP6-8.2.0-4	0.00552	0.71282	0.00000	0.400	0.00000
DP/SDSP6-8.3.1	0.00308	0.00000	0.94323	0.400	0.00000
DP/SDSP6-8.3.2-4	0.00308	0.28718	0.00000	0.400	0.00000
DP/SDSP6-8.3.0-4	0.00308	0.71282	0.00000	0.400	0.00000
DP/SDSP7-9.1.1	0.00207	0.00000	0.93836	0.400	0.00000
DP/SDSP7-9.1.2	0.00207	0.28718	0.75262	0.400	0.00018
DP/SDSP7-9.1.0	0.00207	0.71282	0.75262	0.400	0.00044
DP/SDSP7-9.2.1	0.00552	0.00000	1.00000	0.400	0.00000
DP/SDSP7-9.2.2-1	0.00552	0.28718	0.00000	0.400	0.00000
DP/SDSP7-9.2.0-1	0.00552	0.71282	0.00000	0.400	0.00000



CASE	P	V	S	W	W*P*V*S
DP/SDSP7-9.3.1	0.00308	0.00000	1.00000	0.400	0.00000
DP/SDSP7-9.3.2-1	0.00308	0.28718	0.00000	0.400	0.00000
DP/SDSP7-9.3.0-1	0.00308	0.71282	0.00000	0.400	0.00000
DP/SDSP8-10.1.1	0.00215	0.00000	0.91216	0.400	0.00000
DP/SDSP8-10.1.2	0.00215	0.28718	0.70082	0.400	0.00017
DP/SDSP8-10.1.0	0.00215	0.71282	0.70082	0.400	0.00043
DP/SDSP8-10.2.1	0.00573	0.00000	1.00000	0.400	0.00000
DP/SDSP8-10.2.2-1	0.00573	0.28718	0.00000	0.400	0.00000
DP/SDSP8-10.2.0-1	0.00573	0.71282	0.00000	0.400	0.00000
DP/SDSP8-10.3.1	0.00320	0.00000	1.00000	0.400	0.00000
DP/SDSP8-10.3.2-1	0.00320	0.28718	0.00000	0.400	0.00000
DP/SDSP8-10.3.0-1	0.00320	0.71282	0.00000	0.400	0.00000
DP/SDSP9-11.1.1	0.00131	0.00000	0.83712	0.400	0.00000
DP/SDSP9-11.1.2	0.00131	0.28718	0.65505	0.400	0.00010
DP/SDSP9-11.1.0	0.00131	0.71282	0.65505	0.400	0.00024
DP/SDSP9-11.2.1	0.00102	0.00000	0.97134	0.400	0.00000
DP/SDSP9-11.2.2-1	0.00102	0.28718	0.00000	0.400	0.00000
DP/SDSP9-11.2.0-1	0.00102	0.71282	0.00000	0.400	0.00000
DP/SDSP9-11.3.1	0.00247	0.00000	0.94085	0.400	0.00000
DP/SDSP9-11.3.2-3	0.00247	0.28718	0.00000	0.400	0.00000
DP/SDSP9-11.3.0-3	0.00247	0.71282	0.00000	0.400	0.00000
DP/SDSP9-11.4.1	0.00195	0.00000	0.95920	0.400	0.00000
DP/SDSP9-11.4.2-3	0.00195	0.28718	0.00000	0.400	0.00000
DP/SDSP9-11.4.0-3	0.00195	0.71282	0.00000	0.400	0.00000
DP/SDSP10-12.1.1	0.00310	0.00000	1.00000	0.400	0.00000
DP/SDSP10-12.1.2	0.00310	0.28718	0.95236	0.400	0.00034
DP/SDSP10-12.1.3	0.00310	0.30769	0.95221	0.400	0.00036
DP/SDSP10-12.1.4	0.00310	0.24768	0.95221	0.400	0.00029
DP/SDSP10-12.1.0	0.00310	0.15745	0.95221	0.400	0.00019
DP/SDSP10-12.2.1	0.00241	0.00000	1.00000	0.400	0.00000
DP/SDSP10-12.2.2	0.00241	0.28718	0.11125	0.400	0.00003
DP/SDSP10-12.2.3-1	0.00241	0.30769	0.00000	0.400	0.00000
DP/SDSP10-12.2.4-1	0.00241	0.24768	0.00000	0.400	0.00000
DP/SDSP10-12.2.0-1	0.00241	0.15745	0.00000	0.400	0.00000
DP/SDSP10-12.3.1	0.00585	0.00000	1.00000	0.400	0.00000
DP/SDSP10-12.3.2-3	0.00585	0.28718	0.00000	0.400	0.00000
DP/SDSP10-12.3.3-1	0.00585	0.30769	0.00000	0.400	0.00000
DP/SDSP10-12.3.4-1	0.00585	0.24768	0.00000	0.400	0.00000
DP/SDSP10-12.3.0-1	0.00585	0.15745	0.00000	0.400	0.00000
DP/SDSP10-12.4.1	0.00461	0.00000	1.00000	0.400	0.00000
DP/SDSP10-12.4.2-3	0.00461	0.28718	0.00000	0.400	0.00000
DP/SDSP10-12.4.3-1	0.00461	0.30769	0.00000	0.400	0.00000
DP/SDSP10-12.4.4-1	0.00461	0.24768	0.00000	0.400	0.00000
DP/SDSP10-12.4.0-1	0.00461	0.15745	0.00000	0.400	0.00000
DP/SDSP11-13.1.1-2	0.00332	0.00000	1.00000	0.400	0.00000
DP/SDSP11-13.1.2-2	0.00332	0.28718	1.00000	0.400	0.00038
DP/SDSP11-13.1.3-2	0.00332	0.30769	1.00000	0.400	0.00041
DP/SDSP11-13.1.4-2	0.00332	0.24768	1.00000	0.400	0.00033
DP/SDSP11-13.1.0-2	0.00332	0.15745	1.00000	0.400	0.00021
DP/SDSP11-13.2.1-2	0.00033	0.00000	0.91679	0.400	0.00000
DP/SDSP11-13.2.2-2	0.00033	0.28718	0.91679	0.400	0.00003
DP/SDSP11-13.2.3-2	0.00033	0.30769	0.00000	0.400	0.00000
DP/SDSP11-13.2.4-2	0.00033	0.24768	0.00000	0.400	0.00000
DP/SDSP11-13.2.0-2	0.00033	0.15745	0.00000	0.400	0.00000
DP/SDSP11-13.3.1-2	0.00599	0.00000	0.91679	0.400	0.00000
DP/SDSP11-13.3.2-2	0.00599	0.28718	0.91679	0.400	0.00063
DP/SDSP11-13.3.3-2	0.00599	0.30769	0.00000	0.400	0.00000
DP/SDSP11-13.3.4-2	0.00599	0.24768	0.00000	0.400	0.00000
DP/SDSP11-13.3.0-2	0.00599	0.15745	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP12-14.1.1-2	0.00332	0.00000	0.94279	0.400	0.00000
DP/SDSP12-14.1.2-2	0.00332	0.28718	0.94279	0.400	0.00036
DP/SDSP12-14.1.3-2	0.00332	0.30769	0.94237	0.400	0.00039
DP/SDSP12-14.1.4-2	0.00332	0.24768	0.94237	0.400	0.00031
DP/SDSP12-14.1.0-2	0.00332	0.15745	0.94237	0.400	0.00020
DP/SDSP12-14.2.1-2	0.00033	0.00000	0.75020	0.400	0.00000
DP/SDSP12-14.2.2-2	0.00033	0.28718	0.75020	0.400	0.00003
DP/SDSP12-14.2.3-2	0.00033	0.30769	0.00000	0.400	0.00000
DP/SDSP12-14.2.4-2	0.00033	0.24768	0.00000	0.400	0.00000
DP/SDSP12-14.2.0-2	0.00033	0.15745	0.00000	0.400	0.00000
DP/SDSP12-14.3.1-2	0.00019	0.00000	0.75020	0.400	0.00000
DP/SDSP12-14.3.2-2	0.00019	0.28718	0.75020	0.400	0.00002
DP/SDSP12-14.3.3-2	0.00019	0.30769	0.00000	0.400	0.00000
DP/SDSP12-14.3.4-2	0.00019	0.24768	0.00000	0.400	0.00000
DP/SDSP12-14.3.0-2	0.00019	0.15745	0.00000	0.400	0.00000
DP/SDSP12-14.4.1-2	0.00579	0.00000	0.75020	0.400	0.00000
DP/SDSP12-14.4.2-2	0.00579	0.28718	0.75020	0.400	0.00050
DP/SDSP12-14.4.3-2	0.00579	0.30769	0.00000	0.400	0.00000
DP/SDSP12-14.4.4-2	0.00579	0.24768	0.00000	0.400	0.00000
DP/SDSP12-14.4.0-2	0.00579	0.15745	0.00000	0.400	0.00000
DP/SDSP13-15.1.1	0.00486	0.00000	1.00000	0.400	0.00000
DP/SDSP13-15.1.2	0.00486	0.28718	1.00000	0.400	0.00056
DP/SDSP13-15.1.3	0.00486	0.30769	1.00000	0.400	0.00060
DP/SDSP13-15.1.4	0.00486	0.24768	1.00000	0.400	0.00048
DP/SDSP13-15.1.0	0.00486	0.15745	1.00000	0.400	0.00031
DP/SDSP13-15.2.1-3	0.00026	0.00000	0.99228	0.400	0.00000
DP/SDSP13-15.2.2-3	0.00026	0.28718	0.99228	0.400	0.00003
DP/SDSP13-15.2.3-1	0.00026	0.30769	0.00000	0.400	0.00000
DP/SDSP13-15.2.4-1	0.00026	0.24768	0.00000	0.400	0.00000
DP/SDSP13-15.2.0-1	0.00026	0.15745	0.00000	0.400	0.00000
DP/SDSP13-15.3.1-3	0.00060	0.00000	0.99228	0.400	0.00000
DP/SDSP13-15.3.2-3	0.00060	0.28718	0.99228	0.400	0.00007
DP/SDSP13-15.3.3-1	0.00060	0.30769	0.00000	0.400	0.00000
DP/SDSP13-15.3.4-1	0.00060	0.24768	0.00000	0.400	0.00000
DP/SDSP13-15.3.0-1	0.00060	0.15745	0.00000	0.400	0.00000
DP/SDSP13-15.4.1-3	0.00713	0.00000	1.00000	0.400	0.00000
DP/SDSP13-15.4.2-3	0.00713	0.28718	1.00000	0.400	0.00082
DP/SDSP13-15.4.3-1	0.00713	0.30769	0.00000	0.400	0.00000
DP/SDSP13-15.4.4-1	0.00713	0.24768	0.00000	0.400	0.00000
DP/SDSP13-15.4.0-1	0.00713	0.15745	0.00000	0.400	0.00000
DP/SDSP14-16.1.1	0.00255	0.00000	1.00000	0.400	0.00000
DP/SDSP14-16.1.2	0.00255	0.28718	1.00000	0.400	0.00029
DP/SDSP14-16.1.3	0.00255	0.30769	1.00000	0.400	0.00031
DP/SDSP14-16.1.4	0.00255	0.24768	1.00000	0.400	0.00025
DP/SDSP14-16.1.0	0.00255	0.15745	1.00000	0.400	0.00016
DP/SDSP14-16.2.1	0.00154	0.00000	1.00000	0.400	0.00000
DP/SDSP14-16.2.2	0.00154	0.28718	1.00000	0.400	0.00018
DP/SDSP14-16.2.3	0.00154	0.30769	1.00000	0.400	0.00019
DP/SDSP14-16.2.4	0.00154	0.24768	1.00000	0.400	0.00015
DP/SDSP14-16.2.0	0.00154	0.15745	1.00000	0.400	0.00010
DP/SDSP14-16.3.1-3	0.00048	0.00000	1.00000	0.400	0.00000
DP/SDSP14-16.3.2-3	0.00048	0.28718	1.00000	0.400	0.00005
DP/SDSP14-16.3.3-1	0.00048	0.30769	0.00000	0.400	0.00000
DP/SDSP14-16.3.4-1	0.00048	0.24768	0.00000	0.400	0.00000
DP/SDSP14-16.3.0-1	0.00048	0.15745	0.00000	0.400	0.00000
DP/SDSP14-16.4.1	0.00568	0.00000	1.00000	0.400	0.00000
DP/SDSP14-16.4.2	0.00568	0.28718	1.00000	0.400	0.00065
DP/SDSP14-16.4.3-1	0.00568	0.30769	0.00000	0.400	0.00000
DP/SDSP14-16.4.4-1	0.00568	0.24768	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP14-16.4.0-1	0.00568	0.15745	0.00000	0.400	0.00000
DP/SDSP15-17.1.1	0.00353	0.00000	1.00000	0.400	0.00000
DP/SDSP15-17.1.2	0.00353	0.28718	1.00000	0.400	0.00040
DP/SDSP15-17.1.3	0.00353	0.30769	1.00000	0.400	0.00043
DP/SDSP15-17.1.4	0.00353	0.24768	1.00000	0.400	0.00035
DP/SDSP15-17.1.0	0.00353	0.15745	1.00000	0.400	0.00022
DP/SDSP15-17.2.1	0.00279	0.00000	1.00000	0.400	0.00000
DP/SDSP15-17.2.2	0.00279	0.28718	1.00000	0.400	0.00032
DP/SDSP15-17.2.3	0.00279	0.30769	1.00000	0.400	0.00034
DP/SDSP15-17.2.4	0.00279	0.24768	1.00000	0.400	0.00028
DP/SDSP15-17.2.0	0.00279	0.15745	1.00000	0.400	0.00018
DP/SDSP15-17.3.1-2	0.00776	0.00000	1.00000	0.400	0.00000
DP/SDSP15-17.3.2-2	0.00776	0.28718	1.00000	0.400	0.00089
DP/SDSP15-17.3.3-2	0.00776	0.30769	1.00000	0.400	0.00096
DP/SDSP15-17.3.4-2	0.00776	0.24768	1.00000	0.400	0.00077
DP/SDSP15-17.3.0-2	0.00776	0.15745	1.00000	0.400	0.00049
DP/SDSP1-4.1.1	0.00000	0.00000	1.00000	0.400	0.00000
DP/SDSP1-4.1.2	0.00000	0.28718	0.91005	0.400	0.00000
DP/SDSP1-4.1.0	0.00000	0.71282	0.91005	0.400	0.00000
DP/SDSP1-4.2.1	0.00112	0.00000	1.00000	0.400	0.00000
DP/SDSP1-4.2.2	0.00112	0.28718	0.91005	0.400	0.00012
DP/SDSP1-4.2.0	0.00112	0.71282	0.91005	0.400	0.00029
DP/SDSP1-4.3.1	0.00121	0.00000	1.00000	0.400	0.00000
DP/SDSP1-4.3.2-1	0.00121	0.28718	0.00000	0.400	0.00000
DP/SDSP1-4.3.0-1	0.00121	0.71282	0.00000	0.400	0.00000
DP/SDSP2-5.1.1-3	0.00215	0.00000	1.00000	0.400	0.00000
DP/SDSP2-5.1.2	0.00215	0.28718	0.39032	0.400	0.00010
DP/SDSP2-5.1.0	0.00215	0.71282	0.39032	0.400	0.00024
DP/SDSP2-5.2.1-3	0.00318	0.00000	1.00000	0.400	0.00000
DP/SDSP2-5.2.2-3	0.00318	0.28718	0.00000	0.400	0.00000
DP/SDSP2-5.2.0-3	0.00318	0.71282	0.00000	0.400	0.00000
DP/SDSP2-5.3.1-3	0.00255	0.00000	1.00000	0.400	0.00000
DP/SDSP2-5.3.2-3	0.00255	0.28718	0.00000	0.400	0.00000
DP/SDSP2-5.3.0-3	0.00255	0.71282	0.00000	0.400	0.00000
DP/SDSP2-5.4.1-3	0.00320	0.00000	1.00000	0.400	0.00000
DP/SDSP2-5.4.2-3	0.00320	0.28718	0.00000	0.400	0.00000
DP/SDSP2-5.4.0-3	0.00320	0.71282	0.00000	0.400	0.00000
DP/SDSP3-6.1.1-4	0.00074	0.00000	1.00000	0.400	0.00000
DP/SDSP3-6.1.2-3	0.00074	0.28718	1.00000	0.400	0.00008
DP/SDSP3-6.1.0-3	0.00074	0.71282	1.00000	0.400	0.00021
DP/SDSP3-6.2.1-4	0.00197	0.00000	1.00000	0.400	0.00000
DP/SDSP3-6.2.2-2	0.00197	0.28718	0.00000	0.400	0.00000
DP/SDSP3-6.2.0-2	0.00197	0.71282	0.00000	0.400	0.00000
DP/SDSP3-6.3.1-4	0.00110	0.00000	1.00000	0.400	0.00000
DP/SDSP3-6.3.2-2	0.00110	0.28718	0.00000	0.400	0.00000
DP/SDSP3-6.3.0-2	0.00110	0.71282	0.00000	0.400	0.00000
DP/SDSP4-7.1.1	0.00035	0.00000	1.00000	0.400	0.00000
DP/SDSP4-7.1.2	0.00035	0.28718	0.97660	0.400	0.00004
DP/SDSP4-7.1.0	0.00035	0.71282	0.97660	0.400	0.00010
DP/SDSP4-7.2.1	0.00095	0.00000	0.00000	0.400	0.00000
DP/SDSP4-7.2.2-5	0.00095	0.28718	0.00000	0.400	0.00000
DP/SDSP4-7.2.0-5	0.00095	0.71282	0.00000	0.400	0.00000
DP/SDSP4-7.3.1	0.00053	0.00000	0.00000	0.400	0.00000
DP/SDSP4-7.3.2-5	0.00053	0.28718	0.00000	0.400	0.00000
DP/SDSP4-7.3.0-5	0.00053	0.71282	0.00000	0.400	0.00000
DP/SDSP5-8.1.1	0.00062	0.00000	1.00000	0.400	0.00000
DP/SDSP5-8.1.2	0.00062	0.28718	0.80496	0.400	0.00006
DP/SDSP5-8.1.0	0.00062	0.71282	0.80496	0.400	0.00014
DP/SDSP5-8.2.1	0.00167	0.00000	0.79059	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP5-8.2.2-5	0.00167	0.28718	0.00000	0.400	0.00000
DP/SDSP5-8.2.0-5	0.00167	0.71282	0.00000	0.400	0.00000
DP/SDSP5-8.3.1	0.00093	0.00000	0.70356	0.400	0.00000
DP/SDSP5-8.3.2-5	0.00093	0.28718	0.00000	0.400	0.00000
DP/SDSP5-8.3.0-5	0.00093	0.71282	0.00000	0.400	0.00000
DP/SDSP6-9.1.1	0.00062	0.00000	0.90364	0.400	0.00000
DP/SDSP6-9.1.2	0.00062	0.28718	0.59036	0.400	0.00004
DP/SDSP6-9.1.0	0.00062	0.71282	0.59036	0.400	0.00011
DP/SDSP6-9.2.1	0.00167	0.00000	0.00000	0.400	0.00000
DP/SDSP6-9.2.2-4	0.00167	0.28718	0.00000	0.400	0.00000
DP/SDSP6-9.2.0-4	0.00167	0.71282	0.00000	0.400	0.00000
DP/SDSP6-9.3.1	0.00093	0.00000	0.00000	0.400	0.00000
DP/SDSP6-9.3.2-4	0.00093	0.28718	0.00000	0.400	0.00000
DP/SDSP6-9.3.0-4	0.00093	0.71282	0.00000	0.400	0.00000
DP/SDSP7-10.1.1	0.00065	0.00000	0.75850	0.400	0.00000
DP/SDSP7-10.1.2	0.00065	0.28718	0.13111	0.400	0.00001
DP/SDSP7-10.1.0	0.00065	0.71282	0.13111	0.400	0.00002
DP/SDSP7-10.2.1	0.00174	0.00000	1.00000	0.400	0.00000
DP/SDSP7-10.2.2-1	0.00174	0.28718	0.00000	0.400	0.00000
DP/SDSP7-10.2.0-1	0.00174	0.71282	0.00000	0.400	0.00000
DP/SDSP7-10.3.1	0.00097	0.00000	1.00000	0.400	0.00000
DP/SDSP7-10.3.2-1	0.00097	0.28718	0.00000	0.400	0.00000
DP/SDSP7-10.3.0-1	0.00097	0.71282	0.00000	0.400	0.00000
DP/SDSP8-11.1.1	0.00038	0.00000	0.64592	0.400	0.00000
DP/SDSP8-11.1.2	0.00038	0.28718	0.00000	0.400	0.00000
DP/SDSP8-11.1.0	0.00038	0.71282	0.00000	0.400	0.00000
DP/SDSP8-11.2.1	0.00030	0.00000	0.93453	0.400	0.00000
DP/SDSP8-11.2.2-1	0.00030	0.28718	0.00000	0.400	0.00000
DP/SDSP8-11.2.0-1	0.00030	0.71282	0.00000	0.400	0.00000
DP/SDSP8-11.3.1	0.00072	0.00000	0.75088	0.400	0.00000
DP/SDSP8-11.3.2-1	0.00072	0.28718	0.00000	0.400	0.00000
DP/SDSP8-11.3.0-1	0.00072	0.71282	0.00000	0.400	0.00000
DP/SDSP8-11.4.1	0.00057	0.00000	0.76635	0.400	0.00000
DP/SDSP8-11.4.2-1	0.00057	0.28718	0.00000	0.400	0.00000
DP/SDSP8-11.4.0-1	0.00057	0.71282	0.00000	0.400	0.00000
DP/SDSP9-12.1.1	0.00065	0.00000	0.83712	0.400	0.00000
DP/SDSP9-12.1.2	0.00065	0.28718	0.65505	0.400	0.00005
DP/SDSP9-12.1.3	0.00065	0.30769	0.59194	0.400	0.00005
DP/SDSP9-12.1.4	0.00065	0.24768	0.59194	0.400	0.00004
DP/SDSP9-12.1.0	0.00065	0.15745	0.59194	0.400	0.00002
DP/SDSP9-12.2.1	0.00050	0.00000	0.97134	0.400	0.00000
DP/SDSP9-12.2.2-1	0.00050	0.28718	0.00000	0.400	0.00000
DP/SDSP9-12.2.3-1	0.00050	0.30769	0.00000	0.400	0.00000
DP/SDSP9-12.2.4-1	0.00050	0.24768	0.00000	0.400	0.00000
DP/SDSP9-12.2.0-1	0.00050	0.15745	0.00000	0.400	0.00000
DP/SDSP9-12.3.1	0.00123	0.00000	0.94085	0.400	0.00000
DP/SDSP9-12.3.2-3	0.00123	0.28718	0.00000	0.400	0.00000
DP/SDSP9-12.3.3-1	0.00123	0.30769	0.00000	0.400	0.00000
DP/SDSP9-12.3.4-1	0.00123	0.24768	0.00000	0.400	0.00000
DP/SDSP9-12.3.0-1	0.00123	0.15745	0.00000	0.400	0.00000
DP/SDSP9-12.4.1	0.00097	0.00000	0.95920	0.400	0.00000
DP/SDSP9-12.4.2-3	0.00097	0.28718	0.00000	0.400	0.00000
DP/SDSP9-12.4.3-1	0.00097	0.30769	0.00000	0.400	0.00000
DP/SDSP9-12.4.4-1	0.00097	0.24768	0.00000	0.400	0.00000
DP/SDSP9-12.4.0-1	0.00097	0.15745	0.00000	0.400	0.00000
DP/SDSP10-13.1.1	0.00130	0.00000	0.88881	0.400	0.00000
DP/SDSP10-13.1.2	0.00130	0.28718	0.80236	0.400	0.00012
DP/SDSP10-13.1.3	0.00130	0.30769	0.80257	0.400	0.00013
DP/SDSP10-13.1.4	0.00130	0.24768	0.80257	0.400	0.00010

CASE	P	V	S	W	W*P*V*S
DP/SDSP10-13.1.0	0.00130	0.15745	0.80257	0.400	0.00007
DP/SDSP10-13.2.1	0.00101	0.00000	1.00000	0.400	0.00000
DP/SDSP10-13.2.2-2	0.00101	0.28718	0.00000	0.400	0.00000
DP/SDSP10-13.2.3-1	0.00101	0.30769	0.00000	0.400	0.00000
DP/SDSP10-13.2.4-1	0.00101	0.24768	0.00000	0.400	0.00000
DP/SDSP10-13.2.0-1	0.00101	0.15745	0.00000	0.400	0.00000
DP/SDSP10-13.3.1	0.00023	0.00000	0.96739	0.400	0.00000
DP/SDSP10-13.3.2-3	0.00023	0.28718	0.00000	0.400	0.00000
DP/SDSP10-13.3.3-1	0.00023	0.30769	0.00000	0.400	0.00000
DP/SDSP10-13.3.4-1	0.00023	0.24768	0.00000	0.400	0.00000
DP/SDSP10-13.3.0-1	0.00023	0.15745	0.00000	0.400	0.00000
DP/SDSP10-13.4.1	0.00222	0.00000	0.96739	0.400	0.00000
DP/SDSP10-13.4.2-3	0.00222	0.28718	0.00000	0.400	0.00000
DP/SDSP10-13.4.3-1	0.00222	0.30769	0.00000	0.400	0.00000
DP/SDSP10-13.4.4-1	0.00222	0.24768	0.00000	0.400	0.00000
DP/SDSP10-13.4.0-1	0.00222	0.15745	0.00000	0.400	0.00000
DP/SDSP10-13.5.1	0.00193	0.00000	0.97490	0.400	0.00000
DP/SDSP10-13.5.2-3	0.00193	0.28718	0.00000	0.400	0.00000
DP/SDSP10-13.5.3-1	0.00193	0.30769	0.00000	0.400	0.00000
DP/SDSP10-13.5.4-1	0.00193	0.24768	0.00000	0.400	0.00000
DP/SDSP10-13.5.0-1	0.00193	0.15745	0.00000	0.400	0.00000
DP/SDSP11-14.1.1-2	0.00128	0.00000	0.94279	0.400	0.00000
DP/SDSP11-14.1.2-2	0.00128	0.28718	0.94279	0.400	0.00014
DP/SDSP11-14.1.3-2	0.00128	0.30769	0.94237	0.400	0.00015
DP/SDSP11-14.1.4-2	0.00128	0.24768	0.94237	0.400	0.00012
DP/SDSP11-14.1.0-2	0.00128	0.15745	0.94237	0.400	0.00008
DP/SDSP11-14.2.1-2	0.00013	0.00000	0.75020	0.400	0.00000
DP/SDSP11-14.2.2-2	0.00013	0.28718	0.75020	0.400	0.00001
DP/SDSP11-14.2.3-2	0.00013	0.30769	0.00000	0.400	0.00000
DP/SDSP11-14.2.4-2	0.00013	0.24768	0.00000	0.400	0.00000
DP/SDSP11-14.2.0-2	0.00013	0.15745	0.00000	0.400	0.00000
DP/SDSP11-14.3.1-2	0.00008	0.00000	0.75020	0.400	0.00000
DP/SDSP11-14.3.2-2	0.00008	0.28718	0.75020	0.400	0.00001
DP/SDSP11-14.3.3-2	0.00008	0.30769	0.00000	0.400	0.00000
DP/SDSP11-14.3.4-2	0.00008	0.24768	0.00000	0.400	0.00000
DP/SDSP11-14.3.0-2	0.00008	0.15745	0.00000	0.400	0.00000
DP/SDSP11-14.4.1-2	0.00224	0.00000	0.75020	0.400	0.00000
DP/SDSP11-14.4.2-2	0.00224	0.28718	0.75020	0.400	0.00019
DP/SDSP11-14.4.3-2	0.00224	0.30769	0.00000	0.400	0.00000
DP/SDSP11-14.4.4-2	0.00224	0.24768	0.00000	0.400	0.00000
DP/SDSP11-14.4.0-2	0.00224	0.15745	0.00000	0.400	0.00000
DP/SDSP12-15.1.1-1	0.00190	0.00000	0.74206	0.400	0.00000
DP/SDSP12-15.1.2-1	0.00190	0.28718	0.74206	0.400	0.00016
DP/SDSP12-15.1.3	0.00190	0.30769	0.61180	0.400	0.00014
DP/SDSP12-15.1.4	0.00190	0.24768	0.61180	0.400	0.00012
DP/SDSP12-15.1.0	0.00190	0.15745	0.61180	0.400	0.00007
DP/SDSP12-15.2.1-3	0.00019	0.00000	0.38755	0.400	0.00000
DP/SDSP12-15.2.2-3	0.00019	0.28718	0.38755	0.400	0.00001
DP/SDSP12-15.2.3-1	0.00019	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.2.4-1	0.00019	0.24768	0.00000	0.400	0.00000
DP/SDSP12-15.2.0-1	0.00019	0.15745	0.00000	0.400	0.00000
DP/SDSP12-15.3.1-3	0.00011	0.00000	0.38755	0.400	0.00000
DP/SDSP12-15.3.2-3	0.00011	0.28718	0.38755	0.400	0.00000
DP/SDSP12-15.3.3-1	0.00011	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.3.4-1	0.00011	0.24768	0.00000	0.400	0.00000
DP/SDSP12-15.3.0-1	0.00011	0.15745	0.00000	0.400	0.00000
DP/SDSP12-15.4.1-3	0.00026	0.00000	0.38755	0.400	0.00000
DP/SDSP12-15.4.2-3	0.00026	0.28718	0.38755	0.400	0.00001
DP/SDSP12-15.4.3-1	0.00026	0.30769	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP12-15.4.4-1	0.00026	0.24768	0.00000	0.400	0.00000
DP/SDSP12-15.4.0-1	0.00026	0.15745	0.00000	0.400	0.00000
DP/SDSP12-15.5.1-3	0.00306	0.00000	0.82106	0.400	0.00000
DP/SDSP12-15.5.2-3	0.00306	0.28718	0.82106	0.400	0.00029
DP/SDSP12-15.5.3-1	0.00306	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.5.4-1	0.00306	0.24768	0.00000	0.400	0.00000
DP/SDSP12-15.5.0-1	0.00306	0.15745	0.00000	0.400	0.00000
DP/SDSP13-16.1.1	0.00125	0.00000	1.00000	0.400	0.00000
DP/SDSP13-16.1.2	0.00125	0.28718	1.00000	0.400	0.00014
DP/SDSP13-16.1.3	0.00125	0.30769	1.00000	0.400	0.00015
DP/SDSP13-16.1.4	0.00125	0.24768	1.00000	0.400	0.00012
DP/SDSP13-16.1.0	0.00125	0.15745	1.00000	0.400	0.00008
DP/SDSP13-16.2.1-1	0.00065	0.00000	1.00000	0.400	0.00000
DP/SDSP13-16.2.2-1	0.00065	0.28718	1.00000	0.400	0.00007
DP/SDSP13-16.2.3	0.00065	0.30769	0.82111	0.400	0.00007
DP/SDSP13-16.2.4	0.00065	0.24768	0.82111	0.400	0.00005
DP/SDSP13-16.2.0	0.00065	0.15745	0.82111	0.400	0.00003
DP/SDSP13-16.3.1-3	0.00010	0.00000	1.00000	0.400	0.00000
DP/SDSP13-16.3.2-3	0.00010	0.28718	1.00000	0.400	0.00001
DP/SDSP13-16.3.3-1	0.00010	0.30769	0.00000	0.400	0.00000
DP/SDSP13-16.3.4-1	0.00010	0.24768	0.00000	0.400	0.00000
DP/SDSP13-16.3.0-1	0.00010	0.15745	0.00000	0.400	0.00000
DP/SDSP13-16.4.1-3	0.00023	0.00000	1.00000	0.400	0.00000
DP/SDSP13-16.4.2-3	0.00023	0.28718	1.00000	0.400	0.00003
DP/SDSP13-16.4.3-1	0.00023	0.30769	0.00000	0.400	0.00000
DP/SDSP13-16.4.4-1	0.00023	0.24768	0.00000	0.400	0.00000
DP/SDSP13-16.4.0-1	0.00023	0.15745	0.00000	0.400	0.00000
DP/SDSP13-16.5.1-3	0.00278	0.00000	1.00000	0.400	0.00000
DP/SDSP13-16.5.2-3	0.00278	0.28718	1.00000	0.400	0.00032
DP/SDSP13-16.5.3-1	0.00278	0.30769	0.00000	0.400	0.00000
DP/SDSP13-16.5.4-1	0.00278	0.24768	0.00000	0.400	0.00000
DP/SDSP13-16.5.0-1	0.00278	0.15745	0.00000	0.400	0.00000
DP/SDSP14-17.1.1	0.00103	0.00000	1.00000	0.400	0.00000
DP/SDSP14-17.1.2	0.00103	0.28718	1.00000	0.400	0.00012
DP/SDSP14-17.1.3	0.00103	0.30769	1.00000	0.400	0.00013
DP/SDSP14-17.1.4	0.00103	0.24768	1.00000	0.400	0.00010
DP/SDSP14-17.1.0	0.00103	0.15745	1.00000	0.400	0.00006
DP/SDSP14-17.2.1-1	0.00062	0.00000	1.00000	0.400	0.00000
DP/SDSP14-17.2.2-1	0.00062	0.28718	1.00000	0.400	0.00007
DP/SDSP14-17.2.3	0.00062	0.30769	0.88651	0.400	0.00007
DP/SDSP14-17.2.4	0.00062	0.24768	0.88651	0.400	0.00005
DP/SDSP14-17.2.0	0.00062	0.15745	0.88651	0.400	0.00003
DP/SDSP14-17.3.1-3	0.00019	0.00000	1.00000	0.400	0.00000
DP/SDSP14-17.3.2-3	0.00019	0.28718	1.00000	0.400	0.00002
DP/SDSP14-17.3.3-1	0.00019	0.30769	0.00000	0.400	0.00000
DP/SDSP14-17.3.4-1	0.00019	0.24768	0.00000	0.400	0.00000
DP/SDSP14-17.3.0-1	0.00019	0.15745	0.00000	0.400	0.00000
DP/SDSP14-17.4.1-1	0.00226	0.00000	1.00000	0.400	0.00000
DP/SDSP14-17.4.2-1	0.00226	0.28718	1.00000	0.400	0.00026
DP/SDSP14-17.4.3-1	0.00226	0.30769	0.00000	0.400	0.00000
DP/SDSP14-17.4.4-1	0.00226	0.24768	0.00000	0.400	0.00000
DP/SDSP14-17.4.0-1	0.00226	0.15745	0.00000	0.400	0.00000
DP/SDSP1-5.1.1	0.00000	0.00000	1.00000	0.400	0.00000
DP/SDSP1-5.1.2	0.00000	0.28718	0.00000	0.400	0.00000
DP/SDSP1-5.1.0	0.00000	0.71282	0.00000	0.400	0.00000
DP/SDSP1-5.2.1	0.00045	0.00000	1.00000	0.400	0.00000
DP/SDSP1-5.2.2	0.00045	0.28718	0.00000	0.400	0.00000
DP/SDSP1-5.2.0	0.00045	0.71282	0.00000	0.400	0.00000
DP/SDSP1-5.3.1	0.00066	0.00000	0.75020	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP1-5.3.2-3	0.00066	0.28718	0.00000	0.400	0.00000
DP/SDSP1-5.3.0-3	0.00066	0.71282	0.00000	0.400	0.00000
DP/SDSP1-5.4.1	0.00053	0.00000	0.00000	0.400	0.00000
DP/SDSP1-5.4.2-3	0.00053	0.28718	0.00000	0.400	0.00000
DP/SDSP1-5.4.0-3	0.00053	0.71282	0.00000	0.400	0.00000
DP/SDSP1-5.5.1	0.00066	0.00000	0.00000	0.400	0.00000
DP/SDSP1-5.5.2-3	0.00066	0.28718	0.00000	0.400	0.00000
DP/SDSP1-5.5.0-3	0.00066	0.71282	0.00000	0.400	0.00000
DP/SDSP2-6.1.1-4	0.00065	0.00000	1.00000	0.400	0.00000
DP/SDSP2-6.1.2-1	0.00065	0.28718	0.00000	0.400	0.00000
DP/SDSP2-6.1.0-1	0.00065	0.71282	0.00000	0.400	0.00000
DP/SDSP2-6.2.1-4	0.00097	0.00000	1.00000	0.400	0.00000
DP/SDSP2-6.2.2-4	0.00097	0.28718	0.00000	0.400	0.00000
DP/SDSP2-6.2.0-4	0.00097	0.71282	0.00000	0.400	0.00000
DP/SDSP2-6.3.1-4	0.00077	0.00000	1.00000	0.400	0.00000
DP/SDSP2-6.3.2-4	0.00077	0.28718	0.00000	0.400	0.00000
DP/SDSP2-6.3.0-4	0.00077	0.71282	0.00000	0.400	0.00000
DP/SDSP2-6.4.1-4	0.00097	0.00000	1.00000	0.400	0.00000
DP/SDSP2-6.4.2-4	0.00097	0.28718	0.00000	0.400	0.00000
DP/SDSP2-6.4.0-4	0.00097	0.71282	0.00000	0.400	0.00000
DP/SDSP3-7.1.1	0.00027	0.00000	1.00000	0.400	0.00000
DP/SDSP3-7.1.2	0.00027	0.28718	0.00000	0.400	0.00000
DP/SDSP3-7.1.0	0.00027	0.71282	0.00000	0.400	0.00000
DP/SDSP3-7.2.1	0.00072	0.00000	0.00000	0.400	0.00000
DP/SDSP3-7.2.2-5	0.00072	0.28718	0.00000	0.400	0.00000
DP/SDSP3-7.2.0-5	0.00072	0.71282	0.00000	0.400	0.00000
DP/SDSP3-7.3.1	0.00040	0.00000	0.00000	0.400	0.00000
DP/SDSP3-7.3.2-5	0.00040	0.28718	0.00000	0.400	0.00000
DP/SDSP3-7.3.0-5	0.00040	0.71282	0.00000	0.400	0.00000
DP/SDSP4-8.1.1	0.00010	0.00000	1.00000	0.400	0.00000
DP/SDSP4-8.1.2	0.00010	0.28718	0.00000	0.400	0.00000
DP/SDSP4-8.1.0	0.00010	0.71282	0.00000	0.400	0.00000
DP/SDSP4-8.2.1-1	0.00026	0.00000	0.00000	0.400	0.00000
DP/SDSP4-8.2.2-6	0.00026	0.28718	0.00000	0.400	0.00000
DP/SDSP4-8.2.0-6	0.00026	0.71282	0.00000	0.400	0.00000
DP/SDSP4-8.3.1-1	0.00015	0.00000	0.00000	0.400	0.00000
DP/SDSP4-8.3.2-6	0.00015	0.28718	0.00000	0.400	0.00000
DP/SDSP4-8.3.0-6	0.00015	0.71282	0.00000	0.400	0.00000
DP/SDSP5-9.1.1	0.00012	0.00000	0.88109	0.400	0.00000
DP/SDSP5-9.1.2	0.00012	0.28718	0.00000	0.400	0.00000
DP/SDSP5-9.1.0	0.00012	0.71282	0.00000	0.400	0.00000
DP/SDSP5-9.2.1-1	0.00033	0.00000	0.00000	0.400	0.00000
DP/SDSP5-9.2.2-5	0.00033	0.28718	0.00000	0.400	0.00000
DP/SDSP5-9.2.0-5	0.00033	0.71282	0.00000	0.400	0.00000
DP/SDSP5-9.3.1-1	0.00018	0.00000	0.00000	0.400	0.00000
DP/SDSP5-9.3.2-5	0.00018	0.28718	0.00000	0.400	0.00000
DP/SDSP5-9.3.0-5	0.00018	0.71282	0.00000	0.400	0.00000
DP/SDSP6-10.1.1	0.00012	0.00000	0.73416	0.400	0.00000
DP/SDSP6-10.1.2	0.00012	0.28718	0.00000	0.400	0.00000
DP/SDSP6-10.1.0	0.00012	0.71282	0.00000	0.400	0.00000
DP/SDSP6-10.2.1	0.00033	0.00000	0.00000	0.400	0.00000
DP/SDSP6-10.2.2-4	0.00033	0.28718	0.00000	0.400	0.00000
DP/SDSP6-10.2.0-4	0.00033	0.71282	0.00000	0.400	0.00000
DP/SDSP6-10.3.1-1	0.00018	0.00000	0.00000	0.400	0.00000
DP/SDSP6-10.3.2-4	0.00018	0.28718	0.00000	0.400	0.00000
DP/SDSP6-10.3.0-4	0.00018	0.71282	0.00000	0.400	0.00000
DP/SDSP7-11.1.1	0.00009	0.00000	0.38677	0.400	0.00000
DP/SDSP7-11.1.2	0.00009	0.28718	0.00000	0.400	0.00000
DP/SDSP7-11.1.0	0.00009	0.71282	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP7-11.2.1	0.00007	0.00000	0.00000	0.400	0.00000
DP/SDSP7-11.2.2-1	0.00007	0.28718	0.00000	0.400	0.00000
DP/SDSP7-11.2.0-1	0.00007	0.71282	0.00000	0.400	0.00000
DP/SDSP7-11.3.1	0.00016	0.00000	0.30505	0.400	0.00000
DP/SDSP7-11.3.2-1	0.00016	0.28718	0.00000	0.400	0.00000
DP/SDSP7-11.3.0-1	0.00016	0.71282	0.00000	0.400	0.00000
DP/SDSP7-11.4.1	0.00013	0.00000	0.33072	0.400	0.00000
DP/SDSP7-11.4.2-1	0.00013	0.28718	0.00000	0.400	0.00000
DP/SDSP7-11.4.0-1	0.00013	0.71282	0.00000	0.400	0.00000
DP/SDSP8-12.1.1	0.00023	0.00000	0.64592	0.400	0.00000
DP/SDSP8-12.1.2	0.00023	0.28718	0.00000	0.400	0.00000
DP/SDSP8-12.1.3	0.00023	0.30769	0.00000	0.400	0.00000
DP/SDSP8-12.1.4	0.00023	0.24768	0.00000	0.400	0.00000
DP/SDSP8-12.1.0	0.00023	0.15745	0.00000	0.400	0.00000
DP/SDSP8-12.2.1	0.00018	0.00000	0.93453	0.400	0.00000
DP/SDSP8-12.2.2-1	0.00018	0.28718	0.00000	0.400	0.00000
DP/SDSP8-12.2.3-1	0.00018	0.30769	0.00000	0.400	0.00000
DP/SDSP8-12.2.4-1	0.00018	0.24768	0.00000	0.400	0.00000
DP/SDSP8-12.2.0-1	0.00018	0.15745	0.00000	0.400	0.00000
DP/SDSP8-12.3.1	0.00044	0.00000	0.75088	0.400	0.00000
DP/SDSP8-12.3.2-1	0.00044	0.28718	0.00000	0.400	0.00000
DP/SDSP8-12.3.3-1	0.00044	0.30769	0.00000	0.400	0.00000
DP/SDSP8-12.3.4-1	0.00044	0.24768	0.00000	0.400	0.00000
DP/SDSP8-12.3.0-1	0.00044	0.15745	0.00000	0.400	0.00000
DP/SDSP8-12.4.1	0.00035	0.00000	0.76635	0.400	0.00000
DP/SDSP8-12.4.2-1	0.00035	0.28718	0.00000	0.400	0.00000
DP/SDSP8-12.4.3-1	0.00035	0.30769	0.00000	0.400	0.00000
DP/SDSP8-12.4.4-1	0.00035	0.24768	0.00000	0.400	0.00000
DP/SDSP8-12.4.0-1	0.00035	0.15745	0.00000	0.400	0.00000
DP/SDSP9-13.1.1	0.00036	0.00000	0.69976	0.400	0.00000
DP/SDSP9-13.1.2	0.00036	0.28718	0.44964	0.400	0.00002
DP/SDSP9-13.1.3	0.00036	0.30769	0.00000	0.400	0.00000
DP/SDSP9-13.1.4	0.00036	0.24768	0.00000	0.400	0.00000
DP/SDSP9-13.1.0	0.00036	0.15745	0.00000	0.400	0.00000
DP/SDSP9-13.2.1	0.00028	0.00000	0.88269	0.400	0.00000
DP/SDSP9-13.2.2-1	0.00028	0.28718	0.00000	0.400	0.00000
DP/SDSP9-13.2.3-1	0.00028	0.30769	0.00000	0.400	0.00000
DP/SDSP9-13.2.4-1	0.00028	0.24768	0.00000	0.400	0.00000
DP/SDSP9-13.2.0-1	0.00028	0.15745	0.00000	0.400	0.00000
DP/SDSP9-13.3.1	0.00006	0.00000	0.81403	0.400	0.00000
DP/SDSP9-13.3.2-2	0.00006	0.28718	0.00000	0.400	0.00000
DP/SDSP9-13.3.3-1	0.00006	0.30769	0.00000	0.400	0.00000
DP/SDSP9-13.3.4-1	0.00006	0.24768	0.00000	0.400	0.00000
DP/SDSP9-13.3.0-1	0.00006	0.15745	0.00000	0.400	0.00000
DP/SDSP9-13.4.1	0.00062	0.00000	0.81403	0.400	0.00000
DP/SDSP9-13.4.2-2	0.00062	0.28718	0.00000	0.400	0.00000
DP/SDSP9-13.4.3-1	0.00062	0.30769	0.00000	0.400	0.00000
DP/SDSP9-13.4.4-1	0.00062	0.24768	0.00000	0.400	0.00000
DP/SDSP9-13.4.0-1	0.00062	0.15745	0.00000	0.400	0.00000
DP/SDSP9-13.5.1	0.00054	0.00000	0.84055	0.400	0.00000
DP/SDSP9-13.5.2-2	0.00054	0.28718	0.00000	0.400	0.00000
DP/SDSP9-13.5.3-1	0.00054	0.30769	0.00000	0.400	0.00000
DP/SDSP9-13.5.4-1	0.00054	0.24768	0.00000	0.400	0.00000
DP/SDSP9-13.5.0-1	0.00054	0.15745	0.00000	0.400	0.00000
DP/SDSP10-14.1.1	0.00050	0.00000	0.74997	0.400	0.00000
DP/SDSP10-14.1.2	0.00050	0.28718	0.64289	0.400	0.00004
DP/SDSP10-14.1.3	0.00050	0.30769	0.50946	0.400	0.00003
DP/SDSP10-14.1.4	0.00050	0.24768	0.50946	0.400	0.00003
DP/SDSP10-14.1.0	0.00050	0.15745	0.50946	0.400	0.00002



CASE	P	V	S	W	W*P*V*S
DP/SDSP10-14.2.1-3	0.00039	0.00000	0.91399	0.400	0.00000
DP/SDSP10-14.2.2-1	0.00039	0.28718	0.00000	0.400	0.00000
DP/SDSP10-14.2.3-1	0.00039	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.2.4-1	0.00039	0.24768	0.00000	0.400	0.00000
DP/SDSP10-14.2.0-1	0.00039	0.15745	0.00000	0.400	0.00000
DP/SDSP10-14.3.1	0.00009	0.00000	0.86048	0.400	0.00000
DP/SDSP10-14.3.2-3	0.00009	0.28718	0.00000	0.400	0.00000
DP/SDSP10-14.3.3-1	0.00009	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.3.4-1	0.00009	0.24768	0.00000	0.400	0.00000
DP/SDSP10-14.3.0-1	0.00009	0.15745	0.00000	0.400	0.00000
DP/SDSP10-14.4.1	0.00005	0.00000	0.86048	0.400	0.00000
DP/SDSP10-14.4.2-3	0.00005	0.28718	0.00000	0.400	0.00000
DP/SDSP10-14.4.3-1	0.00005	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.4.4-1	0.00005	0.24768	0.00000	0.400	0.00000
DP/SDSP10-14.4.0-1	0.00005	0.15745	0.00000	0.400	0.00000
DP/SDSP10-14.5.1	0.00081	0.00000	0.86048	0.400	0.00000
DP/SDSP10-14.5.2-3	0.00081	0.28718	0.00000	0.400	0.00000
DP/SDSP10-14.5.3-1	0.00081	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.5.4-1	0.00081	0.24768	0.00000	0.400	0.00000
DP/SDSP10-14.5.0-1	0.00081	0.15745	0.00000	0.400	0.00000
DP/SDSP10-14.6.1-3	0.00075	0.00000	0.87040	0.400	0.00000
DP/SDSP10-14.6.2-3	0.00075	0.28718	0.00000	0.400	0.00000
DP/SDSP10-14.6.3-1	0.00075	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.6.4-1	0.00075	0.24768	0.00000	0.400	0.00000
DP/SDSP10-14.6.0-1	0.00075	0.15745	0.00000	0.400	0.00000
DP/SDSP11-15.1.1-1	0.00068	0.00000	0.74206	0.400	0.00000
DP/SDSP11-15.1.2-1	0.00068	0.28718	0.74206	0.400	0.00006
DP/SDSP11-15.1.3	0.00068	0.30769	0.61180	0.400	0.00005
DP/SDSP11-15.1.4	0.00068	0.24768	0.61180	0.400	0.00004
DP/SDSP11-15.1.0	0.00068	0.15745	0.61180	0.400	0.00003
DP/SDSP11-15.2.1-3	0.00007	0.00000	0.38755	0.400	0.00000
DP/SDSP11-15.2.2-3	0.00007	0.28718	0.38755	0.400	0.00000
DP/SDSP11-15.2.3-1	0.00007	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.2.4-1	0.00007	0.24768	0.00000	0.400	0.00000
DP/SDSP11-15.2.0-1	0.00007	0.15745	0.00000	0.400	0.00000
DP/SDSP11-15.3.1-3	0.00004	0.00000	0.38755	0.400	0.00000
DP/SDSP11-15.3.2-3	0.00004	0.28718	0.38755	0.400	0.00000
DP/SDSP11-15.3.3-1	0.00004	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.3.4-1	0.00004	0.24768	0.00000	0.400	0.00000
DP/SDSP11-15.3.0-1	0.00004	0.15745	0.00000	0.400	0.00000
DP/SDSP11-15.4.1-3	0.00009	0.00000	0.38755	0.400	0.00000
DP/SDSP11-15.4.2-3	0.00009	0.28718	0.38755	0.400	0.00000
DP/SDSP11-15.4.3-1	0.00009	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.4.4-1	0.00009	0.24768	0.00000	0.400	0.00000
DP/SDSP11-15.4.0-1	0.00009	0.15745	0.00000	0.400	0.00000
DP/SDSP11-15.5.1-3	0.00109	0.00000	0.82106	0.400	0.00000
DP/SDSP11-15.5.2-3	0.00109	0.28718	0.82106	0.400	0.00010
DP/SDSP11-15.5.3-1	0.00109	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.5.4-1	0.00109	0.24768	0.00000	0.400	0.00000
DP/SDSP11-15.5.0-1	0.00109	0.15745	0.00000	0.400	0.00000
DP/SDSP12-16.1.1-1	0.00056	0.00000	0.65273	0.400	0.00000
DP/SDSP12-16.1.2-1	0.00056	0.28718	0.65273	0.400	0.00004
DP/SDSP12-16.1.3	0.00056	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.1.4	0.00056	0.24768	0.00000	0.400	0.00000
DP/SDSP12-16.1.0	0.00056	0.15745	0.00000	0.400	0.00000
DP/SDSP12-16.2.1-3	0.00022	0.00000	0.59522	0.400	0.00000
DP/SDSP12-16.2.2-3	0.00022	0.28718	0.59522	0.400	0.00001
DP/SDSP12-16.2.3-1	0.00022	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.2.4-1	0.00022	0.24768	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP12-16.2.0-1	0.00022	0.15745	0.00000	0.400	0.00000
DP/SDSP12-16.3.1-3	0.00008	0.00000	0.57658	0.400	0.00000
DP/SDSP12-16.3.2-3	0.00008	0.28718	0.57658	0.400	0.00001
DP/SDSP12-16.3.3-1	0.00008	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.3.4-1	0.00008	0.24768	0.00000	0.400	0.00000
DP/SDSP12-16.3.0-1	0.00008	0.15745	0.00000	0.400	0.00000
DP/SDSP12-16.4.1-3	0.00005	0.00000	0.57658	0.400	0.00000
DP/SDSP12-16.4.2-3	0.00005	0.28718	0.57658	0.400	0.00000
DP/SDSP12-16.4.3-1	0.00005	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.4.4-1	0.00005	0.24768	0.00000	0.400	0.00000
DP/SDSP12-16.4.0-1	0.00005	0.15745	0.00000	0.400	0.00000
DP/SDSP12-16.5.1-3	0.00010	0.00000	0.57658	0.400	0.00000
DP/SDSP12-16.5.2-3	0.00010	0.28718	0.57658	0.400	0.00001
DP/SDSP12-16.5.3-1	0.00010	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.5.4-1	0.00010	0.24768	0.00000	0.400	0.00000
DP/SDSP12-16.5.0-1	0.00010	0.15745	0.00000	0.400	0.00000
DP/SDSP12-16.6.1-3	0.00125	0.00000	0.82875	0.400	0.00000
DP/SDSP12-16.6.2-3	0.00125	0.28718	0.82875	0.400	0.00012
DP/SDSP12-16.6.3-3	0.00125	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.6.4-3	0.00125	0.24768	0.00000	0.400	0.00000
DP/SDSP12-16.6.0-3	0.00125	0.15745	0.00000	0.400	0.00000
DP/SDSP13-17.1.1	0.00063	0.00000	1.00000	0.400	0.00000
DP/SDSP13-17.1.2	0.00063	0.28718	1.00000	0.400	0.00007
DP/SDSP13-17.1.3	0.00063	0.30769	1.00000	0.400	0.00008
DP/SDSP13-17.1.4	0.00063	0.24768	1.00000	0.400	0.00006
DP/SDSP13-17.1.0	0.00063	0.15745	1.00000	0.400	0.00004
DP/SDSP13-17.2.1-3	0.00033	0.00000	1.00000	0.400	0.00000
DP/SDSP13-17.2.2-3	0.00033	0.28718	1.00000	0.400	0.00004
DP/SDSP13-17.2.3	0.00033	0.30769	0.00000	0.400	0.00000
DP/SDSP13-17.2.4	0.00033	0.24768	0.00000	0.400	0.00000
DP/SDSP13-17.2.0	0.00033	0.15745	0.00000	0.400	0.00000
DP/SDSP13-17.3.1-3	0.00005	0.00000	1.00000	0.400	0.00000
DP/SDSP13-17.3.2-3	0.00005	0.28718	1.00000	0.400	0.00001
DP/SDSP13-17.3.3-1	0.00005	0.30769	0.00000	0.400	0.00000
DP/SDSP13-17.3.4-1	0.00005	0.24768	0.00000	0.400	0.00000
DP/SDSP13-17.3.0-1	0.00005	0.15745	0.00000	0.400	0.00000
DP/SDSP13-17.4.1-3	0.00012	0.00000	1.00000	0.400	0.00000
DP/SDSP13-17.4.2-3	0.00012	0.28718	1.00000	0.400	0.00001
DP/SDSP13-17.4.3-1	0.00012	0.30769	0.00000	0.400	0.00000
DP/SDSP13-17.4.4-1	0.00012	0.24768	0.00000	0.400	0.00000
DP/SDSP13-17.4.0-1	0.00012	0.15745	0.00000	0.400	0.00000
DP/SDSP13-17.5.1-3	0.00138	0.00000	1.00000	0.400	0.00000
DP/SDSP13-17.5.2-3	0.00138	0.28718	1.00000	0.400	0.00016
DP/SDSP13-17.5.3-1	0.00138	0.30769	0.00000	0.400	0.00000
DP/SDSP13-17.5.4-1	0.00138	0.24768	0.00000	0.400	0.00000
DP/SDSP13-17.5.0-1	0.00138	0.15745	0.00000	0.400	0.00000
SUBTOTAL				0.400	0.26031
DS/SDSP1.1.1	0.00000	0.18462	1.00000	0.400	0.00000
DS/SDSP1.1.0	0.00000	0.81538	1.00000	0.400	0.00000
DS/SDSP1.2.1	0.00000	0.18462	1.00000	0.400	0.00000
DS/SDSP1.2.0	0.00000	0.81538	1.00000	0.400	0.00000
DS/SDSP1.3.1	0.01186	0.18462	1.00000	0.400	0.00088
DS/SDSP1.3.0	0.01186	0.81538	1.00000	0.400	0.00387
DS/SDSP2.1.1	0.01928	0.00000	1.00000	0.400	0.00000
DS/SDSP2.1.2	0.01928	0.18462	1.00000	0.400	0.00142
DS/SDSP2.1.0	0.01928	0.81538	1.00000	0.400	0.00629
DS/SDSP2.2.1	0.01088	0.00000	1.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP2.2.2	0.01088	0.18462	1.00000	0.400	0.00080
DS/SDSP2.2.0	0.01088	0.81538	1.00000	0.400	0.00355
DS/SDSP3.1.1-1	0.00826	0.00000	1.00000	0.400	0.00000
DS/SDSP3.1.2-1	0.00826	0.18462	1.00000	0.400	0.00061
DS/SDSP3.1.0-1	0.00826	0.81538	1.00000	0.400	0.00269
DS/SDSP4.1.1-1	0.00582	0.00000	1.00000	0.400	0.00000
DS/SDSP4.1.2-1	0.00582	0.18462	1.00000	0.400	0.00043
DS/SDSP4.1.0-1	0.00582	0.81538	1.00000	0.400	0.00190
DS/SDSP5.1.1-1	0.00766	0.00000	1.00000	0.400	0.00000
DS/SDSP5.1.2-1	0.00766	0.18462	1.00000	0.400	0.00057
DS/SDSP5.1.0-1	0.00766	0.81538	1.00000	0.400	0.00250
DS/SDSP5.2.1-1	0.01430	0.00000	1.00000	0.400	0.00000
DS/SDSP5.2.2-1	0.01430	0.18462	0.00000	0.400	0.00000
DS/SDSP5.2.0-1	0.01430	0.81538	0.00000	0.400	0.00000
DS/SDSP5.3.1-1	0.00378	0.00000	1.00000	0.400	0.00000
DS/SDSP5.3.2-1	0.00378	0.18462	0.00000	0.400	0.00000
DS/SDSP5.3.0-1	0.00378	0.81538	0.00000	0.400	0.00000
DS/SDSP6.1.1-1	0.00766	0.00000	1.00000	0.400	0.00000
DS/SDSP6.1.2-1	0.00766	0.18462	1.00000	0.400	0.00057
DS/SDSP6.1.0-1	0.00766	0.81538	1.00000	0.400	0.00250
DS/SDSP6.2.1-1	0.01430	0.00000	1.00000	0.400	0.00000
DS/SDSP6.2.2-1	0.01430	0.18462	0.00000	0.400	0.00000
DS/SDSP6.2.0-1	0.01430	0.81538	0.00000	0.400	0.00000
DS/SDSP6.3.1-1	0.00378	0.00000	1.00000	0.400	0.00000
DS/SDSP6.3.2-1	0.00378	0.18462	0.00000	0.400	0.00000
DS/SDSP6.3.0-1	0.00378	0.81538	0.00000	0.400	0.00000
DS/SDSP7.1.1	0.00766	0.00000	1.00000	0.400	0.00000
DS/SDSP7.1.2	0.00766	0.18462	1.00000	0.400	0.00057
DS/SDSP7.1.0	0.00766	0.81538	1.00000	0.400	0.00250
DS/SDSP7.2.1	0.01430	0.00000	1.00000	0.400	0.00000
DS/SDSP7.2.2	0.01430	0.18462	0.71061	0.400	0.00075
DS/SDSP7.2.0	0.01430	0.81538	0.71061	0.400	0.00331
DS/SDSP7.3.1	0.00378	0.00000	1.00000	0.400	0.00000
DS/SDSP7.3.2	0.00378	0.18462	0.65261	0.400	0.00018
DS/SDSP7.3.0	0.00378	0.81538	0.65261	0.400	0.00080
DS/SDSP8.1.1	0.00766	0.00000	1.00000	0.400	0.00000
DS/SDSP8.1.2	0.00766	0.18462	1.00000	0.400	0.00057
DS/SDSP8.1.0	0.00766	0.81538	1.00000	0.400	0.00250
DS/SDSP8.2.1	0.01430	0.00000	1.00000	0.400	0.00000
DS/SDSP8.2.2	0.01430	0.18462	0.70327	0.400	0.00074
DS/SDSP8.2.0	0.01430	0.81538	0.70327	0.400	0.00328
DS/SDSP8.3.1	0.00378	0.00000	1.00000	0.400	0.00000
DS/SDSP8.3.2	0.00378	0.18462	0.66239	0.400	0.00018
DS/SDSP8.3.0	0.00378	0.81538	0.66239	0.400	0.00082
DS/SDSP9.1.1	0.00766	0.00000	1.00000	0.400	0.00000
DS/SDSP9.1.2	0.00766	0.18462	1.00000	0.400	0.00057
DS/SDSP9.1.0	0.00766	0.81538	1.00000	0.400	0.00250
DS/SDSP9.2.1	0.01430	0.00000	1.00000	0.400	0.00000
DS/SDSP9.2.2	0.01430	0.18462	1.00000	0.400	0.00106
DS/SDSP9.2.0	0.01430	0.81538	1.00000	0.400	0.00466
DS/SDSP9.3.1	0.00378	0.00000	1.00000	0.400	0.00000
DS/SDSP9.3.2	0.00378	0.18462	1.00000	0.400	0.00028
DS/SDSP9.3.0	0.00378	0.81538	1.00000	0.400	0.00123
DS/SDSP10.1.1	0.00877	0.00000	1.00000	0.400	0.00000
DS/SDSP10.1.2	0.00877	0.18462	1.00000	0.400	0.00065
DS/SDSP10.1.0	0.00877	0.81538	1.00000	0.400	0.00286
DS/SDSP10.2.1	0.01671	0.00000	1.00000	0.400	0.00000
DS/SDSP10.2.2	0.01671	0.18462	1.00000	0.400	0.00123
DS/SDSP10.2.0	0.01671	0.81538	1.00000	0.400	0.00545

CASE	P	V	S	W	W*P*V*S
DS/SDSP10.3.1	0.00467	0.00000	1.00000	0.400	0.00000
DS/SDSP10.3.2	0.00467	0.18462	1.00000	0.400	0.00035
DS/SDSP10.3.0	0.00467	0.81538	1.00000	0.400	0.00152
DS/SDSP11.1.1-1	0.00487	0.00000	1.00000	0.400	0.00000
DS/SDSP11.1.2-1	0.00487	0.18462	1.00000	0.400	0.00036
DS/SDSP11.1.0-1	0.00487	0.81538	1.00000	0.400	0.00159
DS/SDSP11.2.1	0.00339	0.00000	1.00000	0.400	0.00000
DS/SDSP11.2.2	0.00339	0.18462	1.00000	0.400	0.00025
DS/SDSP11.2.0	0.00339	0.81538	1.00000	0.400	0.00110
DS/SDSP12.1.1-1	0.00621	0.00000	1.00000	0.400	0.00000
DS/SDSP12.1.2-1	0.00621	0.18462	1.00000	0.400	0.00046
DS/SDSP12.1.3-1	0.00621	0.30769	1.00000	0.400	0.00076
DS/SDSP12.1.4-1	0.00621	0.30769	1.00000	0.400	0.00076
DS/SDSP12.1.0-1	0.00621	0.20000	1.00000	0.400	0.00050
DS/SDSP12.2.1	0.00486	0.00000	1.00000	0.400	0.00000
DS/SDSP12.2.2	0.00486	0.18462	1.00000	0.400	0.00036
DS/SDSP12.2.3-1	0.00486	0.30769	0.90729	0.400	0.00054
DS/SDSP12.2.4-1	0.00486	0.30769	0.90729	0.400	0.00054
DS/SDSP12.2.0-1	0.00486	0.20000	0.90729	0.400	0.00035
DS/SDSP13.1.1	0.00669	0.00000	1.00000	0.400	0.00000
DS/SDSP13.1.2	0.00669	0.18462	1.00000	0.400	0.00049
DS/SDSP13.1.3	0.00669	0.30769	1.00000	0.400	0.00082
DS/SDSP13.1.4	0.00669	0.30769	1.00000	0.400	0.00082
DS/SDSP13.1.0	0.00669	0.20000	1.00000	0.400	0.00053
DS/SDSP13.2.1	0.00439	0.00000	1.00000	0.400	0.00000
DS/SDSP13.2.2	0.00439	0.18462	1.00000	0.400	0.00032
DS/SDSP13.2.3	0.00439	0.30769	1.00000	0.400	0.00054
DS/SDSP13.2.4	0.00439	0.30769	1.00000	0.400	0.00054
DS/SDSP13.2.0	0.00439	0.20000	1.00000	0.400	0.00035
DS/SDSP14.1.1	0.00543	0.00000	1.00000	0.400	0.00000
DS/SDSP14.1.2	0.00543	0.18462	1.00000	0.400	0.00040
DS/SDSP14.1.3	0.00543	0.30769	1.00000	0.400	0.00067
DS/SDSP14.1.4	0.00543	0.30769	1.00000	0.400	0.00067
DS/SDSP14.1.0	0.00543	0.20000	1.00000	0.400	0.00043
DS/SDSP14.2.1	0.00283	0.00000	1.00000	0.400	0.00000
DS/SDSP14.2.2	0.00283	0.18462	1.00000	0.400	0.00021
DS/SDSP14.2.3	0.00283	0.30769	1.00000	0.400	0.00035
DS/SDSP14.2.4	0.00283	0.30769	1.00000	0.400	0.00035
DS/SDSP14.2.0	0.00283	0.20000	1.00000	0.400	0.00023
DS/SDSP15.1.1	0.00937	0.00000	1.00000	0.400	0.00000
DS/SDSP15.1.2	0.00937	0.18462	1.00000	0.400	0.00069
DS/SDSP15.1.3	0.00937	0.30769	1.00000	0.400	0.00115
DS/SDSP15.1.4	0.00937	0.30769	1.00000	0.400	0.00115
DS/SDSP15.1.0	0.00937	0.20000	1.00000	0.400	0.00075
DS/SDSP15.2.1-1	0.00488	0.00000	1.00000	0.400	0.00000
DS/SDSP15.2.2-1	0.00488	0.18462	1.00000	0.400	0.00036
DS/SDSP15.2.3-1	0.00488	0.30769	1.00000	0.400	0.00060
DS/SDSP15.2.4-1	0.00488	0.30769	1.00000	0.400	0.00060
DS/SDSP15.2.0-1	0.00488	0.20000	1.00000	0.400	0.00039
DS/SDSP16.1.1	0.00702	0.00000	1.00000	0.400	0.00000
DS/SDSP16.1.2	0.00702	0.18462	1.00000	0.400	0.00052
DS/SDSP16.1.3	0.00702	0.30769	1.00000	0.400	0.00086
DS/SDSP16.1.4	0.00702	0.30769	1.00000	0.400	0.00086
DS/SDSP16.1.0	0.00702	0.20000	1.00000	0.400	0.00056
DS/SDSP16.2.1-1	0.01075	0.00000	1.00000	0.400	0.00000
DS/SDSP16.2.2-1	0.01075	0.18462	1.00000	0.400	0.00079
DS/SDSP16.2.3-1	0.01075	0.30769	1.00000	0.400	0.00132
DS/SDSP16.2.4-1	0.01075	0.30769	1.00000	0.400	0.00132
DS/SDSP16.2.0-1	0.01075	0.20000	1.00000	0.400	0.00086

CASE	P	V	S	W	W*P*V*S
DS/SDSP17.1.1	0.05736	0.00000	1.00000	0.400	0.00000
DS/SDSP17.1.2-1	0.05736	0.18462	1.00000	0.400	0.00424
DS/SDSP17.1.3-1	0.05736	0.30769	1.00000	0.400	0.00706
DS/SDSP17.1.4-1	0.05736	0.30769	1.00000	0.400	0.00706
DS/SDSP17.1.0-1	0.05736	0.20000	1.00000	0.400	0.00459
DS/SDSP1-2.1.1	0.00000	0.00000	1.00000	0.400	0.00000
DS/SDSP1-2.1.2	0.00000	0.18462	1.00000	0.400	0.00000
DS/SDSP1-2.1.0	0.00000	0.81538	1.00000	0.400	0.00000
DS/SDSP1-2.2.1	0.01572	0.00000	1.00000	0.400	0.00000
DS/SDSP1-2.2.2	0.01572	0.18462	1.00000	0.400	0.00116
DS/SDSP1-2.2.0	0.01572	0.81538	1.00000	0.400	0.00513
DS/SDSP1-2.3.1	0.01620	0.00000	1.00000	0.400	0.00000
DS/SDSP1-2.3.2	0.01620	0.18462	1.00000	0.400	0.00120
DS/SDSP1-2.3.0	0.01620	0.81538	1.00000	0.400	0.00528
DS/SDSP2-3.1.1-2	0.01142	0.00000	1.00000	0.400	0.00000
DS/SDSP2-3.1.2	0.01142	0.18462	0.92674	0.400	0.00078
DS/SDSP2-3.1.0	0.01142	0.81538	0.92674	0.400	0.00345
DS/SDSP2-3.2.1	0.01156	0.00000	1.00000	0.400	0.00000
DS/SDSP2-3.2.2-1	0.01156	0.18462	0.00000	0.400	0.00000
DS/SDSP2-3.2.0-1	0.01156	0.81538	0.00000	0.400	0.00000
DS/SDSP3-4.1.1-2	0.01167	0.00000	1.00000	0.400	0.00000
DS/SDSP3-4.1.2-1	0.01167	0.18462	1.00000	0.400	0.00086
DS/SDSP3-4.1.0-1	0.01167	0.81538	1.00000	0.400	0.00381
DS/SDSP4-5.1.1-3	0.00369	0.00000	1.00000	0.400	0.00000
DS/SDSP4-5.1.2-2	0.00369	0.18462	1.00000	0.400	0.00027
DS/SDSP4-5.1.0-2	0.00369	0.81538	1.00000	0.400	0.00121
DS/SDSP4-5.2.1	0.01009	0.00000	0.89295	0.400	0.00000
DS/SDSP4-5.2.2-1	0.01009	0.18462	0.00000	0.400	0.00000
DS/SDSP4-5.2.0-1	0.01009	0.81538	0.00000	0.400	0.00000
DS/SDSP4-5.3.1	0.00487	0.00000	0.89295	0.400	0.00000
DS/SDSP4-5.3.2-1	0.00487	0.18462	0.00000	0.400	0.00000
DS/SDSP4-5.3.0-1	0.00487	0.81538	0.00000	0.400	0.00000
DS/SDSP5-6.1.1-3	0.00663	0.00000	1.00000	0.400	0.00000
DS/SDSP5-6.1.2-2	0.00663	0.18462	1.00000	0.400	0.00049
DS/SDSP5-6.1.0-2	0.00663	0.81538	1.00000	0.400	0.00216
DS/SDSP5-6.2.1-3	0.01792	0.00000	1.00000	0.400	0.00000
DS/SDSP5-6.2.2-2	0.01792	0.18462	0.00000	0.400	0.00000
DS/SDSP5-6.2.0-2	0.01792	0.81538	0.00000	0.400	0.00000
DS/SDSP5-6.3.1-3	0.00924	0.00000	1.00000	0.400	0.00000
DS/SDSP5-6.3.2-2	0.00924	0.18462	0.00000	0.400	0.00000
DS/SDSP5-6.3.0-2	0.00924	0.81538	0.00000	0.400	0.00000
DS/SDSP6-7.1.1	0.00663	0.00000	1.00000	0.400	0.00000
DS/SDSP6-7.1.2	0.00663	0.18462	1.00000	0.400	0.00049
DS/SDSP6-7.1.0	0.00663	0.81538	1.00000	0.400	0.00216
DS/SDSP6-7.2.1-1	0.01792	0.00000	0.00000	0.400	0.00000
DS/SDSP6-7.2.2-3	0.01792	0.18462	0.00000	0.400	0.00000
DS/SDSP6-7.2.0-3	0.01792	0.81538	0.00000	0.400	0.00000
DS/SDSP6-7.3.1-1	0.00924	0.00000	0.00000	0.400	0.00000
DS/SDSP6-7.3.2-3	0.00924	0.18462	0.00000	0.400	0.00000
DS/SDSP6-7.3.0-3	0.00924	0.81538	0.00000	0.400	0.00000
DS/SDSP7-8.1.1	0.00663	0.00000	1.00000	0.400	0.00000
DS/SDSP7-8.1.2	0.00663	0.18462	1.00000	0.400	0.00049
DS/SDSP7-8.1.0	0.00663	0.81538	1.00000	0.400	0.00216
DS/SDSP7-8.2.1	0.01792	0.00000	1.00000	0.400	0.00000
DS/SDSP7-8.2.2-1	0.01792	0.18462	0.00000	0.400	0.00000
DS/SDSP7-8.2.0-1	0.01792	0.81538	0.00000	0.400	0.00000
DS/SDSP7-8.3.1	0.00924	0.00000	1.00000	0.400	0.00000
DS/SDSP7-8.3.2-1	0.00924	0.18462	0.00000	0.400	0.00000
DS/SDSP7-8.3.0-1	0.00924	0.81538	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP8-9.1.1	0.00663	0.00000	1.00000	0.400	0.00000
DS/SDSP8-9.1.2	0.00663	0.18462	1.00000	0.400	0.00049
DS/SDSP8-9.1.0	0.00663	0.81538	1.00000	0.400	0.00216
DS/SDSP8-9.2.1	0.01792	0.00000	0.97692	0.400	0.00000
DS/SDSP8-9.2.2-1	0.01792	0.18462	0.00000	0.400	0.00000
DS/SDSP8-9.2.0-1	0.01792	0.81538	0.00000	0.400	0.00000
DS/SDSP8-9.3.1	0.00924	0.00000	0.90220	0.400	0.00000
DS/SDSP8-9.3.2-1	0.00924	0.18462	0.00000	0.400	0.00000
DS/SDSP8-9.3.0-1	0.00924	0.81538	0.00000	0.400	0.00000
DS/SDSP9-10.1.1	0.00697	0.00000	1.00000	0.400	0.00000
DS/SDSP9-10.1.2	0.00697	0.18462	1.00000	0.400	0.00051
DS/SDSP9-10.1.0	0.00697	0.81538	1.00000	0.400	0.00227
DS/SDSP9-10.2.1	0.01883	0.00000	1.00000	0.400	0.00000
DS/SDSP9-10.2.2	0.01883	0.18462	0.00000	0.400	0.00000
DS/SDSP9-10.2.0	0.01883	0.81538	0.00000	0.400	0.00000
DS/SDSP9-10.3.1	0.00975	0.00000	1.00000	0.400	0.00000
DS/SDSP9-10.3.2	0.00975	0.18462	0.00000	0.400	0.00000
DS/SDSP9-10.3.0	0.00975	0.81538	0.00000	0.400	0.00000
DS/SDSP10-11.1.1	0.00453	0.00000	1.00000	0.400	0.00000
DS/SDSP10-11.1.2	0.00453	0.18462	1.00000	0.400	0.00033
DS/SDSP10-11.1.0	0.00453	0.81538	1.00000	0.400	0.00148
DS/SDSP10-11.2.1	0.00360	0.00000	1.00000	0.400	0.00000
DS/SDSP10-11.2.2	0.00360	0.18462	0.00000	0.400	0.00000
DS/SDSP10-11.2.0	0.00360	0.81538	0.00000	0.400	0.00000
DS/SDSP10-11.3.1	0.00872	0.00000	1.00000	0.400	0.00000
DS/SDSP10-11.3.2	0.00872	0.18462	0.88850	0.400	0.00057
DS/SDSP10-11.3.0	0.00872	0.81538	0.88850	0.400	0.00253
DS/SDSP10-11.4.1	0.00612	0.00000	1.00000	0.400	0.00000
DS/SDSP10-11.4.2	0.00612	0.18462	0.90479	0.400	0.00041
DS/SDSP10-11.4.0	0.00612	0.81538	0.90479	0.400	0.00181
DS/SDSP11-12.1.1-2	0.00556	0.00000	1.00000	0.400	0.00000
DS/SDSP11-12.1.2-2	0.00556	0.18462	1.00000	0.400	0.00041
DS/SDSP11-12.1.3-2	0.00556	0.30769	1.00000	0.400	0.00068
DS/SDSP11-12.1.4-2	0.00556	0.30769	1.00000	0.400	0.00068
DS/SDSP11-12.1.0-2	0.00556	0.20000	1.00000	0.400	0.00044
DS/SDSP11-12.2.1	0.00994	0.00000	1.00000	0.400	0.00000
DS/SDSP11-12.2.2	0.00994	0.18462	1.00000	0.400	0.00073
DS/SDSP11-12.2.3-2	0.00994	0.30769	0.90729	0.400	0.00111
DS/SDSP11-12.2.4-2	0.00994	0.30769	0.90729	0.400	0.00111
DS/SDSP11-12.2.0-2	0.00994	0.20000	0.90729	0.400	0.00072
DS/SDSP12-13.1.1-2	0.00628	0.00000	1.00000	0.400	0.00000
DS/SDSP12-13.1.2-2	0.00628	0.18462	1.00000	0.400	0.00046
DS/SDSP12-13.1.3-2	0.00628	0.30769	1.00000	0.400	0.00077
DS/SDSP12-13.1.4-2	0.00628	0.30769	1.00000	0.400	0.00077
DS/SDSP12-13.1.0-2	0.00628	0.20000	1.00000	0.400	0.00050
DS/SDSP12-13.2.1	0.00063	0.00000	1.00000	0.400	0.00000
DS/SDSP12-13.2.2	0.00063	0.18462	1.00000	0.400	0.00005
DS/SDSP12-13.2.3	0.00063	0.30769	0.00000	0.400	0.00000
DS/SDSP12-13.2.4	0.00063	0.30769	0.00000	0.400	0.00000
DS/SDSP12-13.2.0	0.00063	0.20000	0.00000	0.400	0.00000
DS/SDSP12-13.3.1	0.01068	0.00000	1.00000	0.400	0.00000
DS/SDSP12-13.3.2	0.01068	0.18462	1.00000	0.400	0.00079
DS/SDSP12-13.3.3	0.01068	0.30769	0.00000	0.400	0.00000
DS/SDSP12-13.3.4	0.01068	0.30769	0.00000	0.400	0.00000
DS/SDSP12-13.3.0	0.01068	0.20000	0.00000	0.400	0.00000
DS/SDSP13-14.1.1	0.00612	0.00000	1.00000	0.400	0.00000
DS/SDSP13-14.1.2	0.00612	0.18462	1.00000	0.400	0.00045
DS/SDSP13-14.1.3	0.00612	0.30769	1.00000	0.400	0.00075
DS/SDSP13-14.1.4	0.00612	0.30769	1.00000	0.400	0.00075

CASE	P	V	S	W	W*P*V*S
DS/SDSP13-14.1.0	0.00612	0.20000	1.00000	0.400	0.00049
DS/SDSP13-14.2.1	0.00033	0.00000	1.00000	0.400	0.00000
DS/SDSP13-14.2.2	0.00033	0.18462	1.00000	0.400	0.00002
DS/SDSP13-14.2.3-2	0.00033	0.30769	0.95341	0.400	0.00004
DS/SDSP13-14.2.4-2	0.00033	0.30769	0.95341	0.400	0.00004
DS/SDSP13-14.2.0-2	0.00033	0.20000	0.95341	0.400	0.00003
DS/SDSP13-14.3.1	0.00904	0.00000	1.00000	0.400	0.00000
DS/SDSP13-14.3.2	0.00904	0.18462	1.00000	0.400	0.00067
DS/SDSP13-14.3.3-2	0.00904	0.30769	0.95341	0.400	0.00106
DS/SDSP13-14.3.4-2	0.00904	0.30769	0.95341	0.400	0.00106
DS/SDSP13-14.3.0-2	0.00904	0.20000	0.95341	0.400	0.00069
DS/SDSP14-15.1.1	0.00715	0.00000	1.00000	0.400	0.00000
DS/SDSP14-15.1.2	0.00715	0.18462	1.00000	0.400	0.00053
DS/SDSP14-15.1.3	0.00715	0.30769	1.00000	0.400	0.00088
DS/SDSP14-15.1.4	0.00715	0.30769	1.00000	0.400	0.00088
DS/SDSP14-15.1.0	0.00715	0.20000	1.00000	0.400	0.00057
DS/SDSP14-15.2.1	0.00085	0.00000	1.00000	0.400	0.00000
DS/SDSP14-15.2.2	0.00085	0.18462	1.00000	0.400	0.00006
DS/SDSP14-15.2.3-1	0.00085	0.30769	0.00000	0.400	0.00000
DS/SDSP14-15.2.4-1	0.00085	0.30769	0.00000	0.400	0.00000
DS/SDSP14-15.2.0-1	0.00085	0.20000	0.00000	0.400	0.00000
DS/SDSP14-15.3.1-1	0.00923	0.00000	1.00000	0.400	0.00000
DS/SDSP14-15.3.2-1	0.00923	0.18462	1.00000	0.400	0.00068
DS/SDSP14-15.3.3-1	0.00923	0.30769	0.00000	0.400	0.00000
DS/SDSP14-15.3.4-1	0.00923	0.30769	0.00000	0.400	0.00000
DS/SDSP14-15.3.0-1	0.00923	0.20000	0.00000	0.400	0.00000
DS/SDSP15-16.1.1	0.00602	0.00000	1.00000	0.400	0.00000
DS/SDSP15-16.1.2	0.00602	0.18462	1.00000	0.400	0.00044
DS/SDSP15-16.1.3	0.00602	0.30769	1.00000	0.400	0.00074
DS/SDSP15-16.1.4	0.00602	0.30769	1.00000	0.400	0.00074
DS/SDSP15-16.1.0	0.00602	0.20000	1.00000	0.400	0.00048
DS/SDSP15-16.2.1	0.00486	0.00000	1.00000	0.400	0.00000
DS/SDSP15-16.2.2	0.00486	0.18462	1.00000	0.400	0.00036
DS/SDSP15-16.2.3	0.00486	0.30769	1.00000	0.400	0.00060
DS/SDSP15-16.2.4	0.00486	0.30769	1.00000	0.400	0.00060
DS/SDSP15-16.2.0	0.00486	0.20000	1.00000	0.400	0.00039
DS/SDSP15-16.3.1-2	0.01282	0.00000	1.00000	0.400	0.00000
DS/SDSP15-16.3.2-2	0.01282	0.18462	1.00000	0.400	0.00095
DS/SDSP15-16.3.3-2	0.01282	0.30769	1.00000	0.400	0.00158
DS/SDSP15-16.3.4-2	0.01282	0.30769	1.00000	0.400	0.00158
DS/SDSP15-16.3.0-2	0.01282	0.20000	1.00000	0.400	0.00103
DS/SDSP16-17.1.1	0.00940	0.00000	1.00000	0.400	0.00000
DS/SDSP16-17.1.2	0.00940	0.18462	1.00000	0.400	0.00069
DS/SDSP16-17.1.3	0.00940	0.30769	1.00000	0.400	0.00116
DS/SDSP16-17.1.4	0.00940	0.30769	1.00000	0.400	0.00116
DS/SDSP16-17.1.0	0.00940	0.20000	1.00000	0.400	0.00075
DS/SDSP16-17.2.1-2	0.02768	0.00000	1.00000	0.400	0.00000
DS/SDSP16-17.2.2-2	0.02768	0.18462	1.00000	0.400	0.00204
DS/SDSP16-17.2.3-2	0.02768	0.30769	1.00000	0.400	0.00341
DS/SDSP16-17.2.4-2	0.02768	0.30769	1.00000	0.400	0.00341
DS/SDSP16-17.2.0-2	0.02768	0.20000	1.00000	0.400	0.00221
DS/SDSP1-3.1.1	0.00000	0.00000	1.00000	0.400	0.00000
DS/SDSP1-3.1.2	0.00000	0.18462	0.70068	0.400	0.00000
DS/SDSP1-3.1.0	0.00000	0.81538	0.70068	0.400	0.00000
DS/SDSP1-3.2.1	0.00297	0.00000	1.00000	0.400	0.00000
DS/SDSP1-3.2.2	0.00297	0.18462	0.70068	0.400	0.00015
DS/SDSP1-3.2.0	0.00297	0.81538	0.70068	0.400	0.00068
DS/SDSP1-3.3.1	0.00320	0.00000	0.99664	0.400	0.00000
DS/SDSP1-3.3.2-1	0.00320	0.18462	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP1-3.3.0-1	0.00320	0.81538	0.00000	0.400	0.00000
DS/SDSP2-4.1.1-2	0.00605	0.00000	1.00000	0.400	0.00000
DS/SDSP2-4.1.2	0.00605	0.18462	0.00000	0.400	0.00000
DS/SDSP2-4.1.0	0.00605	0.81538	0.00000	0.400	0.00000
DS/SDSP2-4.2.1	0.00652	0.00000	1.00000	0.400	0.00000
DS/SDSP2-4.2.2-1	0.00652	0.18462	0.00000	0.400	0.00000
DS/SDSP2-4.2.0-1	0.00652	0.81538	0.00000	0.400	0.00000
DS/SDSP3-5.1.1-3	0.00294	0.00000	1.00000	0.400	0.00000
DS/SDSP3-5.1.2	0.00294	0.18462	0.97250	0.400	0.00021
DS/SDSP3-5.1.0	0.00294	0.81538	0.97250	0.400	0.00093
DS/SDSP3-5.2.1	0.00783	0.00000	0.89295	0.400	0.00000
DS/SDSP3-5.2.2-1	0.00783	0.18462	0.00000	0.400	0.00000
DS/SDSP3-5.2.0-1	0.00783	0.81538	0.00000	0.400	0.00000
DS/SDSP3-5.3.1	0.00437	0.00000	0.89295	0.400	0.00000
DS/SDSP3-5.3.2-1	0.00437	0.18462	0.00000	0.400	0.00000
DS/SDSP3-5.3.0-1	0.00437	0.81538	0.00000	0.400	0.00000
DS/SDSP4-6.1.1-4	0.00133	0.00000	1.00000	0.400	0.00000
DS/SDSP4-6.1.2	0.00133	0.18462	0.98054	0.400	0.00010
DS/SDSP4-6.1.0	0.00133	0.81538	0.98054	0.400	0.00043
DS/SDSP4-6.2.1	0.00355	0.00000	0.00000	0.400	0.00000
DS/SDSP4-6.2.2-1	0.00355	0.18462	0.00000	0.400	0.00000
DS/SDSP4-6.2.0-1	0.00355	0.81538	0.00000	0.400	0.00000
DS/SDSP4-6.3.1	0.00198	0.00000	0.00000	0.400	0.00000
DS/SDSP4-6.3.2-1	0.00198	0.18462	0.00000	0.400	0.00000
DS/SDSP4-6.3.0-1	0.00198	0.81538	0.00000	0.400	0.00000
DS/SDSP5-7.1.1	0.00207	0.00000	1.00000	0.400	0.00000
DS/SDSP5-7.1.2	0.00207	0.18462	1.00000	0.400	0.00015
DS/SDSP5-7.1.0	0.00207	0.81538	1.00000	0.400	0.00067
DS/SDSP5-7.2.1-2	0.00552	0.00000	0.00000	0.400	0.00000
DS/SDSP5-7.2.2-4	0.00552	0.18462	0.00000	0.400	0.00000
DS/SDSP5-7.2.0-4	0.00552	0.81538	0.00000	0.400	0.00000
DS/SDSP5-7.3.1-2	0.00308	0.00000	0.00000	0.400	0.00000
DS/SDSP5-7.3.2-4	0.00308	0.18462	0.00000	0.400	0.00000
DS/SDSP5-7.3.0-4	0.00308	0.81538	0.00000	0.400	0.00000
DS/SDSP6-8.1.1	0.00207	0.00000	1.00000	0.400	0.00000
DS/SDSP6-8.1.2	0.00207	0.18462	1.00000	0.400	0.00015
DS/SDSP6-8.1.0	0.00207	0.81538	1.00000	0.400	0.00067
DS/SDSP6-8.2.1-1	0.00552	0.00000	0.00000	0.400	0.00000
DS/SDSP6-8.2.2-4	0.00552	0.18462	0.00000	0.400	0.00000
DS/SDSP6-8.2.0-4	0.00552	0.81538	0.00000	0.400	0.00000
DS/SDSP6-8.3.1-2	0.00308	0.00000	0.00000	0.400	0.00000
DS/SDSP6-8.3.2-4	0.00308	0.18462	0.00000	0.400	0.00000
DS/SDSP6-8.3.0-4	0.00308	0.81538	0.00000	0.400	0.00000
DS/SDSP7-9.1.1	0.00207	0.00000	1.00000	0.400	0.00000
DS/SDSP7-9.1.2	0.00207	0.18462	1.00000	0.400	0.00015
DS/SDSP7-9.1.0	0.00207	0.81538	1.00000	0.400	0.00067
DS/SDSP7-9.2.1	0.00552	0.00000	0.00000	0.400	0.00000
DS/SDSP7-9.2.2-3	0.00552	0.18462	0.00000	0.400	0.00000
DS/SDSP7-9.2.0-3	0.00552	0.81538	0.00000	0.400	0.00000
DS/SDSP7-9.3.1	0.00308	0.00000	0.00000	0.400	0.00000
DS/SDSP7-9.3.2-3	0.00308	0.18462	0.00000	0.400	0.00000
DS/SDSP7-9.3.0-3	0.00308	0.81538	0.00000	0.400	0.00000
DS/SDSP8-10.1.1	0.00215	0.00000	1.00000	0.400	0.00000
DS/SDSP8-10.1.2	0.00215	0.18462	1.00000	0.400	0.00016
DS/SDSP8-10.1.0	0.00215	0.81538	1.00000	0.400	0.00070
DS/SDSP8-10.2.1	0.00573	0.00000	0.00000	0.400	0.00000
DS/SDSP8-10.2.2-2	0.00573	0.18462	0.00000	0.400	0.00000
DS/SDSP8-10.2.0-2	0.00573	0.81538	0.00000	0.400	0.00000
DS/SDSP8-10.3.1	0.00320	0.00000	0.00000	0.400	0.00000



CASE	P	V	S	W	W*P*V*S
DS/SDSP8-10.3.2-2	0.00320	0.18462	0.00000	0.400	0.00000
DS/SDSP8-10.3.0-2	0.00320	0.81538	0.00000	0.400	0.00000
DS/SDSP9-11.1.1	0.00131	0.00000	1.00000	0.400	0.00000
DS/SDSP9-11.1.2	0.00131	0.18462	0.98216	0.400	0.00009
DS/SDSP9-11.1.0	0.00131	0.81538	0.98216	0.400	0.00042
DS/SDSP9-11.2.1	0.00102	0.00000	1.00000	0.400	0.00000
DS/SDSP9-11.2.2-1	0.00102	0.18462	0.00000	0.400	0.00000
DS/SDSP9-11.2.0-1	0.00102	0.81538	0.00000	0.400	0.00000
DS/SDSP9-11.3.1	0.00247	0.00000	0.96257	0.400	0.00000
DS/SDSP9-11.3.2	0.00247	0.18462	0.00000	0.400	0.00000
DS/SDSP9-11.3.0	0.00247	0.81538	0.00000	0.400	0.00000
DS/SDSP9-11.4.1	0.00195	0.00000	0.96757	0.400	0.00000
DS/SDSP9-11.4.2	0.00195	0.18462	0.00000	0.400	0.00000
DS/SDSP9-11.4.0	0.00195	0.81538	0.00000	0.400	0.00000
DS/SDSP10-12.1.1	0.00310	0.00000	1.00000	0.400	0.00000
DS/SDSP10-12.1.2	0.00310	0.18462	1.00000	0.400	0.00023
DS/SDSP10-12.1.3	0.00310	0.30769	1.00000	0.400	0.00038
DS/SDSP10-12.1.4	0.00310	0.30769	1.00000	0.400	0.00038
DS/SDSP10-12.1.0	0.00310	0.20000	1.00000	0.400	0.00025
DS/SDSP10-12.2.1	0.00241	0.00000	1.00000	0.400	0.00000
DS/SDSP10-12.2.2	0.00241	0.18462	0.00000	0.400	0.00000
DS/SDSP10-12.2.3-1	0.00241	0.30769	0.00000	0.400	0.00000
DS/SDSP10-12.2.4-1	0.00241	0.30769	0.00000	0.400	0.00000
DS/SDSP10-12.2.0-1	0.00241	0.20000	0.00000	0.400	0.00000
DS/SDSP10-12.3.1	0.00585	0.00000	1.00000	0.400	0.00000
DS/SDSP10-12.3.2	0.00585	0.18462	0.88850	0.400	0.00038
DS/SDSP10-12.3.3-1	0.00585	0.30769	0.00000	0.400	0.00000
DS/SDSP10-12.3.4-1	0.00585	0.30769	0.00000	0.400	0.00000
DS/SDSP10-12.3.0-1	0.00585	0.20000	0.00000	0.400	0.00000
DS/SDSP10-12.4.1	0.00461	0.00000	1.00000	0.400	0.00000
DS/SDSP10-12.4.2	0.00461	0.18462	0.90479	0.400	0.00031
DS/SDSP10-12.4.3-1	0.00461	0.30769	0.00000	0.400	0.00000
DS/SDSP10-12.4.4-1	0.00461	0.30769	0.00000	0.400	0.00000
DS/SDSP10-12.4.0-1	0.00461	0.20000	0.00000	0.400	0.00000
DS/SDSP11-13.1.1-2	0.00332	0.00000	1.00000	0.400	0.00000
DS/SDSP11-13.1.2-2	0.00332	0.18462	1.00000	0.400	0.00025
DS/SDSP11-13.1.3-2	0.00332	0.30769	1.00000	0.400	0.00041
DS/SDSP11-13.1.4-2	0.00332	0.30769	1.00000	0.400	0.00041
DS/SDSP11-13.1.0-2	0.00332	0.20000	1.00000	0.400	0.00027
DS/SDSP11-13.2.1	0.00033	0.00000	1.00000	0.400	0.00000
DS/SDSP11-13.2.2	0.00033	0.18462	1.00000	0.400	0.00002
DS/SDSP11-13.2.3	0.00033	0.30769	0.00000	0.400	0.00000
DS/SDSP11-13.2.4	0.00033	0.30769	0.00000	0.400	0.00000
DS/SDSP11-13.2.0	0.00033	0.20000	0.00000	0.400	0.00000
DS/SDSP11-13.3.1	0.00599	0.00000	1.00000	0.400	0.00000
DS/SDSP11-13.3.2	0.00599	0.18462	1.00000	0.400	0.00044
DS/SDSP11-13.3.3	0.00599	0.30769	0.00000	0.400	0.00000
DS/SDSP11-13.3.4	0.00599	0.30769	0.00000	0.400	0.00000
DS/SDSP11-13.3.0	0.00599	0.20000	0.00000	0.400	0.00000
DS/SDSP12-14.1.1-2	0.00332	0.00000	1.00000	0.400	0.00000
DS/SDSP12-14.1.2-2	0.00332	0.18462	1.00000	0.400	0.00025
DS/SDSP12-14.1.3-2	0.00332	0.30769	1.00000	0.400	0.00041
DS/SDSP12-14.1.4-2	0.00332	0.30769	1.00000	0.400	0.00041
DS/SDSP12-14.1.0-2	0.00332	0.20000	1.00000	0.400	0.00027
DS/SDSP12-14.2.1-2	0.00033	0.00000	1.00000	0.400	0.00000
DS/SDSP12-14.2.2-2	0.00033	0.18462	1.00000	0.400	0.00002
DS/SDSP12-14.2.3-2	0.00033	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.2.4-2	0.00033	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.2.0-2	0.00033	0.20000	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP12-14.3.1-2	0.00019	0.00000	1.00000	0.400	0.00000
DS/SDSP12-14.3.2-2	0.00019	0.18462	1.00000	0.400	0.00001
DS/SDSP12-14.3.3-2	0.00019	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.3.4-2	0.00019	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.3.0-2	0.00019	0.20000	0.00000	0.400	0.00000
DS/SDSP12-14.4.1-2	0.00579	0.00000	1.00000	0.400	0.00000
DS/SDSP12-14.4.2-2	0.00579	0.18462	1.00000	0.400	0.00043
DS/SDSP12-14.4.3-2	0.00579	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.4.4-2	0.00579	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.4.0-2	0.00579	0.20000	0.00000	0.400	0.00000
DS/SDSP13-15.1.1	0.00486	0.00000	1.00000	0.400	0.00000
DS/SDSP13-15.1.2	0.00486	0.18462	1.00000	0.400	0.00036
DS/SDSP13-15.1.3	0.00486	0.30769	1.00000	0.400	0.00060
DS/SDSP13-15.1.4	0.00486	0.30769	1.00000	0.400	0.00060
DS/SDSP13-15.1.0	0.00486	0.20000	1.00000	0.400	0.00039
DS/SDSP13-15.2.1	0.00026	0.00000	1.00000	0.400	0.00000
DS/SDSP13-15.2.2	0.00026	0.18462	1.00000	0.400	0.00002
DS/SDSP13-15.2.3-1	0.00026	0.30769	0.00000	0.400	0.00000
DS/SDSP13-15.2.4-1	0.00026	0.30769	0.00000	0.400	0.00000
DS/SDSP13-15.2.0-1	0.00026	0.20000	0.00000	0.400	0.00000
DS/SDSP13-15.3.1	0.00060	0.00000	1.00000	0.400	0.00000
DS/SDSP13-15.3.2	0.00060	0.18462	1.00000	0.400	0.00004
DS/SDSP13-15.3.3-1	0.00060	0.30769	0.00000	0.400	0.00000
DS/SDSP13-15.3.4-1	0.00060	0.30769	0.00000	0.400	0.00000
DS/SDSP13-15.3.0-1	0.00060	0.20000	0.00000	0.400	0.00000
DS/SDSP13-15.4.1-3	0.00713	0.00000	1.00000	0.400	0.00000
DS/SDSP13-15.4.2-3	0.00713	0.18462	1.00000	0.400	0.00053
DS/SDSP13-15.4.3-1	0.00713	0.30769	0.00000	0.400	0.00000
DS/SDSP13-15.4.4-1	0.00713	0.30769	0.00000	0.400	0.00000
DS/SDSP13-15.4.0-1	0.00713	0.20000	0.00000	0.400	0.00000
DS/SDSP14-16.1.1	0.00255	0.00000	1.00000	0.400	0.00000
DS/SDSP14-16.1.2	0.00255	0.18462	1.00000	0.400	0.00019
DS/SDSP14-16.1.3	0.00255	0.30769	1.00000	0.400	0.00031
DS/SDSP14-16.1.4	0.00255	0.30769	1.00000	0.400	0.00031
DS/SDSP14-16.1.0	0.00255	0.20000	1.00000	0.400	0.00020
DS/SDSP14-16.2.1-3	0.00154	0.00000	1.00000	0.400	0.00000
DS/SDSP14-16.2.2-3	0.00154	0.18462	1.00000	0.400	0.00011
DS/SDSP14-16.2.3	0.00154	0.30769	0.86066	0.400	0.00016
DS/SDSP14-16.2.4	0.00154	0.30769	0.86066	0.400	0.00016
DS/SDSP14-16.2.0	0.00154	0.20000	0.86066	0.400	0.00011
DS/SDSP14-16.3.1-3	0.00048	0.00000	1.00000	0.400	0.00000
DS/SDSP14-16.3.2-3	0.00048	0.18462	1.00000	0.400	0.00004
DS/SDSP14-16.3.3-1	0.00048	0.30769	0.00000	0.400	0.00000
DS/SDSP14-16.3.4-1	0.00048	0.30769	0.00000	0.400	0.00000
DS/SDSP14-16.3.0-1	0.00048	0.20000	0.00000	0.400	0.00000
DS/SDSP14-16.4.1-3	0.00568	0.00000	1.00000	0.400	0.00000
DS/SDSP14-16.4.2-3	0.00568	0.18462	1.00000	0.400	0.00042
DS/SDSP14-16.4.3-1	0.00568	0.30769	0.00000	0.400	0.00000
DS/SDSP14-16.4.4-1	0.00568	0.30769	0.00000	0.400	0.00000
DS/SDSP14-16.4.0-1	0.00568	0.20000	0.00000	0.400	0.00000
DS/SDSP15-17.1.1	0.00353	0.00000	1.00000	0.400	0.00000
DS/SDSP15-17.1.2	0.00353	0.18462	1.00000	0.400	0.00026
DS/SDSP15-17.1.3	0.00353	0.30769	1.00000	0.400	0.00043
DS/SDSP15-17.1.4	0.00353	0.30769	1.00000	0.400	0.00043
DS/SDSP15-17.1.0	0.00353	0.20000	1.00000	0.400	0.00028
DS/SDSP15-17.2.1-2	0.00279	0.00000	1.00000	0.400	0.00000
DS/SDSP15-17.2.2-2	0.00279	0.18462	1.00000	0.400	0.00021
DS/SDSP15-17.2.3	0.00279	0.30769	1.00000	0.400	0.00034
DS/SDSP15-17.2.4	0.00279	0.30769	1.00000	0.400	0.00034

CASE	P	V	S	W	W*P*V*S
DS/SDSP15-17.2.0	0.00279	0.20000	1.00000	0.400	0.00022
DS/SDSP15-17.3.1-2	0.00776	0.00000	1.00000	0.400	0.00000
DS/SDSP15-17.3.2-2	0.00776	0.18462	1.00000	0.400	0.00057
DS/SDSP15-17.3.3-2	0.00776	0.30769	1.00000	0.400	0.00096
DS/SDSP15-17.3.4-2	0.00776	0.30769	1.00000	0.400	0.00096
DS/SDSP15-17.3.0-2	0.00776	0.20000	1.00000	0.400	0.00062
DS/SDSP1-4.1.1	0.00000	0.00000	1.00000	0.400	0.00000
DS/SDSP1-4.1.2-1	0.00000	0.18462	0.00000	0.400	0.00000
DS/SDSP1-4.1.0-1	0.00000	0.81538	0.00000	0.400	0.00000
DS/SDSP1-4.2.1	0.00112	0.00000	1.00000	0.400	0.00000
DS/SDSP1-4.2.2-1	0.00112	0.18462	0.00000	0.400	0.00000
DS/SDSP1-4.2.0-1	0.00112	0.81538	0.00000	0.400	0.00000
DS/SDSP1-4.3.1	0.00121	0.00000	0.99664	0.400	0.00000
DS/SDSP1-4.3.2-2	0.00121	0.18462	0.00000	0.400	0.00000
DS/SDSP1-4.3.0-2	0.00121	0.81538	0.00000	0.400	0.00000
DS/SDSP2-5.1.1-3	0.00215	0.00000	1.00000	0.400	0.00000
DS/SDSP2-5.1.2-1	0.00215	0.18462	0.00000	0.400	0.00000
DS/SDSP2-5.1.0-1	0.00215	0.81538	0.00000	0.400	0.00000
DS/SDSP2-5.2.1	0.00318	0.00000	0.00000	0.400	0.00000
DS/SDSP2-5.2.2-3	0.00318	0.18462	0.00000	0.400	0.00000
DS/SDSP2-5.2.0-3	0.00318	0.81538	0.00000	0.400	0.00000
DS/SDSP2-5.3.1	0.00255	0.00000	0.00000	0.400	0.00000
DS/SDSP2-5.3.2-1	0.00255	0.18462	0.00000	0.400	0.00000
DS/SDSP2-5.3.0-1	0.00255	0.81538	0.00000	0.400	0.00000
DS/SDSP2-5.4.1	0.00320	0.00000	0.00000	0.400	0.00000
DS/SDSP2-5.4.2-1	0.00320	0.18462	0.00000	0.400	0.00000
DS/SDSP2-5.4.0-1	0.00320	0.81538	0.00000	0.400	0.00000
DS/SDSP3-6.1.1-4	0.00074	0.00000	1.00000	0.400	0.00000
DS/SDSP3-6.1.2	0.00074	0.18462	0.00000	0.400	0.00000
DS/SDSP3-6.1.0	0.00074	0.81538	0.00000	0.400	0.00000
DS/SDSP3-6.2.1	0.00197	0.00000	0.00000	0.400	0.00000
DS/SDSP3-6.2.2-4	0.00197	0.18462	0.00000	0.400	0.00000
DS/SDSP3-6.2.0-4	0.00197	0.81538	0.00000	0.400	0.00000
DS/SDSP3-6.3.1	0.00110	0.00000	0.00000	0.400	0.00000
DS/SDSP3-6.3.2-4	0.00110	0.18462	0.00000	0.400	0.00000
DS/SDSP3-6.3.0-4	0.00110	0.81538	0.00000	0.400	0.00000
DS/SDSP4-7.1.1	0.00035	0.00000	1.00000	0.400	0.00000
DS/SDSP4-7.1.2	0.00035	0.18462	0.00000	0.400	0.00000
DS/SDSP4-7.1.0	0.00035	0.81538	0.00000	0.400	0.00000
DS/SDSP4-7.2.1-1	0.00095	0.00000	0.00000	0.400	0.00000
DS/SDSP4-7.2.2-5	0.00095	0.18462	0.00000	0.400	0.00000
DS/SDSP4-7.2.0-5	0.00095	0.81538	0.00000	0.400	0.00000
DS/SDSP4-7.3.1-1	0.00053	0.00000	0.00000	0.400	0.00000
DS/SDSP4-7.3.2-5	0.00053	0.18462	0.00000	0.400	0.00000
DS/SDSP4-7.3.0-5	0.00053	0.81538	0.00000	0.400	0.00000
DS/SDSP5-8.1.1	0.00062	0.00000	1.00000	0.400	0.00000
DS/SDSP5-8.1.2	0.00062	0.18462	0.97644	0.400	0.00005
DS/SDSP5-8.1.0	0.00062	0.81538	0.97644	0.400	0.00020
DS/SDSP5-8.2.1-3	0.00167	0.00000	0.00000	0.400	0.00000
DS/SDSP5-8.2.2-5	0.00167	0.18462	0.00000	0.400	0.00000
DS/SDSP5-8.2.0-5	0.00167	0.81538	0.00000	0.400	0.00000
DS/SDSP5-8.3.1-3	0.00093	0.00000	0.00000	0.400	0.00000
DS/SDSP5-8.3.2-5	0.00093	0.18462	0.00000	0.400	0.00000
DS/SDSP5-8.3.0-5	0.00093	0.81538	0.00000	0.400	0.00000
DS/SDSP6-9.1.1	0.00062	0.00000	1.00000	0.400	0.00000
DS/SDSP6-9.1.2	0.00062	0.18462	0.84476	0.400	0.00004
DS/SDSP6-9.1.0	0.00062	0.81538	0.84476	0.400	0.00017
DS/SDSP6-9.2.1-1	0.00167	0.00000	0.00000	0.400	0.00000
DS/SDSP6-9.2.2-4	0.00167	0.18462	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP6-9.2.0-4	0.00167	0.81538	0.00000	0.400	0.00000
DS/SDSP6-9.3.1-1	0.00093	0.00000	0.00000	0.400	0.00000
DS/SDSP6-9.3.2-4	0.00093	0.18462	0.00000	0.400	0.00000
DS/SDSP6-9.3.0-4	0.00093	0.81538	0.00000	0.400	0.00000
DS/SDSP7-10.1.1	0.00065	0.00000	1.00000	0.400	0.00000
DS/SDSP7-10.1.2	0.00065	0.18462	0.68164	0.400	0.00003
DS/SDSP7-10.1.0	0.00065	0.81538	0.68164	0.400	0.00015
DS/SDSP7-10.2.1	0.00174	0.00000	0.00000	0.400	0.00000
DS/SDSP7-10.2.2-3	0.00174	0.18462	0.00000	0.400	0.00000
DS/SDSP7-10.2.0-3	0.00174	0.81538	0.00000	0.400	0.00000
DS/SDSP7-10.3.1	0.00097	0.00000	0.00000	0.400	0.00000
DS/SDSP7-10.3.2-3	0.00097	0.18462	0.00000	0.400	0.00000
DS/SDSP7-10.3.0-3	0.00097	0.81538	0.00000	0.400	0.00000
DS/SDSP8-11.1.1	0.00038	0.00000	0.97778	0.400	0.00000
DS/SDSP8-11.1.2	0.00038	0.18462	0.64065	0.400	0.00002
DS/SDSP8-11.1.0	0.00038	0.81538	0.64065	0.400	0.00008
DS/SDSP8-11.2.1-1	0.00030	0.00000	0.00000	0.400	0.00000
DS/SDSP8-11.2.2-3	0.00030	0.18462	0.00000	0.400	0.00000
DS/SDSP8-11.2.0-3	0.00030	0.81538	0.00000	0.400	0.00000
DS/SDSP8-11.3.1-1	0.00072	0.00000	0.00000	0.400	0.00000
DS/SDSP8-11.3.2-3	0.00072	0.18462	0.00000	0.400	0.00000
DS/SDSP8-11.3.0-3	0.00072	0.81538	0.00000	0.400	0.00000
DS/SDSP8-11.4.1-1	0.00057	0.00000	0.00000	0.400	0.00000
DS/SDSP8-11.4.2-3	0.00057	0.18462	0.00000	0.400	0.00000
DS/SDSP8-11.4.0-3	0.00057	0.81538	0.00000	0.400	0.00000
DS/SDSP9-12.1.1	0.00065	0.00000	1.00000	0.400	0.00000
DS/SDSP9-12.1.2	0.00065	0.18462	0.98216	0.400	0.00005
DS/SDSP9-12.1.3	0.00065	0.30769	0.88843	0.400	0.00007
DS/SDSP9-12.1.4	0.00065	0.30769	0.88843	0.400	0.00007
DS/SDSP9-12.1.0	0.00065	0.20000	0.88843	0.400	0.00005
DS/SDSP9-12.2.1	0.00050	0.00000	1.00000	0.400	0.00000
DS/SDSP9-12.2.2-1	0.00050	0.18462	0.00000	0.400	0.00000
DS/SDSP9-12.2.3-1	0.00050	0.30769	0.00000	0.400	0.00000
DS/SDSP9-12.2.4-1	0.00050	0.30769	0.00000	0.400	0.00000
DS/SDSP9-12.2.0-1	0.00050	0.20000	0.00000	0.400	0.00000
DS/SDSP9-12.3.1	0.00123	0.00000	0.96257	0.400	0.00000
DS/SDSP9-12.3.2	0.00123	0.18462	0.00000	0.400	0.00000
DS/SDSP9-12.3.3-1	0.00123	0.30769	0.00000	0.400	0.00000
DS/SDSP9-12.3.4-1	0.00123	0.30769	0.00000	0.400	0.00000
DS/SDSP9-12.3.0-1	0.00123	0.20000	0.00000	0.400	0.00000
DS/SDSP9-12.4.1	0.00097	0.00000	0.96757	0.400	0.00000
DS/SDSP9-12.4.2	0.00097	0.18462	0.00000	0.400	0.00000
DS/SDSP9-12.4.3-1	0.00097	0.30769	0.00000	0.400	0.00000
DS/SDSP9-12.4.4-1	0.00097	0.30769	0.00000	0.400	0.00000
DS/SDSP9-12.4.0-1	0.00097	0.20000	0.00000	0.400	0.00000
DS/SDSP10-13.1.1	0.00130	0.00000	1.00000	0.400	0.00000
DS/SDSP10-13.1.2	0.00130	0.18462	1.00000	0.400	0.00010
DS/SDSP10-13.1.3	0.00130	0.30769	1.00000	0.400	0.00016
DS/SDSP10-13.1.4	0.00130	0.30769	1.00000	0.400	0.00016
DS/SDSP10-13.1.0	0.00130	0.20000	1.00000	0.400	0.00010
DS/SDSP10-13.2.1	0.00101	0.00000	1.00000	0.400	0.00000
DS/SDSP10-13.2.2-2	0.00101	0.18462	0.00000	0.400	0.00000
DS/SDSP10-13.2.3-1	0.00101	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.2.4-1	0.00101	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.2.0-1	0.00101	0.20000	0.00000	0.400	0.00000
DS/SDSP10-13.3.1	0.00023	0.00000	0.99685	0.400	0.00000
DS/SDSP10-13.3.2-2	0.00023	0.18462	0.56127	0.400	0.00001
DS/SDSP10-13.3.3-2	0.00023	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.3.4-2	0.00023	0.30769	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP10-13.3.0-2	0.00023	0.20000	0.00000	0.400	0.00000
DS/SDSP10-13.4.1	0.00222	0.00000	0.99685	0.400	0.00000
DS/SDSP10-13.4.2-2	0.00222	0.18462	0.56127	0.400	0.00009
DS/SDSP10-13.4.3-2	0.00222	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.4.4-2	0.00222	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.4.0-2	0.00222	0.20000	0.00000	0.400	0.00000
DS/SDSP10-13.5.1	0.00193	0.00000	1.00000	0.400	0.00000
DS/SDSP10-13.5.2-2	0.00193	0.18462	0.56127	0.400	0.00008
DS/SDSP10-13.5.3-2	0.00193	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.5.4-2	0.00193	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.5.0-2	0.00193	0.20000	0.00000	0.400	0.00000
DS/SDSP11-14.1.1-2	0.00128	0.00000	1.00000	0.400	0.00000
DS/SDSP11-14.1.2-2	0.00128	0.18462	1.00000	0.400	0.00009
DS/SDSP11-14.1.3-2	0.00128	0.30769	1.00000	0.400	0.00016
DS/SDSP11-14.1.4-2	0.00128	0.30769	1.00000	0.400	0.00016
DS/SDSP11-14.1.0-2	0.00128	0.20000	1.00000	0.400	0.00010
DS/SDSP11-14.2.1-2	0.00013	0.00000	1.00000	0.400	0.00000
DS/SDSP11-14.2.2-2	0.00013	0.18462	1.00000	0.400	0.00001
DS/SDSP11-14.2.3-2	0.00013	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.2.4-2	0.00013	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.2.0-2	0.00013	0.20000	0.00000	0.400	0.00000
DS/SDSP11-14.3.1-2	0.00008	0.00000	1.00000	0.400	0.00000
DS/SDSP11-14.3.2-2	0.00008	0.18462	1.00000	0.400	0.00001
DS/SDSP11-14.3.3-2	0.00008	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.3.4-2	0.00008	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.3.0-2	0.00008	0.20000	0.00000	0.400	0.00000
DS/SDSP11-14.4.1-2	0.00224	0.00000	1.00000	0.400	0.00000
DS/SDSP11-14.4.2-2	0.00224	0.18462	1.00000	0.400	0.00017
DS/SDSP11-14.4.3-2	0.00224	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.4.4-2	0.00224	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.4.0-2	0.00224	0.20000	0.00000	0.400	0.00000
DS/SDSP12-15.1.1-3	0.00190	0.00000	1.00000	0.400	0.00000
DS/SDSP12-15.1.2-3	0.00190	0.18462	1.00000	0.400	0.00014
DS/SDSP12-15.1.3	0.00190	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.1.4	0.00190	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.1.0	0.00190	0.20000	0.00000	0.400	0.00000
DS/SDSP12-15.2.1-3	0.00019	0.00000	0.94886	0.400	0.00000
DS/SDSP12-15.2.2-3	0.00019	0.18462	0.94886	0.400	0.00001
DS/SDSP12-15.2.3-3	0.00019	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.2.4-3	0.00019	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.2.0-3	0.00019	0.20000	0.00000	0.400	0.00000
DS/SDSP12-15.3.1-3	0.00011	0.00000	0.94886	0.400	0.00000
DS/SDSP12-15.3.2-3	0.00011	0.18462	0.94886	0.400	0.00001
DS/SDSP12-15.3.3-3	0.00011	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.3.4-3	0.00011	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.3.0-3	0.00011	0.20000	0.00000	0.400	0.00000
DS/SDSP12-15.4.1-3	0.00026	0.00000	0.94886	0.400	0.00000
DS/SDSP12-15.4.2-3	0.00026	0.18462	0.94886	0.400	0.00002
DS/SDSP12-15.4.3-3	0.00026	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.4.4-3	0.00026	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.4.0-3	0.00026	0.20000	0.00000	0.400	0.00000
DS/SDSP12-15.5.1-3	0.00306	0.00000	1.00000	0.400	0.00000
DS/SDSP12-15.5.2-3	0.00306	0.18462	1.00000	0.400	0.00023
DS/SDSP12-15.5.3-1	0.00306	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.5.4-1	0.00306	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.5.0-1	0.00306	0.20000	0.00000	0.400	0.00000
DS/SDSP13-16.1.1	0.00125	0.00000	1.00000	0.400	0.00000
DS/SDSP13-16.1.2	0.00125	0.18462	1.00000	0.400	0.00009
DS/SDSP13-16.1.3	0.00125	0.30769	1.00000	0.400	0.00015

CASE	P	V	S	W	W*P*V*S
DS/SDSP13-16.1.4	0.00125	0.30769	1.00000	0.400	0.00015
DS/SDSP13-16.1.0	0.00125	0.20000	1.00000	0.400	0.00010
DS/SDSP13-16.2.1-3	0.00065	0.00000	1.00000	0.400	0.00000
DS/SDSP13-16.2.2-3	0.00065	0.18462	1.00000	0.400	0.00005
DS/SDSP13-16.2.3	0.00065	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.2.4	0.00065	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.2.0	0.00065	0.20000	0.00000	0.400	0.00000
DS/SDSP13-16.3.1-3	0.00010	0.00000	1.00000	0.400	0.00000
DS/SDSP13-16.3.2-3	0.00010	0.18462	1.00000	0.400	0.00001
DS/SDSP13-16.3.3-1	0.00010	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.3.4-1	0.00010	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.3.0-1	0.00010	0.20000	0.00000	0.400	0.00000
DS/SDSP13-16.4.1-3	0.00023	0.00000	1.00000	0.400	0.00000
DS/SDSP13-16.4.2-3	0.00023	0.18462	1.00000	0.400	0.00002
DS/SDSP13-16.4.3-1	0.00023	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.4.4-1	0.00023	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.4.0-1	0.00023	0.20000	0.00000	0.400	0.00000
DS/SDSP13-16.5.1-3	0.00278	0.00000	1.00000	0.400	0.00000
DS/SDSP13-16.5.2-3	0.00278	0.18462	1.00000	0.400	0.00021
DS/SDSP13-16.5.3-1	0.00278	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.5.4-1	0.00278	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.5.0-1	0.00278	0.20000	0.00000	0.400	0.00000
DS/SDSP14-17.1.1	0.00103	0.00000	1.00000	0.400	0.00000
DS/SDSP14-17.1.2	0.00103	0.18462	1.00000	0.400	0.00008
DS/SDSP14-17.1.3	0.00103	0.30769	1.00000	0.400	0.00013
DS/SDSP14-17.1.4	0.00103	0.30769	1.00000	0.400	0.00013
DS/SDSP14-17.1.0	0.00103	0.20000	1.00000	0.400	0.00008
DS/SDSP14-17.2.1-3	0.00062	0.00000	1.00000	0.400	0.00000
DS/SDSP14-17.2.2-3	0.00062	0.18462	1.00000	0.400	0.00005
DS/SDSP14-17.2.3	0.00062	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.2.4	0.00062	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.2.0	0.00062	0.20000	0.00000	0.400	0.00000
DS/SDSP14-17.3.1-3	0.00019	0.00000	1.00000	0.400	0.00000
DS/SDSP14-17.3.2-3	0.00019	0.18462	1.00000	0.400	0.00001
DS/SDSP14-17.3.3-1	0.00019	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.3.4-1	0.00019	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.3.0-1	0.00019	0.20000	0.00000	0.400	0.00000
DS/SDSP14-17.4.1-3	0.00226	0.00000	1.00000	0.400	0.00000
DS/SDSP14-17.4.2-3	0.00226	0.18462	1.00000	0.400	0.00017
DS/SDSP14-17.4.3-1	0.00226	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.4.4-1	0.00226	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.4.0-1	0.00226	0.20000	0.00000	0.400	0.00000
DS/SDSP1-5.1.1	0.00000	0.00000	0.95197	0.400	0.00000
DS/SDSP1-5.1.2-1	0.00000	0.18462	0.00000	0.400	0.00000
DS/SDSP1-5.1.0-1	0.00000	0.81538	0.00000	0.400	0.00000
DS/SDSP1-5.2.1	0.00045	0.00000	0.95197	0.400	0.00000
DS/SDSP1-5.2.2-1	0.00045	0.18462	0.00000	0.400	0.00000
DS/SDSP1-5.2.0-1	0.00045	0.81538	0.00000	0.400	0.00000
DS/SDSP1-5.3.1-1	0.00066	0.00000	0.00000	0.400	0.00000
DS/SDSP1-5.3.2-3	0.00066	0.18462	0.00000	0.400	0.00000
DS/SDSP1-5.3.0-3	0.00066	0.81538	0.00000	0.400	0.00000
DS/SDSP1-5.4.1-3	0.00053	0.00000	0.00000	0.400	0.00000
DS/SDSP1-5.4.2-1	0.00053	0.18462	0.00000	0.400	0.00000
DS/SDSP1-5.4.0-1	0.00053	0.81538	0.00000	0.400	0.00000
DS/SDSP1-5.5.1-3	0.00066	0.00000	0.00000	0.400	0.00000
DS/SDSP1-5.5.2-1	0.00066	0.18462	0.00000	0.400	0.00000
DS/SDSP1-5.5.0-1	0.00066	0.81538	0.00000	0.400	0.00000
DS/SDSP2-6.1.1-4	0.00065	0.00000	1.00000	0.400	0.00000
DS/SDSP2-6.1.2-1	0.00065	0.18462	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP2-6.1.0-1	0.00065	0.81538	0.00000	0.400	0.00000
DS/SDSP2-6.2.1-1	0.00097	0.00000	0.00000	0.400	0.00000
DS/SDSP2-6.2.2-4	0.00097	0.18462	0.00000	0.400	0.00000
DS/SDSP2-6.2.0-4	0.00097	0.81538	0.00000	0.400	0.00000
DS/SDSP2-6.3.1-1	0.00077	0.00000	0.00000	0.400	0.00000
DS/SDSP2-6.3.2-1	0.00077	0.18462	0.00000	0.400	0.00000
DS/SDSP2-6.3.0-1	0.00077	0.81538	0.00000	0.400	0.00000
DS/SDSP2-6.4.1-1	0.00097	0.00000	0.00000	0.400	0.00000
DS/SDSP2-6.4.2-1	0.00097	0.18462	0.00000	0.400	0.00000
DS/SDSP2-6.4.0-1	0.00097	0.81538	0.00000	0.400	0.00000
DS/SDSP3-7.1.1	0.00027	0.00000	1.00000	0.400	0.00000
DS/SDSP3-7.1.2-1	0.00027	0.18462	0.00000	0.400	0.00000
DS/SDSP3-7.1.0-1	0.00027	0.81538	0.00000	0.400	0.00000
DS/SDSP3-7.2.1-1	0.00072	0.00000	0.00000	0.400	0.00000
DS/SDSP3-7.2.2-1	0.00072	0.18462	0.00000	0.400	0.00000
DS/SDSP3-7.2.0-1	0.00072	0.81538	0.00000	0.400	0.00000
DS/SDSP3-7.3.1-1	0.00040	0.00000	0.00000	0.400	0.00000
DS/SDSP3-7.3.2-1	0.00040	0.18462	0.00000	0.400	0.00000
DS/SDSP3-7.3.0-1	0.00040	0.81538	0.00000	0.400	0.00000
DS/SDSP4-8.1.1	0.00010	0.00000	1.00000	0.400	0.00000
DS/SDSP4-8.1.2-1	0.00010	0.18462	0.00000	0.400	0.00000
DS/SDSP4-8.1.0-1	0.00010	0.81538	0.00000	0.400	0.00000
DS/SDSP4-8.2.1-1	0.00026	0.00000	0.00000	0.400	0.00000
DS/SDSP4-8.2.2-6	0.00026	0.18462	0.00000	0.400	0.00000
DS/SDSP4-8.2.0-6	0.00026	0.81538	0.00000	0.400	0.00000
DS/SDSP4-8.3.1-1	0.00015	0.00000	0.00000	0.400	0.00000
DS/SDSP4-8.3.2-6	0.00015	0.18462	0.00000	0.400	0.00000
DS/SDSP4-8.3.0-6	0.00015	0.81538	0.00000	0.400	0.00000
DS/SDSP5-9.1.1	0.00012	0.00000	1.00000	0.400	0.00000
DS/SDSP5-9.1.2	0.00012	0.18462	0.00000	0.400	0.00000
DS/SDSP5-9.1.0	0.00012	0.81538	0.00000	0.400	0.00000
DS/SDSP5-9.2.1-1	0.00033	0.00000	0.00000	0.400	0.00000
DS/SDSP5-9.2.2-5	0.00033	0.18462	0.00000	0.400	0.00000
DS/SDSP5-9.2.0-5	0.00033	0.81538	0.00000	0.400	0.00000
DS/SDSP5-9.3.1-1	0.00018	0.00000	0.00000	0.400	0.00000
DS/SDSP5-9.3.2-5	0.00018	0.18462	0.00000	0.400	0.00000
DS/SDSP5-9.3.0-5	0.00018	0.81538	0.00000	0.400	0.00000
DS/SDSP6-10.1.1	0.00012	0.00000	1.00000	0.400	0.00000
DS/SDSP6-10.1.2	0.00012	0.18462	0.00000	0.400	0.00000
DS/SDSP6-10.1.0	0.00012	0.81538	0.00000	0.400	0.00000
DS/SDSP6-10.2.1-1	0.00033	0.00000	0.00000	0.400	0.00000
DS/SDSP6-10.2.2-4	0.00033	0.18462	0.00000	0.400	0.00000
DS/SDSP6-10.2.0-4	0.00033	0.81538	0.00000	0.400	0.00000
DS/SDSP6-10.3.1-1	0.00018	0.00000	0.00000	0.400	0.00000
DS/SDSP6-10.3.2-4	0.00018	0.18462	0.00000	0.400	0.00000
DS/SDSP6-10.3.0-4	0.00018	0.81538	0.00000	0.400	0.00000
DS/SDSP7-11.1.1	0.00009	0.00000	0.81493	0.400	0.00000
DS/SDSP7-11.1.2	0.00009	0.18462	0.00000	0.400	0.00000
DS/SDSP7-11.1.0	0.00009	0.81538	0.00000	0.400	0.00000
DS/SDSP7-11.2.1-1	0.00007	0.00000	0.00000	0.400	0.00000
DS/SDSP7-11.2.2-4	0.00007	0.18462	0.00000	0.400	0.00000
DS/SDSP7-11.2.0-4	0.00007	0.81538	0.00000	0.400	0.00000
DS/SDSP7-11.3.1-1	0.00016	0.00000	0.00000	0.400	0.00000
DS/SDSP7-11.3.2-4	0.00016	0.18462	0.00000	0.400	0.00000
DS/SDSP7-11.3.0-4	0.00016	0.81538	0.00000	0.400	0.00000
DS/SDSP7-11.4.1-1	0.00013	0.00000	0.00000	0.400	0.00000
DS/SDSP7-11.4.2-4	0.00013	0.18462	0.00000	0.400	0.00000
DS/SDSP7-11.4.0-4	0.00013	0.81538	0.00000	0.400	0.00000
DS/SDSP8-12.1.1	0.00023	0.00000	0.97778	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP8-12.1.2	0.00023	0.18462	0.64065	0.400	0.00001
DS/SDSP8-12.1.3	0.00023	0.30769	0.00000	0.400	0.00000
DS/SDSP8-12.1.4	0.00023	0.30769	0.00000	0.400	0.00000
DS/SDSP8-12.1.0	0.00023	0.20000	0.00000	0.400	0.00000
DS/SDSP8-12.2.1-1	0.00018	0.00000	0.00000	0.400	0.00000
DS/SDSP8-12.2.2-3	0.00018	0.18462	0.00000	0.400	0.00000
DS/SDSP8-12.2.3-3	0.00018	0.30769	0.00000	0.400	0.00000
DS/SDSP8-12.2.4-3	0.00018	0.30769	0.00000	0.400	0.00000
DS/SDSP8-12.2.0-3	0.00018	0.20000	0.00000	0.400	0.00000
DS/SDSP8-12.3.1-1	0.00044	0.00000	0.00000	0.400	0.00000
DS/SDSP8-12.3.2-3	0.00044	0.18462	0.00000	0.400	0.00000
DS/SDSP8-12.3.3-3	0.00044	0.30769	0.00000	0.400	0.00000
DS/SDSP8-12.3.4-3	0.00044	0.30769	0.00000	0.400	0.00000
DS/SDSP8-12.3.0-3	0.00044	0.20000	0.00000	0.400	0.00000
DS/SDSP8-12.4.1-1	0.00035	0.00000	0.00000	0.400	0.00000
DS/SDSP8-12.4.2-3	0.00035	0.18462	0.00000	0.400	0.00000
DS/SDSP8-12.4.3-3	0.00035	0.30769	0.00000	0.400	0.00000
DS/SDSP8-12.4.4-3	0.00035	0.30769	0.00000	0.400	0.00000
DS/SDSP8-12.4.0-3	0.00035	0.20000	0.00000	0.400	0.00000
DS/SDSP9-13.1.1	0.00036	0.00000	1.00000	0.400	0.00000
DS/SDSP9-13.1.2	0.00036	0.18462	0.89862	0.400	0.00002
DS/SDSP9-13.1.3	0.00036	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.1.4	0.00036	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.1.0	0.00036	0.20000	0.00000	0.400	0.00000
DS/SDSP9-13.2.1	0.00028	0.00000	1.00000	0.400	0.00000
DS/SDSP9-13.2.2-1	0.00028	0.18462	0.00000	0.400	0.00000
DS/SDSP9-13.2.3-1	0.00028	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.2.4-1	0.00028	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.2.0-1	0.00028	0.20000	0.00000	0.400	0.00000
DS/SDSP9-13.3.1	0.00006	0.00000	0.86162	0.400	0.00000
DS/SDSP9-13.3.2-2	0.00006	0.18462	0.00000	0.400	0.00000
DS/SDSP9-13.3.3-2	0.00006	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.3.4-2	0.00006	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.3.0-2	0.00006	0.20000	0.00000	0.400	0.00000
DS/SDSP9-13.4.1	0.00062	0.00000	0.86162	0.400	0.00000
DS/SDSP9-13.4.2-2	0.00062	0.18462	0.00000	0.400	0.00000
DS/SDSP9-13.4.3-2	0.00062	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.4.4-2	0.00062	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.4.0-2	0.00062	0.20000	0.00000	0.400	0.00000
DS/SDSP9-13.5.1	0.00054	0.00000	0.87327	0.400	0.00000
DS/SDSP9-13.5.2-2	0.00054	0.18462	0.00000	0.400	0.00000
DS/SDSP9-13.5.3-2	0.00054	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.5.4-2	0.00054	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.5.0-2	0.00054	0.20000	0.00000	0.400	0.00000
DS/SDSP10-14.1.1	0.00050	0.00000	1.00000	0.400	0.00000
DS/SDSP10-14.1.2	0.00050	0.18462	0.98133	0.400	0.00004
DS/SDSP10-14.1.3	0.00050	0.30769	0.79603	0.400	0.00005
DS/SDSP10-14.1.4	0.00050	0.30769	0.79603	0.400	0.00005
DS/SDSP10-14.1.0	0.00050	0.20000	0.79603	0.400	0.00003
DS/SDSP10-14.2.1	0.00039	0.00000	1.00000	0.400	0.00000
DS/SDSP10-14.2.2-1	0.00039	0.18462	0.00000	0.400	0.00000
DS/SDSP10-14.2.3-1	0.00039	0.30769	0.00000	0.400	0.00000
DS/SDSP10-14.2.4-1	0.00039	0.30769	0.00000	0.400	0.00000
DS/SDSP10-14.2.0-1	0.00039	0.20000	0.00000	0.400	0.00000
DS/SDSP10-14.3.1	0.00009	0.00000	0.91189	0.400	0.00000
DS/SDSP10-14.3.2-2	0.00009	0.18462	0.00000	0.400	0.00000
DS/SDSP10-14.3.3-2	0.00009	0.30769	0.00000	0.400	0.00000
DS/SDSP10-14.3.4-2	0.00009	0.30769	0.00000	0.400	0.00000
DS/SDSP10-14.3.0-2	0.00009	0.20000	0.00000	0.400	0.00000



CASE	P	V	S	W	W*P*V*S
DS/SDSP10-14.4.1	0.000005	0.000000	0.91189	0.400	0.000000
DS/SDSP10-14.4.2-2	0.000005	0.18462	0.000000	0.400	0.000000
DS/SDSP10-14.4.3-2	0.000005	0.30769	0.000000	0.400	0.000000
DS/SDSP10-14.4.4-2	0.000005	0.30769	0.000000	0.400	0.000000
DS/SDSP10-14.4.0-2	0.000005	0.20000	0.000000	0.400	0.000000
DS/SDSP10-14.5.1	0.000081	0.000000	0.91189	0.400	0.000000
DS/SDSP10-14.5.2-2	0.000081	0.18462	0.000000	0.400	0.000000
DS/SDSP10-14.5.3-2	0.000081	0.30769	0.000000	0.400	0.000000
DS/SDSP10-14.5.4-2	0.000081	0.30769	0.000000	0.400	0.000000
DS/SDSP10-14.5.0-2	0.000081	0.20000	0.000000	0.400	0.000000
DS/SDSP10-14.6.1	0.000075	0.000000	0.91913	0.400	0.000000
DS/SDSP10-14.6.2-2	0.000075	0.18462	0.000000	0.400	0.000000
DS/SDSP10-14.6.3-2	0.000075	0.30769	0.000000	0.400	0.000000
DS/SDSP10-14.6.4-2	0.000075	0.30769	0.000000	0.400	0.000000
DS/SDSP10-14.6.0-2	0.000075	0.20000	0.000000	0.400	0.000000
DS/SDSP11-15.1.1-3	0.000068	0.000000	1.00000	0.400	0.000000
DS/SDSP11-15.1.2-3	0.000068	0.18462	1.00000	0.400	0.000005
DS/SDSP11-15.1.3	0.000068	0.30769	0.000000	0.400	0.000000
DS/SDSP11-15.1.4	0.000068	0.30769	0.000000	0.400	0.000000
DS/SDSP11-15.1.0	0.000068	0.20000	0.000000	0.400	0.000000
DS/SDSP11-15.2.1-3	0.000007	0.000000	0.94886	0.400	0.000000
DS/SDSP11-15.2.2-3	0.000007	0.18462	0.94886	0.400	0.000000
DS/SDSP11-15.2.3-3	0.000007	0.30769	0.000000	0.400	0.000000
DS/SDSP11-15.2.4-3	0.000007	0.30769	0.000000	0.400	0.000000
DS/SDSP11-15.2.0-3	0.000007	0.20000	0.000000	0.400	0.000000
DS/SDSP11-15.3.1-3	0.000004	0.000000	0.94886	0.400	0.000000
DS/SDSP11-15.3.2-3	0.000004	0.18462	0.94886	0.400	0.000000
DS/SDSP11-15.3.3-3	0.000004	0.30769	0.000000	0.400	0.000000
DS/SDSP11-15.3.4-3	0.000004	0.30769	0.000000	0.400	0.000000
DS/SDSP11-15.3.0-3	0.000004	0.20000	0.000000	0.400	0.000000
DS/SDSP11-15.4.1-3	0.000009	0.000000	0.94886	0.400	0.000000
DS/SDSP11-15.4.2-3	0.000009	0.18462	0.94886	0.400	0.000001
DS/SDSP11-15.4.3-3	0.000009	0.30769	0.000000	0.400	0.000000
DS/SDSP11-15.4.4-3	0.000009	0.30769	0.000000	0.400	0.000000
DS/SDSP11-15.4.0-3	0.000009	0.20000	0.000000	0.400	0.000000
DS/SDSP11-15.5.1-3	0.00109	0.000000	1.00000	0.400	0.000000
DS/SDSP11-15.5.2-3	0.00109	0.18462	1.00000	0.400	0.000008
DS/SDSP11-15.5.3-1	0.00109	0.30769	0.000000	0.400	0.000000
DS/SDSP11-15.5.4-1	0.00109	0.30769	0.000000	0.400	0.000000
DS/SDSP11-15.5.0-1	0.00109	0.20000	0.000000	0.400	0.000000
DS/SDSP12-16.1.1-3	0.000056	0.000000	0.98936	0.400	0.000000
DS/SDSP12-16.1.2-3	0.000056	0.18462	0.98936	0.400	0.000004
DS/SDSP12-16.1.3	0.000056	0.30769	0.000000	0.400	0.000000
DS/SDSP12-16.1.4	0.000056	0.30769	0.000000	0.400	0.000000
DS/SDSP12-16.1.0	0.000056	0.20000	0.000000	0.400	0.000000
DS/SDSP12-16.2.1-3	0.000022	0.000000	1.00000	0.400	0.000000
DS/SDSP12-16.2.2-3	0.000022	0.18462	1.00000	0.400	0.000002
DS/SDSP12-16.2.3-1	0.000022	0.30769	0.000000	0.400	0.000000
DS/SDSP12-16.2.4-1	0.000022	0.30769	0.000000	0.400	0.000000
DS/SDSP12-16.2.0-1	0.000022	0.20000	0.000000	0.400	0.000000
DS/SDSP12-16.3.1-3	0.000008	0.000000	0.91594	0.400	0.000000
DS/SDSP12-16.3.2-3	0.000008	0.18462	0.91594	0.400	0.000001
DS/SDSP12-16.3.3-1	0.000008	0.30769	0.000000	0.400	0.000000
DS/SDSP12-16.3.4-1	0.000008	0.30769	0.000000	0.400	0.000000
DS/SDSP12-16.3.0-1	0.000008	0.20000	0.000000	0.400	0.000000
DS/SDSP12-16.4.1-3	0.000005	0.000000	0.91594	0.400	0.000000
DS/SDSP12-16.4.2-3	0.000005	0.18462	0.91594	0.400	0.000000
DS/SDSP12-16.4.3-1	0.000005	0.30769	0.000000	0.400	0.000000
DS/SDSP12-16.4.4-1	0.000005	0.30769	0.000000	0.400	0.000000

CASE	P	V	S	W	W*P*V*S
DS/SDSP12-16.4.0-1	0.000005	0.20000	0.00000	0.400	0.00000
DS/SDSP12-16.5.1-3	0.00010	0.00000	0.91594	0.400	0.00000
DS/SDSP12-16.5.2-3	0.00010	0.18462	0.91594	0.400	0.00001
DS/SDSP12-16.5.3-1	0.00010	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.5.4-1	0.00010	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.5.0-1	0.00010	0.20000	0.00000	0.400	0.00000
DS/SDSP12-16.6.1-3	0.00125	0.00000	1.00000	0.400	0.00000
DS/SDSP12-16.6.2-3	0.00125	0.18462	1.00000	0.400	0.00009
DS/SDSP12-16.6.3-1	0.00125	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.6.4-1	0.00125	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.6.0-1	0.00125	0.20000	0.00000	0.400	0.00000
DS/SDSP13-17.1.1-1	0.00063	0.00000	1.00000	0.400	0.00000
DS/SDSP13-17.1.2-1	0.00063	0.18462	1.00000	0.400	0.00005
DS/SDSP13-17.1.3	0.00063	0.30769	0.92497	0.400	0.00007
DS/SDSP13-17.1.4	0.00063	0.30769	0.92497	0.400	0.00007
DS/SDSP13-17.1.0	0.00063	0.20000	0.92497	0.400	0.00005
DS/SDSP13-17.2.1-3	0.00033	0.00000	1.00000	0.400	0.00000
DS/SDSP13-17.2.2-3	0.00033	0.18462	1.00000	0.400	0.00002
DS/SDSP13-17.2.3-1	0.00033	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.2.4-1	0.00033	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.2.0-1	0.00033	0.20000	0.00000	0.400	0.00000
DS/SDSP13-17.3.1-3	0.00005	0.00000	1.00000	0.400	0.00000
DS/SDSP13-17.3.2-3	0.00005	0.18462	1.00000	0.400	0.00000
DS/SDSP13-17.3.3-1	0.00005	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.3.4-1	0.00005	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.3.0-1	0.00005	0.20000	0.00000	0.400	0.00000
DS/SDSP13-17.4.1-3	0.00012	0.00000	1.00000	0.400	0.00000
DS/SDSP13-17.4.2-3	0.00012	0.18462	1.00000	0.400	0.00001
DS/SDSP13-17.4.3-1	0.00012	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.4.4-1	0.00012	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.4.0-1	0.00012	0.20000	0.00000	0.400	0.00000
DS/SDSP13-17.5.1-3	0.00138	0.00000	1.00000	0.400	0.00000
DS/SDSP13-17.5.2-3	0.00138	0.18462	1.00000	0.400	0.00010
DS/SDSP13-17.5.3-1	0.00138	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.5.4-1	0.00138	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.5.0-1	0.00138	0.20000	0.00000	0.400	0.00000
SUBTOTAL				0.400	0.23220
TOTAL				0.200	0.63999

## CALCULATION RESULTS FOR REGULATION 9

Regulation requirement:  $S = 1$

TRIM: 0

## DAMAGE DEFINITIONS FOR REGULATION 9

A total of 0 damages listed

DAMAGED COMPARTMENTS