

Growth in Environmental Footprints and Environmental Impacts Embodied in Trade

Resource Efficiency Indicators from EXIOBASE3

Richard Wood ¹, Konstantin Stadler ¹, Moana Simas ¹, Tatyana Bulavskaya ²,
Stefan Giljum,³ Stephan Lutter,³ and Arnold Tukker ^{2,4}

¹Industrial Ecology Programme, Norwegian University of Science and Technology, Trondheim, Norway

²Netherlands Organization for Applied Scientific Research (TNO), Delft, the Netherlands

³Institute for Ecological Economics, Vienna University of Economics and Business, Vienna, Austria

⁴Institute of Environmental Sciences, Universiteit Leiden, Leiden, the Netherlands

Keywords:

environmental accounting
environmental input-output analysis
industrial ecology
multiregional input-output database
system of integrated and
environmental and economic
accounting (SEEA)
trade and environment



Supporting information is linked
to this article on the JIE website

Summary

Most countries show a relative decoupling of economic growth from domestic resource use, implying increased resource efficiency. However, international trade facilitates the exchange of products between regions with disparate resource productivity. Hence, for an understanding of resource efficiency from a consumption perspective that takes into account the impacts in the upstream supply chains, there is a need to assess the environmental pressures embodied in trade. We use EXIOBASE3, a new multiregional input-output database, to examine the rate of increase in resource efficiency, and investigate the ways in which international trade contributes to the displacement of pressures on the environment from the consumption of a population. We look at the environmental pressures of energy use, greenhouse gas (GHG) emissions, material use, water use, and land use. Material use stands out as the only indicator growing in both absolute and relative terms to population and gross domestic product (GDP), while land use is the only indicator showing absolute decoupling from both references. Energy, GHG, and water use show relative decoupling. As a percentage of total global environmental pressure, we calculate the net impact displaced through trade rising from 23% to 32% for material use (1995–2011), 23% to 26% for water use, 20% to 29% for energy use, 20% to 26% for land use, and 19% to 24% for GHG emissions. The results show a substantial disparity between trade-related impacts for Organization for Economic Cooperation and Development (OECD) and non-OECD countries. At the product group level, we observe the most rapid growth in environmental footprints in clothing and footwear. The analysis points to implications for future policies aiming to achieve environmental targets, while fully considering potential displacement effects through international trade.

Conflict of interest statement: The authors declare no conflict of interest.

Address correspondence to: Richard Wood, Norwegian University of Science and Technology, Trondheim 7491, Norway. Email: richard.wood@ntnu.no; Web: www.ntnu.edu/employees/richard.wood

© 2018 The Authors. Journal of Industrial Ecology, published by Wiley Periodicals, Inc., on behalf of Yale University This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.
DOI: 10.1111/jiec.12735

Editor managing review: Klaus Hubacek

Volume 22, Number 3

Introduction

Considering the current rate of economic growth, improving resource efficiency requires a strong decoupling between development and environmental impact. The United Nations Environment Program (UNEP) highlights the scale of the challenge (UNEP 2011) along with the urgency and potential of resource efficiency measures in achieving decoupling (UNEP 2014). However, the growing international flow of goods and services makes the relationship between trade and the environment increasingly important to understand (Liu et al. 2015). Knowledge about international spillovers of resources burdens or environmental impact will help in assessing progress toward national environmental targets and the United Nations Sustainable Development Goals (SDGs) (e.g., Peters et al. [2011] for climate policy).

The rapid growth in trade preceding the 2008 global financial crisis, the subsequent stagnation, and the more recent push to liberalize global trade relationships in order to help economies recover from recession has put the trade agenda back in the spotlight. Over 50% of goods and over 70% of services traded are used as intermediate inputs to produce other goods and services (Lanz et al. 2009). The average number of borders that an exported good crosses before final consumption is approximately 1.7 (Muradov 2016). This implies that most exported goods are not consumed within the country of import, but are processed further. Previous research has shown that such trade flows have significant effects on the environment. Around one quarter of the global land use is embodied in trade (Weinzettel et al. 2013), as well as over 40% of materials (Wiedmann et al. 2015), 20% to 30% of global water use (Lenzen et al. 2013b), and over 20% of greenhouse gas (GHG) emissions (Peters and Hertwich 2008).

Recently, with the development of time series of global economic models for environmental analysis, studies have started to uncover the dynamics of consumption, trade, and environmental impacts over time, as well as the role of outsourcing in the growth of emissions (Arto and Dietzenbacher 2014; Peters et al. 2011) and materials (Wiedmann et al. 2015). EXIOBASE3¹ (Stadler et al. 2018) is a global multiregional input-output (MRIO) model that has been developed to analyze the change in the relationships between consumption, trade, and environmental impacts over time. The database has been developed to assess the major growth in trade since the mid-1990s, a time when most statistical offices around the world adopted the System of National Accounts (SNA) (UNSD 1993) in order to make international data current and comparable. EXIOBASE3 focuses on economic and associated environmental data from 1995 onward (until 2011 for all indicators, but economic accounts and some environmental accounts are updated to later years) under the SNA and the associated System of Environmental and Economic Accounting (United Nations et al. 2014; Wood et al. 2015). EXIOBASE3 captures economic, environmental, and trade data for all European Union (EU) countries, 16 other major economies, and five rest of the world regions. With data on input-output (I-O) transactions,

labor inputs, energy supply and use, GHG emissions, material extraction, land and water use, as well as emissions to air, water, and soil, it provides a comprehensive up-to-date coverage of the global economy. EXIOBASE3 provides the first time series with adequate disaggregation of the agricultural, forestry, and mining sectors for proper consideration of the land, water, and material pressures related to these sectors, as well as a detailed division of energy extraction and transformation industries. This puts EXIOBASE3 in a unique position compared to other existing MRIO databases, such as Eora or WIOD (for a comparison of MRIO databases, see Tukker and Dietzenbacher [2013] or updated results on www.environmentalfootprints.org).

In this paper, we use EXIOBASE3 to investigate the role of international trade and consumption in relation to increased resource efficiency. We seek to understand the role of different global regions in the rapid growth of traded goods, and point toward the areas where consumption has seen the greatest growth in environmental impact, and reliance on traded goods. We present key results in the paper, and fully elucidated Supporting Information available on the Journal's website for additional country and regional analysis.

Methods

Analyses of environmental impacts embodied in trade and consumption are based on the following elements: For a given country r , we take trends in production-based accounts D_r^{prod} and consumption-based accounts D_r^{cons} . A detailed explanation on how to calculate production and consumption-based accounts can be found in Wood and colleagues (2015) and is summarized below.

The production-based account D_r^{prod} , also called footprint, is available directly as a sum of the direct inputs/emissions in each sector, while the consumption-based account D_r^{cons} is calculated through the Leontief model with environmental extensions (Miller and Blair 2009):

$$D_r^{cons} = \mathbf{S}\mathbf{L}\mathbf{Y} + \mathbf{Fh}$$

where \mathbf{S} is the environmental intensity matrix showing environmental pressure per unit output of intermediate producers (industry); \mathbf{L} is the Leontief Inverse or "total requirements matrix" showing intermediate inputs required per unit of final product; \mathbf{Y} is the matrix of final demand by consuming country (source—or region of production—by consumer), and \mathbf{Fh} is the direct environmental pressures by final consumers (e.g., resource consumption in households). We use the EXIOBASE3 database, with time-series data from 1995 to 2011.² A full description of the database, methods to obtain the database, and product and country coverage is available in a publication in this special issue (Stadler et al. 2018). This paper presents results from version 3.4 as of September 2017, a minor update to the v3.3 release at the end of the European-funded DESIRE project (see www.fp7desire.eu).

We quantify five environmental pressures in this study: GHG emissions; energy use; material use; water consumption; and land use. For GHG emissions, we included emissions from fuel combustion, industrial emissions (including cement, chemicals, and other noncombustion processes), agriculture, and waste (Intergovernmental Panel on Climate Change [IPCC] categories 1 to 5 and 7). The aggregation of different well-mixed GHG (carbon dioxide [CO₂], methane, nitrous oxide, and sulphur hexafluoride) was performed using the GWP100 metric (Myhre et al. 2013), which is widely applied in climate assessments and has been used extensively in life cycle assessment to calculate the carbon footprints of product flows (Goedkoop et al. 1998; Heijungs et al. 2010). Energy consumption was quantified as emission relevant energy use (i.e., energy use at point of combustion or point of final production in the case of hydro, solar, etc.). This excludes energy products used for nonenergy purposes (e.g., lubricants or plastics). The energy accounts on EXIOBASE3 were constructed using statistics on energy consumption from the International Energy Agency (IEA). Material use comprises the domestic material extraction used, which is compiled based on the various available international data sources, including the Food and Agriculture Organization of the United Nations, the IEA, and the British and U.S. Geological Surveys, and following the Eurostat material flow guidelines (EUROSTAT 2013). Water consumption covers the total blue water consumption in agriculture and livestock production, by industries and businesses, as well as direct consumption by final consumers, and corresponds to the amount of water extracted from nature minus the amount of water returned to nature. This indicator is used to account for anthropogenic water appropriation (Lutter et al. 2016), but does not account for its contribution to water stress (Yang et al. 2013). Land use was quantified by adding the total surface area of land occupied by agricultural production and permanent pasture, to that by forestry activities (for production of roundwood and industrial firewood) to that by infrastructure such as urban areas, dams, and roads. This indicator does not differentiate between the productivity in different land areas (Haberl et al. 2007). However, because of the uncertainty surrounding impact metrics of land use (such as the impact on biodiversity of land use for forestry vs. land use for farming), it is still useful to quantify the total land pressure as a resource constraint. Full details of the data used to construct these extensions are available in Stadler and colleagues (2018).

We define environmental pressures displaced through trade (Ghertner and Fripp 2007) as the difference between the production-based account and the consumption-based account (cf. Peters et al. 2011):

$$\mathbf{T}_r = \mathbf{D}_r^{\text{prod}} - \mathbf{D}_r^{\text{cons}}$$

where \mathbf{T}_r is positive for those countries which are net exporters of environmental pressure and negative for those countries which are net importers of environmental pressure. In order to illustrate the impacts of globalization on the patterns of displacement of environmental pressure, we focus in particular on the analysis of changes over time.

We calculate the percentage of imported environmental pressure by setting up a bilateral calculation of producer to consumer $\mathbf{D}_{r,s}$, such that:

$$\mathbf{D}_{r,s} = \mathbf{G}\mathbf{sLY}$$

where \mathbf{Y} is the matrix of final demand by consuming country of dimensions ($p \times n$), where p is the number of production sectors in each country (200) and n is the number of countries (49), \mathbf{s} is each individual environmental pressure per unit output diagonalized, \mathbf{L} is the Leontief Inverse, and \mathbf{G} is an aggregation matrix that collapses the product-by-country dimension (p, n) to just countries (n). The percentage of imported emissions is then $\mathbf{D}_s^{\text{imp}} = \sum_{r \neq s} \mathbf{D}_{r,s} / \sum_r \mathbf{D}_{r,s}$. Globally, it becomes $\mathbf{D}^{\text{imp}} = \sum_{r \neq s} \mathbf{D}_{r,s} / \sum_{r,s} \mathbf{D}_{r,s}$. Note that we are calculating net transfer or displacement here, and not all impacts embodied in gross trade flows (Peters 2008).

Resource efficiency indicators are calculated by dividing the consumption account $\mathbf{D}_r^{\text{cons}}$ by population statistics (World Bank 2015a) or gross domestic product (GDP) in 2011 international dollars (corrected for purchasing power parity [PPP]) (World Bank 2015b).

Results

Growth in Global Environmental Impacts

On a global scale, achievements in resource efficiency, which are characterized by either absolute or strong relative decoupling from GDP, have been limited. Table 1 illustrates the development of various indicators in the period 1995–2011. Material use has shown the strongest increase, from 8.3 to 11.3 tonnes/capita (+36%), outstripping growth in GDP. We also see an equal growth of GHG emissions to emissions-relevant energy use, which implies that we have not achieved a global decarbonization of the energy supply. Land and water resources, which are more directly subject to natural constraints, have increased the least, with blue water consumption rising from 190 to 200 cubic meters (m³)/capita for water consumption, and the total surface area of land used for productive purposes showing a reduction of 0.3 hectares (ha)/capita. Land-use area has slightly decreased on an absolute level, principally due to slight reductions in area of permanent meadows and pasture and nonplanted forestland. It is the only indicator that presented (small) absolute decoupling from GDP.

The strong growth in material use, as well as the strong link between material use and GHG emissions in capital-intensive low-carbon technologies (Hertwich et al. 2014) and in infrastructure building due to the use of carbon-intensive materials such as cement and steel (Müller et al. 2013; Södersten et al. 2018) provide a cause for concern for future growth. Likewise, the International Resource Panel of the UNEP has recently shown that an increase in resource efficiency is key for meeting climate-change targets in a cost-effective manner (Ekins et al. 2016).

On a regional scale, we observe substantial differences in growth rates. Figure 1 presents the growth

Table 1 Growth of absolute, per-capita and per-GDP environmental pressures, GDP (PPP), and population between 1995 and 2011

	Units	1995 (per capita)	2011 (per capita)	Absolute growth	Per-cap growth	Per GDP Growth
GHG emissions	t CO ₂ eq.	5.5	6.3	1.42	1.16	0.88
Energy use	GJ	56.0	64.4	1.41	1.15	0.87
Material use	tonnes	8.3	11.3	1.67	1.36	1.03
Blue water consumption	m ³	190.6	200.1	1.28	1.05	0.80
Land use	ha	1.3	1.0	0.99	0.81	0.61
GDP (PPP)	2011int\$	7,331	9,660	1.61	1.32	1.00
Population	billion	5.7	6.9	1.22	1.00	0.76

Note: GDP = gross domestic product; PPP = purchasing power parity; GHG = greenhouse gas; t CO₂ eq. = tonnes of carbon dioxide equivalents; GJ = gigajoules; ha = hectares; m³ = cubic meters; 2011int\$ = 2011 international dollars; per-cap = per-capita.

in consumption-based footprints per capita and per GDP-PPP between 1995 and 2011 by region. GHG emissions per capita have grown slightly more slowly than energy use for all regions, except China, Africa, and the Middle East. In Europe, the growth of the energy footprint per capita has been accompanied by a decline in emissions. North America has succeeded in reducing both energy and emission footprints per capita over the period under consideration. Most of the developing countries have been characterized by growing energy footprints per capita, which has helped fuel their rapid economic development, but relative decoupling between energy and emissions can also be observed. This decoupling, however, is not visible for China, where the increase in GHG emissions has outpaced the growth of emission relevant energy use. This implies the adoption of more carbon-intensive energy sources with the commissioning of a large number of coal-fired power plants during that period (Lin et al. 2014; Feng et al. 2012). This fact is corroborated by the breakdown of Chinese emissions in the underlying data: From 1995 to 2011, the share of emissions from energy processes (production and combustion of fossil fuels) in total GHG emissions have grown from 75% to 82% for production-based accounts (D^{prod}) and from 75% to 79% for consumption-based accounts (footprints, D^{cons}). China was also an exceptional case regarding the growth of material footprints per capita, with footprints almost tripling, growing much faster compared to all other regions. This is related in particular to the building up of transport, housing, and energy infrastructure, which is highly material intensive; for example, regarding the use of construction minerals, such as cement, sand, and gravel (Giljum et al. 2016). Growth in land footprint per capita by 30% also separates China from other regions, as the land footprint per capita decreased between 9% and 38% for all other regions during the period.

When we shift the analysis to account for resource efficiency (environmental footprints per unit GDP), we notice a change in the narrative. In terms of resource efficiency, China and India have achieved the highest relative decoupling between environmental pressure and GDP growth. For every 1% of GDP growth, China increased its GHG emissions by 0.56%, while the OECD countries increased their emissions by 0.8%. The global average was 0.88% per percentage GDP growth. Again, land and water indicators show faster decoupling than material and energy indicators in general, and only India, South America,

and Africa are showing faster material decoupling than energy decoupling.

With regard to the net trade balance for 2011 (figure 2), we confirm previous results showing that Europe has a resource deficit across the categories of GHG emissions, material use, water consumption, land use (Tukker et al. 2016), as well as for energy use. The pattern of net trade balance did not change much for Europe from 1995 to 2011, with some indicators slightly decreasing (land) and others increasing (material use). North America increased their resources deficit during the period, with the increase in net import of energy and materials being more pronounced over time. The region also became a net exporter of embodied land in 2011. China changed from being a small net exporter in 1995 to a large net importer in 2011, and by 2011 shifted to a larger trade surplus of material and energy embodied in Chinese products. By 2011, China was the largest single-country net exporter of embodied emissions and material. Russia remained, throughout the period, a large net exporter of embodied energy, amounting to the equivalent of 2.6% of global energy use in 2011. By 2011, Russia was also the country that had the highest exports of embodied land, alongside South America and Australia. All these regions are exporters of mineral, agricultural, and energy commodities, which are land intensive. The remainder of Asian countries (Other Asia) is also significant in that it had a large net export of water while having a large net import of material and land use. The region was also a net importer of embodied energy and emissions in 1995, but in 2011 the production- and consumption-based indicators were almost in balance. All Asian regions (China, India, and Other Asia regions) were net exporters of water, which shows a large water intensity in goods produced in the region. This was due to the relatively water-intensive crops in the region. Africa and the Middle East region were net exporters of all environmental pressures assessed.

Looking at the development of the footprint balance between Organization for Economic Cooperation and Development (OECD) and non-OECD countries over time, two things become apparent. First, there was a displacement, through international trade, of all environmental pressures from OECD to non-OECD countries both in 1995 and in 2011. Second, between 1995 and 2011, the imbalance between the two regions became more pronounced for material use (from 7.5% to 9.5%), energy use (from 3.9% to 4.6%), and GHG emissions




Figure 1 Growth in consumption-based footprints per capita and per GDP between 1995 and 2011 for 11 world regions (1995 = 1). GDP = gross domestic product; GHG = greenhouse gas; OECD = Organization for Economic Cooperation and Development; PPP = purchasing power parity.

(from 6.1% to 6.3%), while the difference in the net trade of water (from 8.1% to 7.2%) and land footprints (from 7.2% to 5.3%) decreased.

Increasing Role of International Trade

International trade can promote more efficient access to natural resources and is thus an important driver of economic growth (WTO 2010). However, there is concern for potentially unequal ecological exchange in trade (Moran et al. 2013) and

for having consonant environmental protection embodied in traded goods (Copeland and Taylor 2004).

Figure 3 shows the percentage of global pressures displaced through trade—that is, the amount of pressure that occurs in the upstream supply chain of a country different from that where the final consumption occurs. This share grew from 24% to 33% for material use, 25% to 28% for water use, 20% to 26% for land use, 20% to 24% for GHG emissions, and 16% to 21% for energy use. Material use is the pressure with the highest displacement through international trade. One of the reasons




Figure 2 Net trade of environmental pressures (consumption-production) relative to global pressure in different regions for 1995 (top) and 2011 (bottom). GHG = greenhouse gas; OECD = Organization for Economic Cooperation and Development.




Figure 3 Percentage of impacts displaced through international trade, relative to total global footprints. GHG = greenhouse gas.

for that might be that materials such as biomass, fossil fuels, minerals, and metals are commonly exported products, both as raw materials and further processed and embodied in exported goods.

While the magnitude of these results is affected by the aggregation of the Rest of the World regions (we only look at trade between regions, not trade within a region), the growth rates are generally insensitive to this aggregation. All indicators show a clear pattern of growth between 1995 and 2007. The financial crisis of 2008 resulted in a decline in 2009, lowering the import share of embodied environmental indicators in the total footprints, as well as reducing the footprint itself. Economic recovery from 2010 brought back the imports to the precrisis levels.

Product-Level Drivers

The analysis at product level can help understand which of the final products consumed are driving the change in overall




Figure 4 Growth in environmental footprints by consumption category, 1995–2011, OECD, and non-OECD. GHG = greenhouse gas; OECD = Organization for Economic Cooperation and Development.

footprints, and can thus inform policy. Figure 4 shows the growth of absolute footprints by six consumption categories (see the Supporting Information on the Web for aggregation of detailed products to product category): shelter (i.e., housing); food; clothing and footwear; mobility; manufactured products; and services. For the OECD, we see the most rapid growth in footprints in the apparel product category, with the material footprint doubling from 1995 values, the water footprint increasing by 50%, and GHG emissions by 20%. Likewise, material use has increased by close to 100% for manufactured products. This could be the result of the shift in products consumed, from higher-priced clothes and footwear to a higher volume of cheaper goods produced in sweatshops (cf. Steen-Olsen et al. 2016) and higher availability and lower prices of goods, such as electronics. This creates a higher volume of consumption at similar price levels, which will have lower effects on value-added than on environmental impacts associated with the production of these goods. For some of the most polluting product groups (e.g., shelter and mobility), on the other hand, growth is low in the OECD. For the non-OECD, we see the same strong growth in apparel and manufactured products, but also strong growth in shelter and services.

When looking at the effect of trade on footprints of different products, we see that it depends on the product category and on the environmental indicator. Figure 5 shows the growth in the global environmental footprints of GHG emissions, material

use, water consumption, and land use for the six product categories. We excluded energy use because of a similar trend observed in GHG emissions and energy use. The upper parts of the figures show the total global environmental pressure driven by each of the product categories, while the lower parts of the figures show the share of pressures displaced through international trade in relation to the total footprint of the final products. Shelter is the largest driver of GHG and material use and second largest driver of land use, though most impacts occur domestically. This is likely due to the construction of infrastructure, which is emission and material intensive, and mostly relies on domestically sourced goods (such as gravel and cement). Food is responsible for the majority of the impacts on water consumption and has a significantly higher share of impacts on land use than all other products. As for material use, most environmental impacts happen domestically.

Globally, imports are responsible for at least 50% to 70% of the environmental pressures associated with clothing and footwear, while for manufactured products they account for about 40% to 60%. While clothing and footwear represent a low share of the total absolute environmental impacts, manufactured products' GHG emissions and material use have risen rapidly since the first half of the 2000s. When looking at specific regions, however (see the Supporting Information on the Web), we see that imports are important for OECD countries and have increased considerably since the 2000s, and especially so for Europe, where up to 80% of environmental pressures




Figure 5 Global environmental footprints by consumption category, absolute quantity (left axis), and percentage of imports (right axis). Gg CO₂ eq. = gigagrams of carbon dioxide equivalents; GHG = greenhouse gas; Gt = gigatonnes; Gm³ = cubic gigameters; Mm² = square megameters.

occurred outside the country where the final goods are being consumed in 2011.

Discussion

Distance to Environmental Targets

In Tukker and colleagues (2016), four of the environmental indicators on carbon, water, land, and materials were assessed in comparison to an indicative target. These were defined as: a carbon footprint of 2.0 to 2.5 tonnes of CO₂ per capita to stay within a 2° target; a material footprint of 5 to 10 tonnes per capita (see Bringezu 2015); a water footprint of circa 150 m³ per capita (with ranges of 100 to 600 m³); and a land use footprint of 10 ha per capita (Hoekstra and Wiedmann 2014). In light of these indicative targets, we see that already since the work of Tukker and colleagues (2016) based on 2007 data, the global

economy further exceeded these limits for material extractions, water use, and GHG emissions. It was only in the case of land use that a slowdown in growth could be observed. However, besides global per-capita averages, one should pay attention to the unequal distribution of the footprints per inhabitant. High per-capita footprint levels in industrialized countries, in combination with the increasing pressure through open trade, drove the global economy further away from achieving these targets. With the increasing growth of developing nations, this again poses questions related to the limits of achieving the required decoupling of global and regional environmental pressures from economic growth, in order to keep socioeconomic activities within the planetary boundaries (Steffen et al. 2015). While international trade can improve the efficiency in resource use for production worldwide (Cole 2004), a decrease of environmental pressures at the global level could not be observed, and the net transfer of environmental pressures from non-OECD

to OECD countries has not decreased. Further investigation of the role of international trade in the relative decoupling of economic growth and environmental pressures is needed to assess whether international trade is contributing to linking resource availability with production, without leading to socioeconomic losses or increasing nonregulated and/or nonfinancial environmental impacts.

Environmental Leakage

In the trade discourse, there has been strong concern that environmental regulation will cause the relocation of industry to other regions with lax environmental standards (e.g., under globally disparate carbon taxes). In the literature, this has been discussed as the Pollution Haven Hypothesis (Copeland and Taylor 2004). This is clearly an issue for the governance of global environmental impacts, but while we cannot directly test this hypothesis (there are many methodological challenges in empirically testing using MRIO analysis [Zhang et al. 2017]), our results do not suggest a strong case for this happening thus far. In the period analyzed, clearly a great deal of “environmental leakage” occurred, in that impacts displaced through trade generally grew in the order of 50%. However, we saw the greatest growth in *unregulated* environmental pressures, rather than in GHG emissions that have come under climate regulation in Europe. Material use and gross energy use showed the greatest increase over time—two pressures that relate to the increasing secondary and tertiary nature of our economies. The growth of materials and energy embodied in internationally traded products was thus more a result of other drivers, such as restructuring in the international division of labor, than of the implementation of specific climate policies (compare Liu et al. [2016]). At the regional level, the industrialization and increasing role of China and other Asian countries in international supply chains contributed to an increase of environmental pressures displaced through trade (Dietzenbacher et al. 2012). Their highly carbonized energy mix resulted in increased emissions embodied in exported products, while for material indicators, there is an even more significant increase (doubling) of material use embodied in clothing and footwear and in electronics.

The Role of Infrastructure in Shaping Global Developments

Both at the global level and notably for many emerging economies, such as China, a huge increase in material use and related footprints could be observed over the past 20 years (table 1, figure 1), leading to an increasing material intensity of the global economy over our period of analysis. The main underlying driver for this huge increase is the significant investment in infrastructure, which emerging economies such as China are currently undertaking (Wang et al. 2014; Giljum et al. 2015; UNEP 2016; Minx et al. 2011). This infrastructure, serving both domestic and foreign consumption, relates to housing and manufacturing infrastructure (buildings, factories), transport infrastructure (roads, railways, harbors, etc.) as

well as energy infrastructure (such as power plants). On the one hand, these infrastructure-related activities slow down the reduction in pollution intensity in emerging countries, such as China (Guan et al. 2014). On the other hand, the fast growth in material consumption due to infrastructure activities in emerging economies is consequently transferred to developed regions, such as the EU, via rapidly increasing levels of materials and emissions embodied in imports (see Giljum et al. 2016). This infrastructure not only determines the material patterns of today, but will also influence other environmental performances heavily in the future, for example, regarding energy use and GHG emissions (Feng et al. 2012). Infrastructure thus should receive priority attention when designing strategies to achieve a sustainable economy and sustainable production and consumption patterns (Clarke et al. 2014) as indicated in the SDGs (United Nations 2015).

Footprint Trends at the Product Level

Manufactured goods are the product group with the highest growth rate in environmental impacts. As such, the focus on manufactured goods is becoming increasingly important for European resource efficiency policy, where the consumption of clothing and footwear, mobility (including vehicles), and other manufactured goods represented the greatest growth in environmental pressures. In general, material use is the indicator with the highest growth rates, which is related to the metabolic transition that many emerging economies are currently undergoing (UNEP 2016).

Trade Levels

Intensified international trade over the last 20 years has made regions more interdependent on one another's supply of resources. The value chains have become more global (OECD 2013), and an increasing number of products are traded in order to be processed further and exported to the country of final consumption. While the global financial crisis had a significant impact on global trade relations, leading to a sharp drop of the role of imports determining regional footprints, in our results we saw a catchup of all accounts to levels before the crisis, confirming similar previous reports, specifically for GHG (Peters et al. 2012).

Uncertainty and Variability

Results presented in this paper are based on EXIOBASE3, a top-down model of the global economy with disaggregated agricultural, food, mining, and manufacturing sectors. EXIOBASE is the highest-resolution global MRIO with harmonized product classifications (compare Eora, with variable product resolution from 25 to over 400 commodities in different countries). However, there is still significant aggregation compared to individual product flows, or compared, to for example the most detailed trade classification of roughly 4,000 goods. A significant amount of work has been done to understand the relative

variability and uncertainty caused by the use of MRIO approaches, including (1) variability due to choice of model, (2) product-level aggregation uncertainty, (3) regional aggregation uncertainty, and (4) stochastic uncertainty. We do not go into these sources of variability and uncertainty here. For understanding of variability between MRIO results, we refer to the website www.environmentalfootprints.org, where all MRIO results are available in a common classification. This follows up earlier work by Owen and others (Owen et al. 2014, 2016; Wieland et al. 2017), who analyze the sources of differences in MRIO models, and Moran and Wood (2014), who quantify the level of convergence in MRIO results for carbon footprints. The question of aggregation error has been investigated through the work of Steen-Olsen and colleagues (2014) across multiple models, and in the case of EXIOBASE (de Koning et al. 2015; Wood et al. 2014; Bouwmeester and Oosterhaven 2013; Stadler et al. 2014). Much less work has been done on stochastic uncertainty, although some authors (Lenzen 2011; Lenzen et al. 2010, 2013a; Moran and Wood 2014; Karstensen et al. 2015) address the issue, finding significant cancellation of stochastic errors (assuming no correlation) at the country level, resulting in stochastic errors of carbon footprints in line with stochastic error of production-based accounts (roughly 5% to 15%). A final area of research to point at is showing the differences in using subregional production-side models, for example, in the regionalization of I-O tables, or the significant impact on embodied exports with the separation of production-side impacts for processing exports (Dietzenbacher et al. 2012; Su et al. 2013). The summation of this work points to the importance of having high product and regional resolution, particularly for environmental analysis. More work needs to be done in this area, but at the same time, the institutionalization of MRIO and footprint-based approaches in, for example, the OECD (Yamano 2015), will allow for the research frontier to move in this direction (Tukker et al. 2018).

Conclusion

Achieving absolute decoupling of environmental pressure from economic growth will require strong improvements in resource efficiency. In this paper, we used EXIOBASE3 to look at a range of environmental pressures, the rate of decoupling as well as the impact that growth in international trade has had. We find strongest growth in material use indicators, relatively to population and income. Energy and GHG emission indicators follow similar, but less pronounced, trends. Material goods are responsible for a significant portion of the growth, both in absolute levels and as a percentage of traded impacts. Impacts embodied in trade are growing for all indicators, and we confirm the impact that global trade has in the displacement of environmental impacts to developing regions. The results have implications for the realization of SDGs, and the fact that assessments must take into account the inter-regional displacement of impacts, and the need for proactively addressing the growing material metabolism of our economies.

Funding Information

European Commission, Seventh Framework Programme (FP7), #308552, DESIRE project.

Notes

1. Aggregated results of EXIOBASE 3 are available at www.environmentalfootprints.org/mrio/home. The full database (as specified in table 1) will be published on www.exio-base.eu and aggregated results of EXIOBASE 3 are available at www.environmentalfootprints.org/mrio/home. New versions and bug-fixes of EXIOBASE will be announced on the EXIOBASE email list at <https://goo.gl/sAhvD4>
2. EXIOBASE 3 additionally contains a now-casted time series from 2012 to 2016. These data are nonhomogenous across the environmental pressures and is not included in the results presented here. Contact the authors for further info.

References

- Arto, I. and E. Dietzenbacher. 2014. Drivers of the growth in global greenhouse gas emissions. *Environmental Science & Technology* 48(10): 5388–5394.
- Bouwmeester, M. C. and J. Oosterhaven. 2013. Specification and aggregation errors in environmentally extended input-output models. *Environmental & Resource Economics* 56(3): 307–335.
- Bringezu, S. 2015. Possible target corridor for sustainable use of global material resources. *Resources* 4(1): 25–54.
- Clarke, L., K. Jiang, K. Akimoto, M. Babiker, G. Blanford, K. Fisher-Vanden, J.-C. Hourcade, V. Krey, E. Kriegler, and A. Löschel, eds. 2014. *Assessing transformation pathways*. Edited by O. Edenhofer et al. *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* Cambridge, UK; New York: Cambridge University Press.
- Cole, M. A. 2004. Trade, the pollution haven hypothesis and the environmental Kuznets curve: Examining the linkages. *Ecological Economics* 48(1): 71–81.
- Copeland, B. R. and M. S. Taylor. 2004. Trade, growth, and the environment. *Journal of Economic Literature* 42(1): 7–71.
- de Koning, A., M. Bruckner, S. Lutter, R. Wood, K. Stadler, and A. Tukker. 2015. Effect of aggregation and disaggregation on embodied material use of products in input-output analysis. *Ecological Economics* 116: 289–299.
- Dietzenbacher, E., J. Pei, and C. Yang. 2012. Trade, production fragmentation, and China's carbon dioxide emissions. *Journal of Environmental Economics and Management* 64(1): 88–101.
- Ekins, P., N. Hughes, S. Brigenzu, C. Arden Clark, M. Fischer-Kowalski, T. Graedel, M. Hajer, S. Hashimoto, S. Hatfield-Dodds, and P. Havlik. 2016. *Resource efficiency: Potential and economic implications*. Report of the International Resource Panel. Paris: United Nations Environment Program (UNEP).
- EUROSTAT. 2013. Personal communication with EUROSTAT, economy-wide material flow accounts (EW-MFA). Compilation guide 2013. Luxembourg: EUROSTAT.
- Feng, K., Y. L. Siu, D. Guan, and K. Hubacek. 2012. Analyzing drivers of regional carbon dioxide emissions for China. *Journal of Industrial Ecology* 16(4): 600–611.

- Ghertner, D. A. and M. Fripp. 2007. Trading away damage: Quantifying environmental leakage through consumption-based, life-cycle analysis. *Ecological Economics* 63(2–3): 563–577.
- Giljum, S., M. Bruckner, and A. Martinez. 2015. Material footprint assessment in a global input-output framework. *Journal of Industrial Ecology* 19(5): 792–804.
- Giljum, S., H. Wieland, S. Lutter, M. Bruckner, R. Wood, A. Tukker, and K. Stadler. 2016. Identifying priority areas for European resource policies: A MRIO-based material footprint assessment. *Journal of Economic Structures* 5(1): 1–24.
- Goedkoop, M., P. Hofstetter, R. Müller-Wenk, and R. Spriemsmas. 1998. The Eco-Indicator 1998 explained. *The International Journal of Life-Cycle Assessment* 3(6): 352–360.
- Guan, D., S. Klasen, K. Hubacek, K. Feng, Z. Liu, K. He, Y. Geng, and Q. Zhang. 2014. Determinants of stagnating carbon intensity in China. *Nature Climate Change* 4(11): 1017–1023.
- Haberl, H., K. H. Erb, F. Krausmann, V. Gaube, A. Bondeau, C. Plutzer, S. Gingrich, W. Lucht, and M. Fischer-Kowalski. 2007. Quantifying and mapping the human appropriation of net primary production in earth's terrestrial ecosystems. *Proceedings of the National Academy of Sciences of the United States of America* 104(31): 12942–12947.
- Heijungs, R., G. Huppes, and J. B. Guinée. 2010. Life cycle assessment and sustainability analysis of products, materials and technologies. Toward a scientific framework for sustainability life cycle analysis. *Polymer Degradation and Stability* 95(3): 422–428.
- Hertwich, E. G., T. Gibon, E. A. Bouman, A. Arvesen, S. Suh, G. A. Heath, J. D. Bergesen, A. Ramirez, M. I. Vega, and L. Shi. 2014. Integrated life-cycle assessment of electricity-supply scenarios confirms global environmental benefit of low-carbon technologies. *Proceedings of the National Academy of Sciences of the United States of America* 112(20): 6277–6282.
- Hoekstra, A. Y. and T. O. Wiedmann. 2014. Humanity's unsustainable environmental footprint. *Science* 344(6188): 1114–1117.
- Karstensen, J., G. P. Peters, and R. M. Andrew. 2015. Uncertainty in temperature response of current consumption-based emissions estimates. *Earth System Dynamics* 6(1): 287–309.
- Lanz, R., S. Miroudot, and A. Ragoussis. 2009. Trade in intermediate goods and services. OECD Trade Policy Working Paper No. 93. Paris: OECD.
- Lenzen, M. 2011. Aggregation versus disaggregation in input-output analysis of the environment. *Economic Systems Research* 23(1): 73–89.
- Lenzen, M., R. Wood, and T. Wiedmann. 2010. Uncertainty analysis for multi-region input-output models—A case study of the UK's carbon footprint. *Economic Systems Research* 22(1): 43–63.
- Lenzen, M., D. Moran, K. Kanemoto, and A. Geschke. 2013a. Building EORA: A global multi-region input-output database at high country and sector resolution. *Economic Systems Research* 25(1): 20–49.
- Lenzen, M., D. Moran, A. Bhaduri, K. Kanemoto, M. Bekchanov, A. Geschke, and B. Foran. 2013b. International trade of scarce water. *Ecological Economics* 94: 78–85.
- Lin, J., D. Pan, S. J. Davis, Q. Zhang, K. He, C. Wang, D. G. Streets, D. J. Wuebbles, and D. Guan. 2014. China's international trade and air pollution in the United States. *Proceedings of the National Academy of Sciences of the United States of America* 111(5): 1736–1741.
- Liu, J., H. Mooney, V. Hull, S. J. Davis, J. Gaskell, T. Hertel, J. Lubchenco, et al. 2015. Sustainability. Systems integration for global sustainability. *Science* 347(6225): 1258832.
- Liu, Z., P. Song, and X. Mao. 2016. Accounting the effects of WTO accession on trade-embodied emissions: Evidence from China. *Journal of Cleaner Production* 139: 1383–1390.
- Lutter, S., S. Pfister, S. Giljum, H. Wieland, and C. Mutel. 2016. Spatially explicit assessment of water embodied in European trade: A product-level multi-regional input-output analysis. *Global Environmental Change* 38: 171–182.
- Miller, R. E. and P. D. Blair. 2009. *Input-output analysis: Foundations and extensions*, 2nd ed. Cambridge, UK; New York: Cambridge University Press.
- Minx, J. C., G. Baiocchi, G. P. Peters, C. L. Weber, D. Guan, and K. Hubacek. 2011. A “carbonizing dragon”: China's fast growing CO₂ emissions revisited. *Environmental Science & Technology* 45(21): 9144–9153.
- Moran, D. and R. Wood. 2014. Convergence between the Eora, WIOD, EXIOBASE, and OPENEU'S consumption-based carbon accounts. *Economic Systems Research* 26: 245–261.
- Moran, D. D., M. Lenzen, K. Kanemoto, and A. Geschke. 2013. Does ecologically unequal exchange occur? *Ecological Economics* 89: 177–186.
- Müller, D. B., G. Liu, A. N. Løvik, R. Modaresi, S. Pauliuk, F. S. Steinhoff, and H. Brattebø. 2013. Carbon emissions of infrastructure development. *Environmental Science & Technology* 47(20): 11739–11746.
- Muradov, K. 2016. Counting borders in global value chains. In 24th HIOA Conference, 3–4 July, Seoul, Korea.
- Myhre, G., D. Shindell, F.-M. Bréon, W. Collins, J. Fuglestad, J. Huang, D. Koch, et al. 2013. Anthropogenic and natural radiative forcing. In *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*, edited by T. F. Stocker et al. Cambridge, UK; New York: Cambridge University Press.
- OECD (Organization for Economic Cooperation and Development) and UNCTAD (United Nations Conference on Trade and Development). 2013. *Implications of global value chains for trade, investment, development and jobs*. G20 Taskforce. http://unctad.org/en/PublicationsLibrary/unctad_oecd_wto_2013d1_en.pdf. Accessed 5 February 2018.
- Owen, A., R. Wood, J. Barrett, and A. Evans. 2016. Explaining value chain differences in MRIO databases through structural path decomposition. *Economic Systems Research* 28(2): 243–272.
- Owen, A., K. Steen-Olsen, J. Barrett, T. Wiedmann, and M. Lenzen. 2014. A structural decomposition approach to comparing MRIO databases. *Economic Systems Research* 26(3): 262–283.
- Peters, G. and E. Hertwich. 2008. CO₂ embodied in international trade with implications for global climate policy. *Environmental Science & Technology* 42(5): 1401–1407.
- Peters, G. P. 2008. From production-based to consumption-based national emission inventories. *Ecological Economics* 65(1): 13–23.
- Peters, G. P., J. C. Minx, C. L. Weber, and O. Edenhofer. 2011. Growth in emission transfers via international trade from 1990 to 2008. *Proceedings of the National Academy of Sciences of the United States of America* 108(21): 8903–8908.
- Peters, G. P., G. Marland, C. Le Quééré, T. Boden, J. G. Canadell, and M. R. Raupach. 2012. Rapid growth in CO₂ emissions after the 2008–2009 global financial crisis. *Nature Climate Change* 2(1): 2–4.
- Södersten, C.-J., R. Wood, and E. G. Hertwich. 2018. Environmental impacts of capital formation. *Journal of Industrial Ecology* 22(1): 55–67.

- Stadler, K., R. Wood, and K. Steen-Olsen. 2014. The 'Rest of the World'—Estimating the economic structure of missing regions in global MRIO tables. *Economic Systems Research* 26(3): 303–326.
- Stadler, K., R. Wood, T. Bulavskaya, C.-J. Södersten, M. Simas, S. Schmidt, A. Usubiaga, et al. 2018. EXIOBASE3: Developing a time series of detailed environmentally extended multi-regional input-output tables. *Journal of Industrial Ecology* 22(3): 502–515.
- Steen-Olsen, K., R. Wood, and E. G. Hertwich. 2016. The carbon footprint of Norwegian household consumption 1999–2012. *Journal of Industrial Ecology* 20(3): 582–592.
- Steen-Olsen, K., A. Owen, E. G. Hertwich, and M. Lenzen. 2014. Effects of sector aggregation on CO₂ multipliers in multiregional input-output analyses. *Economic Systems Research* 26(3): 284–302.
- Steffen, W., K. Richardson, J. Rockström, S. E. Cornell, I. Fetzer, E. M. Bennett, R. Biggs, S. R. Carpenter, W. de Vries, and C. A. de Wit. 2015. Planetary boundaries: Guiding human development on a changing planet. *Science* 347(6223): 1259855.
- Su, B., B. W. Ang, and M. Low. 2013. Input-output analysis of CO₂ emissions embodied in trade and the driving forces: Processing and normal exports. *Ecological Economics* 88: 119–125.
- Tukker, A. and E. Dietzenbacher. 2013. Global multiregional input-output frameworks: An introduction and outlook. *Economic Systems Research* 25(1): 1–19.
- Tukker, A., T. Bulavskaya, S. Giljum, A. de Koning, S. Lutter, M. Simas, K. Stadler, and R. Wood. 2016. Environmental and resource footprints in a global context: Europe's structural deficit in resource endowments. *Global Environmental Change* 40: 171–181.
- Tukker, A., A. de Koning, A. Owen, S. Lutter, S. Giljum, M. Bruckner, K. Stadler, R. Wood, and R. Hoekstra. 2018. Towards robust, authoritative assessments of environmental impacts embodied in trade: Current state and recommendations. *Journal of Industrial Ecology* 22(3): 585–598.
- UNEP (United Nations Environment Program). 2016. *Global material flows and resource productivity. An assessment study of the UNEP International Resource Panel*, edited by H. Schandl et al. Paris: United Nations Environment Program.
- UNEP (United Nations Environment Program). 2014. *Decoupling 2: Technologies, opportunities and policy options. A Report of the Working Group on Decoupling to the International Resource Panel*. Paris: United Nations Environment Program.
- UNEP (United Nations Environment Program). 2011. *Decoupling natural resource use and environmental impacts from economic growth*. Paris: UNEP.
- United Nations. 2015. *Sustainable Development Goals (SDGs)*. New York: United Nations.
- United Nations, European Union, Food and Agriculture Organization of the United Nations, International Monetary Fund, Organization for Economic Cooperation and Development, and The World Bank. 2014. *System of Environmental-Economic Accounting 2012—Central Framework*. https://unstats.un.org/unsd/envaccounting/seearev/seea_cf_final_en.pdf. Accessed 5 February 2018.
- UNSD (United Nations Statistics Division). 1993. *System of National Accounts 1993*. New York: United Nations Statistics Division (UNSD). <https://unstats.un.org/unsd/nationalaccount/docs/1993sna.pdf>. Accessed 19 January 2018.
- Wang, H., X. Tian, H. Tanikawa, M. Chang, S. Hashimoto, Y. Moriguchi, and Z. Lu. 2014. Exploring china's materialization process with economic transition: Analysis of raw material consumption and its socioeconomic drivers. *Environmental Science & Technology* 48(9): 5025–5032.
- Weinzettel, J., E. G. Hertwich, G. P. Peters, K. Steen-Olsen, and A. Galli. 2013. Affluence drives the global displacement of land use. *Global Environmental Change* 23(2): 433–438.
- Wiedmann, T. O., H. Schandl, M. Lenzen, D. Moran, S. Suh, J. West, and K. Kanemoto. 2015. The material footprint of nations. *Proceedings of the National Academy of Sciences of the United States of America* 112(20): 6271–6276.
- Wieland, H., S. Giljum, M. Bruckner, A. Owen, and R. Wood. 2017. Structural production layer decomposition: A new method to measure differences between MRIO databases for footprint assessments. *Economic Systems Research*. <http://doi.org/10.1080/09535314.2017.1350831>.
- Wood, R., T. R. Hawkins, E. G. Hertwich, and A. Tukker. 2014. Harmonising national input-output tables for consumption-based accounting—Experiences from EXIOPOL. *Economic Systems Research* 26(4): 387–409.
- Wood, R., K. Stadler, T. Bulavskaya, S. Lutter, S. Giljum, A. de Koning, J. Kuenen, et al. 2015. Global sustainability accounting—Developing EXIOBASE for multi-regional footprint analysis. *Sustainability* 7(1): 138–163.
- World Bank. 2015a. *World Development Indicators*. Washington, DC: The World Bank.
- World Bank. 2015b. *World Development Indicators*, NY:GDP, MKTP.PP.KD, GDP, PPP (constant 2011 international \$). Washington, DC: The World Bank.
- WTO (World Trade Organization). 2010. *World Trade Report: 2010-C: Trade theory and natural resources*. Geneva, Switzerland: World Trade Organization (WTO).
- Yamano, N. 2015. OECD Inter-Country Input-Output Model and Policy Implications. In *Uncovering value added in trade: New approaches to analyzing global value chains*, 47–59. Singapore: World Scientific.
- Yang, H., S. Pfister, and A. Bhaduri. 2013. Accounting for a scarce resource: Virtual water and water footprint in the global water system. *Current Opinion in Environmental Sustainability* 5(6): 599–606.
- Zhang, Z., K. Zhu, and G. J. D. Hewings. 2017. A multi-regional input-output analysis of the pollution haven hypothesis from the perspective of global production fragmentation. *Energy Economics* 64: 13–23.

Supporting Information

Supporting information is linked to this article on the *JIE* website:

Supporting Information S1: This supporting information provides data for aggregation of detailed products to product category, including country and regional data.