

# TABLE OF CONTENTS:

## PRINCIPAL PARTICULARS

## CALCULATION SUMMARY

Initial conditions  
Heeling moments  
Calculation options  
Part B-1 index summary  
SFAC diagrams  
Part B-2 regulation 9 summary  
GM curves

## GENERAL DATA

Buoyant hull  
Hydrostatic data & cross curves  
Wind profile  
Ship model arrangement  
Subdivision  
Light service condition

## PART B-1: REGULATION 6, 7 AND 8

Zone index  
Index calculation results  
Index damage definitions

## PART B-2: REGULATION 9

Reg 9 results  
Reg 9 bottom damages

# PRINCIPAL PARTICULARS

Length over all (LOA)	131.761 m
Length betw. perpendiculars (LPP)	118.000 m
Subdivision length	131.291 m
Freeboard length	121.783 m
Load line draught	10.200 m
Design draught (moulded)	5.900 m
Breadth (moulded)	28.000 m

# CALCULATION SUMMARY

## INITIAL CONDITIONS

### INIT GROUP SDSINI

INIT		DL	DP	DS
<hr/>				
T0	m	6.600	7.740	8.500
TR0	m	0.000	0.000	0.000
HEEL0	degree	0.0	0.0	0.0
DSP0	t	17804.5	21510.2	24005.2
LCB	m	56.332	55.225	54.711
TCB	m	0.000	0.000	0.000
VCB	m	3.602	4.217	4.622
GM0	m	1.800	1.800	2.500
GM	m	1.800	1.800	2.500
KG	m	12.78	11.73	10.56
KMT	m	14.582	13.534	13.058

## HEELING MOMENTS

MOM, PROBSDSMAX,  
                  'Maximum moment (PROBSDSPASS, PROBSDSWIND, PROBSDSSURV) '  
MAX, PROBSDSPASS, PROBSDSWIND, PROBSDSSURV  
OK

MOM, PROBSDSPASS, 'Passenger moment '  
CURV, CONSTANT  
MOME, 0  
OK

MOM, PROBSDSWIND, 'Wind moment '  
TYPE, WIND  
PARA, C=0.012237, PROF=WINDPROF, TP2  
OK

MOM, PROBSDSSURV, 'Survival craft moment '  
CURV, CONSTANT  
MOME, 0  
OK

## CALCULATION SETTINGS

### CALCULATION ARGUMENTS USED IN THE STUDY:

HULL	DAMHULL	hull name
HEEL	0 1 3 5 7 10 12 15 20 25 30 40 50	
ARRV	C	heeling angle DEGREE
OPARR	not given	arrangement version
CCONN	not given	opening arrangement
FORCE	BOTH	compartment connections
OPTION	PERM NOPROGR LOG CDISP CDIR	force heel side & range
MARGIN	-	calc. and output options
ROP	...	margin line
RCR	...	relevant openings
CGM	not given	relevant criteria
WTARR	PROB.AUTO_WTA	changed gm M
SYTOL	0.001	watertight arrangement
TRLIM	80	symmetry tolerance M
SWH	not given	trim limit DEGREE
FRBD	not given	significant wave height M
AAS	not given	freeboard deck edge
		auto assign of arguments

## INDEX SUMMARY

TRIM 0

### ATTAINED AND REQUIRED SUBDIVISION INDEX

Subdivision length	131.291 m
Breadth at the load line	28.001 m
Breadth at the bulkhead deck	28.000 m
Number of persons N1	0
Number of persons N2	0

Required subdivision index  $R = 0.53952$

Attained subdivision index  $A = 0.62986$

INIT	T m	GM m	A/R	A	A*WCOEF	WCOEF
DL	6.600	1.800	1.05	0.56612	0.11322	0.200
DP	7.740	1.800	1.09	0.58825	0.23530	0.400
DS	8.500	2.500	1.30	0.70333	0.28133	0.400


### INDEX ACCORDING TO NUMBER OF ZONES

DAMAGES	W*P*V*S
1-ZONE DAMAGES	0.30672
2-ZONE DAMAGES	0.24938
3-ZONE DAMAGES	0.06245
4-ZONE DAMAGES	0.01003
5-ZONE DAMAGES	0.00128
A-INDEX TOTAL	0.62986


S-FACTOR DIAGRAMS

TRIM 0

RESULT TABLE:       TAB\*SDSD1RES2-TR0  
INITIAL CONDITION:   DL  
DRAUGHT:            6.6  
GM:                  1.8  
A-value PS:          0.1132




RESULT TABLE:       TAB\*SDSD1RES2-TR0  
INITIAL CONDITION:   DP  
DRAUGHT:            7.74  
GM:                  1.8  
A-value PS:         0.2353





RESULT TABLE:       TAB\*SDSD1RES2-TR0  
INITIAL CONDITION:   DS  
DRAUGHT:            8.5  
GM:                  2.5  
A-value PS:         0.2813



## REGULATION 9 SUMMARY

REQUIREMENT: SFAC = 1


TRIM 0

Error: Results missing

# GENERAL DATA

## BUOYANT HULL

Name of buoyant hull: DAMHULL  
Date of buoyant hull: 2015-03-12




Description of DAMHULL:

ROOM DAMHULL 'Hull for damage stability'  
LIM <STABHULL

## HYDROSTATIC DATA

T m	DISP t	CB	LCB m	LCF m	TPC t/cm	MCT tm/cm	KMT m
1.000	1926.9	0.5616	64.021	62.94	21.7	111.6	55.494
1.500	3058.7	0.5967	63.399	61.91	23.4	130.8	40.199
2.000	4266.9	0.6256	62.777	60.51	24.9	152.7	31.840
2.500	5542.7	0.6509	62.115	59.31	26.1	172.3	26.760
3.000	6871.4	0.6730	61.485	58.26	27.1	189.8	23.253
3.500	8258.7	0.6937	60.791	56.65	28.3	213.0	20.947
4.000	9695.6	0.7129	60.087	55.39	29.2	231.6	19.127
4.500	11180.4	0.7310	59.353	54.06	30.0	249.9	17.651
5.000	12710.9	0.7481	58.589	52.24	31.0	273.4	16.767
5.500	14282.6	0.7644	57.808	51.04	31.7	287.3	15.918
6.000	15873.9	0.7789	57.095	50.28	32.0	294.1	15.282
6.500	17481.7	0.7919	56.451	49.92	32.3	297.7	14.691
7.000	19099.6	0.8036	55.892	49.84	32.4	301.7	14.170
7.500	20726.3	0.8140	55.422	49.97	32.6	305.9	13.722
8.000	22361.5	0.8234	55.031	50.21	32.8	310.2	13.351
8.500	24005.2	0.8320	54.711	50.50	33.0	314.8	13.058
9.000	25657.9	0.8400	54.450	50.82	33.2	319.8	12.837
9.500	27320.4	0.8474	54.239	51.16	33.4	325.3	12.676
10.000	28993.8	0.8544	54.073	51.55	33.6	331.7	12.564
10.500	30679.0	0.8610	53.946	51.96	33.8	338.5	12.495
11.000	32376.7	0.8674	53.853	52.41	34.1	346.1	12.462
11.500	34087.6	0.8736	53.792	52.87	34.4	354.1	12.462
12.000	35812.7	0.8796	53.760	53.36	34.7	362.5	12.495
12.500	36398.8	0.88577	54.381	95.28	11.3	14.3	8.315
13.000	36973.6	0.8377	55.021	95.74	11.6	15.2	8.447
13.500	37563.5	0.8196	55.664	96.23	11.9	16.2	8.590
14.000	38168.5	0.8030	56.311	96.73	12.3	17.3	8.744
14.500	38790.4	0.7880	56.963	97.21	12.6	18.3	8.909
15.000	39422.6	0.7742	57.610	97.30	12.6	18.5	9.017
15.500	40054.9	0.7612	58.237	97.30	12.6	18.5	9.115
16.000	40687.5	0.7491	58.844	97.26	12.6	18.4	9.216
16.500	41317.2	0.7377	59.429	97.09	12.5	18.0	9.308
17.000	41938.0	0.7267	59.983	96.69	12.3	17.1	9.386
17.500	42545.1	0.7162	60.503	96.01	11.9	15.5	9.452
18.000	43131.7	0.7059	60.981	95.26	11.5	13.9	9.517

WIND PROFILE



## SHIP MODEL ARRANGEMENT

NAME	DES	VNET m3	PERM	IPERM
------	-----	------------	------	-------

### CAPACITY OF ACCOMMODATION (RHO=1)

R101	Forpeak	839.9	0.95
R102	Main superstructure front	2335.8	0.95
R103	Main superstructure aft	3931.2	0.95

SUBTOTAL	7106.9
----------	--------

### CAPACITY OF FRESH WATER (RHO=1)

10P	fw	111.6	0.95
10S	FW	111.6	0.95
11P	fw	213.7	0.95
11S	fw	213.7	0.95
43P	fw	224.9	0.95
43S	fw	224.9	0.95

SUBTOTAL	1100.4
----------	--------

### CAPACITY OF Machinery Sp. (RHO=1)

C10	Thruster room front	597.5	0.85
C11	Thruster room front	947.2	0.85
C20	Engine room SB	2506.1	0.85
C21	Engine room PS	2506.1	0.85
C40	Thruster room aft SB	472.7	0.85
C41	Thruster room aft PS	472.7	0.85
C42	Thr aft sb	98.3	0.85
C43	Thr aft ps	98.3	0.85

SUBTOTAL	7698.9
----------	--------

### CAPACITY OF VOID (RHO=1)

311C	Cargo	2735.3	0.95
312C	Cargo	2735.3	0.95
313C	Cargo	1695.1	0.95
31P	void	303.9	0.95
31S	void	303.9	0.95
31UP	void	145.5	0.95
31US	void	145.5	0.95
321C	Cargo	1309.9	0.95
322C	Cargo	1309.9	0.95
323C	Cargo	873.3	0.95
32P	void	303.9	0.95
32S	void	303.9	0.95
32UP	void	145.5	0.95
32US	void	145.5	0.95
33P	void	303.9	0.95
33S	void	303.9	0.95
33UP	void	145.5	0.95
33US	void	145.5	0.95

NAME	DES	VNET m3	PERM	IPERM
34P	void	303.9	0.95	
34S	void	303.9	0.95	
34UP	void	145.5	0.95	
34US	void	145.5	0.95	
35P	void	303.9	0.95	
35S	void	303.9	0.95	
35UP	void	145.5	0.95	
35US	void	145.5	0.95	
36P	void	300.6	0.95	
36S	void	300.6	0.95	
36UP	void	145.5	0.95	
36US	void	145.5	0.95	
37P	void	426.7	0.95	
37S	void	426.7	0.95	
38P	void	388.6	0.95	
38S	void	388.6	0.95	
SUBTOTAL		17676.2		


CAPACITY OF WATER BALLAST (RHO=1.025)

01C	WB	411.3	0.95
101C	wb	195.4	0.95
102C	wb	345.7	0.95
201C	wb	200.6	0.95
202C	wb	250.2	0.95
203C	wb	285.3	0.95
21P	wb	283.2	0.95
21S	wb	283.2	0.95
22P	wb	244.9	0.95
22S	wb	244.9	0.95
23P	wb	204.5	0.95
23S	wb	204.5	0.95
301C	wb	152.1	0.95
301P	wb	76.3	0.95
301S	wb	76.3	0.95
302C	wb	152.1	0.95
302P	wb	79.7	0.95
302S	wb	79.7	0.95
303C	wb	152.1	0.95
303P	wb	79.9	0.95
303S	wb	79.9	0.95
304C	wb	152.1	0.95
304P	wb	78.0	0.95
304S	wb	78.0	0.95
305C	wb	152.1	0.95
305P	wb	68.5	0.95
305S	wb	68.5	0.95
306C	wb	137.8	0.95
306P	wb	44.0	0.95
306S	wb	44.0	0.95
307C	wb	120.6	0.95
307P	wb	18.3	0.95
307S	wb	18.3	0.95
308C	wb	116.5	0.95
401C	wb	301.8	0.95
410P	wb	168.2	0.95

NAME	DES	VNET m3	PERM	IPERM
410S	wb	168.2	0.95	
411C	WB roll red	635.4	0.95	
412C	WB roll red	529.5	0.95	
41P	wb	50.0	0.95	
41S	wb	50.0	0.95	
42P	wb	415.8	0.95	
42S	wb	415.8	0.95	
SUBTOTAL		7913.0		
TOTAL		41495.4		



## SUBDIVISION OF THE VESSEL



### SUBDIVISION DEFINITION

ZONE	X1 m	X2 m	BP	BS	HHSD	HHSU	PLIMIT	SLIMIT
Z01	-7.219	-3.600	0/0	0/0	-	12		
Z02	-3.600	6.000	5/14	5/14	5.6	12		
Z03	6.000	9.000	5	5	2.5/5.6	12		
Z04	9.000	12.600	5	5	2.5/5.6	12		
Z05	12.600	20.400	5.6/7.4	5.6/7.4	2.495	8.6/12		
Z06	20.400	28.200	5.6/7.4	5.6/7.4	1.995	8.6/12		
Z07	28.200	36.000	5.6/7.4	5.6/7.4	1.5	8.6/12		
Z08	36.000	43.800	5.6/7.4	5.6/7.4	1.5	8.6/12		
Z09	43.800	51.600	5.6/7.4	5.6/7.4	1.5	8.6/12		
Z10	51.600	59.400	5.6/7.4	5.6/7.4	1.5	8.6/12		
Z11	59.400	67.200	5.6/7.4	5.6/7.4	1.5	8.6/12		
Z12	67.200	75.000	5.6/7.4	5.6/7.4	1.5	8.6/12		
Z13	75.000	82.800	2.6/14	2.6/14	1.5	8.6/12/1.		
Z14	82.800	90.600	3.497/13.3	4.293/12.4	1.5	8.6/12/1.		
Z15	90.600	98.400	4.293/12.4	4.293/12.4	1.5	8.6/12/1.		
Z16	98.400	106.200	3.529	3.529	3.2	8.6/12/1.		
Z17	106.200	113.400	1.756	1.756	3.2	8.6/12/1.		
Z18	113.400	124.077	-	-	-	12/15/18		

-----

LIGHT SERVICE CONDITION

INIT		DL
-----		
T0	m	6.600
TR0	m	0.000
HEEL0	degree	0.0
DSP0	t	17804.5
LCB	m	56.332
TCB	m	0.000
VCB	m	3.602
GM0	m	1.800
GM	m	1.800
KG	m	12.78
KMT	m	14.582

PART B-1

CALCULATION RESULTS FOR INDEX CALCULATION

Trim: 0    Reult table: TAB\*SDSD1RES2-TR0

-----	
DAMAGES	W*P*V*S
-----	
1-ZONE DAMAGES	0.30672
2-ZONE DAMAGES	0.24938
3-ZONE DAMAGES	0.06245
4-ZONE DAMAGES	0.01003
5-ZONE DAMAGES	0.00128
-----	
A-INDEX TOTAL	0.62986
-----	

## CALCULATION RESULTS FOR INDEX CALCULATION

Trim: 0     Reult table: TAB\*SDSD1RES2-TR0

CASE	P	V	S	W	W*P*V*S
DL/SDSP1.1.1	0.00000	0.55385	1.00000	0.200	0.00000
DL/SDSP1.1.0	0.00000	0.44615	1.00000	0.200	0.00000
DL/SDSP1.2.1	0.00000	0.55385	1.00000	0.200	0.00000
DL/SDSP1.2.0	0.00000	0.44615	1.00000	0.200	0.00000
DL/SDSP1.3.1	0.01267	0.55385	1.00000	0.200	0.00140
DL/SDSP1.3.0	0.01267	0.44615	1.00000	0.200	0.00113
DL/SDSP2.1.1-1	0.01674	0.55385	1.00000	0.200	0.00185
DL/SDSP2.1.0-1	0.01674	0.44615	1.00000	0.200	0.00149
DL/SDSP2.2.1	0.00841	0.55385	1.00000	0.200	0.00093
DL/SDSP2.2.0	0.00841	0.44615	1.00000	0.200	0.00075
DL/SDSP3.1.1-1	0.00244	0.55385	1.00000	0.200	0.00027
DL/SDSP3.1.0-1	0.00244	0.44615	1.00000	0.200	0.00022
DL/SDSP3.2.1-1	0.00030	0.55385	1.00000	0.200	0.00003
DL/SDSP3.2.0-1	0.00030	0.44615	1.00000	0.200	0.00003
DL/SDSP4.1.1-1	0.00331	0.55385	1.00000	0.200	0.00037
DL/SDSP4.1.0-1	0.00331	0.44615	1.00000	0.200	0.00030
DL/SDSP4.2.1-1	0.00060	0.55385	1.00000	0.200	0.00007
DL/SDSP4.2.0-1	0.00060	0.44615	1.00000	0.200	0.00005
DL/SDSP5.1.1-1	0.01271	0.20513	1.00000	0.200	0.00052
DL/SDSP5.1.2-1	0.01271	0.34872	1.00000	0.200	0.00089
DL/SDSP5.1.0-1	0.01271	0.44615	1.00000	0.200	0.00113
DL/SDSP5.2.1-1	0.00190	0.20513	1.00000	0.200	0.00008
DL/SDSP5.2.2-1	0.00190	0.34872	1.00000	0.200	0.00013
DL/SDSP5.2.0-1	0.00190	0.44615	1.00000	0.200	0.00017
DL/SDSP5.3.1-1	0.00251	0.20513	1.00000	0.200	0.00010
DL/SDSP5.3.2-1	0.00251	0.34872	1.00000	0.200	0.00018
DL/SDSP5.3.0-1	0.00251	0.44615	1.00000	0.200	0.00022
DL/SDSP6.1.1	0.01271	0.20513	1.00000	0.200	0.00052
DL/SDSP6.1.2	0.01271	0.34872	1.00000	0.200	0.00089
DL/SDSP6.1.0	0.01271	0.44615	1.00000	0.200	0.00113
DL/SDSP6.2.1	0.00190	0.20513	1.00000	0.200	0.00008
DL/SDSP6.2.2	0.00190	0.34872	1.00000	0.200	0.00013
DL/SDSP6.2.0	0.00190	0.44615	1.00000	0.200	0.00017
DL/SDSP6.3.1	0.00251	0.20513	1.00000	0.200	0.00010
DL/SDSP6.3.2	0.00251	0.34872	1.00000	0.200	0.00018
DL/SDSP6.3.0	0.00251	0.44615	1.00000	0.200	0.00022
DL/SDSP7.1.1	0.01271	0.20513	1.00000	0.200	0.00052
DL/SDSP7.1.2	0.01271	0.34872	1.00000	0.200	0.00089
DL/SDSP7.1.0	0.01271	0.44615	1.00000	0.200	0.00113
DL/SDSP7.2.1	0.00190	0.20513	1.00000	0.200	0.00008
DL/SDSP7.2.2	0.00190	0.34872	1.00000	0.200	0.00013
DL/SDSP7.2.0	0.00190	0.44615	1.00000	0.200	0.00017
DL/SDSP7.3.1	0.00251	0.20513	1.00000	0.200	0.00010
DL/SDSP7.3.2	0.00251	0.34872	1.00000	0.200	0.00018
DL/SDSP7.3.0	0.00251	0.44615	1.00000	0.200	0.00022
DL/SDSP8.1.1	0.01271	0.20513	1.00000	0.200	0.00052
DL/SDSP8.1.2	0.01271	0.34872	1.00000	0.200	0.00089
DL/SDSP8.1.0	0.01271	0.44615	1.00000	0.200	0.00113
DL/SDSP8.2.1	0.00190	0.20513	1.00000	0.200	0.00008
DL/SDSP8.2.2	0.00190	0.34872	0.99974	0.200	0.00013
DL/SDSP8.2.0	0.00190	0.44615	0.99974	0.200	0.00017
DL/SDSP8.3.1	0.00251	0.20513	1.00000	0.200	0.00010

CASE	P	V	S	W	W*P*V*S
DL/SDSP8.3.2	0.00251	0.34872	1.00000	0.200	0.00018
DL/SDSP8.3.0	0.00251	0.44615	1.00000	0.200	0.00022
DL/SDSP9.1.1	0.01271	0.20513	1.00000	0.200	0.00052
DL/SDSP9.1.2	0.01271	0.34872	1.00000	0.200	0.00089
DL/SDSP9.1.0	0.01271	0.44615	1.00000	0.200	0.00113
DL/SDSP9.2.1	0.00190	0.20513	1.00000	0.200	0.00008
DL/SDSP9.2.2	0.00190	0.34872	0.99128	0.200	0.00013
DL/SDSP9.2.0	0.00190	0.44615	0.99128	0.200	0.00017
DL/SDSP9.3.1	0.00251	0.20513	1.00000	0.200	0.00010
DL/SDSP9.3.2	0.00251	0.34872	1.00000	0.200	0.00018
DL/SDSP9.3.0	0.00251	0.44615	1.00000	0.200	0.00022
DL/SDSP10.1.1	0.01271	0.20513	1.00000	0.200	0.00052
DL/SDSP10.1.2	0.01271	0.34872	1.00000	0.200	0.00089
DL/SDSP10.1.0	0.01271	0.44615	1.00000	0.200	0.00113
DL/SDSP10.2.1	0.00190	0.20513	1.00000	0.200	0.00008
DL/SDSP10.2.2	0.00190	0.34872	0.98420	0.200	0.00013
DL/SDSP10.2.0	0.00190	0.44615	0.98420	0.200	0.00017
DL/SDSP10.3.1	0.00251	0.20513	1.00000	0.200	0.00010
DL/SDSP10.3.2	0.00251	0.34872	1.00000	0.200	0.00018
DL/SDSP10.3.0	0.00251	0.44615	1.00000	0.200	0.00022
DL/SDSP11.1.1	0.01271	0.20513	1.00000	0.200	0.00052
DL/SDSP11.1.2	0.01271	0.34872	1.00000	0.200	0.00089
DL/SDSP11.1.0	0.01271	0.44615	1.00000	0.200	0.00113
DL/SDSP11.2.1	0.00190	0.20513	1.00000	0.200	0.00008
DL/SDSP11.2.2	0.00190	0.34872	0.97877	0.200	0.00013
DL/SDSP11.2.0	0.00190	0.44615	0.97877	0.200	0.00017
DL/SDSP11.3.1	0.00251	0.20513	1.00000	0.200	0.00010
DL/SDSP11.3.2	0.00251	0.34872	0.99576	0.200	0.00017
DL/SDSP11.3.0	0.00251	0.44615	0.99576	0.200	0.00022
DL/SDSP12.1.1	0.01271	0.20513	1.00000	0.200	0.00052
DL/SDSP12.1.2	0.01271	0.34872	1.00000	0.200	0.00089
DL/SDSP12.1.0	0.01271	0.44615	1.00000	0.200	0.00113
DL/SDSP12.2.1	0.00190	0.20513	1.00000	0.200	0.00008
DL/SDSP12.2.2	0.00190	0.34872	0.97721	0.200	0.00013
DL/SDSP12.2.0	0.00190	0.44615	0.97721	0.200	0.00017
DL/SDSP12.3.1	0.00251	0.20513	1.00000	0.200	0.00010
DL/SDSP12.3.2	0.00251	0.34872	0.99361	0.200	0.00017
DL/SDSP12.3.0	0.00251	0.44615	0.99361	0.200	0.00022
DL/SDSP13.1.1-1	0.00746	0.20513	1.00000	0.200	0.00031
DL/SDSP13.1.2-1	0.00746	0.34872	1.00000	0.200	0.00052
DL/SDSP13.1.3-1	0.00746	0.27169	1.00000	0.200	0.00041
DL/SDSP13.1.4-1	0.00746	0.12766	1.00000	0.200	0.00019
DL/SDSP13.1.0-1	0.00746	0.04681	1.00000	0.200	0.00007
DL/SDSP13.2.1-1	0.00967	0.20513	0.00000	0.200	0.00000
DL/SDSP13.2.2-1	0.00967	0.34872	0.00000	0.200	0.00000
DL/SDSP13.2.3-1	0.00967	0.27169	0.00000	0.200	0.00000
DL/SDSP13.2.4-1	0.00967	0.12766	0.00000	0.200	0.00000
DL/SDSP13.2.0-1	0.00967	0.04681	0.00000	0.200	0.00000
DL/SDSP14.1.1-1	0.00935	0.20513	1.00000	0.200	0.00038
DL/SDSP14.1.2-1	0.00935	0.34872	1.00000	0.200	0.00065
DL/SDSP14.1.3-1	0.00935	0.27169	1.00000	0.200	0.00051
DL/SDSP14.1.4-1	0.00935	0.12766	1.00000	0.200	0.00024
DL/SDSP14.1.0-1	0.00935	0.04681	1.00000	0.200	0.00009
DL/SDSP14.2.1-1	0.00778	0.20513	0.00000	0.200	0.00000
DL/SDSP14.2.2-1	0.00778	0.34872	0.00000	0.200	0.00000
DL/SDSP14.2.3-1	0.00778	0.27169	0.00000	0.200	0.00000
DL/SDSP14.2.4-1	0.00778	0.12766	0.00000	0.200	0.00000
DL/SDSP14.2.0-1	0.00778	0.04681	0.00000	0.200	0.00000
DL/SDSP14.3.1-1	0.00000	0.20513	1.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP14.3.2-1	0.00000	0.34872	1.00000	0.200	0.00000
DL/SDSP14.3.3-1	0.00000	0.27169	1.00000	0.200	0.00000
DL/SDSP14.3.4-1	0.00000	0.12766	1.00000	0.200	0.00000
DL/SDSP14.3.0-1	0.00000	0.04681	1.00000	0.200	0.00000
DL/SDSP15.1.1	0.01079	0.20513	1.00000	0.200	0.00044
DL/SDSP15.1.2	0.01079	0.34872	1.00000	0.200	0.00075
DL/SDSP15.1.3	0.01079	0.27169	1.00000	0.200	0.00059
DL/SDSP15.1.4	0.01079	0.12766	1.00000	0.200	0.00028
DL/SDSP15.1.0	0.01079	0.04681	1.00000	0.200	0.00010
DL/SDSP15.2.1-1	0.00623	0.20513	0.00000	0.200	0.00000
DL/SDSP15.2.2-1	0.00623	0.34872	0.00000	0.200	0.00000
DL/SDSP15.2.3-1	0.00623	0.27169	0.00000	0.200	0.00000
DL/SDSP15.2.4-1	0.00623	0.12766	0.00000	0.200	0.00000
DL/SDSP15.2.0-1	0.00623	0.04681	0.00000	0.200	0.00000
DL/SDSP15.3.1-1	0.00011	0.20513	1.00000	0.200	0.00000
DL/SDSP15.3.2-1	0.00011	0.34872	1.00000	0.200	0.00001
DL/SDSP15.3.3-1	0.00011	0.27169	1.00000	0.200	0.00001
DL/SDSP15.3.4-1	0.00011	0.12766	1.00000	0.200	0.00000
DL/SDSP15.3.0-1	0.00011	0.04681	1.00000	0.200	0.00000
DL/SDSP16.1.1	0.00942	0.20513	1.00000	0.200	0.00039
DL/SDSP16.1.2	0.00942	0.34872	1.00000	0.200	0.00066
DL/SDSP16.1.3	0.00942	0.27169	1.00000	0.200	0.00051
DL/SDSP16.1.4	0.00942	0.12766	1.00000	0.200	0.00024
DL/SDSP16.1.0	0.00942	0.04681	1.00000	0.200	0.00009
DL/SDSP16.2.1	0.00771	0.20513	1.00000	0.200	0.00032
DL/SDSP16.2.2	0.00771	0.34872	1.00000	0.200	0.00054
DL/SDSP16.2.3	0.00771	0.27169	1.00000	0.200	0.00042
DL/SDSP16.2.4	0.00771	0.12766	1.00000	0.200	0.00020
DL/SDSP16.2.0	0.00771	0.04681	1.00000	0.200	0.00007
DL/SDSP17.1.1	0.00476	0.20513	1.00000	0.200	0.00020
DL/SDSP17.1.2	0.00476	0.34872	1.00000	0.200	0.00033
DL/SDSP17.1.3	0.00476	0.27169	1.00000	0.200	0.00026
DL/SDSP17.1.4	0.00476	0.12766	1.00000	0.200	0.00012
DL/SDSP17.1.0	0.00476	0.04681	1.00000	0.200	0.00004
DL/SDSP17.2.1-1	0.00999	0.20513	1.00000	0.200	0.00041
DL/SDSP17.2.2-1	0.00999	0.34872	1.00000	0.200	0.00070
DL/SDSP17.2.3-1	0.00999	0.27169	1.00000	0.200	0.00054
DL/SDSP17.2.4-1	0.00999	0.12766	1.00000	0.200	0.00025
DL/SDSP17.2.0-1	0.00999	0.04681	1.00000	0.200	0.00009
DL/SDSP18.1.1	0.05592	0.55385	1.00000	0.200	0.00619
DL/SDSP18.1.2	0.05592	0.27169	1.00000	0.200	0.00304
DL/SDSP18.1.3	0.05592	0.12766	1.00000	0.200	0.00143
DL/SDSP18.1.0	0.05592	0.04681	1.00000	0.200	0.00052
DL/SDSP1-2.1.1	0.00000	0.55385	1.00000	0.200	0.00000
DL/SDSP1-2.1.0	0.00000	0.44615	1.00000	0.200	0.00000
DL/SDSP1-2.2.1	0.01609	0.55385	1.00000	0.200	0.00178
DL/SDSP1-2.2.0	0.01609	0.44615	1.00000	0.200	0.00144
DL/SDSP1-2.3.1	0.00743	0.55385	1.00000	0.200	0.00082
DL/SDSP1-2.3.0	0.00743	0.44615	1.00000	0.200	0.00066
DL/SDSP2-3.1.1	0.00688	0.55385	1.00000	0.200	0.00076
DL/SDSP2-3.1.0	0.00688	0.44615	1.00000	0.200	0.00061
DL/SDSP2-3.2.1	0.00626	0.55385	0.79739	0.200	0.00055
DL/SDSP2-3.2.0	0.00626	0.44615	0.79739	0.200	0.00045
DL/SDSP3-4.1.1	0.00328	0.55385	1.00000	0.200	0.00036
DL/SDSP3-4.1.0	0.00328	0.44615	1.00000	0.200	0.00029
DL/SDSP3-4.2.1-1	0.00259	0.55385	1.00000	0.200	0.00029
DL/SDSP3-4.2.0-1	0.00259	0.44615	1.00000	0.200	0.00023
DL/SDSP4-5.1.1-1	0.00696	0.20513	1.00000	0.200	0.00029
DL/SDSP4-5.1.2-1	0.00696	0.34872	1.00000	0.200	0.00049

CASE	P	V	S	W	W*P*V*S
DL/SDSP4-5.1.0-1	0.00696	0.44615	1.00000	0.200	0.00062
DL/SDSP4-5.2.1-1	0.00070	0.20513	0.94128	0.200	0.00003
DL/SDSP4-5.2.2-1	0.00070	0.34872	0.94128	0.200	0.00005
DL/SDSP4-5.2.0-1	0.00070	0.44615	0.94128	0.200	0.00006
DL/SDSP4-5.3.1-1	0.00187	0.20513	0.87510	0.200	0.00007
DL/SDSP4-5.3.2-1	0.00187	0.34872	0.85335	0.200	0.00011
DL/SDSP4-5.3.0-1	0.00187	0.44615	0.85335	0.200	0.00014
DL/SDSP4-5.4.1-1	0.00377	0.20513	0.87510	0.200	0.00014
DL/SDSP4-5.4.2-1	0.00377	0.34872	0.85335	0.200	0.00022
DL/SDSP4-5.4.0-1	0.00377	0.44615	0.85335	0.200	0.00029
DL/SDSP5-6.1.1	0.01409	0.20513	0.77485	0.200	0.00045
DL/SDSP5-6.1.2	0.01409	0.34872	0.77485	0.200	0.00076
DL/SDSP5-6.1.0	0.01409	0.44615	0.77485	0.200	0.00097
DL/SDSP5-6.2.1-2	0.00346	0.20513	0.67737	0.200	0.00010
DL/SDSP5-6.2.2	0.00346	0.34872	0.63300	0.200	0.00015
DL/SDSP5-6.2.0	0.00346	0.44615	0.63300	0.200	0.00020
DL/SDSP5-6.3.1-2	0.00758	0.20513	0.67737	0.200	0.00021
DL/SDSP5-6.3.2-2	0.00758	0.34872	0.63902	0.200	0.00034
DL/SDSP5-6.3.0-2	0.00758	0.44615	0.63902	0.200	0.00043
DL/SDSP6-7.1.1	0.01409	0.20513	0.63453	0.200	0.00037
DL/SDSP6-7.1.2	0.01409	0.34872	0.57007	0.200	0.00056
DL/SDSP6-7.1.0	0.01409	0.44615	0.57007	0.200	0.00072
DL/SDSP6-7.2.1	0.00346	0.20513	0.73917	0.200	0.00010
DL/SDSP6-7.2.2-1	0.00346	0.34872	0.00000	0.200	0.00000
DL/SDSP6-7.2.0-1	0.00346	0.44615	0.00000	0.200	0.00000
DL/SDSP6-7.3.1-2	0.00758	0.20513	0.78633	0.200	0.00024
DL/SDSP6-7.3.2-1	0.00758	0.34872	0.00000	0.200	0.00000
DL/SDSP6-7.3.0-1	0.00758	0.44615	0.00000	0.200	0.00000
DL/SDSP7-8.1.1	0.01409	0.20513	0.57495	0.200	0.00033
DL/SDSP7-8.1.2	0.01409	0.34872	0.40146	0.200	0.00039
DL/SDSP7-8.1.0	0.01409	0.44615	0.40146	0.200	0.00050
DL/SDSP7-8.2.1	0.00346	0.20513	0.65276	0.200	0.00009
DL/SDSP7-8.2.2	0.00346	0.34872	0.29026	0.200	0.00007
DL/SDSP7-8.2.0	0.00346	0.44615	0.29026	0.200	0.00009
DL/SDSP7-8.3.1	0.00758	0.20513	0.71277	0.200	0.00022
DL/SDSP7-8.3.2	0.00758	0.34872	0.42917	0.200	0.00023
DL/SDSP7-8.3.0	0.00758	0.44615	0.42917	0.200	0.00029
DL/SDSP8-9.1.1	0.01409	0.20513	0.50982	0.200	0.00029
DL/SDSP8-9.1.2	0.01409	0.34872	0.27267	0.200	0.00027
DL/SDSP8-9.1.0	0.01409	0.44615	0.27267	0.200	0.00034
DL/SDSP8-9.2.1	0.00346	0.20513	0.60794	0.200	0.00009
DL/SDSP8-9.2.2	0.00346	0.34872	0.17017	0.200	0.00004
DL/SDSP8-9.2.0	0.00346	0.44615	0.17017	0.200	0.00005
DL/SDSP8-9.3.1	0.00758	0.20513	0.67649	0.200	0.00021
DL/SDSP8-9.3.2	0.00758	0.34872	0.37279	0.200	0.00020
DL/SDSP8-9.3.0	0.00758	0.44615	0.37279	0.200	0.00025
DL/SDSP9-10.1.1	0.01409	0.20513	0.47960	0.200	0.00028
DL/SDSP9-10.1.2	0.01409	0.34872	0.18486	0.200	0.00018
DL/SDSP9-10.1.0	0.01409	0.44615	0.18486	0.200	0.00023
DL/SDSP9-10.2.1	0.00346	0.20513	0.77924	0.200	0.00011
DL/SDSP9-10.2.2	0.00346	0.34872	0.09154	0.200	0.00002
DL/SDSP9-10.2.0	0.00346	0.44615	0.09154	0.200	0.00003
DL/SDSP9-10.3.1	0.00758	0.20513	0.83308	0.200	0.00026
DL/SDSP9-10.3.2	0.00758	0.34872	0.28124	0.200	0.00015
DL/SDSP9-10.3.0	0.00758	0.44615	0.28124	0.200	0.00019
DL/SDSP10-11.1.1	0.01409	0.20513	0.46592	0.200	0.00027
DL/SDSP10-11.1.2	0.01409	0.34872	0.08811	0.200	0.00009
DL/SDSP10-11.1.0	0.01409	0.44615	0.08811	0.200	0.00011
DL/SDSP10-11.2.1	0.00346	0.20513	0.57614	0.200	0.00008

CASE	P	V	S	W	W*P*V*S
DL/SDSP10-11.2.2	0.00346	0.34872	0.00000	0.200	0.00000
DL/SDSP10-11.2.0	0.00346	0.44615	0.00000	0.200	0.00000
DL/SDSP10-11.3.1	0.00758	0.20513	0.65827	0.200	0.00020
DL/SDSP10-11.3.2	0.00758	0.34872	0.27436	0.200	0.00014
DL/SDSP10-11.3.0	0.00758	0.44615	0.27436	0.200	0.00019
DL/SDSP11-12.1.1	0.01409	0.20513	0.46316	0.200	0.00027
DL/SDSP11-12.1.2	0.01409	0.34872	0.00000	0.200	0.00000
DL/SDSP11-12.1.0	0.01409	0.44615	0.00000	0.200	0.00000
DL/SDSP11-12.2.1	0.00346	0.20513	0.58207	0.200	0.00008
DL/SDSP11-12.2.2	0.00346	0.34872	0.00000	0.200	0.00000
DL/SDSP11-12.2.0	0.00346	0.44615	0.00000	0.200	0.00000
DL/SDSP11-12.3.1	0.00758	0.20513	0.66466	0.200	0.00021
DL/SDSP11-12.3.2	0.00758	0.34872	0.23056	0.200	0.00012
DL/SDSP11-12.3.0	0.00758	0.44615	0.23056	0.200	0.00016
DL/SDSP12-13.1.1	0.00709	0.20513	0.82405	0.200	0.00024
DL/SDSP12-13.1.2	0.00709	0.34872	0.80053	0.200	0.00040
DL/SDSP12-13.1.3	0.00709	0.27169	0.80051	0.200	0.00031
DL/SDSP12-13.1.4	0.00709	0.12766	0.80051	0.200	0.00014
DL/SDSP12-13.1.0	0.00709	0.04681	0.80051	0.200	0.00005
DL/SDSP12-13.2.1-1	0.00700	0.20513	0.00000	0.200	0.00000
DL/SDSP12-13.2.2-1	0.00700	0.34872	0.00000	0.200	0.00000
DL/SDSP12-13.2.3-1	0.00700	0.27169	0.00000	0.200	0.00000
DL/SDSP12-13.2.4-1	0.00700	0.12766	0.00000	0.200	0.00000
DL/SDSP12-13.2.0-1	0.00700	0.04681	0.00000	0.200	0.00000
DL/SDSP12-13.3.1-1	0.00346	0.20513	0.00000	0.200	0.00000
DL/SDSP12-13.3.2-1	0.00346	0.34872	0.00000	0.200	0.00000
DL/SDSP12-13.3.3-1	0.00346	0.27169	0.00000	0.200	0.00000
DL/SDSP12-13.3.4-1	0.00346	0.12766	0.00000	0.200	0.00000
DL/SDSP12-13.3.0-1	0.00346	0.04681	0.00000	0.200	0.00000
DL/SDSP12-13.4.1-1	0.00758	0.20513	0.00000	0.200	0.00000
DL/SDSP12-13.4.2-1	0.00758	0.34872	0.00000	0.200	0.00000
DL/SDSP12-13.4.3-1	0.00758	0.27169	0.00000	0.200	0.00000
DL/SDSP12-13.4.4-1	0.00758	0.12766	0.00000	0.200	0.00000
DL/SDSP12-13.4.0-1	0.00758	0.04681	0.00000	0.200	0.00000
DL/SDSP13-14.1.1-1	0.00709	0.20513	1.00000	0.200	0.00029
DL/SDSP13-14.1.2-1	0.00709	0.34872	1.00000	0.200	0.00049
DL/SDSP13-14.1.3-1	0.00709	0.27169	1.00000	0.200	0.00039
DL/SDSP13-14.1.4-1	0.00709	0.12766	1.00000	0.200	0.00018
DL/SDSP13-14.1.0-1	0.00709	0.04681	1.00000	0.200	0.00007
DL/SDSP13-14.2.1-1	0.00224	0.20513	0.00000	0.200	0.00000
DL/SDSP13-14.2.2-1	0.00224	0.34872	0.00000	0.200	0.00000
DL/SDSP13-14.2.3-1	0.00224	0.27169	0.00000	0.200	0.00000
DL/SDSP13-14.2.4-1	0.00224	0.12766	0.00000	0.200	0.00000
DL/SDSP13-14.2.0-1	0.00224	0.04681	0.00000	0.200	0.00000
DL/SDSP13-14.3.1-1	0.01579	0.20513	0.00000	0.200	0.00000
DL/SDSP13-14.3.2-1	0.01579	0.34872	0.00000	0.200	0.00000
DL/SDSP13-14.3.3-1	0.01579	0.27169	0.00000	0.200	0.00000
DL/SDSP13-14.3.4-1	0.01579	0.12766	0.00000	0.200	0.00000
DL/SDSP13-14.3.0-1	0.01579	0.04681	0.00000	0.200	0.00000
DL/SDSP13-14.4.1-1	0.00000	0.20513	0.00000	0.200	0.00000
DL/SDSP13-14.4.2-1	0.00000	0.34872	0.00000	0.200	0.00000
DL/SDSP13-14.4.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP13-14.4.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP13-14.4.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP14-15.1.1-1	0.00934	0.20513	1.00000	0.200	0.00038
DL/SDSP14-15.1.2-1	0.00934	0.34872	1.00000	0.200	0.00065
DL/SDSP14-15.1.3-1	0.00934	0.27169	1.00000	0.200	0.00051
DL/SDSP14-15.1.4-1	0.00934	0.12766	1.00000	0.200	0.00024
DL/SDSP14-15.1.0-1	0.00934	0.04681	1.00000	0.200	0.00009



CASE	P	V	S	W	W*P*V*S
DL/SDSP14-15.2.1-1	0.00189	0.20513	0.00000	0.200	0.00000
DL/SDSP14-15.2.2-1	0.00189	0.34872	0.00000	0.200	0.00000
DL/SDSP14-15.2.3-1	0.00189	0.27169	0.00000	0.200	0.00000
DL/SDSP14-15.2.4-1	0.00189	0.12766	0.00000	0.200	0.00000
DL/SDSP14-15.2.0-1	0.00189	0.04681	0.00000	0.200	0.00000
DL/SDSP14-15.3.1-1	0.01325	0.20513	0.00000	0.200	0.00000
DL/SDSP14-15.3.2-1	0.01325	0.34872	0.00000	0.200	0.00000
DL/SDSP14-15.3.3-1	0.01325	0.27169	0.00000	0.200	0.00000
DL/SDSP14-15.3.4-1	0.01325	0.12766	0.00000	0.200	0.00000
DL/SDSP14-15.3.0-1	0.01325	0.04681	0.00000	0.200	0.00000
DL/SDSP14-15.4.1-1	0.00065	0.20513	0.71895	0.200	0.00002
DL/SDSP14-15.4.2-1	0.00065	0.34872	0.71895	0.200	0.00003
DL/SDSP14-15.4.3-1	0.00065	0.27169	0.71870	0.200	0.00003
DL/SDSP14-15.4.4-1	0.00065	0.12766	0.71870	0.200	0.00001
DL/SDSP14-15.4.0-1	0.00065	0.04681	0.71870	0.200	0.00000
DL/SDSP14-15.5.1-1	0.00000	0.20513	0.71895	0.200	0.00000
DL/SDSP14-15.5.2-1	0.00000	0.34872	0.71895	0.200	0.00000
DL/SDSP14-15.5.3-1	0.00000	0.27169	0.71870	0.200	0.00000
DL/SDSP14-15.5.4-1	0.00000	0.12766	0.71870	0.200	0.00000
DL/SDSP14-15.5.0-1	0.00000	0.04681	0.71870	0.200	0.00000
DL/SDSP15-16.1.1	0.00941	0.20513	1.00000	0.200	0.00039
DL/SDSP15-16.1.2	0.00941	0.34872	1.00000	0.200	0.00066
DL/SDSP15-16.1.3	0.00941	0.27169	1.00000	0.200	0.00051
DL/SDSP15-16.1.4	0.00941	0.12766	1.00000	0.200	0.00024
DL/SDSP15-16.1.0	0.00941	0.04681	1.00000	0.200	0.00009
DL/SDSP15-16.2.1	0.00181	0.20513	1.00000	0.200	0.00007
DL/SDSP15-16.2.2	0.00181	0.34872	1.00000	0.200	0.00013
DL/SDSP15-16.2.3	0.00181	0.27169	1.00000	0.200	0.00010
DL/SDSP15-16.2.4	0.00181	0.12766	1.00000	0.200	0.00005
DL/SDSP15-16.2.0	0.00181	0.04681	1.00000	0.200	0.00002
DL/SDSP15-16.3.1-2	0.01325	0.20513	0.00000	0.200	0.00000
DL/SDSP15-16.3.2-2	0.01325	0.34872	0.00000	0.200	0.00000
DL/SDSP15-16.3.3-1	0.01325	0.27169	0.00000	0.200	0.00000
DL/SDSP15-16.3.4-1	0.01325	0.12766	0.00000	0.200	0.00000
DL/SDSP15-16.3.0-1	0.01325	0.04681	0.00000	0.200	0.00000
DL/SDSP15-16.4.1-2	0.00065	0.20513	0.85086	0.200	0.00002
DL/SDSP15-16.4.2-2	0.00065	0.34872	0.85086	0.200	0.00004
DL/SDSP15-16.4.3	0.00065	0.27169	0.00000	0.200	0.00000
DL/SDSP15-16.4.4	0.00065	0.12766	0.00000	0.200	0.00000
DL/SDSP15-16.4.0	0.00065	0.04681	0.00000	0.200	0.00000
DL/SDSP16-17.1.1	0.00460	0.20513	1.00000	0.200	0.00019
DL/SDSP16-17.1.2	0.00460	0.34872	1.00000	0.200	0.00032
DL/SDSP16-17.1.3	0.00460	0.27169	1.00000	0.200	0.00025
DL/SDSP16-17.1.4	0.00460	0.12766	1.00000	0.200	0.00012
DL/SDSP16-17.1.0	0.00460	0.04681	1.00000	0.200	0.00004
DL/SDSP16-17.2.1	0.00428	0.20513	1.00000	0.200	0.00018
DL/SDSP16-17.2.2	0.00428	0.34872	1.00000	0.200	0.00030
DL/SDSP16-17.2.3	0.00428	0.27169	1.00000	0.200	0.00023
DL/SDSP16-17.2.4	0.00428	0.12766	1.00000	0.200	0.00011
DL/SDSP16-17.2.0	0.00428	0.04681	1.00000	0.200	0.00004
DL/SDSP16-17.3.1	0.01479	0.20513	1.00000	0.200	0.00061
DL/SDSP16-17.3.2	0.01479	0.34872	1.00000	0.200	0.00103
DL/SDSP16-17.3.3	0.01479	0.27169	1.00000	0.200	0.00080
DL/SDSP16-17.3.4	0.01479	0.12766	1.00000	0.200	0.00038
DL/SDSP16-17.3.0	0.01479	0.04681	1.00000	0.200	0.00014
DL/SDSP17-18.1.1	0.00670	0.20513	1.00000	0.200	0.00028
DL/SDSP17-18.1.2	0.00670	0.34872	1.00000	0.200	0.00047
DL/SDSP17-18.1.3	0.00670	0.27169	1.00000	0.200	0.00036
DL/SDSP17-18.1.4	0.00670	0.12766	1.00000	0.200	0.00017

CASE	P	V	S	W	W*P*V*S
DL/SDSP17-18.1.0	0.00670	0.04681	1.00000	0.200	0.00006
DL/SDSP17-18.2.1-1	0.02795	0.20513	1.00000	0.200	0.00115
DL/SDSP17-18.2.2-1	0.02795	0.34872	1.00000	0.200	0.00195
DL/SDSP17-18.2.3-1	0.02795	0.27169	1.00000	0.200	0.00152
DL/SDSP17-18.2.4-1	0.02795	0.12766	1.00000	0.200	0.00071
DL/SDSP17-18.2.0-1	0.02795	0.04681	1.00000	0.200	0.00026
DL/SDSP1-3.1.1	0.00000	0.55385	1.00000	0.200	0.00000
DL/SDSP1-3.1.0	0.00000	0.44615	1.00000	0.200	0.00000
DL/SDSP1-3.2.1	0.00244	0.55385	1.00000	0.200	0.00027
DL/SDSP1-3.2.0	0.00244	0.44615	1.00000	0.200	0.00022
DL/SDSP1-3.3.1	0.00113	0.55385	0.68839	0.200	0.00009
DL/SDSP1-3.3.0	0.00113	0.44615	0.68839	0.200	0.00007
DL/SDSP2-4.1.1	0.00617	0.55385	1.00000	0.200	0.00068
DL/SDSP2-4.1.0	0.00617	0.44615	1.00000	0.200	0.00055
DL/SDSP2-4.2.1	0.00630	0.55385	0.43675	0.200	0.00030
DL/SDSP2-4.2.0	0.00630	0.44615	0.43675	0.200	0.00025
DL/SDSP3-5.1.1-1	0.00438	0.20513	0.93419	0.200	0.00017
DL/SDSP3-5.1.2-1	0.00438	0.34872	0.93419	0.200	0.00029
DL/SDSP3-5.1.0-1	0.00438	0.44615	0.93419	0.200	0.00037
DL/SDSP3-5.2.1-1	0.00043	0.20513	0.80814	0.200	0.00001
DL/SDSP3-5.2.2-1	0.00043	0.34872	0.80814	0.200	0.00002
DL/SDSP3-5.2.0-1	0.00043	0.44615	0.80814	0.200	0.00003
DL/SDSP3-5.3.1-1	0.00119	0.20513	0.73445	0.200	0.00004
DL/SDSP3-5.3.2-1	0.00119	0.34872	0.66461	0.200	0.00006
DL/SDSP3-5.3.0-1	0.00119	0.44615	0.66461	0.200	0.00007
DL/SDSP3-5.4.1-1	0.00285	0.20513	0.73445	0.200	0.00009
DL/SDSP3-5.4.2-1	0.00285	0.34872	0.66461	0.200	0.00013
DL/SDSP3-5.4.0-1	0.00285	0.44615	0.66461	0.200	0.00017
DL/SDSP4-6.1.1-2	0.00345	0.20513	0.37469	0.200	0.00005
DL/SDSP4-6.1.2-2	0.00345	0.34872	0.37469	0.200	0.00009
DL/SDSP4-6.1.0-2	0.00345	0.44615	0.37469	0.200	0.00012
DL/SDSP4-6.2.1-2	0.00034	0.20513	0.00000	0.200	0.00000
DL/SDSP4-6.2.2-2	0.00034	0.34872	0.00000	0.200	0.00000
DL/SDSP4-6.2.0-2	0.00034	0.44615	0.00000	0.200	0.00000
DL/SDSP4-6.3.1-2	0.00094	0.20513	0.00000	0.200	0.00000
DL/SDSP4-6.3.2-1	0.00094	0.34872	0.00000	0.200	0.00000
DL/SDSP4-6.3.0-1	0.00094	0.44615	0.00000	0.200	0.00000
DL/SDSP4-6.4.1-2	0.00225	0.20513	0.00000	0.200	0.00000
DL/SDSP4-6.4.2-1	0.00225	0.34872	0.00000	0.200	0.00000
DL/SDSP4-6.4.0-1	0.00225	0.44615	0.00000	0.200	0.00000
DL/SDSP5-7.1.1	0.00631	0.20513	0.00000	0.200	0.00000
DL/SDSP5-7.1.2	0.00631	0.34872	0.00000	0.200	0.00000
DL/SDSP5-7.1.0	0.00631	0.44615	0.00000	0.200	0.00000
DL/SDSP5-7.2.1	0.00156	0.20513	0.00000	0.200	0.00000
DL/SDSP5-7.2.2-1	0.00156	0.34872	0.00000	0.200	0.00000
DL/SDSP5-7.2.0-1	0.00156	0.44615	0.00000	0.200	0.00000
DL/SDSP5-7.3.1	0.00374	0.20513	0.00000	0.200	0.00000
DL/SDSP5-7.3.2-1	0.00374	0.34872	0.00000	0.200	0.00000
DL/SDSP5-7.3.0-1	0.00374	0.44615	0.00000	0.200	0.00000
DL/SDSP6-8.1.1	0.00631	0.20513	0.00000	0.200	0.00000
DL/SDSP6-8.1.2	0.00631	0.34872	0.00000	0.200	0.00000
DL/SDSP6-8.1.0	0.00631	0.44615	0.00000	0.200	0.00000
DL/SDSP6-8.2.1	0.00156	0.20513	0.00000	0.200	0.00000
DL/SDSP6-8.2.2-1	0.00156	0.34872	0.00000	0.200	0.00000
DL/SDSP6-8.2.0-1	0.00156	0.44615	0.00000	0.200	0.00000
DL/SDSP6-8.3.1	0.00374	0.20513	0.00000	0.200	0.00000
DL/SDSP6-8.3.2-1	0.00374	0.34872	0.00000	0.200	0.00000
DL/SDSP6-8.3.0-1	0.00374	0.44615	0.00000	0.200	0.00000
DL/SDSP7-9.1.1	0.00631	0.20513	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP7-9.1.2	0.00631	0.34872	0.00000	0.200	0.00000
DL/SDSP7-9.1.0	0.00631	0.44615	0.00000	0.200	0.00000
DL/SDSP7-9.2.1	0.00156	0.20513	0.00000	0.200	0.00000
DL/SDSP7-9.2.2-1	0.00156	0.34872	0.00000	0.200	0.00000
DL/SDSP7-9.2.0-1	0.00156	0.44615	0.00000	0.200	0.00000
DL/SDSP7-9.3.1	0.00374	0.20513	0.25737	0.200	0.00004
DL/SDSP7-9.3.2-1	0.00374	0.34872	0.00000	0.200	0.00000
DL/SDSP7-9.3.0-1	0.00374	0.44615	0.00000	0.200	0.00000
DL/SDSP8-10.1.1	0.00631	0.20513	0.00000	0.200	0.00000
DL/SDSP8-10.1.2	0.00631	0.34872	0.00000	0.200	0.00000
DL/SDSP8-10.1.0	0.00631	0.44615	0.00000	0.200	0.00000
DL/SDSP8-10.2.1	0.00156	0.20513	0.42688	0.200	0.00003
DL/SDSP8-10.2.2-1	0.00156	0.34872	0.00000	0.200	0.00000
DL/SDSP8-10.2.0-1	0.00156	0.44615	0.00000	0.200	0.00000
DL/SDSP8-10.3.1	0.00374	0.20513	0.56458	0.200	0.00009
DL/SDSP8-10.3.2-1	0.00374	0.34872	0.00000	0.200	0.00000
DL/SDSP8-10.3.0-1	0.00374	0.44615	0.00000	0.200	0.00000
DL/SDSP9-11.1.1	0.00631	0.20513	0.00000	0.200	0.00000
DL/SDSP9-11.1.2	0.00631	0.34872	0.00000	0.200	0.00000
DL/SDSP9-11.1.0	0.00631	0.44615	0.00000	0.200	0.00000
DL/SDSP9-11.2.1	0.00156	0.20513	0.41817	0.200	0.00003
DL/SDSP9-11.2.2-1	0.00156	0.34872	0.00000	0.200	0.00000
DL/SDSP9-11.2.0-1	0.00156	0.44615	0.00000	0.200	0.00000
DL/SDSP9-11.3.1	0.00374	0.20513	0.56138	0.200	0.00009
DL/SDSP9-11.3.2-1	0.00374	0.34872	0.00000	0.200	0.00000
DL/SDSP9-11.3.0-1	0.00374	0.44615	0.00000	0.200	0.00000
DL/SDSP10-12.1.1	0.00631	0.20513	0.00000	0.200	0.00000
DL/SDSP10-12.1.2	0.00631	0.34872	0.00000	0.200	0.00000
DL/SDSP10-12.1.0	0.00631	0.44615	0.00000	0.200	0.00000
DL/SDSP10-12.2.1	0.00156	0.20513	0.00000	0.200	0.00000
DL/SDSP10-12.2.2	0.00156	0.34872	0.00000	0.200	0.00000
DL/SDSP10-12.2.0	0.00156	0.44615	0.00000	0.200	0.00000
DL/SDSP10-12.3.1	0.00374	0.20513	0.07185	0.200	0.00001
DL/SDSP10-12.3.2	0.00374	0.34872	0.00000	0.200	0.00000
DL/SDSP10-12.3.0	0.00374	0.44615	0.00000	0.200	0.00000
DL/SDSP11-13.1.1	0.00321	0.20513	0.00000	0.200	0.00000
DL/SDSP11-13.1.2	0.00321	0.34872	0.00000	0.200	0.00000
DL/SDSP11-13.1.3	0.00321	0.27169	0.00000	0.200	0.00000
DL/SDSP11-13.1.4	0.00321	0.12766	0.00000	0.200	0.00000
DL/SDSP11-13.1.0	0.00321	0.04681	0.00000	0.200	0.00000
DL/SDSP11-13.2.1-1	0.00311	0.20513	0.00000	0.200	0.00000
DL/SDSP11-13.2.2-1	0.00311	0.34872	0.00000	0.200	0.00000
DL/SDSP11-13.2.3-1	0.00311	0.27169	0.00000	0.200	0.00000
DL/SDSP11-13.2.4-1	0.00311	0.12766	0.00000	0.200	0.00000
DL/SDSP11-13.2.0-1	0.00311	0.04681	0.00000	0.200	0.00000
DL/SDSP11-13.3.1-1	0.00156	0.20513	0.00000	0.200	0.00000
DL/SDSP11-13.3.2-1	0.00156	0.34872	0.00000	0.200	0.00000
DL/SDSP11-13.3.3-1	0.00156	0.27169	0.00000	0.200	0.00000
DL/SDSP11-13.3.4-1	0.00156	0.12766	0.00000	0.200	0.00000
DL/SDSP11-13.3.0-1	0.00156	0.04681	0.00000	0.200	0.00000
DL/SDSP11-13.4.1-1	0.00374	0.20513	0.00000	0.200	0.00000
DL/SDSP11-13.4.2-1	0.00374	0.34872	0.00000	0.200	0.00000
DL/SDSP11-13.4.3-1	0.00374	0.27169	0.00000	0.200	0.00000
DL/SDSP11-13.4.4-1	0.00374	0.12766	0.00000	0.200	0.00000
DL/SDSP11-13.4.0-1	0.00374	0.04681	0.00000	0.200	0.00000
DL/SDSP12-14.1.1-1	0.00321	0.20513	0.52727	0.200	0.00007
DL/SDSP12-14.1.2-1	0.00321	0.34872	0.38602	0.200	0.00009
DL/SDSP12-14.1.3-1	0.00321	0.27169	0.38474	0.200	0.00007
DL/SDSP12-14.1.4-1	0.00321	0.12766	0.38474	0.200	0.00003

CASE	P	V	S	W	W*P*V*S
DL/SDSP12-14.1.0-1	0.00321	0.04681	0.38474	0.200	0.00001
DL/SDSP12-14.2.1-1	0.00100	0.20513	0.00000	0.200	0.00000
DL/SDSP12-14.2.2-1	0.00100	0.34872	0.00000	0.200	0.00000
DL/SDSP12-14.2.3-1	0.00100	0.27169	0.00000	0.200	0.00000
DL/SDSP12-14.2.4-1	0.00100	0.12766	0.00000	0.200	0.00000
DL/SDSP12-14.2.0-1	0.00100	0.04681	0.00000	0.200	0.00000
DL/SDSP12-14.3.1-1	0.00211	0.20513	0.00000	0.200	0.00000
DL/SDSP12-14.3.2-1	0.00211	0.34872	0.00000	0.200	0.00000
DL/SDSP12-14.3.3-1	0.00211	0.27169	0.00000	0.200	0.00000
DL/SDSP12-14.3.4-1	0.00211	0.12766	0.00000	0.200	0.00000
DL/SDSP12-14.3.0-1	0.00211	0.04681	0.00000	0.200	0.00000
DL/SDSP12-14.4.1-1	0.00156	0.20513	0.00000	0.200	0.00000
DL/SDSP12-14.4.2-1	0.00156	0.34872	0.00000	0.200	0.00000
DL/SDSP12-14.4.3-1	0.00156	0.27169	0.00000	0.200	0.00000
DL/SDSP12-14.4.4-1	0.00156	0.12766	0.00000	0.200	0.00000
DL/SDSP12-14.4.0-1	0.00156	0.04681	0.00000	0.200	0.00000
DL/SDSP12-14.5.1-1	0.00374	0.20513	0.00000	0.200	0.00000
DL/SDSP12-14.5.2-1	0.00374	0.34872	0.00000	0.200	0.00000
DL/SDSP12-14.5.3-1	0.00374	0.27169	0.00000	0.200	0.00000
DL/SDSP12-14.5.4-1	0.00374	0.12766	0.00000	0.200	0.00000
DL/SDSP12-14.5.0-1	0.00374	0.04681	0.00000	0.200	0.00000
DL/SDSP12-14.6.1-1	0.00000	0.20513	0.00000	0.200	0.00000
DL/SDSP12-14.6.2-1	0.00000	0.34872	0.00000	0.200	0.00000
DL/SDSP12-14.6.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP12-14.6.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP12-14.6.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP13-15.1.1-1	0.00321	0.20513	0.82563	0.200	0.00011
DL/SDSP13-15.1.2-1	0.00321	0.34872	0.82563	0.200	0.00018
DL/SDSP13-15.1.3-1	0.00321	0.27169	0.82557	0.200	0.00014
DL/SDSP13-15.1.4-1	0.00321	0.12766	0.82557	0.200	0.00007
DL/SDSP13-15.1.0-1	0.00321	0.04681	0.82557	0.200	0.00002
DL/SDSP13-15.2.1-1	0.00100	0.20513	0.00000	0.200	0.00000
DL/SDSP13-15.2.2-1	0.00100	0.34872	0.00000	0.200	0.00000
DL/SDSP13-15.2.3-1	0.00100	0.27169	0.00000	0.200	0.00000
DL/SDSP13-15.2.4-1	0.00100	0.12766	0.00000	0.200	0.00000
DL/SDSP13-15.2.0-1	0.00100	0.04681	0.00000	0.200	0.00000
DL/SDSP13-15.3.1-1	0.00084	0.20513	0.00000	0.200	0.00000
DL/SDSP13-15.3.2-1	0.00084	0.34872	0.00000	0.200	0.00000
DL/SDSP13-15.3.3-1	0.00084	0.27169	0.00000	0.200	0.00000
DL/SDSP13-15.3.4-1	0.00084	0.12766	0.00000	0.200	0.00000
DL/SDSP13-15.3.0-1	0.00084	0.04681	0.00000	0.200	0.00000
DL/SDSP13-15.4.1-1	0.00620	0.20513	0.00000	0.200	0.00000
DL/SDSP13-15.4.2-1	0.00620	0.34872	0.00000	0.200	0.00000
DL/SDSP13-15.4.3-1	0.00620	0.27169	0.00000	0.200	0.00000
DL/SDSP13-15.4.4-1	0.00620	0.12766	0.00000	0.200	0.00000
DL/SDSP13-15.4.0-1	0.00620	0.04681	0.00000	0.200	0.00000
DL/SDSP13-15.5.1-1	0.00037	0.20513	0.00000	0.200	0.00000
DL/SDSP13-15.5.2-1	0.00037	0.34872	0.00000	0.200	0.00000
DL/SDSP13-15.5.3-1	0.00037	0.27169	0.00000	0.200	0.00000
DL/SDSP13-15.5.4-1	0.00037	0.12766	0.00000	0.200	0.00000
DL/SDSP13-15.5.0-1	0.00037	0.04681	0.00000	0.200	0.00000
DL/SDSP13-15.6.1-1	0.00000	0.20513	0.00000	0.200	0.00000
DL/SDSP13-15.6.2-1	0.00000	0.34872	0.00000	0.200	0.00000
DL/SDSP13-15.6.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP13-15.6.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP13-15.6.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP14-16.1.1-1	0.00420	0.20513	0.99507	0.200	0.00017
DL/SDSP14-16.1.2-1	0.00420	0.34872	0.99507	0.200	0.00029
DL/SDSP14-16.1.3-1	0.00420	0.27169	0.99506	0.200	0.00023

CASE	P	V	S	W	W*P*V*S
DL/SDSP14-16.1.4-1	0.00420	0.12766	0.99506	0.200	0.00011
DL/SDSP14-16.1.0-1	0.00420	0.04681	0.99506	0.200	0.00004
DL/SDSP14-16.2.1-2	0.00003	0.20513	0.00000	0.200	0.00000
DL/SDSP14-16.2.2-2	0.00003	0.34872	0.00000	0.200	0.00000
DL/SDSP14-16.2.3-1	0.00003	0.27169	0.00000	0.200	0.00000
DL/SDSP14-16.2.4-1	0.00003	0.12766	0.00000	0.200	0.00000
DL/SDSP14-16.2.0-1	0.00003	0.04681	0.00000	0.200	0.00000
DL/SDSP14-16.3.1-2	0.00080	0.20513	0.00000	0.200	0.00000
DL/SDSP14-16.3.2-2	0.00080	0.34872	0.00000	0.200	0.00000
DL/SDSP14-16.3.3-1	0.00080	0.27169	0.00000	0.200	0.00000
DL/SDSP14-16.3.4-1	0.00080	0.12766	0.00000	0.200	0.00000
DL/SDSP14-16.3.0-1	0.00080	0.04681	0.00000	0.200	0.00000
DL/SDSP14-16.4.1-2	0.00620	0.20513	0.00000	0.200	0.00000
DL/SDSP14-16.4.2-2	0.00620	0.34872	0.00000	0.200	0.00000
DL/SDSP14-16.4.3-1	0.00620	0.27169	0.00000	0.200	0.00000
DL/SDSP14-16.4.4-1	0.00620	0.12766	0.00000	0.200	0.00000
DL/SDSP14-16.4.0-1	0.00620	0.04681	0.00000	0.200	0.00000
DL/SDSP14-16.5.1-2	0.00037	0.20513	0.44562	0.200	0.00001
DL/SDSP14-16.5.2-2	0.00037	0.34872	0.44562	0.200	0.00001
DL/SDSP14-16.5.3-1	0.00037	0.27169	0.00000	0.200	0.00000
DL/SDSP14-16.5.4-1	0.00037	0.12766	0.00000	0.200	0.00000
DL/SDSP14-16.5.0-1	0.00037	0.04681	0.00000	0.200	0.00000
DL/SDSP14-16.6.1-2	0.00000	0.20513	0.44562	0.200	0.00000
DL/SDSP14-16.6.2-2	0.00000	0.34872	0.44562	0.200	0.00000
DL/SDSP14-16.6.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP14-16.6.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP14-16.6.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP15-17.1.1	0.00213	0.20513	1.00000	0.200	0.00009
DL/SDSP15-17.1.2	0.00213	0.34872	1.00000	0.200	0.00015
DL/SDSP15-17.1.3	0.00213	0.27169	1.00000	0.200	0.00012
DL/SDSP15-17.1.4	0.00213	0.12766	1.00000	0.200	0.00005
DL/SDSP15-17.1.0	0.00213	0.04681	1.00000	0.200	0.00002
DL/SDSP15-17.2.1	0.00194	0.20513	1.00000	0.200	0.00008
DL/SDSP15-17.2.2	0.00194	0.34872	1.00000	0.200	0.00014
DL/SDSP15-17.2.3	0.00194	0.27169	1.00000	0.200	0.00011
DL/SDSP15-17.2.4	0.00194	0.12766	1.00000	0.200	0.00005
DL/SDSP15-17.2.0	0.00194	0.04681	1.00000	0.200	0.00002
DL/SDSP15-17.3.1	0.00077	0.20513	1.00000	0.200	0.00003
DL/SDSP15-17.3.2	0.00077	0.34872	1.00000	0.200	0.00005
DL/SDSP15-17.3.3	0.00077	0.27169	1.00000	0.200	0.00004
DL/SDSP15-17.3.4	0.00077	0.12766	1.00000	0.200	0.00002
DL/SDSP15-17.3.0	0.00077	0.04681	1.00000	0.200	0.00001
DL/SDSP15-17.4.1-2	0.00595	0.20513	0.00000	0.200	0.00000
DL/SDSP15-17.4.2-2	0.00595	0.34872	0.00000	0.200	0.00000
DL/SDSP15-17.4.3-1	0.00595	0.27169	0.00000	0.200	0.00000
DL/SDSP15-17.4.4-1	0.00595	0.12766	0.00000	0.200	0.00000
DL/SDSP15-17.4.0-1	0.00595	0.04681	0.00000	0.200	0.00000
DL/SDSP15-17.5.1-2	0.00035	0.20513	0.89208	0.200	0.00001
DL/SDSP15-17.5.2-2	0.00035	0.34872	0.89208	0.200	0.00002
DL/SDSP15-17.5.3-1	0.00035	0.27169	0.00000	0.200	0.00000
DL/SDSP15-17.5.4-1	0.00035	0.12766	0.00000	0.200	0.00000
DL/SDSP15-17.5.0-1	0.00035	0.04681	0.00000	0.200	0.00000
DL/SDSP16-18.1.1	0.00316	0.20513	1.00000	0.200	0.00013
DL/SDSP16-18.1.2	0.00316	0.34872	1.00000	0.200	0.00022
DL/SDSP16-18.1.3	0.00316	0.27169	1.00000	0.200	0.00017
DL/SDSP16-18.1.4	0.00316	0.12766	1.00000	0.200	0.00008
DL/SDSP16-18.1.0	0.00316	0.04681	1.00000	0.200	0.00003
DL/SDSP16-18.2.1	0.00287	0.20513	1.00000	0.200	0.00012
DL/SDSP16-18.2.2	0.00287	0.34872	1.00000	0.200	0.00020

CASE	P	V	S	W	W*P*V*S
DL/SDSP16-18.2.3	0.00287	0.27169	1.00000	0.200	0.00016
DL/SDSP16-18.2.4	0.00287	0.12766	1.00000	0.200	0.00007
DL/SDSP16-18.2.0	0.00287	0.04681	1.00000	0.200	0.00003
DL/SDSP16-18.3.1	0.01049	0.20513	1.00000	0.200	0.00043
DL/SDSP16-18.3.2	0.01049	0.34872	1.00000	0.200	0.00073
DL/SDSP16-18.3.3	0.01049	0.27169	1.00000	0.200	0.00057
DL/SDSP16-18.3.4	0.01049	0.12766	1.00000	0.200	0.00027
DL/SDSP16-18.3.0	0.01049	0.04681	1.00000	0.200	0.00010
DL/SDSP1-4.1.1	0.00000	0.55385	0.93251	0.200	0.00000
DL/SDSP1-4.1.0	0.00000	0.44615	0.93251	0.200	0.00000
DL/SDSP1-4.2.1	0.00183	0.55385	0.93251	0.200	0.00019
DL/SDSP1-4.2.0	0.00183	0.44615	0.93251	0.200	0.00015
DL/SDSP1-4.3.1	0.00085	0.55385	0.00000	0.200	0.00000
DL/SDSP1-4.3.0	0.00085	0.44615	0.00000	0.200	0.00000
DL/SDSP2-5.1.1-1	0.00743	0.20513	0.00000	0.200	0.00000
DL/SDSP2-5.1.2-1	0.00743	0.34872	0.00000	0.200	0.00000
DL/SDSP2-5.1.0-1	0.00743	0.44615	0.00000	0.200	0.00000
DL/SDSP2-5.2.1-1	0.00074	0.20513	0.00000	0.200	0.00000
DL/SDSP2-5.2.2-1	0.00074	0.34872	0.00000	0.200	0.00000
DL/SDSP2-5.2.0-1	0.00074	0.44615	0.00000	0.200	0.00000
DL/SDSP2-5.3.1-1	0.00201	0.20513	0.00000	0.200	0.00000
DL/SDSP2-5.3.2-1	0.00201	0.34872	0.00000	0.200	0.00000
DL/SDSP2-5.3.0-1	0.00201	0.44615	0.00000	0.200	0.00000
DL/SDSP2-5.4.1-1	0.00483	0.20513	0.00000	0.200	0.00000
DL/SDSP2-5.4.2-1	0.00483	0.34872	0.00000	0.200	0.00000
DL/SDSP2-5.4.0-1	0.00483	0.44615	0.00000	0.200	0.00000
DL/SDSP3-6.1.1-2	0.00180	0.20513	0.00000	0.200	0.00000
DL/SDSP3-6.1.2-2	0.00180	0.34872	0.00000	0.200	0.00000
DL/SDSP3-6.1.0-2	0.00180	0.44615	0.00000	0.200	0.00000
DL/SDSP3-6.2.1-2	0.00018	0.20513	0.00000	0.200	0.00000
DL/SDSP3-6.2.2-2	0.00018	0.34872	0.00000	0.200	0.00000
DL/SDSP3-6.2.0-2	0.00018	0.44615	0.00000	0.200	0.00000
DL/SDSP3-6.3.1-1	0.00049	0.20513	0.00000	0.200	0.00000
DL/SDSP3-6.3.2-1	0.00049	0.34872	0.00000	0.200	0.00000
DL/SDSP3-6.3.0-1	0.00049	0.44615	0.00000	0.200	0.00000
DL/SDSP3-6.4.1-1	0.00117	0.20513	0.00000	0.200	0.00000
DL/SDSP3-6.4.2-1	0.00117	0.34872	0.00000	0.200	0.00000
DL/SDSP3-6.4.0-1	0.00117	0.44615	0.00000	0.200	0.00000
DL/SDSP4-7.1.1	0.00099	0.20513	0.00000	0.200	0.00000
DL/SDSP4-7.1.2-3	0.00099	0.34872	0.00000	0.200	0.00000
DL/SDSP4-7.1.0-3	0.00099	0.44615	0.00000	0.200	0.00000
DL/SDSP4-7.2.1	0.00010	0.20513	0.00000	0.200	0.00000
DL/SDSP4-7.2.2-1	0.00010	0.34872	0.00000	0.200	0.00000
DL/SDSP4-7.2.0-1	0.00010	0.44615	0.00000	0.200	0.00000
DL/SDSP4-7.3.1-1	0.00027	0.20513	0.00000	0.200	0.00000
DL/SDSP4-7.3.2-1	0.00027	0.34872	0.00000	0.200	0.00000
DL/SDSP4-7.3.0-1	0.00027	0.44615	0.00000	0.200	0.00000
DL/SDSP4-7.4.1-1	0.00064	0.20513	0.00000	0.200	0.00000
DL/SDSP4-7.4.2-1	0.00064	0.34872	0.00000	0.200	0.00000
DL/SDSP4-7.4.0-1	0.00064	0.44615	0.00000	0.200	0.00000
DL/SDSP5-8.1.1	0.00192	0.20513	0.00000	0.200	0.00000
DL/SDSP5-8.1.2-1	0.00192	0.34872	0.00000	0.200	0.00000
DL/SDSP5-8.1.0-1	0.00192	0.44615	0.00000	0.200	0.00000
DL/SDSP5-8.2.1-1	0.00047	0.20513	0.00000	0.200	0.00000
DL/SDSP5-8.2.2-1	0.00047	0.34872	0.00000	0.200	0.00000
DL/SDSP5-8.2.0-1	0.00047	0.44615	0.00000	0.200	0.00000
DL/SDSP5-8.3.1-1	0.00114	0.20513	0.00000	0.200	0.00000
DL/SDSP5-8.3.2-1	0.00114	0.34872	0.00000	0.200	0.00000
DL/SDSP5-8.3.0-1	0.00114	0.44615	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP6-9.1.1	0.00192	0.20513	0.00000	0.200	0.00000
DL/SDSP6-9.1.2-1	0.00192	0.34872	0.00000	0.200	0.00000
DL/SDSP6-9.1.0-1	0.00192	0.44615	0.00000	0.200	0.00000
DL/SDSP6-9.2.1-1	0.00047	0.20513	0.00000	0.200	0.00000
DL/SDSP6-9.2.2-1	0.00047	0.34872	0.00000	0.200	0.00000
DL/SDSP6-9.2.0-1	0.00047	0.44615	0.00000	0.200	0.00000
DL/SDSP6-9.3.1-1	0.00114	0.20513	0.00000	0.200	0.00000
DL/SDSP6-9.3.2-1	0.00114	0.34872	0.00000	0.200	0.00000
DL/SDSP6-9.3.0-1	0.00114	0.44615	0.00000	0.200	0.00000
DL/SDSP7-10.1.1	0.00192	0.20513	0.00000	0.200	0.00000
DL/SDSP7-10.1.2-1	0.00192	0.34872	0.00000	0.200	0.00000
DL/SDSP7-10.1.0-1	0.00192	0.44615	0.00000	0.200	0.00000
DL/SDSP7-10.2.1	0.00047	0.20513	0.00000	0.200	0.00000
DL/SDSP7-10.2.2-1	0.00047	0.34872	0.00000	0.200	0.00000
DL/SDSP7-10.2.0-1	0.00047	0.44615	0.00000	0.200	0.00000
DL/SDSP7-10.3.1	0.00114	0.20513	0.00000	0.200	0.00000
DL/SDSP7-10.3.2-1	0.00114	0.34872	0.00000	0.200	0.00000
DL/SDSP7-10.3.0-1	0.00114	0.44615	0.00000	0.200	0.00000
DL/SDSP8-11.1.1	0.00192	0.20513	0.00000	0.200	0.00000
DL/SDSP8-11.1.2-1	0.00192	0.34872	0.00000	0.200	0.00000
DL/SDSP8-11.1.0-1	0.00192	0.44615	0.00000	0.200	0.00000
DL/SDSP8-11.2.1	0.00047	0.20513	0.00000	0.200	0.00000
DL/SDSP8-11.2.2-1	0.00047	0.34872	0.00000	0.200	0.00000
DL/SDSP8-11.2.0-1	0.00047	0.44615	0.00000	0.200	0.00000
DL/SDSP8-11.3.1	0.00114	0.20513	0.00000	0.200	0.00000
DL/SDSP8-11.3.2-1	0.00114	0.34872	0.00000	0.200	0.00000
DL/SDSP8-11.3.0-1	0.00114	0.44615	0.00000	0.200	0.00000
DL/SDSP9-12.1.1	0.00192	0.20513	0.00000	0.200	0.00000
DL/SDSP9-12.1.2-1	0.00192	0.34872	0.00000	0.200	0.00000
DL/SDSP9-12.1.0-1	0.00192	0.44615	0.00000	0.200	0.00000
DL/SDSP9-12.2.1	0.00047	0.20513	0.00000	0.200	0.00000
DL/SDSP9-12.2.2-1	0.00047	0.34872	0.00000	0.200	0.00000
DL/SDSP9-12.2.0-1	0.00047	0.44615	0.00000	0.200	0.00000
DL/SDSP9-12.3.1	0.00114	0.20513	0.00000	0.200	0.00000
DL/SDSP9-12.3.2-1	0.00114	0.34872	0.00000	0.200	0.00000
DL/SDSP9-12.3.0-1	0.00114	0.44615	0.00000	0.200	0.00000
DL/SDSP10-13.1.1	0.00098	0.20513	0.00000	0.200	0.00000
DL/SDSP10-13.1.2	0.00098	0.34872	0.00000	0.200	0.00000
DL/SDSP10-13.1.3-1	0.00098	0.27169	0.00000	0.200	0.00000
DL/SDSP10-13.1.4-1	0.00098	0.12766	0.00000	0.200	0.00000
DL/SDSP10-13.1.0-1	0.00098	0.04681	0.00000	0.200	0.00000
DL/SDSP10-13.2.1-1	0.00095	0.20513	0.00000	0.200	0.00000
DL/SDSP10-13.2.2-1	0.00095	0.34872	0.00000	0.200	0.00000
DL/SDSP10-13.2.3-1	0.00095	0.27169	0.00000	0.200	0.00000
DL/SDSP10-13.2.4-1	0.00095	0.12766	0.00000	0.200	0.00000
DL/SDSP10-13.2.0-1	0.00095	0.04681	0.00000	0.200	0.00000
DL/SDSP10-13.3.1-1	0.00047	0.20513	0.00000	0.200	0.00000
DL/SDSP10-13.3.2-1	0.00047	0.34872	0.00000	0.200	0.00000
DL/SDSP10-13.3.3-1	0.00047	0.27169	0.00000	0.200	0.00000
DL/SDSP10-13.3.4-1	0.00047	0.12766	0.00000	0.200	0.00000
DL/SDSP10-13.3.0-1	0.00047	0.04681	0.00000	0.200	0.00000
DL/SDSP10-13.4.1-1	0.00114	0.20513	0.00000	0.200	0.00000
DL/SDSP10-13.4.2-1	0.00114	0.34872	0.00000	0.200	0.00000
DL/SDSP10-13.4.3-1	0.00114	0.27169	0.00000	0.200	0.00000
DL/SDSP10-13.4.4-1	0.00114	0.12766	0.00000	0.200	0.00000
DL/SDSP10-13.4.0-1	0.00114	0.04681	0.00000	0.200	0.00000
DL/SDSP11-14.1.1-1	0.00098	0.20513	0.00000	0.200	0.00000
DL/SDSP11-14.1.2-1	0.00098	0.34872	0.00000	0.200	0.00000
DL/SDSP11-14.1.3-1	0.00098	0.27169	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP11-14.1.4-1	0.00098	0.12766	0.00000	0.200	0.00000
DL/SDSP11-14.1.0-1	0.00098	0.04681	0.00000	0.200	0.00000
DL/SDSP11-14.2.1-1	0.00030	0.20513	0.00000	0.200	0.00000
DL/SDSP11-14.2.2-1	0.00030	0.34872	0.00000	0.200	0.00000
DL/SDSP11-14.2.3-1	0.00030	0.27169	0.00000	0.200	0.00000
DL/SDSP11-14.2.4-1	0.00030	0.12766	0.00000	0.200	0.00000
DL/SDSP11-14.2.0-1	0.00030	0.04681	0.00000	0.200	0.00000
DL/SDSP11-14.3.1-1	0.00064	0.20513	0.00000	0.200	0.00000
DL/SDSP11-14.3.2-1	0.00064	0.34872	0.00000	0.200	0.00000
DL/SDSP11-14.3.3-1	0.00064	0.27169	0.00000	0.200	0.00000
DL/SDSP11-14.3.4-1	0.00064	0.12766	0.00000	0.200	0.00000
DL/SDSP11-14.3.0-1	0.00064	0.04681	0.00000	0.200	0.00000
DL/SDSP11-14.4.1-1	0.00047	0.20513	0.00000	0.200	0.00000
DL/SDSP11-14.4.2-1	0.00047	0.34872	0.00000	0.200	0.00000
DL/SDSP11-14.4.3-1	0.00047	0.27169	0.00000	0.200	0.00000
DL/SDSP11-14.4.4-1	0.00047	0.12766	0.00000	0.200	0.00000
DL/SDSP11-14.4.0-1	0.00047	0.04681	0.00000	0.200	0.00000
DL/SDSP11-14.5.1-1	0.00114	0.20513	0.00000	0.200	0.00000
DL/SDSP11-14.5.2-1	0.00114	0.34872	0.00000	0.200	0.00000
DL/SDSP11-14.5.3-1	0.00114	0.27169	0.00000	0.200	0.00000
DL/SDSP11-14.5.4-1	0.00114	0.12766	0.00000	0.200	0.00000
DL/SDSP11-14.5.0-1	0.00114	0.04681	0.00000	0.200	0.00000
DL/SDSP11-14.6.1-1	0.00000	0.20513	0.00000	0.200	0.00000
DL/SDSP11-14.6.2-1	0.00000	0.34872	0.00000	0.200	0.00000
DL/SDSP11-14.6.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP11-14.6.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP11-14.6.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP12-15.1.1-1	0.00098	0.20513	0.00000	0.200	0.00000
DL/SDSP12-15.1.2-1	0.00098	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.1.3-1	0.00098	0.27169	0.00000	0.200	0.00000
DL/SDSP12-15.1.4-1	0.00098	0.12766	0.00000	0.200	0.00000
DL/SDSP12-15.1.0-1	0.00098	0.04681	0.00000	0.200	0.00000
DL/SDSP12-15.2.1-1	0.00030	0.20513	0.00000	0.200	0.00000
DL/SDSP12-15.2.2-1	0.00030	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.2.3-1	0.00030	0.27169	0.00000	0.200	0.00000
DL/SDSP12-15.2.4-1	0.00030	0.12766	0.00000	0.200	0.00000
DL/SDSP12-15.2.0-1	0.00030	0.04681	0.00000	0.200	0.00000
DL/SDSP12-15.3.1-1	0.00025	0.20513	0.00000	0.200	0.00000
DL/SDSP12-15.3.2-1	0.00025	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.3.3-1	0.00025	0.27169	0.00000	0.200	0.00000
DL/SDSP12-15.3.4-1	0.00025	0.12766	0.00000	0.200	0.00000
DL/SDSP12-15.3.0-1	0.00025	0.04681	0.00000	0.200	0.00000
DL/SDSP12-15.4.1-1	0.00039	0.20513	0.00000	0.200	0.00000
DL/SDSP12-15.4.2-1	0.00039	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.4.3-1	0.00039	0.27169	0.00000	0.200	0.00000
DL/SDSP12-15.4.4-1	0.00039	0.12766	0.00000	0.200	0.00000
DL/SDSP12-15.4.0-1	0.00039	0.04681	0.00000	0.200	0.00000
DL/SDSP12-15.5.1-1	0.00047	0.20513	0.00000	0.200	0.00000
DL/SDSP12-15.5.2-1	0.00047	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.5.3-1	0.00047	0.27169	0.00000	0.200	0.00000
DL/SDSP12-15.5.4-1	0.00047	0.12766	0.00000	0.200	0.00000
DL/SDSP12-15.5.0-1	0.00047	0.04681	0.00000	0.200	0.00000
DL/SDSP12-15.6.1-1	0.00103	0.20513	0.00000	0.200	0.00000
DL/SDSP12-15.6.2-1	0.00103	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.6.3-1	0.00103	0.27169	0.00000	0.200	0.00000
DL/SDSP12-15.6.4-1	0.00103	0.12766	0.00000	0.200	0.00000
DL/SDSP12-15.6.0-1	0.00103	0.04681	0.00000	0.200	0.00000
DL/SDSP12-15.7.1-1	0.00011	0.20513	0.46427	0.200	0.00000
DL/SDSP12-15.7.2-1	0.00011	0.34872	0.00000	0.200	0.00000



CASE	P	V	S	W	W*P*V*S
DL/SDSP12-15.7.3-1	0.00011	0.27169	0.00000	0.200	0.00000
DL/SDSP12-15.7.4-1	0.00011	0.12766	0.00000	0.200	0.00000
DL/SDSP12-15.7.0-1	0.00011	0.04681	0.00000	0.200	0.00000
DL/SDSP12-15.8.1-1	0.00000	0.20513	0.46427	0.200	0.00000
DL/SDSP12-15.8.2-1	0.00000	0.34872	0.00000	0.200	0.00000
DL/SDSP12-15.8.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP12-15.8.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP12-15.8.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP13-16.1.1-1	0.00098	0.20513	0.59067	0.200	0.00002
DL/SDSP13-16.1.2-1	0.00098	0.34872	0.59067	0.200	0.00004
DL/SDSP13-16.1.3-1	0.00098	0.27169	0.59040	0.200	0.00003
DL/SDSP13-16.1.4-1	0.00098	0.12766	0.59040	0.200	0.00001
DL/SDSP13-16.1.0-1	0.00098	0.04681	0.59040	0.200	0.00001
DL/SDSP13-16.2.1-2	0.00030	0.20513	0.00000	0.200	0.00000
DL/SDSP13-16.2.2-2	0.00030	0.34872	0.00000	0.200	0.00000
DL/SDSP13-16.2.3-1	0.00030	0.27169	0.00000	0.200	0.00000
DL/SDSP13-16.2.4-1	0.00030	0.12766	0.00000	0.200	0.00000
DL/SDSP13-16.2.0-1	0.00030	0.04681	0.00000	0.200	0.00000
DL/SDSP13-16.3.1-2	0.00001	0.20513	0.00000	0.200	0.00000
DL/SDSP13-16.3.2-2	0.00001	0.34872	0.00000	0.200	0.00000
DL/SDSP13-16.3.3-1	0.00001	0.27169	0.00000	0.200	0.00000
DL/SDSP13-16.3.4-1	0.00001	0.12766	0.00000	0.200	0.00000
DL/SDSP13-16.3.0-1	0.00001	0.04681	0.00000	0.200	0.00000
DL/SDSP13-16.4.1-2	0.00024	0.20513	0.00000	0.200	0.00000
DL/SDSP13-16.4.2-2	0.00024	0.34872	0.00000	0.200	0.00000
DL/SDSP13-16.4.3-1	0.00024	0.27169	0.00000	0.200	0.00000
DL/SDSP13-16.4.4-1	0.00024	0.12766	0.00000	0.200	0.00000
DL/SDSP13-16.4.0-1	0.00024	0.04681	0.00000	0.200	0.00000
DL/SDSP13-16.5.1-2	0.00189	0.20513	0.00000	0.200	0.00000
DL/SDSP13-16.5.2-2	0.00189	0.34872	0.00000	0.200	0.00000
DL/SDSP13-16.5.3-1	0.00189	0.27169	0.00000	0.200	0.00000
DL/SDSP13-16.5.4-1	0.00189	0.12766	0.00000	0.200	0.00000
DL/SDSP13-16.5.0-1	0.00189	0.04681	0.00000	0.200	0.00000
DL/SDSP13-16.6.1-2	0.00011	0.20513	0.00000	0.200	0.00000
DL/SDSP13-16.6.2-2	0.00011	0.34872	0.00000	0.200	0.00000
DL/SDSP13-16.6.3-1	0.00011	0.27169	0.00000	0.200	0.00000
DL/SDSP13-16.6.4-1	0.00011	0.12766	0.00000	0.200	0.00000
DL/SDSP13-16.6.0-1	0.00011	0.04681	0.00000	0.200	0.00000
DL/SDSP13-16.7.1-2	0.00000	0.20513	0.00000	0.200	0.00000
DL/SDSP13-16.7.2-2	0.00000	0.34872	0.00000	0.200	0.00000
DL/SDSP13-16.7.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP13-16.7.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP13-16.7.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP14-17.1.1	0.00064	0.20513	0.89014	0.200	0.00002
DL/SDSP14-17.1.2	0.00064	0.34872	0.89014	0.200	0.00004
DL/SDSP14-17.1.3	0.00064	0.27169	0.89039	0.200	0.00003
DL/SDSP14-17.1.4	0.00064	0.12766	0.89039	0.200	0.00001
DL/SDSP14-17.1.0	0.00064	0.04681	0.89039	0.200	0.00001
DL/SDSP14-17.2.1-1	0.00057	0.20513	0.89753	0.200	0.00002
DL/SDSP14-17.2.2-1	0.00057	0.34872	0.89753	0.200	0.00004
DL/SDSP14-17.2.3-1	0.00057	0.27169	0.89764	0.200	0.00003
DL/SDSP14-17.2.4-1	0.00057	0.12766	0.89764	0.200	0.00001
DL/SDSP14-17.2.0-1	0.00057	0.04681	0.89764	0.200	0.00000
DL/SDSP14-17.3.1-2	0.00001	0.20513	0.00000	0.200	0.00000
DL/SDSP14-17.3.2-2	0.00001	0.34872	0.00000	0.200	0.00000
DL/SDSP14-17.3.3-1	0.00001	0.27169	0.00000	0.200	0.00000
DL/SDSP14-17.3.4-1	0.00001	0.12766	0.00000	0.200	0.00000
DL/SDSP14-17.3.0-1	0.00001	0.04681	0.00000	0.200	0.00000
DL/SDSP14-17.4.1-2	0.00023	0.20513	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP14-17.4.2-2	0.00023	0.34872	0.00000	0.200	0.00000
DL/SDSP14-17.4.3-1	0.00023	0.27169	0.00000	0.200	0.00000
DL/SDSP14-17.4.4-1	0.00023	0.12766	0.00000	0.200	0.00000
DL/SDSP14-17.4.0-1	0.00023	0.04681	0.00000	0.200	0.00000
DL/SDSP14-17.5.1-2	0.00179	0.20513	0.00000	0.200	0.00000
DL/SDSP14-17.5.2-2	0.00179	0.34872	0.00000	0.200	0.00000
DL/SDSP14-17.5.3-1	0.00179	0.27169	0.00000	0.200	0.00000
DL/SDSP14-17.5.4-1	0.00179	0.12766	0.00000	0.200	0.00000
DL/SDSP14-17.5.0-1	0.00179	0.04681	0.00000	0.200	0.00000
DL/SDSP14-17.6.1-2	0.00011	0.20513	0.60694	0.200	0.00000
DL/SDSP14-17.6.2-2	0.00011	0.34872	0.60694	0.200	0.00000
DL/SDSP14-17.6.3-1	0.00011	0.27169	0.00000	0.200	0.00000
DL/SDSP14-17.6.4-1	0.00011	0.12766	0.00000	0.200	0.00000
DL/SDSP14-17.6.0-1	0.00011	0.04681	0.00000	0.200	0.00000
DL/SDSP14-17.7.1-2	0.00000	0.20513	0.60694	0.200	0.00000
DL/SDSP14-17.7.2-2	0.00000	0.34872	0.60694	0.200	0.00000
DL/SDSP14-17.7.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP14-17.7.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP14-17.7.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP15-18.1.1	0.00102	0.20513	1.00000	0.200	0.00004
DL/SDSP15-18.1.2	0.00102	0.34872	1.00000	0.200	0.00007
DL/SDSP15-18.1.3	0.00102	0.27169	1.00000	0.200	0.00006
DL/SDSP15-18.1.4	0.00102	0.12766	1.00000	0.200	0.00003
DL/SDSP15-18.1.0	0.00102	0.04681	1.00000	0.200	0.00001
DL/SDSP15-18.2.1	0.00093	0.20513	1.00000	0.200	0.00004
DL/SDSP15-18.2.2	0.00093	0.34872	1.00000	0.200	0.00006
DL/SDSP15-18.2.3	0.00093	0.27169	1.00000	0.200	0.00005
DL/SDSP15-18.2.4	0.00093	0.12766	1.00000	0.200	0.00002
DL/SDSP15-18.2.0	0.00093	0.04681	1.00000	0.200	0.00001
DL/SDSP15-18.3.1	0.00037	0.20513	1.00000	0.200	0.00002
DL/SDSP15-18.3.2	0.00037	0.34872	1.00000	0.200	0.00003
DL/SDSP15-18.3.3	0.00037	0.27169	1.00000	0.200	0.00002
DL/SDSP15-18.3.4	0.00037	0.12766	1.00000	0.200	0.00001
DL/SDSP15-18.3.0	0.00037	0.04681	1.00000	0.200	0.00000
DL/SDSP15-18.4.1-2	0.00285	0.20513	0.00000	0.200	0.00000
DL/SDSP15-18.4.2-2	0.00285	0.34872	0.00000	0.200	0.00000
DL/SDSP15-18.4.3-1	0.00285	0.27169	0.00000	0.200	0.00000
DL/SDSP15-18.4.4-1	0.00285	0.12766	0.00000	0.200	0.00000
DL/SDSP15-18.4.0-1	0.00285	0.04681	0.00000	0.200	0.00000
DL/SDSP15-18.5.1-2	0.00017	0.20513	0.97980	0.200	0.00001
DL/SDSP15-18.5.2-2	0.00017	0.34872	0.97980	0.200	0.00001
DL/SDSP15-18.5.3-1	0.00017	0.27169	0.00000	0.200	0.00000
DL/SDSP15-18.5.4-1	0.00017	0.12766	0.00000	0.200	0.00000
DL/SDSP15-18.5.0-1	0.00017	0.04681	0.00000	0.200	0.00000
DL/SDSP1-5.1.1-1	0.00000	0.20513	0.00000	0.200	0.00000
DL/SDSP1-5.1.2-1	0.00000	0.34872	0.00000	0.200	0.00000
DL/SDSP1-5.1.0-1	0.00000	0.44615	0.00000	0.200	0.00000
DL/SDSP1-5.2.1-1	0.00172	0.20513	0.00000	0.200	0.00000
DL/SDSP1-5.2.2-1	0.00172	0.34872	0.00000	0.200	0.00000
DL/SDSP1-5.2.0-1	0.00172	0.44615	0.00000	0.200	0.00000
DL/SDSP1-5.3.1-1	0.00017	0.20513	0.00000	0.200	0.00000
DL/SDSP1-5.3.2-1	0.00017	0.34872	0.00000	0.200	0.00000
DL/SDSP1-5.3.0-1	0.00017	0.44615	0.00000	0.200	0.00000
DL/SDSP1-5.4.1-1	0.00047	0.20513	0.00000	0.200	0.00000
DL/SDSP1-5.4.2-1	0.00047	0.34872	0.00000	0.200	0.00000
DL/SDSP1-5.4.0-1	0.00047	0.44615	0.00000	0.200	0.00000
DL/SDSP1-5.5.1-1	0.00016	0.20513	0.00000	0.200	0.00000
DL/SDSP1-5.5.2-1	0.00016	0.34872	0.00000	0.200	0.00000
DL/SDSP1-5.5.0-1	0.00016	0.44615	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP2-6.1.1-1	0.00233	0.20513	0.00000	0.200	0.00000
DL/SDSP2-6.1.2-1	0.00233	0.34872	0.00000	0.200	0.00000
DL/SDSP2-6.1.0-1	0.00233	0.44615	0.00000	0.200	0.00000
DL/SDSP2-6.2.1-1	0.00023	0.20513	0.00000	0.200	0.00000
DL/SDSP2-6.2.2-1	0.00023	0.34872	0.00000	0.200	0.00000
DL/SDSP2-6.2.0-1	0.00023	0.44615	0.00000	0.200	0.00000
DL/SDSP2-6.3.1-1	0.00063	0.20513	0.00000	0.200	0.00000
DL/SDSP2-6.3.2-1	0.00063	0.34872	0.00000	0.200	0.00000
DL/SDSP2-6.3.0-1	0.00063	0.44615	0.00000	0.200	0.00000
DL/SDSP2-6.4.1-1	0.00152	0.20513	0.00000	0.200	0.00000
DL/SDSP2-6.4.2-1	0.00152	0.34872	0.00000	0.200	0.00000
DL/SDSP2-6.4.0-1	0.00152	0.44615	0.00000	0.200	0.00000
DL/SDSP3-7.1.1-1	0.00056	0.20513	0.00000	0.200	0.00000
DL/SDSP3-7.1.2-1	0.00056	0.34872	0.00000	0.200	0.00000
DL/SDSP3-7.1.0-1	0.00056	0.44615	0.00000	0.200	0.00000
DL/SDSP3-7.2.1-1	0.00006	0.20513	0.00000	0.200	0.00000
DL/SDSP3-7.2.2-1	0.00006	0.34872	0.00000	0.200	0.00000
DL/SDSP3-7.2.0-1	0.00006	0.44615	0.00000	0.200	0.00000
DL/SDSP3-7.3.1-1	0.00015	0.20513	0.00000	0.200	0.00000
DL/SDSP3-7.3.2-1	0.00015	0.34872	0.00000	0.200	0.00000
DL/SDSP3-7.3.0-1	0.00015	0.44615	0.00000	0.200	0.00000
DL/SDSP3-7.4.1-1	0.00037	0.20513	0.00000	0.200	0.00000
DL/SDSP3-7.4.2-1	0.00037	0.34872	0.00000	0.200	0.00000
DL/SDSP3-7.4.0-1	0.00037	0.44615	0.00000	0.200	0.00000
DL/SDSP4-8.1.1-1	0.00048	0.20513	0.00000	0.200	0.00000
DL/SDSP4-8.1.2-1	0.00048	0.34872	0.00000	0.200	0.00000
DL/SDSP4-8.1.0-1	0.00048	0.44615	0.00000	0.200	0.00000
DL/SDSP4-8.2.1-1	0.00005	0.20513	0.00000	0.200	0.00000
DL/SDSP4-8.2.2-1	0.00005	0.34872	0.00000	0.200	0.00000
DL/SDSP4-8.2.0-1	0.00005	0.44615	0.00000	0.200	0.00000
DL/SDSP4-8.3.1-1	0.00013	0.20513	0.00000	0.200	0.00000
DL/SDSP4-8.3.2-1	0.00013	0.34872	0.00000	0.200	0.00000
DL/SDSP4-8.3.0-1	0.00013	0.44615	0.00000	0.200	0.00000
DL/SDSP4-8.4.1-1	0.00031	0.20513	0.00000	0.200	0.00000
DL/SDSP4-8.4.2-1	0.00031	0.34872	0.00000	0.200	0.00000
DL/SDSP4-8.4.0-1	0.00031	0.44615	0.00000	0.200	0.00000
DL/SDSP5-9.1.1-1	0.00091	0.20513	0.00000	0.200	0.00000
DL/SDSP5-9.1.2-1	0.00091	0.34872	0.00000	0.200	0.00000
DL/SDSP5-9.1.0-1	0.00091	0.44615	0.00000	0.200	0.00000
DL/SDSP5-9.2.1-1	0.00022	0.20513	0.00000	0.200	0.00000
DL/SDSP5-9.2.2-1	0.00022	0.34872	0.00000	0.200	0.00000
DL/SDSP5-9.2.0-1	0.00022	0.44615	0.00000	0.200	0.00000
DL/SDSP5-9.3.1-1	0.00054	0.20513	0.00000	0.200	0.00000
DL/SDSP5-9.3.2-1	0.00054	0.34872	0.00000	0.200	0.00000
DL/SDSP5-9.3.0-1	0.00054	0.44615	0.00000	0.200	0.00000
DL/SDSP6-10.1.1-1	0.00091	0.20513	0.00000	0.200	0.00000
DL/SDSP6-10.1.2-1	0.00091	0.34872	0.00000	0.200	0.00000
DL/SDSP6-10.1.0-1	0.00091	0.44615	0.00000	0.200	0.00000
DL/SDSP6-10.2.1-1	0.00022	0.20513	0.00000	0.200	0.00000
DL/SDSP6-10.2.2-1	0.00022	0.34872	0.00000	0.200	0.00000
DL/SDSP6-10.2.0-1	0.00022	0.44615	0.00000	0.200	0.00000
DL/SDSP6-10.3.1-1	0.00054	0.20513	0.00000	0.200	0.00000
DL/SDSP6-10.3.2-1	0.00054	0.34872	0.00000	0.200	0.00000
DL/SDSP6-10.3.0-1	0.00054	0.44615	0.00000	0.200	0.00000
DL/SDSP7-11.1.1	0.00091	0.20513	0.00000	0.200	0.00000
DL/SDSP7-11.1.2-1	0.00091	0.34872	0.00000	0.200	0.00000
DL/SDSP7-11.1.0-1	0.00091	0.44615	0.00000	0.200	0.00000
DL/SDSP7-11.2.1	0.00022	0.20513	0.00000	0.200	0.00000
DL/SDSP7-11.2.2-1	0.00022	0.34872	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP7-11.2.0-1	0.00022	0.44615	0.00000	0.200	0.00000
DL/SDSP7-11.3.1	0.00054	0.20513	0.00000	0.200	0.00000
DL/SDSP7-11.3.2-1	0.00054	0.34872	0.00000	0.200	0.00000
DL/SDSP7-11.3.0-1	0.00054	0.44615	0.00000	0.200	0.00000
DL/SDSP8-12.1.1	0.00091	0.20513	0.00000	0.200	0.00000
DL/SDSP8-12.1.2-1	0.00091	0.34872	0.00000	0.200	0.00000
DL/SDSP8-12.1.0-1	0.00091	0.44615	0.00000	0.200	0.00000
DL/SDSP8-12.2.1	0.00022	0.20513	0.00000	0.200	0.00000
DL/SDSP8-12.2.2-1	0.00022	0.34872	0.00000	0.200	0.00000
DL/SDSP8-12.2.0-1	0.00022	0.44615	0.00000	0.200	0.00000
DL/SDSP8-12.3.1	0.00054	0.20513	0.00000	0.200	0.00000
DL/SDSP8-12.3.2-1	0.00054	0.34872	0.00000	0.200	0.00000
DL/SDSP8-12.3.0-1	0.00054	0.44615	0.00000	0.200	0.00000
DL/SDSP9-13.1.1	0.00046	0.20513	0.00000	0.200	0.00000
DL/SDSP9-13.1.2-1	0.00046	0.34872	0.00000	0.200	0.00000
DL/SDSP9-13.1.3-1	0.00046	0.27169	0.00000	0.200	0.00000
DL/SDSP9-13.1.4-1	0.00046	0.12766	0.00000	0.200	0.00000
DL/SDSP9-13.1.0-1	0.00046	0.04681	0.00000	0.200	0.00000
DL/SDSP9-13.2.1-1	0.00045	0.20513	0.00000	0.200	0.00000
DL/SDSP9-13.2.2-1	0.00045	0.34872	0.00000	0.200	0.00000
DL/SDSP9-13.2.3-1	0.00045	0.27169	0.00000	0.200	0.00000
DL/SDSP9-13.2.4-1	0.00045	0.12766	0.00000	0.200	0.00000
DL/SDSP9-13.2.0-1	0.00045	0.04681	0.00000	0.200	0.00000
DL/SDSP9-13.3.1-1	0.00022	0.20513	0.00000	0.200	0.00000
DL/SDSP9-13.3.2-1	0.00022	0.34872	0.00000	0.200	0.00000
DL/SDSP9-13.3.3-1	0.00022	0.27169	0.00000	0.200	0.00000
DL/SDSP9-13.3.4-1	0.00022	0.12766	0.00000	0.200	0.00000
DL/SDSP9-13.3.0-1	0.00022	0.04681	0.00000	0.200	0.00000
DL/SDSP9-13.4.1-1	0.00054	0.20513	0.00000	0.200	0.00000
DL/SDSP9-13.4.2-1	0.00054	0.34872	0.00000	0.200	0.00000
DL/SDSP9-13.4.3-1	0.00054	0.27169	0.00000	0.200	0.00000
DL/SDSP9-13.4.4-1	0.00054	0.12766	0.00000	0.200	0.00000
DL/SDSP9-13.4.0-1	0.00054	0.04681	0.00000	0.200	0.00000
DL/SDSP10-14.1.1-1	0.00046	0.20513	0.00000	0.200	0.00000
DL/SDSP10-14.1.2-1	0.00046	0.34872	0.00000	0.200	0.00000
DL/SDSP10-14.1.3-1	0.00046	0.27169	0.00000	0.200	0.00000
DL/SDSP10-14.1.4-1	0.00046	0.12766	0.00000	0.200	0.00000
DL/SDSP10-14.1.0-1	0.00046	0.04681	0.00000	0.200	0.00000
DL/SDSP10-14.2.1-1	0.00014	0.20513	0.00000	0.200	0.00000
DL/SDSP10-14.2.2-1	0.00014	0.34872	0.00000	0.200	0.00000
DL/SDSP10-14.2.3-1	0.00014	0.27169	0.00000	0.200	0.00000
DL/SDSP10-14.2.4-1	0.00014	0.12766	0.00000	0.200	0.00000
DL/SDSP10-14.2.0-1	0.00014	0.04681	0.00000	0.200	0.00000
DL/SDSP10-14.3.1-1	0.00030	0.20513	0.00000	0.200	0.00000
DL/SDSP10-14.3.2-1	0.00030	0.34872	0.00000	0.200	0.00000
DL/SDSP10-14.3.3-1	0.00030	0.27169	0.00000	0.200	0.00000
DL/SDSP10-14.3.4-1	0.00030	0.12766	0.00000	0.200	0.00000
DL/SDSP10-14.3.0-1	0.00030	0.04681	0.00000	0.200	0.00000
DL/SDSP10-14.4.1-1	0.00022	0.20513	0.00000	0.200	0.00000
DL/SDSP10-14.4.2-1	0.00022	0.34872	0.00000	0.200	0.00000
DL/SDSP10-14.4.3-1	0.00022	0.27169	0.00000	0.200	0.00000
DL/SDSP10-14.4.4-1	0.00022	0.12766	0.00000	0.200	0.00000
DL/SDSP10-14.4.0-1	0.00022	0.04681	0.00000	0.200	0.00000
DL/SDSP10-14.5.1-1	0.00054	0.20513	0.00000	0.200	0.00000
DL/SDSP10-14.5.2-1	0.00054	0.34872	0.00000	0.200	0.00000
DL/SDSP10-14.5.3-1	0.00054	0.27169	0.00000	0.200	0.00000
DL/SDSP10-14.5.4-1	0.00054	0.12766	0.00000	0.200	0.00000
DL/SDSP10-14.5.0-1	0.00054	0.04681	0.00000	0.200	0.00000
DL/SDSP10-14.6.1-1	0.00000	0.20513	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP10-14.6.2-1	0.000000	0.34872	0.000000	0.200	0.000000
DL/SDSP10-14.6.3-1	0.000000	0.27169	0.000000	0.200	0.000000
DL/SDSP10-14.6.4-1	0.000000	0.12766	0.000000	0.200	0.000000
DL/SDSP10-14.6.0-1	0.000000	0.04681	0.000000	0.200	0.000000
DL/SDSP11-15.1.1-1	0.00046	0.20513	0.000000	0.200	0.000000
DL/SDSP11-15.1.2-1	0.00046	0.34872	0.000000	0.200	0.000000
DL/SDSP11-15.1.3-1	0.00046	0.27169	0.000000	0.200	0.000000
DL/SDSP11-15.1.4-1	0.00046	0.12766	0.000000	0.200	0.000000
DL/SDSP11-15.1.0-1	0.00046	0.04681	0.000000	0.200	0.000000
DL/SDSP11-15.2.1-1	0.00014	0.20513	0.000000	0.200	0.000000
DL/SDSP11-15.2.2-1	0.00014	0.34872	0.000000	0.200	0.000000
DL/SDSP11-15.2.3-1	0.00014	0.27169	0.000000	0.200	0.000000
DL/SDSP11-15.2.4-1	0.00014	0.12766	0.000000	0.200	0.000000
DL/SDSP11-15.2.0-1	0.00014	0.04681	0.000000	0.200	0.000000
DL/SDSP11-15.3.1-1	0.00012	0.20513	0.000000	0.200	0.000000
DL/SDSP11-15.3.2-1	0.00012	0.34872	0.000000	0.200	0.000000
DL/SDSP11-15.3.3-1	0.00012	0.27169	0.000000	0.200	0.000000
DL/SDSP11-15.3.4-1	0.00012	0.12766	0.000000	0.200	0.000000
DL/SDSP11-15.3.0-1	0.00012	0.04681	0.000000	0.200	0.000000
DL/SDSP11-15.4.1-1	0.00018	0.20513	0.000000	0.200	0.000000
DL/SDSP11-15.4.2-1	0.00018	0.34872	0.000000	0.200	0.000000
DL/SDSP11-15.4.3-1	0.00018	0.27169	0.000000	0.200	0.000000
DL/SDSP11-15.4.4-1	0.00018	0.12766	0.000000	0.200	0.000000
DL/SDSP11-15.4.0-1	0.00018	0.04681	0.000000	0.200	0.000000
DL/SDSP11-15.5.1-1	0.00022	0.20513	0.000000	0.200	0.000000
DL/SDSP11-15.5.2-1	0.00022	0.34872	0.000000	0.200	0.000000
DL/SDSP11-15.5.3-1	0.00022	0.27169	0.000000	0.200	0.000000
DL/SDSP11-15.5.4-1	0.00022	0.12766	0.000000	0.200	0.000000
DL/SDSP11-15.5.0-1	0.00022	0.04681	0.000000	0.200	0.000000
DL/SDSP11-15.6.1-1	0.00049	0.20513	0.000000	0.200	0.000000
DL/SDSP11-15.6.2-1	0.00049	0.34872	0.000000	0.200	0.000000
DL/SDSP11-15.6.3-1	0.00049	0.27169	0.000000	0.200	0.000000
DL/SDSP11-15.6.4-1	0.00049	0.12766	0.000000	0.200	0.000000
DL/SDSP11-15.6.0-1	0.00049	0.04681	0.000000	0.200	0.000000
DL/SDSP11-15.7.1-1	0.00005	0.20513	0.000000	0.200	0.000000
DL/SDSP11-15.7.2-1	0.00005	0.34872	0.000000	0.200	0.000000
DL/SDSP11-15.7.3-1	0.00005	0.27169	0.000000	0.200	0.000000
DL/SDSP11-15.7.4-1	0.00005	0.12766	0.000000	0.200	0.000000
DL/SDSP11-15.7.0-1	0.00005	0.04681	0.000000	0.200	0.000000
DL/SDSP11-15.8.1-1	0.000000	0.20513	0.000000	0.200	0.000000
DL/SDSP11-15.8.2-1	0.000000	0.34872	0.000000	0.200	0.000000
DL/SDSP11-15.8.3-1	0.000000	0.27169	0.000000	0.200	0.000000
DL/SDSP11-15.8.4-1	0.000000	0.12766	0.000000	0.200	0.000000
DL/SDSP11-15.8.0-1	0.000000	0.04681	0.000000	0.200	0.000000
DL/SDSP12-16.1.1-2	0.00046	0.20513	0.000000	0.200	0.000000
DL/SDSP12-16.1.2-2	0.00046	0.34872	0.000000	0.200	0.000000
DL/SDSP12-16.1.3-1	0.00046	0.27169	0.000000	0.200	0.000000
DL/SDSP12-16.1.4-1	0.00046	0.12766	0.000000	0.200	0.000000
DL/SDSP12-16.1.0-1	0.00046	0.04681	0.000000	0.200	0.000000
DL/SDSP12-16.2.1-1	0.00014	0.20513	0.000000	0.200	0.000000
DL/SDSP12-16.2.2-1	0.00014	0.34872	0.000000	0.200	0.000000
DL/SDSP12-16.2.3-1	0.00014	0.27169	0.000000	0.200	0.000000
DL/SDSP12-16.2.4-1	0.00014	0.12766	0.000000	0.200	0.000000
DL/SDSP12-16.2.0-1	0.00014	0.04681	0.000000	0.200	0.000000
DL/SDSP12-16.3.1-1	0.000000	0.20513	0.000000	0.200	0.000000
DL/SDSP12-16.3.2-1	0.000000	0.34872	0.000000	0.200	0.000000
DL/SDSP12-16.3.3-1	0.000000	0.27169	0.000000	0.200	0.000000
DL/SDSP12-16.3.4-1	0.000000	0.12766	0.000000	0.200	0.000000
DL/SDSP12-16.3.0-1	0.000000	0.04681	0.000000	0.200	0.000000

CASE	P	V	S	W	W*P*V*S
DL/SDSP12-16.4.1-1	0.00012	0.20513	0.00000	0.200	0.00000
DL/SDSP12-16.4.2-1	0.00012	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.4.3-1	0.00012	0.27169	0.00000	0.200	0.00000
DL/SDSP12-16.4.4-1	0.00012	0.12766	0.00000	0.200	0.00000
DL/SDSP12-16.4.0-1	0.00012	0.04681	0.00000	0.200	0.00000
DL/SDSP12-16.5.1-1	0.00018	0.20513	0.00000	0.200	0.00000
DL/SDSP12-16.5.2-1	0.00018	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.5.3-1	0.00018	0.27169	0.00000	0.200	0.00000
DL/SDSP12-16.5.4-1	0.00018	0.12766	0.00000	0.200	0.00000
DL/SDSP12-16.5.0-1	0.00018	0.04681	0.00000	0.200	0.00000
DL/SDSP12-16.6.1-2	0.00022	0.20513	0.00000	0.200	0.00000
DL/SDSP12-16.6.2-1	0.00022	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.6.3-1	0.00022	0.27169	0.00000	0.200	0.00000
DL/SDSP12-16.6.4-1	0.00022	0.12766	0.00000	0.200	0.00000
DL/SDSP12-16.6.0-1	0.00022	0.04681	0.00000	0.200	0.00000
DL/SDSP12-16.7.1-2	0.00049	0.20513	0.00000	0.200	0.00000
DL/SDSP12-16.7.2-1	0.00049	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.7.3-1	0.00049	0.27169	0.00000	0.200	0.00000
DL/SDSP12-16.7.4-1	0.00049	0.12766	0.00000	0.200	0.00000
DL/SDSP12-16.7.0-1	0.00049	0.04681	0.00000	0.200	0.00000
DL/SDSP12-16.8.1-2	0.00005	0.20513	0.49235	0.200	0.00000
DL/SDSP12-16.8.2-2	0.00005	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.8.3-1	0.00005	0.27169	0.00000	0.200	0.00000
DL/SDSP12-16.8.4-1	0.00005	0.12766	0.00000	0.200	0.00000
DL/SDSP12-16.8.0-1	0.00005	0.04681	0.00000	0.200	0.00000
DL/SDSP12-16.9.1-2	0.00000	0.20513	0.49235	0.200	0.00000
DL/SDSP12-16.9.2-2	0.00000	0.34872	0.00000	0.200	0.00000
DL/SDSP12-16.9.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP12-16.9.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP12-16.9.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP13-17.1.1-1	0.00031	0.20513	0.19878	0.200	0.00000
DL/SDSP13-17.1.2-1	0.00031	0.34872	0.19878	0.200	0.00000
DL/SDSP13-17.1.3-1	0.00031	0.27169	0.19572	0.200	0.00000
DL/SDSP13-17.1.4-1	0.00031	0.12766	0.19572	0.200	0.00000
DL/SDSP13-17.1.0-1	0.00031	0.04681	0.19572	0.200	0.00000
DL/SDSP13-17.2.1-1	0.00014	0.20513	0.22143	0.200	0.00000
DL/SDSP13-17.2.2-1	0.00014	0.34872	0.22143	0.200	0.00000
DL/SDSP13-17.2.3-1	0.00014	0.27169	0.21840	0.200	0.00000
DL/SDSP13-17.2.4-1	0.00014	0.12766	0.21840	0.200	0.00000
DL/SDSP13-17.2.0-1	0.00014	0.04681	0.21840	0.200	0.00000
DL/SDSP13-17.3.1-2	0.00014	0.20513	0.00000	0.200	0.00000
DL/SDSP13-17.3.2-2	0.00014	0.34872	0.00000	0.200	0.00000
DL/SDSP13-17.3.3-1	0.00014	0.27169	0.00000	0.200	0.00000
DL/SDSP13-17.3.4-1	0.00014	0.12766	0.00000	0.200	0.00000
DL/SDSP13-17.3.0-1	0.00014	0.04681	0.00000	0.200	0.00000
DL/SDSP13-17.4.1-2	0.00000	0.20513	0.00000	0.200	0.00000
DL/SDSP13-17.4.2-2	0.00000	0.34872	0.00000	0.200	0.00000
DL/SDSP13-17.4.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP13-17.4.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP13-17.4.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP13-17.5.1-2	0.00011	0.20513	0.00000	0.200	0.00000
DL/SDSP13-17.5.2-2	0.00011	0.34872	0.00000	0.200	0.00000
DL/SDSP13-17.5.3-1	0.00011	0.27169	0.00000	0.200	0.00000
DL/SDSP13-17.5.4-1	0.00011	0.12766	0.00000	0.200	0.00000
DL/SDSP13-17.5.0-1	0.00011	0.04681	0.00000	0.200	0.00000
DL/SDSP13-17.6.1-2	0.00085	0.20513	0.00000	0.200	0.00000
DL/SDSP13-17.6.2-2	0.00085	0.34872	0.00000	0.200	0.00000
DL/SDSP13-17.6.3-1	0.00085	0.27169	0.00000	0.200	0.00000
DL/SDSP13-17.6.4-1	0.00085	0.12766	0.00000	0.200	0.00000

CASE	P	V	S	W	W*P*V*S
DL/SDSP13-17.6.0-1	0.00085	0.04681	0.00000	0.200	0.00000
DL/SDSP13-17.7.1-2	0.00005	0.20513	0.09904	0.200	0.00000
DL/SDSP13-17.7.2-2	0.00005	0.34872	0.09904	0.200	0.00000
DL/SDSP13-17.7.3-1	0.00005	0.27169	0.00000	0.200	0.00000
DL/SDSP13-17.7.4-1	0.00005	0.12766	0.00000	0.200	0.00000
DL/SDSP13-17.7.0-1	0.00005	0.04681	0.00000	0.200	0.00000
DL/SDSP13-17.8.1-2	0.00000	0.20513	0.09904	0.200	0.00000
DL/SDSP13-17.8.2-2	0.00000	0.34872	0.09904	0.200	0.00000
DL/SDSP13-17.8.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP13-17.8.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP13-17.8.0-1	0.00000	0.04681	0.00000	0.200	0.00000
DL/SDSP14-18.1.1-1	0.00041	0.20513	0.82615	0.200	0.00001
DL/SDSP14-18.1.2-1	0.00041	0.34872	0.82615	0.200	0.00002
DL/SDSP14-18.1.3-1	0.00041	0.27169	0.82622	0.200	0.00002
DL/SDSP14-18.1.4-1	0.00041	0.12766	0.82622	0.200	0.00001
DL/SDSP14-18.1.0-1	0.00041	0.04681	0.82622	0.200	0.00000
DL/SDSP14-18.2.1-1	0.00037	0.20513	0.83565	0.200	0.00001
DL/SDSP14-18.2.2-1	0.00037	0.34872	0.83565	0.200	0.00002
DL/SDSP14-18.2.3-1	0.00037	0.27169	0.83588	0.200	0.00002
DL/SDSP14-18.2.4-1	0.00037	0.12766	0.83588	0.200	0.00001
DL/SDSP14-18.2.0-1	0.00037	0.04681	0.83588	0.200	0.00000
DL/SDSP14-18.3.1-2	0.00001	0.20513	0.00000	0.200	0.00000
DL/SDSP14-18.3.2-2	0.00001	0.34872	0.00000	0.200	0.00000
DL/SDSP14-18.3.3-1	0.00001	0.27169	0.00000	0.200	0.00000
DL/SDSP14-18.3.4-1	0.00001	0.12766	0.00000	0.200	0.00000
DL/SDSP14-18.3.0-1	0.00001	0.04681	0.00000	0.200	0.00000
DL/SDSP14-18.4.1-2	0.00015	0.20513	0.00000	0.200	0.00000
DL/SDSP14-18.4.2-2	0.00015	0.34872	0.00000	0.200	0.00000
DL/SDSP14-18.4.3-1	0.00015	0.27169	0.00000	0.200	0.00000
DL/SDSP14-18.4.4-1	0.00015	0.12766	0.00000	0.200	0.00000
DL/SDSP14-18.4.0-1	0.00015	0.04681	0.00000	0.200	0.00000
DL/SDSP14-18.5.1-2	0.00114	0.20513	0.00000	0.200	0.00000
DL/SDSP14-18.5.2-2	0.00114	0.34872	0.00000	0.200	0.00000
DL/SDSP14-18.5.3-1	0.00114	0.27169	0.00000	0.200	0.00000
DL/SDSP14-18.5.4-1	0.00114	0.12766	0.00000	0.200	0.00000
DL/SDSP14-18.5.0-1	0.00114	0.04681	0.00000	0.200	0.00000
DL/SDSP14-18.6.1-2	0.00007	0.20513	0.74687	0.200	0.00000
DL/SDSP14-18.6.2-2	0.00007	0.34872	0.74687	0.200	0.00000
DL/SDSP14-18.6.3-1	0.00007	0.27169	0.00000	0.200	0.00000
DL/SDSP14-18.6.4-1	0.00007	0.12766	0.00000	0.200	0.00000
DL/SDSP14-18.6.0-1	0.00007	0.04681	0.00000	0.200	0.00000
DL/SDSP14-18.7.1-2	0.00000	0.20513	0.74687	0.200	0.00000
DL/SDSP14-18.7.2-2	0.00000	0.34872	0.74687	0.200	0.00000
DL/SDSP14-18.7.3-1	0.00000	0.27169	0.00000	0.200	0.00000
DL/SDSP14-18.7.4-1	0.00000	0.12766	0.00000	0.200	0.00000
DL/SDSP14-18.7.0-1	0.00000	0.04681	0.00000	0.200	0.00000
SUBTOTAL				0.200	0.11322
DP/SDSP1.1.1	0.00000	0.43692	1.00000	0.400	0.00000
DP/SDSP1.1.0	0.00000	0.56308	1.00000	0.400	0.00000
DP/SDSP1.2.1	0.00000	0.43692	1.00000	0.400	0.00000
DP/SDSP1.2.0	0.00000	0.56308	1.00000	0.400	0.00000
DP/SDSP1.3.1	0.01267	0.43692	1.00000	0.400	0.00221
DP/SDSP1.3.0	0.01267	0.56308	1.00000	0.400	0.00285
DP/SDSP2.1.1-1	0.01674	0.43692	1.00000	0.400	0.00292
DP/SDSP2.1.0-1	0.01674	0.56308	1.00000	0.400	0.00377
DP/SDSP2.2.1	0.00841	0.43692	1.00000	0.400	0.00147
DP/SDSP2.2.0	0.00841	0.56308	1.00000	0.400	0.00189

CASE	P	V	S	W	W*P*V*S
DP/SDSP3.1.1-1	0.00244	0.43692	1.00000	0.400	0.00043
DP/SDSP3.1.0-1	0.00244	0.56308	1.00000	0.400	0.00055
DP/SDSP3.2.1-1	0.00030	0.43692	1.00000	0.400	0.00005
DP/SDSP3.2.0-1	0.00030	0.56308	1.00000	0.400	0.00007
DP/SDSP4.1.1-1	0.00331	0.43692	1.00000	0.400	0.00058
DP/SDSP4.1.0-1	0.00331	0.56308	1.00000	0.400	0.00075
DP/SDSP4.2.1-1	0.00060	0.43692	1.00000	0.400	0.00011
DP/SDSP4.2.0-1	0.00060	0.56308	1.00000	0.400	0.00014
DP/SDSP5.1.1-1	0.01271	0.08821	1.00000	0.400	0.00045
DP/SDSP5.1.2-1	0.01271	0.34872	1.00000	0.400	0.00177
DP/SDSP5.1.0-1	0.01271	0.56308	1.00000	0.400	0.00286
DP/SDSP5.2.1-1	0.00190	0.08821	1.00000	0.400	0.00007
DP/SDSP5.2.2-1	0.00190	0.34872	1.00000	0.400	0.00027
DP/SDSP5.2.0-1	0.00190	0.56308	1.00000	0.400	0.00043
DP/SDSP5.3.1-1	0.00251	0.08821	1.00000	0.400	0.00009
DP/SDSP5.3.2-1	0.00251	0.34872	1.00000	0.400	0.00035
DP/SDSP5.3.0-1	0.00251	0.56308	1.00000	0.400	0.00057
DP/SDSP6.1.1	0.01271	0.08821	1.00000	0.400	0.00045
DP/SDSP6.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DP/SDSP6.1.0	0.01271	0.56308	1.00000	0.400	0.00286
DP/SDSP6.2.1	0.00190	0.08821	1.00000	0.400	0.00007
DP/SDSP6.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DP/SDSP6.2.0	0.00190	0.56308	1.00000	0.400	0.00043
DP/SDSP6.3.1	0.00251	0.08821	1.00000	0.400	0.00009
DP/SDSP6.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DP/SDSP6.3.0	0.00251	0.56308	1.00000	0.400	0.00057
DP/SDSP7.1.1	0.01271	0.08821	1.00000	0.400	0.00045
DP/SDSP7.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DP/SDSP7.1.0	0.01271	0.56308	1.00000	0.400	0.00286
DP/SDSP7.2.1	0.00190	0.08821	1.00000	0.400	0.00007
DP/SDSP7.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DP/SDSP7.2.0	0.00190	0.56308	1.00000	0.400	0.00043
DP/SDSP7.3.1	0.00251	0.08821	1.00000	0.400	0.00009
DP/SDSP7.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DP/SDSP7.3.0	0.00251	0.56308	1.00000	0.400	0.00057
DP/SDSP8.1.1	0.01271	0.08821	1.00000	0.400	0.00045
DP/SDSP8.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DP/SDSP8.1.0	0.01271	0.56308	1.00000	0.400	0.00286
DP/SDSP8.2.1	0.00190	0.08821	1.00000	0.400	0.00007
DP/SDSP8.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DP/SDSP8.2.0	0.00190	0.56308	1.00000	0.400	0.00043
DP/SDSP8.3.1	0.00251	0.08821	1.00000	0.400	0.00009
DP/SDSP8.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DP/SDSP8.3.0	0.00251	0.56308	1.00000	0.400	0.00057
DP/SDSP9.1.1	0.01271	0.08821	1.00000	0.400	0.00045
DP/SDSP9.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DP/SDSP9.1.0	0.01271	0.56308	1.00000	0.400	0.00286
DP/SDSP9.2.1	0.00190	0.08821	1.00000	0.400	0.00007
DP/SDSP9.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DP/SDSP9.2.0	0.00190	0.56308	1.00000	0.400	0.00043
DP/SDSP9.3.1	0.00251	0.08821	1.00000	0.400	0.00009
DP/SDSP9.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DP/SDSP9.3.0	0.00251	0.56308	1.00000	0.400	0.00057
DP/SDSP10.1.1	0.01271	0.08821	1.00000	0.400	0.00045
DP/SDSP10.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DP/SDSP10.1.0	0.01271	0.56308	1.00000	0.400	0.00286
DP/SDSP10.2.1	0.00190	0.08821	1.00000	0.400	0.00007
DP/SDSP10.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DP/SDSP10.2.0	0.00190	0.56308	1.00000	0.400	0.00043



CASE	P	V	S	W	W*P*V*S
DP/SDSP10.3.1	0.00251	0.08821	1.00000	0.400	0.00009
DP/SDSP10.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DP/SDSP10.3.0	0.00251	0.56308	1.00000	0.400	0.00057
DP/SDSP11.1.1	0.01271	0.08821	1.00000	0.400	0.00045
DP/SDSP11.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DP/SDSP11.1.0	0.01271	0.56308	1.00000	0.400	0.00286
DP/SDSP11.2.1	0.00190	0.08821	1.00000	0.400	0.00007
DP/SDSP11.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DP/SDSP11.2.0	0.00190	0.56308	1.00000	0.400	0.00043
DP/SDSP11.3.1	0.00251	0.08821	1.00000	0.400	0.00009
DP/SDSP11.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DP/SDSP11.3.0	0.00251	0.56308	1.00000	0.400	0.00057
DP/SDSP12.1.1	0.01271	0.08821	1.00000	0.400	0.00045
DP/SDSP12.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DP/SDSP12.1.0	0.01271	0.56308	1.00000	0.400	0.00286
DP/SDSP12.2.1	0.00190	0.08821	1.00000	0.400	0.00007
DP/SDSP12.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DP/SDSP12.2.0	0.00190	0.56308	1.00000	0.400	0.00043
DP/SDSP12.3.1	0.00251	0.08821	1.00000	0.400	0.00009
DP/SDSP12.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DP/SDSP12.3.0	0.00251	0.56308	1.00000	0.400	0.00057
DP/SDSP13.1.1-1	0.00746	0.08821	1.00000	0.400	0.00026
DP/SDSP13.1.2-1	0.00746	0.34872	1.00000	0.400	0.00104
DP/SDSP13.1.3-1	0.00746	0.30769	1.00000	0.400	0.00092
DP/SDSP13.1.4-1	0.00746	0.16007	1.00000	0.400	0.00048
DP/SDSP13.1.0-1	0.00746	0.09532	1.00000	0.400	0.00028
DP/SDSP13.2.1-1	0.00967	0.08821	0.37408	0.400	0.00013
DP/SDSP13.2.2-1	0.00967	0.34872	0.37408	0.400	0.00050
DP/SDSP13.2.3-1	0.00967	0.30769	0.31044	0.400	0.00037
DP/SDSP13.2.4-1	0.00967	0.16007	0.31044	0.400	0.00019
DP/SDSP13.2.0-1	0.00967	0.09532	0.31044	0.400	0.00011
DP/SDSP14.1.1-1	0.00935	0.08821	1.00000	0.400	0.00033
DP/SDSP14.1.2-1	0.00935	0.34872	1.00000	0.400	0.00130
DP/SDSP14.1.3-1	0.00935	0.30769	1.00000	0.400	0.00115
DP/SDSP14.1.4-1	0.00935	0.16007	1.00000	0.400	0.00060
DP/SDSP14.1.0-1	0.00935	0.09532	1.00000	0.400	0.00036
DP/SDSP14.2.1-1	0.00778	0.08821	0.28977	0.400	0.00008
DP/SDSP14.2.2-1	0.00778	0.34872	0.28977	0.400	0.00031
DP/SDSP14.2.3-1	0.00778	0.30769	0.15134	0.400	0.00014
DP/SDSP14.2.4-1	0.00778	0.16007	0.15134	0.400	0.00008
DP/SDSP14.2.0-1	0.00778	0.09532	0.15134	0.400	0.00004
DP/SDSP14.3.1-1	0.00000	0.08821	1.00000	0.400	0.00000
DP/SDSP14.3.2-1	0.00000	0.34872	1.00000	0.400	0.00000
DP/SDSP14.3.3-1	0.00000	0.30769	1.00000	0.400	0.00000
DP/SDSP14.3.4-1	0.00000	0.16007	1.00000	0.400	0.00000
DP/SDSP14.3.0-1	0.00000	0.09532	1.00000	0.400	0.00000
DP/SDSP15.1.1-1	0.01079	0.08821	1.00000	0.400	0.00038
DP/SDSP15.1.2-1	0.01079	0.34872	1.00000	0.400	0.00151
DP/SDSP15.1.3-1	0.01079	0.30769	1.00000	0.400	0.00133
DP/SDSP15.1.4-1	0.01079	0.16007	1.00000	0.400	0.00069
DP/SDSP15.1.0-1	0.01079	0.09532	1.00000	0.400	0.00041
DP/SDSP15.2.1-1	0.00623	0.08821	0.26534	0.400	0.00006
DP/SDSP15.2.2-1	0.00623	0.34872	0.26534	0.400	0.00023
DP/SDSP15.2.3-1	0.00623	0.30769	0.00000	0.400	0.00000
DP/SDSP15.2.4-1	0.00623	0.16007	0.00000	0.400	0.00000
DP/SDSP15.2.0-1	0.00623	0.09532	0.00000	0.400	0.00000
DP/SDSP15.3.1-1	0.00011	0.08821	1.00000	0.400	0.00000
DP/SDSP15.3.2-1	0.00011	0.34872	1.00000	0.400	0.00002
DP/SDSP15.3.3-1	0.00011	0.30769	1.00000	0.400	0.00001

CASE	P	V	S	W	W*P*V*S
DP/SDSP15.3.4-1	0.00011	0.16007	1.00000	0.400	0.00001
DP/SDSP15.3.0-1	0.00011	0.09532	1.00000	0.400	0.00000
DP/SDSP16.1.1	0.00942	0.08821	1.00000	0.400	0.00033
DP/SDSP16.1.2	0.00942	0.34872	1.00000	0.400	0.00131
DP/SDSP16.1.3	0.00942	0.30769	1.00000	0.400	0.00116
DP/SDSP16.1.4	0.00942	0.16007	1.00000	0.400	0.00060
DP/SDSP16.1.0	0.00942	0.09532	1.00000	0.400	0.00036
DP/SDSP16.2.1	0.00771	0.08821	1.00000	0.400	0.00027
DP/SDSP16.2.2	0.00771	0.34872	1.00000	0.400	0.00108
DP/SDSP16.2.3	0.00771	0.30769	1.00000	0.400	0.00095
DP/SDSP16.2.4	0.00771	0.16007	1.00000	0.400	0.00049
DP/SDSP16.2.0	0.00771	0.09532	1.00000	0.400	0.00029
DP/SDSP17.1.1	0.00476	0.08821	1.00000	0.400	0.00017
DP/SDSP17.1.2	0.00476	0.34872	1.00000	0.400	0.00066
DP/SDSP17.1.3	0.00476	0.30769	1.00000	0.400	0.00059
DP/SDSP17.1.4	0.00476	0.16007	1.00000	0.400	0.00030
DP/SDSP17.1.0	0.00476	0.09532	1.00000	0.400	0.00018
DP/SDSP17.2.1-1	0.00999	0.08821	1.00000	0.400	0.00035
DP/SDSP17.2.2-1	0.00999	0.34872	1.00000	0.400	0.00139
DP/SDSP17.2.3-1	0.00999	0.30769	1.00000	0.400	0.00123
DP/SDSP17.2.4-1	0.00999	0.16007	1.00000	0.400	0.00064
DP/SDSP17.2.0-1	0.00999	0.09532	1.00000	0.400	0.00038
DP/SDSP18.1.1	0.05592	0.43692	1.00000	0.400	0.00977
DP/SDSP18.1.2	0.05592	0.30769	1.00000	0.400	0.00688
DP/SDSP18.1.3	0.05592	0.16007	1.00000	0.400	0.00358
DP/SDSP18.1.0	0.05592	0.09532	1.00000	0.400	0.00213
DP/SDSP1-2.1.1	0.00000	0.43692	1.00000	0.400	0.00000
DP/SDSP1-2.1.0	0.00000	0.56308	1.00000	0.400	0.00000
DP/SDSP1-2.2.1	0.01609	0.43692	1.00000	0.400	0.00281
DP/SDSP1-2.2.0	0.01609	0.56308	1.00000	0.400	0.00362
DP/SDSP1-2.3.1	0.00743	0.43692	0.98642	0.400	0.00128
DP/SDSP1-2.3.0	0.00743	0.56308	0.98642	0.400	0.00165
DP/SDSP2-3.1.1	0.00688	0.43692	1.00000	0.400	0.00120
DP/SDSP2-3.1.0	0.00688	0.56308	1.00000	0.400	0.00155
DP/SDSP2-3.2.1	0.00626	0.43692	0.73455	0.400	0.00080
DP/SDSP2-3.2.0	0.00626	0.56308	0.73455	0.400	0.00104
DP/SDSP3-4.1.1	0.00328	0.43692	1.00000	0.400	0.00057
DP/SDSP3-4.1.0	0.00328	0.56308	1.00000	0.400	0.00074
DP/SDSP3-4.2.1-1	0.00259	0.43692	1.00000	0.400	0.00045
DP/SDSP3-4.2.0-1	0.00259	0.56308	1.00000	0.400	0.00058
DP/SDSP4-5.1.1-1	0.00696	0.08821	1.00000	0.400	0.00025
DP/SDSP4-5.1.2-1	0.00696	0.34872	1.00000	0.400	0.00097
DP/SDSP4-5.1.0-1	0.00696	0.56308	1.00000	0.400	0.00157
DP/SDSP4-5.2.1-1	0.00070	0.08821	0.98279	0.400	0.00002
DP/SDSP4-5.2.2-1	0.00070	0.34872	0.98279	0.400	0.00010
DP/SDSP4-5.2.0-1	0.00070	0.56308	0.98279	0.400	0.00015
DP/SDSP4-5.3.1-1	0.00187	0.08821	0.99235	0.400	0.00007
DP/SDSP4-5.3.2	0.00187	0.34872	0.69389	0.400	0.00018
DP/SDSP4-5.3.0	0.00187	0.56308	0.69389	0.400	0.00029
DP/SDSP4-5.4.1-1	0.00377	0.08821	0.99235	0.400	0.00013
DP/SDSP4-5.4.2	0.00377	0.34872	0.69389	0.400	0.00036
DP/SDSP4-5.4.0	0.00377	0.56308	0.69389	0.400	0.00059
DP/SDSP5-6.1.1	0.01409	0.08821	0.80898	0.400	0.00040
DP/SDSP5-6.1.2	0.01409	0.34872	0.80898	0.400	0.00159
DP/SDSP5-6.1.0	0.01409	0.56308	0.80898	0.400	0.00257
DP/SDSP5-6.2.1	0.00346	0.08821	0.78802	0.400	0.00010
DP/SDSP5-6.2.2	0.00346	0.34872	0.44322	0.400	0.00021
DP/SDSP5-6.2.0	0.00346	0.56308	0.44322	0.400	0.00035
DP/SDSP5-6.3.1-2	0.00758	0.08821	0.79087	0.400	0.00021

CASE	P	V	S	W	W*P*V*S
DP/SDSP5-6.3.2	0.00758	0.34872	0.37429	0.400	0.00040
DP/SDSP5-6.3.0	0.00758	0.56308	0.37429	0.400	0.00064
DP/SDSP6-7.1.1	0.01409	0.08821	0.77873	0.400	0.00039
DP/SDSP6-7.1.2	0.01409	0.34872	0.68366	0.400	0.00134
DP/SDSP6-7.1.0	0.01409	0.56308	0.68366	0.400	0.00217
DP/SDSP6-7.2.1	0.00346	0.08821	0.72722	0.400	0.00009
DP/SDSP6-7.2.2-1	0.00346	0.34872	0.00000	0.400	0.00000
DP/SDSP6-7.2.0-1	0.00346	0.56308	0.00000	0.400	0.00000
DP/SDSP6-7.3.1	0.00758	0.08821	0.68690	0.400	0.00018
DP/SDSP6-7.3.2-1	0.00758	0.34872	0.00000	0.400	0.00000
DP/SDSP6-7.3.0-1	0.00758	0.56308	0.00000	0.400	0.00000
DP/SDSP7-8.1.1	0.01409	0.08821	0.78357	0.400	0.00039
DP/SDSP7-8.1.2	0.01409	0.34872	0.59884	0.400	0.00118
DP/SDSP7-8.1.0	0.01409	0.56308	0.59884	0.400	0.00190
DP/SDSP7-8.2.1	0.00346	0.08821	0.88873	0.400	0.00011
DP/SDSP7-8.2.2	0.00346	0.34872	0.00000	0.400	0.00000
DP/SDSP7-8.2.0	0.00346	0.56308	0.00000	0.400	0.00000
DP/SDSP7-8.3.1	0.00758	0.08821	0.92034	0.400	0.00025
DP/SDSP7-8.3.2	0.00758	0.34872	0.00000	0.400	0.00000
DP/SDSP7-8.3.0	0.00758	0.56308	0.00000	0.400	0.00000
DP/SDSP8-9.1.1	0.01409	0.08821	0.75052	0.400	0.00037
DP/SDSP8-9.1.2	0.01409	0.34872	0.55392	0.400	0.00109
DP/SDSP8-9.1.0	0.01409	0.56308	0.55392	0.400	0.00176
DP/SDSP8-9.2.1	0.00346	0.08821	0.86322	0.400	0.00011
DP/SDSP8-9.2.2	0.00346	0.34872	0.00000	0.400	0.00000
DP/SDSP8-9.2.0	0.00346	0.56308	0.00000	0.400	0.00000
DP/SDSP8-9.3.1	0.00758	0.08821	0.89791	0.400	0.00024
DP/SDSP8-9.3.2	0.00758	0.34872	0.00000	0.400	0.00000
DP/SDSP8-9.3.0	0.00758	0.56308	0.00000	0.400	0.00000
DP/SDSP9-10.1.1	0.01409	0.08821	0.74004	0.400	0.00037
DP/SDSP9-10.1.2	0.01409	0.34872	0.53879	0.400	0.00106
DP/SDSP9-10.1.0	0.01409	0.56308	0.53879	0.400	0.00171
DP/SDSP9-10.2.1	0.00346	0.08821	1.00000	0.400	0.00012
DP/SDSP9-10.2.2-1	0.00346	0.34872	0.00000	0.400	0.00000
DP/SDSP9-10.2.0-1	0.00346	0.56308	0.00000	0.400	0.00000
DP/SDSP9-10.3.1	0.00758	0.08821	1.00000	0.400	0.00027
DP/SDSP9-10.3.2-1	0.00758	0.34872	0.00000	0.400	0.00000
DP/SDSP9-10.3.0-1	0.00758	0.56308	0.00000	0.400	0.00000
DP/SDSP10-11.1.1	0.01409	0.08821	0.73910	0.400	0.00037
DP/SDSP10-11.1.2	0.01409	0.34872	0.53359	0.400	0.00105
DP/SDSP10-11.1.0	0.01409	0.56308	0.53359	0.400	0.00169
DP/SDSP10-11.2.1	0.00346	0.08821	0.88476	0.400	0.00011
DP/SDSP10-11.2.2	0.00346	0.34872	0.56710	0.400	0.00027
DP/SDSP10-11.2.0	0.00346	0.56308	0.56710	0.400	0.00044
DP/SDSP10-11.3.1	0.00758	0.08821	0.91981	0.400	0.00025
DP/SDSP10-11.3.2	0.00758	0.34872	0.63473	0.400	0.00067
DP/SDSP10-11.3.0	0.00758	0.56308	0.63473	0.400	0.00108
DP/SDSP11-12.1.1	0.01409	0.08821	0.74398	0.400	0.00037
DP/SDSP11-12.1.2	0.01409	0.34872	0.53288	0.400	0.00105
DP/SDSP11-12.1.0	0.01409	0.56308	0.53288	0.400	0.00169
DP/SDSP11-12.2.1	0.00346	0.08821	0.89138	0.400	0.00011
DP/SDSP11-12.2.2	0.00346	0.34872	0.56487	0.400	0.00027
DP/SDSP11-12.2.0	0.00346	0.56308	0.56487	0.400	0.00044
DP/SDSP11-12.3.1	0.00758	0.08821	0.92727	0.400	0.00025
DP/SDSP11-12.3.2	0.00758	0.34872	0.63437	0.400	0.00067
DP/SDSP11-12.3.0	0.00758	0.56308	0.63437	0.400	0.00108
DP/SDSP12-13.1.1	0.00709	0.08821	0.94685	0.400	0.00024
DP/SDSP12-13.1.2	0.00709	0.34872	0.89529	0.400	0.00089
DP/SDSP12-13.1.3	0.00709	0.30769	0.89540	0.400	0.00078

CASE	P	V	S	W	W*P*V*S
DP/SDSP12-13.1.4	0.00709	0.16007	0.89540	0.400	0.00041
DP/SDSP12-13.1.0	0.00709	0.09532	0.89540	0.400	0.00024
DP/SDSP12-13.2.1-1	0.00700	0.08821	0.00000	0.400	0.00000
DP/SDSP12-13.2.2-1	0.00700	0.34872	0.00000	0.400	0.00000
DP/SDSP12-13.2.3-1	0.00700	0.30769	0.00000	0.400	0.00000
DP/SDSP12-13.2.4-1	0.00700	0.16007	0.00000	0.400	0.00000
DP/SDSP12-13.2.0-1	0.00700	0.09532	0.00000	0.400	0.00000
DP/SDSP12-13.3.1-1	0.00346	0.08821	0.00000	0.400	0.00000
DP/SDSP12-13.3.2-1	0.00346	0.34872	0.00000	0.400	0.00000
DP/SDSP12-13.3.3-1	0.00346	0.30769	0.00000	0.400	0.00000
DP/SDSP12-13.3.4-1	0.00346	0.16007	0.00000	0.400	0.00000
DP/SDSP12-13.3.0-1	0.00346	0.09532	0.00000	0.400	0.00000
DP/SDSP12-13.4.1-1	0.00758	0.08821	0.00000	0.400	0.00000
DP/SDSP12-13.4.2-1	0.00758	0.34872	0.00000	0.400	0.00000
DP/SDSP12-13.4.3-1	0.00758	0.30769	0.00000	0.400	0.00000
DP/SDSP12-13.4.4-1	0.00758	0.16007	0.00000	0.400	0.00000
DP/SDSP12-13.4.0-1	0.00758	0.09532	0.00000	0.400	0.00000
DP/SDSP13-14.1.1-1	0.00709	0.08821	1.00000	0.400	0.00025
DP/SDSP13-14.1.2-1	0.00709	0.34872	1.00000	0.400	0.00099
DP/SDSP13-14.1.3-1	0.00709	0.30769	1.00000	0.400	0.00087
DP/SDSP13-14.1.4-1	0.00709	0.16007	1.00000	0.400	0.00045
DP/SDSP13-14.1.0-1	0.00709	0.09532	1.00000	0.400	0.00027
DP/SDSP13-14.2.1-1	0.00224	0.08821	0.00000	0.400	0.00000
DP/SDSP13-14.2.2-1	0.00224	0.34872	0.00000	0.400	0.00000
DP/SDSP13-14.2.3-1	0.00224	0.30769	0.00000	0.400	0.00000
DP/SDSP13-14.2.4-1	0.00224	0.16007	0.00000	0.400	0.00000
DP/SDSP13-14.2.0-1	0.00224	0.09532	0.00000	0.400	0.00000
DP/SDSP13-14.3.1-1	0.01579	0.08821	0.00000	0.400	0.00000
DP/SDSP13-14.3.2-1	0.01579	0.34872	0.00000	0.400	0.00000
DP/SDSP13-14.3.3-1	0.01579	0.30769	0.00000	0.400	0.00000
DP/SDSP13-14.3.4-1	0.01579	0.16007	0.00000	0.400	0.00000
DP/SDSP13-14.3.0-1	0.01579	0.09532	0.00000	0.400	0.00000
DP/SDSP13-14.4.1-1	0.00000	0.08821	0.00000	0.400	0.00000
DP/SDSP13-14.4.2-1	0.00000	0.34872	0.00000	0.400	0.00000
DP/SDSP13-14.4.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP13-14.4.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP13-14.4.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP14-15.1.1-1	0.00934	0.08821	1.00000	0.400	0.00033
DP/SDSP14-15.1.2-1	0.00934	0.34872	1.00000	0.400	0.00130
DP/SDSP14-15.1.3-1	0.00934	0.30769	1.00000	0.400	0.00115
DP/SDSP14-15.1.4-1	0.00934	0.16007	1.00000	0.400	0.00060
DP/SDSP14-15.1.0-1	0.00934	0.09532	1.00000	0.400	0.00036
DP/SDSP14-15.2.1-1	0.00189	0.08821	0.00000	0.400	0.00000
DP/SDSP14-15.2.2-1	0.00189	0.34872	0.00000	0.400	0.00000
DP/SDSP14-15.2.3-1	0.00189	0.30769	0.00000	0.400	0.00000
DP/SDSP14-15.2.4-1	0.00189	0.16007	0.00000	0.400	0.00000
DP/SDSP14-15.2.0-1	0.00189	0.09532	0.00000	0.400	0.00000
DP/SDSP14-15.3.1-1	0.01325	0.08821	0.00000	0.400	0.00000
DP/SDSP14-15.3.2-1	0.01325	0.34872	0.00000	0.400	0.00000
DP/SDSP14-15.3.3-1	0.01325	0.30769	0.00000	0.400	0.00000
DP/SDSP14-15.3.4-1	0.01325	0.16007	0.00000	0.400	0.00000
DP/SDSP14-15.3.0-1	0.01325	0.09532	0.00000	0.400	0.00000
DP/SDSP14-15.4.1-1	0.00065	0.08821	0.98272	0.400	0.00002
DP/SDSP14-15.4.2-1	0.00065	0.34872	0.98272	0.400	0.00009
DP/SDSP14-15.4.3-1	0.00065	0.30769	0.97110	0.400	0.00008
DP/SDSP14-15.4.4-1	0.00065	0.16007	0.97110	0.400	0.00004
DP/SDSP14-15.4.0-1	0.00065	0.09532	0.97110	0.400	0.00002
DP/SDSP14-15.5.1-1	0.00000	0.08821	0.98272	0.400	0.00000
DP/SDSP14-15.5.2-1	0.00000	0.34872	0.98272	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP14-15.5.3-1	0.000000	0.30769	0.97110	0.400	0.000000
DP/SDSP14-15.5.4-1	0.000000	0.16007	0.97110	0.400	0.000000
DP/SDSP14-15.5.0-1	0.000000	0.09532	0.97110	0.400	0.000000
DP/SDSP15-16.1.1	0.00941	0.08821	1.00000	0.400	0.00033
DP/SDSP15-16.1.2	0.00941	0.34872	1.00000	0.400	0.00131
DP/SDSP15-16.1.3	0.00941	0.30769	1.00000	0.400	0.00116
DP/SDSP15-16.1.4	0.00941	0.16007	1.00000	0.400	0.00060
DP/SDSP15-16.1.0	0.00941	0.09532	1.00000	0.400	0.00036
DP/SDSP15-16.2.1-1	0.00181	0.08821	1.00000	0.400	0.00006
DP/SDSP15-16.2.2-1	0.00181	0.34872	1.00000	0.400	0.00025
DP/SDSP15-16.2.3-1	0.00181	0.30769	1.00000	0.400	0.00022
DP/SDSP15-16.2.4-1	0.00181	0.16007	1.00000	0.400	0.00012
DP/SDSP15-16.2.0-1	0.00181	0.09532	1.00000	0.400	0.00007
DP/SDSP15-16.3.1-2	0.01325	0.08821	0.00000	0.400	0.00000
DP/SDSP15-16.3.2-2	0.01325	0.34872	0.00000	0.400	0.00000
DP/SDSP15-16.3.3-1	0.01325	0.30769	0.00000	0.400	0.00000
DP/SDSP15-16.3.4-1	0.01325	0.16007	0.00000	0.400	0.00000
DP/SDSP15-16.3.0-1	0.01325	0.09532	0.00000	0.400	0.00000
DP/SDSP15-16.4.1-2	0.00065	0.08821	1.00000	0.400	0.00002
DP/SDSP15-16.4.2-2	0.00065	0.34872	1.00000	0.400	0.00009
DP/SDSP15-16.4.3-1	0.00065	0.30769	0.00000	0.400	0.00000
DP/SDSP15-16.4.4-1	0.00065	0.16007	0.00000	0.400	0.00000
DP/SDSP15-16.4.0-1	0.00065	0.09532	0.00000	0.400	0.00000
DP/SDSP16-17.1.1	0.00460	0.08821	1.00000	0.400	0.00016
DP/SDSP16-17.1.2	0.00460	0.34872	1.00000	0.400	0.00064
DP/SDSP16-17.1.3	0.00460	0.30769	1.00000	0.400	0.00057
DP/SDSP16-17.1.4	0.00460	0.16007	1.00000	0.400	0.00029
DP/SDSP16-17.1.0	0.00460	0.09532	1.00000	0.400	0.00018
DP/SDSP16-17.2.1	0.00428	0.08821	1.00000	0.400	0.00015
DP/SDSP16-17.2.2	0.00428	0.34872	1.00000	0.400	0.00060
DP/SDSP16-17.2.3	0.00428	0.30769	1.00000	0.400	0.00053
DP/SDSP16-17.2.4	0.00428	0.16007	1.00000	0.400	0.00027
DP/SDSP16-17.2.0	0.00428	0.09532	1.00000	0.400	0.00016
DP/SDSP16-17.3.1	0.01479	0.08821	1.00000	0.400	0.00052
DP/SDSP16-17.3.2	0.01479	0.34872	1.00000	0.400	0.00206
DP/SDSP16-17.3.3	0.01479	0.30769	1.00000	0.400	0.00182
DP/SDSP16-17.3.4	0.01479	0.16007	1.00000	0.400	0.00095
DP/SDSP16-17.3.0	0.01479	0.09532	1.00000	0.400	0.00056
DP/SDSP17-18.1.1	0.00670	0.08821	1.00000	0.400	0.00024
DP/SDSP17-18.1.2	0.00670	0.34872	1.00000	0.400	0.00094
DP/SDSP17-18.1.3	0.00670	0.30769	1.00000	0.400	0.00083
DP/SDSP17-18.1.4	0.00670	0.16007	1.00000	0.400	0.00043
DP/SDSP17-18.1.0	0.00670	0.09532	1.00000	0.400	0.00026
DP/SDSP17-18.2.1-1	0.02795	0.08821	1.00000	0.400	0.00099
DP/SDSP17-18.2.2-1	0.02795	0.34872	1.00000	0.400	0.00390
DP/SDSP17-18.2.3-1	0.02795	0.30769	1.00000	0.400	0.00344
DP/SDSP17-18.2.4-1	0.02795	0.16007	1.00000	0.400	0.00179
DP/SDSP17-18.2.0-1	0.02795	0.09532	1.00000	0.400	0.00107
DP/SDSP1-3.1.1	0.000000	0.43692	1.00000	0.400	0.00000
DP/SDSP1-3.1.0	0.000000	0.56308	1.00000	0.400	0.00000
DP/SDSP1-3.2.1	0.00244	0.43692	1.00000	0.400	0.00043
DP/SDSP1-3.2.0	0.00244	0.56308	1.00000	0.400	0.00055
DP/SDSP1-3.3.1	0.00113	0.43692	0.47189	0.400	0.00009
DP/SDSP1-3.3.0	0.00113	0.56308	0.47189	0.400	0.00012
DP/SDSP2-4.1.1	0.00617	0.43692	0.96441	0.400	0.00104
DP/SDSP2-4.1.0	0.00617	0.56308	0.96441	0.400	0.00134
DP/SDSP2-4.2.1	0.00630	0.43692	0.00000	0.400	0.00000
DP/SDSP2-4.2.0	0.00630	0.56308	0.00000	0.400	0.00000
DP/SDSP3-5.1.1-1	0.00438	0.08821	0.97706	0.400	0.00015

CASE	P	V	S	W	W*P*V*S
DP/SDSP3-5.1.2-1	0.00438	0.34872	0.97706	0.400	0.00060
DP/SDSP3-5.1.0-1	0.00438	0.56308	0.97706	0.400	0.00096
DP/SDSP3-5.2.1-1	0.00043	0.08821	0.88119	0.400	0.00001
DP/SDSP3-5.2.2-1	0.00043	0.34872	0.88119	0.400	0.00005
DP/SDSP3-5.2.0-1	0.00043	0.56308	0.88119	0.400	0.00009
DP/SDSP3-5.3.1	0.00119	0.08821	0.74602	0.400	0.00003
DP/SDSP3-5.3.2	0.00119	0.34872	0.00000	0.400	0.00000
DP/SDSP3-5.3.0	0.00119	0.56308	0.00000	0.400	0.00000
DP/SDSP3-5.4.1	0.00285	0.08821	0.74602	0.400	0.00008
DP/SDSP3-5.4.2	0.00285	0.34872	0.00000	0.400	0.00000
DP/SDSP3-5.4.0	0.00285	0.56308	0.00000	0.400	0.00000
DP/SDSP4-6.1.1	0.00345	0.08821	0.52548	0.400	0.00006
DP/SDSP4-6.1.2	0.00345	0.34872	0.52548	0.400	0.00025
DP/SDSP4-6.1.0	0.00345	0.56308	0.52548	0.400	0.00041
DP/SDSP4-6.2.1	0.00034	0.08821	0.30422	0.400	0.00000
DP/SDSP4-6.2.2	0.00034	0.34872	0.30422	0.400	0.00001
DP/SDSP4-6.2.0	0.00034	0.56308	0.30422	0.400	0.00002
DP/SDSP4-6.3.1-1	0.00094	0.08821	0.00000	0.400	0.00000
DP/SDSP4-6.3.2-1	0.00094	0.34872	0.00000	0.400	0.00000
DP/SDSP4-6.3.0-1	0.00094	0.56308	0.00000	0.400	0.00000
DP/SDSP4-6.4.1-1	0.00225	0.08821	0.00000	0.400	0.00000
DP/SDSP4-6.4.2-1	0.00225	0.34872	0.00000	0.400	0.00000
DP/SDSP4-6.4.0-1	0.00225	0.56308	0.00000	0.400	0.00000
DP/SDSP5-7.1.1	0.00631	0.08821	0.20424	0.400	0.00005
DP/SDSP5-7.1.2	0.00631	0.34872	0.00000	0.400	0.00000
DP/SDSP5-7.1.0	0.00631	0.56308	0.00000	0.400	0.00000
DP/SDSP5-7.2.1-1	0.00156	0.08821	0.00000	0.400	0.00000
DP/SDSP5-7.2.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DP/SDSP5-7.2.0-1	0.00156	0.56308	0.00000	0.400	0.00000
DP/SDSP5-7.3.1-1	0.00374	0.08821	0.00000	0.400	0.00000
DP/SDSP5-7.3.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DP/SDSP5-7.3.0-1	0.00374	0.56308	0.00000	0.400	0.00000
DP/SDSP6-8.1.1	0.00631	0.08821	0.23831	0.400	0.00005
DP/SDSP6-8.1.2	0.00631	0.34872	0.00000	0.400	0.00000
DP/SDSP6-8.1.0	0.00631	0.56308	0.00000	0.400	0.00000
DP/SDSP6-8.2.1-1	0.00156	0.08821	0.00000	0.400	0.00000
DP/SDSP6-8.2.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DP/SDSP6-8.2.0-1	0.00156	0.56308	0.00000	0.400	0.00000
DP/SDSP6-8.3.1-1	0.00374	0.08821	0.00000	0.400	0.00000
DP/SDSP6-8.3.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DP/SDSP6-8.3.0-1	0.00374	0.56308	0.00000	0.400	0.00000
DP/SDSP7-9.1.1	0.00631	0.08821	0.34796	0.400	0.00008
DP/SDSP7-9.1.2	0.00631	0.34872	0.00000	0.400	0.00000
DP/SDSP7-9.1.0	0.00631	0.56308	0.00000	0.400	0.00000
DP/SDSP7-9.2.1	0.00156	0.08821	0.56479	0.400	0.00003
DP/SDSP7-9.2.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DP/SDSP7-9.2.0-1	0.00156	0.56308	0.00000	0.400	0.00000
DP/SDSP7-9.3.1	0.00374	0.08821	0.65827	0.400	0.00009
DP/SDSP7-9.3.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DP/SDSP7-9.3.0-1	0.00374	0.56308	0.00000	0.400	0.00000
DP/SDSP8-10.1.1	0.00631	0.08821	0.27851	0.400	0.00006
DP/SDSP8-10.1.2	0.00631	0.34872	0.00000	0.400	0.00000
DP/SDSP8-10.1.0	0.00631	0.56308	0.00000	0.400	0.00000
DP/SDSP8-10.2.1	0.00156	0.08821	0.80534	0.400	0.00004
DP/SDSP8-10.2.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DP/SDSP8-10.2.0-1	0.00156	0.56308	0.00000	0.400	0.00000
DP/SDSP8-10.3.1	0.00374	0.08821	0.84665	0.400	0.00011
DP/SDSP8-10.3.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DP/SDSP8-10.3.0-1	0.00374	0.56308	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP9-11.1.1	0.00631	0.08821	0.25372	0.400	0.00006
DP/SDSP9-11.1.2	0.00631	0.34872	0.00000	0.400	0.00000
DP/SDSP9-11.1.0	0.00631	0.56308	0.00000	0.400	0.00000
DP/SDSP9-11.2.1	0.00156	0.08821	0.80686	0.400	0.00004
DP/SDSP9-11.2.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DP/SDSP9-11.2.0-1	0.00156	0.56308	0.00000	0.400	0.00000
DP/SDSP9-11.3.1	0.00374	0.08821	0.84850	0.400	0.00011
DP/SDSP9-11.3.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DP/SDSP9-11.3.0-1	0.00374	0.56308	0.00000	0.400	0.00000
DP/SDSP10-12.1.1	0.00631	0.08821	0.25876	0.400	0.00006
DP/SDSP10-12.1.2	0.00631	0.34872	0.00000	0.400	0.00000
DP/SDSP10-12.1.0	0.00631	0.56308	0.00000	0.400	0.00000
DP/SDSP10-12.2.1	0.00156	0.08821	0.60466	0.400	0.00003
DP/SDSP10-12.2.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DP/SDSP10-12.2.0-1	0.00156	0.56308	0.00000	0.400	0.00000
DP/SDSP10-12.3.1	0.00374	0.08821	0.69381	0.400	0.00009
DP/SDSP10-12.3.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DP/SDSP10-12.3.0-1	0.00374	0.56308	0.00000	0.400	0.00000
DP/SDSP11-13.1.1	0.00321	0.08821	0.57149	0.400	0.00006
DP/SDSP11-13.1.2	0.00321	0.34872	0.00000	0.400	0.00000
DP/SDSP11-13.1.3	0.00321	0.30769	0.00000	0.400	0.00000
DP/SDSP11-13.1.4	0.00321	0.16007	0.00000	0.400	0.00000
DP/SDSP11-13.1.0	0.00321	0.09532	0.00000	0.400	0.00000
DP/SDSP11-13.2.1	0.00311	0.08821	0.00000	0.400	0.00000
DP/SDSP11-13.2.2-1	0.00311	0.34872	0.00000	0.400	0.00000
DP/SDSP11-13.2.3-1	0.00311	0.30769	0.00000	0.400	0.00000
DP/SDSP11-13.2.4-1	0.00311	0.16007	0.00000	0.400	0.00000
DP/SDSP11-13.2.0-1	0.00311	0.09532	0.00000	0.400	0.00000
DP/SDSP11-13.3.1	0.00156	0.08821	0.00000	0.400	0.00000
DP/SDSP11-13.3.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DP/SDSP11-13.3.3-1	0.00156	0.30769	0.00000	0.400	0.00000
DP/SDSP11-13.3.4-1	0.00156	0.16007	0.00000	0.400	0.00000
DP/SDSP11-13.3.0-1	0.00156	0.09532	0.00000	0.400	0.00000
DP/SDSP11-13.4.1-1	0.00374	0.08821	0.00000	0.400	0.00000
DP/SDSP11-13.4.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DP/SDSP11-13.4.3-1	0.00374	0.30769	0.00000	0.400	0.00000
DP/SDSP11-13.4.4-1	0.00374	0.16007	0.00000	0.400	0.00000
DP/SDSP11-13.4.0-1	0.00374	0.09532	0.00000	0.400	0.00000
DP/SDSP12-14.1.1-1	0.00321	0.08821	0.75423	0.400	0.00009
DP/SDSP12-14.1.2-1	0.00321	0.34872	0.64344	0.400	0.00029
DP/SDSP12-14.1.3-1	0.00321	0.30769	0.64331	0.400	0.00025
DP/SDSP12-14.1.4-1	0.00321	0.16007	0.64331	0.400	0.00013
DP/SDSP12-14.1.0-1	0.00321	0.09532	0.64331	0.400	0.00008
DP/SDSP12-14.2.1-1	0.00100	0.08821	0.00000	0.400	0.00000
DP/SDSP12-14.2.2-1	0.00100	0.34872	0.00000	0.400	0.00000
DP/SDSP12-14.2.3-1	0.00100	0.30769	0.00000	0.400	0.00000
DP/SDSP12-14.2.4-1	0.00100	0.16007	0.00000	0.400	0.00000
DP/SDSP12-14.2.0-1	0.00100	0.09532	0.00000	0.400	0.00000
DP/SDSP12-14.3.1-1	0.00211	0.08821	0.00000	0.400	0.00000
DP/SDSP12-14.3.2-1	0.00211	0.34872	0.00000	0.400	0.00000
DP/SDSP12-14.3.3-1	0.00211	0.30769	0.00000	0.400	0.00000
DP/SDSP12-14.3.4-1	0.00211	0.16007	0.00000	0.400	0.00000
DP/SDSP12-14.3.0-1	0.00211	0.09532	0.00000	0.400	0.00000
DP/SDSP12-14.4.1-1	0.00156	0.08821	0.00000	0.400	0.00000
DP/SDSP12-14.4.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DP/SDSP12-14.4.3-1	0.00156	0.30769	0.00000	0.400	0.00000
DP/SDSP12-14.4.4-1	0.00156	0.16007	0.00000	0.400	0.00000
DP/SDSP12-14.4.0-1	0.00156	0.09532	0.00000	0.400	0.00000
DP/SDSP12-14.5.1-1	0.00374	0.08821	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP12-14.5.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DP/SDSP12-14.5.3-1	0.00374	0.30769	0.00000	0.400	0.00000
DP/SDSP12-14.5.4-1	0.00374	0.16007	0.00000	0.400	0.00000
DP/SDSP12-14.5.0-1	0.00374	0.09532	0.00000	0.400	0.00000
DP/SDSP12-14.6.1-1	0.00000	0.08821	0.00000	0.400	0.00000
DP/SDSP12-14.6.2-1	0.00000	0.34872	0.00000	0.400	0.00000
DP/SDSP12-14.6.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP12-14.6.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP12-14.6.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP13-15.1.1-1	0.00321	0.08821	0.88793	0.400	0.00010
DP/SDSP13-15.1.2-1	0.00321	0.34872	0.88793	0.400	0.00040
DP/SDSP13-15.1.3-1	0.00321	0.30769	0.88810	0.400	0.00035
DP/SDSP13-15.1.4-1	0.00321	0.16007	0.88810	0.400	0.00018
DP/SDSP13-15.1.0-1	0.00321	0.09532	0.88810	0.400	0.00011
DP/SDSP13-15.2.1-1	0.00100	0.08821	0.00000	0.400	0.00000
DP/SDSP13-15.2.2-1	0.00100	0.34872	0.00000	0.400	0.00000
DP/SDSP13-15.2.3-1	0.00100	0.30769	0.00000	0.400	0.00000
DP/SDSP13-15.2.4-1	0.00100	0.16007	0.00000	0.400	0.00000
DP/SDSP13-15.2.0-1	0.00100	0.09532	0.00000	0.400	0.00000
DP/SDSP13-15.3.1-1	0.00084	0.08821	0.00000	0.400	0.00000
DP/SDSP13-15.3.2-1	0.00084	0.34872	0.00000	0.400	0.00000
DP/SDSP13-15.3.3-1	0.00084	0.30769	0.00000	0.400	0.00000
DP/SDSP13-15.3.4-1	0.00084	0.16007	0.00000	0.400	0.00000
DP/SDSP13-15.3.0-1	0.00084	0.09532	0.00000	0.400	0.00000
DP/SDSP13-15.4.1-1	0.00620	0.08821	0.00000	0.400	0.00000
DP/SDSP13-15.4.2-1	0.00620	0.34872	0.00000	0.400	0.00000
DP/SDSP13-15.4.3-1	0.00620	0.30769	0.00000	0.400	0.00000
DP/SDSP13-15.4.4-1	0.00620	0.16007	0.00000	0.400	0.00000
DP/SDSP13-15.4.0-1	0.00620	0.09532	0.00000	0.400	0.00000
DP/SDSP13-15.5.1-1	0.00037	0.08821	0.78919	0.400	0.00001
DP/SDSP13-15.5.2-1	0.00037	0.34872	0.78919	0.400	0.00004
DP/SDSP13-15.5.3-1	0.00037	0.30769	0.66821	0.400	0.00003
DP/SDSP13-15.5.4-1	0.00037	0.16007	0.66821	0.400	0.00002
DP/SDSP13-15.5.0-1	0.00037	0.09532	0.66821	0.400	0.00001
DP/SDSP13-15.6.1-1	0.00000	0.08821	0.78919	0.400	0.00000
DP/SDSP13-15.6.2-1	0.00000	0.34872	0.78919	0.400	0.00000
DP/SDSP13-15.6.3-1	0.00000	0.30769	0.66821	0.400	0.00000
DP/SDSP13-15.6.4-1	0.00000	0.16007	0.66821	0.400	0.00000
DP/SDSP13-15.6.0-1	0.00000	0.09532	0.66821	0.400	0.00000
DP/SDSP14-16.1.1-2	0.00420	0.08821	1.00000	0.400	0.00015
DP/SDSP14-16.1.2-2	0.00420	0.34872	1.00000	0.400	0.00059
DP/SDSP14-16.1.3-2	0.00420	0.30769	1.00000	0.400	0.00052
DP/SDSP14-16.1.4-2	0.00420	0.16007	1.00000	0.400	0.00027
DP/SDSP14-16.1.0-2	0.00420	0.09532	1.00000	0.400	0.00016
DP/SDSP14-16.2.1-2	0.00003	0.08821	0.00000	0.400	0.00000
DP/SDSP14-16.2.2-2	0.00003	0.34872	0.00000	0.400	0.00000
DP/SDSP14-16.2.3-1	0.00003	0.30769	0.00000	0.400	0.00000
DP/SDSP14-16.2.4-1	0.00003	0.16007	0.00000	0.400	0.00000
DP/SDSP14-16.2.0-1	0.00003	0.09532	0.00000	0.400	0.00000
DP/SDSP14-16.3.1-2	0.00080	0.08821	0.00000	0.400	0.00000
DP/SDSP14-16.3.2-2	0.00080	0.34872	0.00000	0.400	0.00000
DP/SDSP14-16.3.3-1	0.00080	0.30769	0.00000	0.400	0.00000
DP/SDSP14-16.3.4-1	0.00080	0.16007	0.00000	0.400	0.00000
DP/SDSP14-16.3.0-1	0.00080	0.09532	0.00000	0.400	0.00000
DP/SDSP14-16.4.1-2	0.00620	0.08821	0.00000	0.400	0.00000
DP/SDSP14-16.4.2-2	0.00620	0.34872	0.00000	0.400	0.00000
DP/SDSP14-16.4.3-1	0.00620	0.30769	0.00000	0.400	0.00000
DP/SDSP14-16.4.4-1	0.00620	0.16007	0.00000	0.400	0.00000
DP/SDSP14-16.4.0-1	0.00620	0.09532	0.00000	0.400	0.00000



CASE	P	V	S	W	W*P*V*S
DP/SDSP14-16.5.1-2	0.00037	0.08821	0.93308	0.400	0.00001
DP/SDSP14-16.5.2-2	0.00037	0.34872	0.93308	0.400	0.00005
DP/SDSP14-16.5.3-1	0.00037	0.30769	0.00000	0.400	0.00000
DP/SDSP14-16.5.4-1	0.00037	0.16007	0.00000	0.400	0.00000
DP/SDSP14-16.5.0-1	0.00037	0.09532	0.00000	0.400	0.00000
DP/SDSP14-16.6.1-2	0.00000	0.08821	0.93308	0.400	0.00000
DP/SDSP14-16.6.2-2	0.00000	0.34872	0.93308	0.400	0.00000
DP/SDSP14-16.6.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP14-16.6.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP14-16.6.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP15-17.1.1	0.00213	0.08821	1.00000	0.400	0.00008
DP/SDSP15-17.1.2	0.00213	0.34872	1.00000	0.400	0.00030
DP/SDSP15-17.1.3	0.00213	0.30769	1.00000	0.400	0.00026
DP/SDSP15-17.1.4	0.00213	0.16007	1.00000	0.400	0.00014
DP/SDSP15-17.1.0	0.00213	0.09532	1.00000	0.400	0.00008
DP/SDSP15-17.2.1	0.00194	0.08821	1.00000	0.400	0.00007
DP/SDSP15-17.2.2	0.00194	0.34872	1.00000	0.400	0.00027
DP/SDSP15-17.2.3	0.00194	0.30769	1.00000	0.400	0.00024
DP/SDSP15-17.2.4	0.00194	0.16007	1.00000	0.400	0.00012
DP/SDSP15-17.2.0	0.00194	0.09532	1.00000	0.400	0.00007
DP/SDSP15-17.3.1	0.00077	0.08821	1.00000	0.400	0.00003
DP/SDSP15-17.3.2	0.00077	0.34872	1.00000	0.400	0.00011
DP/SDSP15-17.3.3	0.00077	0.30769	1.00000	0.400	0.00009
DP/SDSP15-17.3.4	0.00077	0.16007	1.00000	0.400	0.00005
DP/SDSP15-17.3.0	0.00077	0.09532	1.00000	0.400	0.00003
DP/SDSP15-17.4.1-2	0.00595	0.08821	0.00000	0.400	0.00000
DP/SDSP15-17.4.2-2	0.00595	0.34872	0.00000	0.400	0.00000
DP/SDSP15-17.4.3-1	0.00595	0.30769	0.00000	0.400	0.00000
DP/SDSP15-17.4.4-1	0.00595	0.16007	0.00000	0.400	0.00000
DP/SDSP15-17.4.0-1	0.00595	0.09532	0.00000	0.400	0.00000
DP/SDSP15-17.5.1-2	0.00035	0.08821	1.00000	0.400	0.00001
DP/SDSP15-17.5.2-2	0.00035	0.34872	1.00000	0.400	0.00005
DP/SDSP15-17.5.3-1	0.00035	0.30769	0.00000	0.400	0.00000
DP/SDSP15-17.5.4-1	0.00035	0.16007	0.00000	0.400	0.00000
DP/SDSP15-17.5.0-1	0.00035	0.09532	0.00000	0.400	0.00000
DP/SDSP16-18.1.1	0.00316	0.08821	1.00000	0.400	0.00011
DP/SDSP16-18.1.2	0.00316	0.34872	1.00000	0.400	0.00044
DP/SDSP16-18.1.3	0.00316	0.30769	1.00000	0.400	0.00039
DP/SDSP16-18.1.4	0.00316	0.16007	1.00000	0.400	0.00020
DP/SDSP16-18.1.0	0.00316	0.09532	1.00000	0.400	0.00012
DP/SDSP16-18.2.1	0.00287	0.08821	1.00000	0.400	0.00010
DP/SDSP16-18.2.2	0.00287	0.34872	1.00000	0.400	0.00040
DP/SDSP16-18.2.3	0.00287	0.30769	1.00000	0.400	0.00035
DP/SDSP16-18.2.4	0.00287	0.16007	1.00000	0.400	0.00018
DP/SDSP16-18.2.0	0.00287	0.09532	1.00000	0.400	0.00011
DP/SDSP16-18.3.1	0.01049	0.08821	1.00000	0.400	0.00037
DP/SDSP16-18.3.2	0.01049	0.34872	1.00000	0.400	0.00146
DP/SDSP16-18.3.3	0.01049	0.30769	1.00000	0.400	0.00129
DP/SDSP16-18.3.4	0.01049	0.16007	1.00000	0.400	0.00067
DP/SDSP16-18.3.0	0.01049	0.09532	1.00000	0.400	0.00040
DP/SDSP1-4.1.1	0.00000	0.43692	0.88113	0.400	0.00000
DP/SDSP1-4.1.0	0.00000	0.56308	0.88113	0.400	0.00000
DP/SDSP1-4.2.1	0.00183	0.43692	0.88113	0.400	0.00028
DP/SDSP1-4.2.0	0.00183	0.56308	0.88113	0.400	0.00036
DP/SDSP1-4.3.1	0.00085	0.43692	0.00000	0.400	0.00000
DP/SDSP1-4.3.0	0.00085	0.56308	0.00000	0.400	0.00000
DP/SDSP2-5.1.1-1	0.00743	0.08821	0.00000	0.400	0.00000
DP/SDSP2-5.1.2-1	0.00743	0.34872	0.00000	0.400	0.00000
DP/SDSP2-5.1.0-1	0.00743	0.56308	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP2-5.2.1-1	0.00074	0.08821	0.00000	0.400	0.00000
DP/SDSP2-5.2.2-1	0.00074	0.34872	0.00000	0.400	0.00000
DP/SDSP2-5.2.0-1	0.00074	0.56308	0.00000	0.400	0.00000
DP/SDSP2-5.3.1-1	0.00201	0.08821	0.00000	0.400	0.00000
DP/SDSP2-5.3.2-1	0.00201	0.34872	0.00000	0.400	0.00000
DP/SDSP2-5.3.0-1	0.00201	0.56308	0.00000	0.400	0.00000
DP/SDSP2-5.4.1-1	0.00483	0.08821	0.00000	0.400	0.00000
DP/SDSP2-5.4.2-1	0.00483	0.34872	0.00000	0.400	0.00000
DP/SDSP2-5.4.0-1	0.00483	0.56308	0.00000	0.400	0.00000
DP/SDSP3-6.1.1	0.00180	0.08821	0.00000	0.400	0.00000
DP/SDSP3-6.1.2	0.00180	0.34872	0.00000	0.400	0.00000
DP/SDSP3-6.1.0	0.00180	0.56308	0.00000	0.400	0.00000
DP/SDSP3-6.2.1-1	0.00018	0.08821	0.00000	0.400	0.00000
DP/SDSP3-6.2.2-1	0.00018	0.34872	0.00000	0.400	0.00000
DP/SDSP3-6.2.0-1	0.00018	0.56308	0.00000	0.400	0.00000
DP/SDSP3-6.3.1-1	0.00049	0.08821	0.00000	0.400	0.00000
DP/SDSP3-6.3.2-1	0.00049	0.34872	0.00000	0.400	0.00000
DP/SDSP3-6.3.0-1	0.00049	0.56308	0.00000	0.400	0.00000
DP/SDSP3-6.4.1-1	0.00117	0.08821	0.00000	0.400	0.00000
DP/SDSP3-6.4.2-1	0.00117	0.34872	0.00000	0.400	0.00000
DP/SDSP3-6.4.0-1	0.00117	0.56308	0.00000	0.400	0.00000
DP/SDSP4-7.1.1-1	0.00099	0.08821	0.00000	0.400	0.00000
DP/SDSP4-7.1.2-1	0.00099	0.34872	0.00000	0.400	0.00000
DP/SDSP4-7.1.0-1	0.00099	0.56308	0.00000	0.400	0.00000
DP/SDSP4-7.2.1-1	0.00010	0.08821	0.00000	0.400	0.00000
DP/SDSP4-7.2.2-1	0.00010	0.34872	0.00000	0.400	0.00000
DP/SDSP4-7.2.0-1	0.00010	0.56308	0.00000	0.400	0.00000
DP/SDSP4-7.3.1-1	0.00027	0.08821	0.00000	0.400	0.00000
DP/SDSP4-7.3.2-3	0.00027	0.34872	0.00000	0.400	0.00000
DP/SDSP4-7.3.0-3	0.00027	0.56308	0.00000	0.400	0.00000
DP/SDSP4-7.4.1-1	0.00064	0.08821	0.00000	0.400	0.00000
DP/SDSP4-7.4.2-3	0.00064	0.34872	0.00000	0.400	0.00000
DP/SDSP4-7.4.0-3	0.00064	0.56308	0.00000	0.400	0.00000
DP/SDSP5-8.1.1-1	0.00192	0.08821	0.00000	0.400	0.00000
DP/SDSP5-8.1.2-1	0.00192	0.34872	0.00000	0.400	0.00000
DP/SDSP5-8.1.0-1	0.00192	0.56308	0.00000	0.400	0.00000
DP/SDSP5-8.2.1-1	0.00047	0.08821	0.00000	0.400	0.00000
DP/SDSP5-8.2.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DP/SDSP5-8.2.0-1	0.00047	0.56308	0.00000	0.400	0.00000
DP/SDSP5-8.3.1-1	0.00114	0.08821	0.00000	0.400	0.00000
DP/SDSP5-8.3.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DP/SDSP5-8.3.0-1	0.00114	0.56308	0.00000	0.400	0.00000
DP/SDSP6-9.1.1	0.00192	0.08821	0.00000	0.400	0.00000
DP/SDSP6-9.1.2-1	0.00192	0.34872	0.00000	0.400	0.00000
DP/SDSP6-9.1.0-1	0.00192	0.56308	0.00000	0.400	0.00000
DP/SDSP6-9.2.1-1	0.00047	0.08821	0.00000	0.400	0.00000
DP/SDSP6-9.2.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DP/SDSP6-9.2.0-1	0.00047	0.56308	0.00000	0.400	0.00000
DP/SDSP6-9.3.1-1	0.00114	0.08821	0.00000	0.400	0.00000
DP/SDSP6-9.3.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DP/SDSP6-9.3.0-1	0.00114	0.56308	0.00000	0.400	0.00000
DP/SDSP7-10.1.1	0.00192	0.08821	0.00000	0.400	0.00000
DP/SDSP7-10.1.2-1	0.00192	0.34872	0.00000	0.400	0.00000
DP/SDSP7-10.1.0-1	0.00192	0.56308	0.00000	0.400	0.00000
DP/SDSP7-10.2.1	0.00047	0.08821	0.00000	0.400	0.00000
DP/SDSP7-10.2.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DP/SDSP7-10.2.0-1	0.00047	0.56308	0.00000	0.400	0.00000
DP/SDSP7-10.3.1	0.00114	0.08821	0.00000	0.400	0.00000
DP/SDSP7-10.3.2-1	0.00114	0.34872	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP7-10.3.0-1	0.00114	0.56308	0.00000	0.400	0.00000
DP/SDSP8-11.1.1	0.00192	0.08821	0.00000	0.400	0.00000
DP/SDSP8-11.1.2-1	0.00192	0.34872	0.00000	0.400	0.00000
DP/SDSP8-11.1.0-1	0.00192	0.56308	0.00000	0.400	0.00000
DP/SDSP8-11.2.1	0.00047	0.08821	0.00000	0.400	0.00000
DP/SDSP8-11.2.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DP/SDSP8-11.2.0-1	0.00047	0.56308	0.00000	0.400	0.00000
DP/SDSP8-11.3.1	0.00114	0.08821	0.00000	0.400	0.00000
DP/SDSP8-11.3.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DP/SDSP8-11.3.0-1	0.00114	0.56308	0.00000	0.400	0.00000
DP/SDSP9-12.1.1	0.00192	0.08821	0.00000	0.400	0.00000
DP/SDSP9-12.1.2-1	0.00192	0.34872	0.00000	0.400	0.00000
DP/SDSP9-12.1.0-1	0.00192	0.56308	0.00000	0.400	0.00000
DP/SDSP9-12.2.1	0.00047	0.08821	0.00000	0.400	0.00000
DP/SDSP9-12.2.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DP/SDSP9-12.2.0-1	0.00047	0.56308	0.00000	0.400	0.00000
DP/SDSP9-12.3.1	0.00114	0.08821	0.00000	0.400	0.00000
DP/SDSP9-12.3.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DP/SDSP9-12.3.0-1	0.00114	0.56308	0.00000	0.400	0.00000
DP/SDSP10-13.1.1	0.00098	0.08821	0.00000	0.400	0.00000
DP/SDSP10-13.1.2-1	0.00098	0.34872	0.00000	0.400	0.00000
DP/SDSP10-13.1.3-1	0.00098	0.30769	0.00000	0.400	0.00000
DP/SDSP10-13.1.4-1	0.00098	0.16007	0.00000	0.400	0.00000
DP/SDSP10-13.1.0-1	0.00098	0.09532	0.00000	0.400	0.00000
DP/SDSP10-13.2.1-1	0.00095	0.08821	0.00000	0.400	0.00000
DP/SDSP10-13.2.2-1	0.00095	0.34872	0.00000	0.400	0.00000
DP/SDSP10-13.2.3-1	0.00095	0.30769	0.00000	0.400	0.00000
DP/SDSP10-13.2.4-1	0.00095	0.16007	0.00000	0.400	0.00000
DP/SDSP10-13.2.0-1	0.00095	0.09532	0.00000	0.400	0.00000
DP/SDSP10-13.3.1-1	0.00047	0.08821	0.00000	0.400	0.00000
DP/SDSP10-13.3.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DP/SDSP10-13.3.3-1	0.00047	0.30769	0.00000	0.400	0.00000
DP/SDSP10-13.3.4-1	0.00047	0.16007	0.00000	0.400	0.00000
DP/SDSP10-13.3.0-1	0.00047	0.09532	0.00000	0.400	0.00000
DP/SDSP10-13.4.1-1	0.00114	0.08821	0.00000	0.400	0.00000
DP/SDSP10-13.4.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DP/SDSP10-13.4.3-1	0.00114	0.30769	0.00000	0.400	0.00000
DP/SDSP10-13.4.4-1	0.00114	0.16007	0.00000	0.400	0.00000
DP/SDSP10-13.4.0-1	0.00114	0.09532	0.00000	0.400	0.00000
DP/SDSP11-14.1.1	0.00098	0.08821	0.23792	0.400	0.00001
DP/SDSP11-14.1.2-1	0.00098	0.34872	0.00000	0.400	0.00000
DP/SDSP11-14.1.3	0.00098	0.30769	0.00000	0.400	0.00000
DP/SDSP11-14.1.4	0.00098	0.16007	0.00000	0.400	0.00000
DP/SDSP11-14.1.0	0.00098	0.09532	0.00000	0.400	0.00000
DP/SDSP11-14.2.1-1	0.00030	0.08821	0.00000	0.400	0.00000
DP/SDSP11-14.2.2-1	0.00030	0.34872	0.00000	0.400	0.00000
DP/SDSP11-14.2.3-1	0.00030	0.30769	0.00000	0.400	0.00000
DP/SDSP11-14.2.4-1	0.00030	0.16007	0.00000	0.400	0.00000
DP/SDSP11-14.2.0-1	0.00030	0.09532	0.00000	0.400	0.00000
DP/SDSP11-14.3.1-1	0.00064	0.08821	0.00000	0.400	0.00000
DP/SDSP11-14.3.2-1	0.00064	0.34872	0.00000	0.400	0.00000
DP/SDSP11-14.3.3-1	0.00064	0.30769	0.00000	0.400	0.00000
DP/SDSP11-14.3.4-1	0.00064	0.16007	0.00000	0.400	0.00000
DP/SDSP11-14.3.0-1	0.00064	0.09532	0.00000	0.400	0.00000
DP/SDSP11-14.4.1-1	0.00047	0.08821	0.00000	0.400	0.00000
DP/SDSP11-14.4.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DP/SDSP11-14.4.3-1	0.00047	0.30769	0.00000	0.400	0.00000
DP/SDSP11-14.4.4-1	0.00047	0.16007	0.00000	0.400	0.00000
DP/SDSP11-14.4.0-1	0.00047	0.09532	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP11-14.5.1-1	0.00114	0.08821	0.00000	0.400	0.00000
DP/SDSP11-14.5.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DP/SDSP11-14.5.3-1	0.00114	0.30769	0.00000	0.400	0.00000
DP/SDSP11-14.5.4-1	0.00114	0.16007	0.00000	0.400	0.00000
DP/SDSP11-14.5.0-1	0.00114	0.09532	0.00000	0.400	0.00000
DP/SDSP11-14.6.1-1	0.00000	0.08821	0.00000	0.400	0.00000
DP/SDSP11-14.6.2-1	0.00000	0.34872	0.00000	0.400	0.00000
DP/SDSP11-14.6.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP11-14.6.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP11-14.6.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP12-15.1.1-1	0.00098	0.08821	0.37627	0.400	0.00001
DP/SDSP12-15.1.2-1	0.00098	0.34872	0.00000	0.400	0.00000
DP/SDSP12-15.1.3-1	0.00098	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.1.4-1	0.00098	0.16007	0.00000	0.400	0.00000
DP/SDSP12-15.1.0-1	0.00098	0.09532	0.00000	0.400	0.00000
DP/SDSP12-15.2.1-1	0.00030	0.08821	0.00000	0.400	0.00000
DP/SDSP12-15.2.2-1	0.00030	0.34872	0.00000	0.400	0.00000
DP/SDSP12-15.2.3-1	0.00030	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.2.4-1	0.00030	0.16007	0.00000	0.400	0.00000
DP/SDSP12-15.2.0-1	0.00030	0.09532	0.00000	0.400	0.00000
DP/SDSP12-15.3.1-1	0.00025	0.08821	0.00000	0.400	0.00000
DP/SDSP12-15.3.2-1	0.00025	0.34872	0.00000	0.400	0.00000
DP/SDSP12-15.3.3-1	0.00025	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.3.4-1	0.00025	0.16007	0.00000	0.400	0.00000
DP/SDSP12-15.3.0-1	0.00025	0.09532	0.00000	0.400	0.00000
DP/SDSP12-15.4.1-1	0.00039	0.08821	0.00000	0.400	0.00000
DP/SDSP12-15.4.2-1	0.00039	0.34872	0.00000	0.400	0.00000
DP/SDSP12-15.4.3-1	0.00039	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.4.4-1	0.00039	0.16007	0.00000	0.400	0.00000
DP/SDSP12-15.4.0-1	0.00039	0.09532	0.00000	0.400	0.00000
DP/SDSP12-15.5.1-1	0.00047	0.08821	0.00000	0.400	0.00000
DP/SDSP12-15.5.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DP/SDSP12-15.5.3-1	0.00047	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.5.4-1	0.00047	0.16007	0.00000	0.400	0.00000
DP/SDSP12-15.5.0-1	0.00047	0.09532	0.00000	0.400	0.00000
DP/SDSP12-15.6.1-1	0.00103	0.08821	0.00000	0.400	0.00000
DP/SDSP12-15.6.2-1	0.00103	0.34872	0.00000	0.400	0.00000
DP/SDSP12-15.6.3-1	0.00103	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.6.4-1	0.00103	0.16007	0.00000	0.400	0.00000
DP/SDSP12-15.6.0-1	0.00103	0.09532	0.00000	0.400	0.00000
DP/SDSP12-15.7.1-1	0.00011	0.08821	0.85577	0.400	0.00000
DP/SDSP12-15.7.2-1	0.00011	0.34872	0.62216	0.400	0.00001
DP/SDSP12-15.7.3-1	0.00011	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.7.4-1	0.00011	0.16007	0.00000	0.400	0.00000
DP/SDSP12-15.7.0-1	0.00011	0.09532	0.00000	0.400	0.00000
DP/SDSP12-15.8.1-1	0.00000	0.08821	0.85577	0.400	0.00000
DP/SDSP12-15.8.2-1	0.00000	0.34872	0.62216	0.400	0.00000
DP/SDSP12-15.8.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP12-15.8.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP12-15.8.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP13-16.1.1-2	0.00098	0.08821	0.72261	0.400	0.00002
DP/SDSP13-16.1.2-2	0.00098	0.34872	0.72261	0.400	0.00010
DP/SDSP13-16.1.3-2	0.00098	0.30769	0.72187	0.400	0.00009
DP/SDSP13-16.1.4-2	0.00098	0.16007	0.72187	0.400	0.00005
DP/SDSP13-16.1.0-2	0.00098	0.09532	0.72187	0.400	0.00003
DP/SDSP13-16.2.1-2	0.00030	0.08821	0.00000	0.400	0.00000
DP/SDSP13-16.2.2-2	0.00030	0.34872	0.00000	0.400	0.00000
DP/SDSP13-16.2.3-1	0.00030	0.30769	0.00000	0.400	0.00000
DP/SDSP13-16.2.4-1	0.00030	0.16007	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP13-16.2.0-1	0.00030	0.09532	0.00000	0.400	0.00000
DP/SDSP13-16.3.1-2	0.00001	0.08821	0.00000	0.400	0.00000
DP/SDSP13-16.3.2-2	0.00001	0.34872	0.00000	0.400	0.00000
DP/SDSP13-16.3.3-1	0.00001	0.30769	0.00000	0.400	0.00000
DP/SDSP13-16.3.4-1	0.00001	0.16007	0.00000	0.400	0.00000
DP/SDSP13-16.3.0-1	0.00001	0.09532	0.00000	0.400	0.00000
DP/SDSP13-16.4.1-2	0.00024	0.08821	0.00000	0.400	0.00000
DP/SDSP13-16.4.2-2	0.00024	0.34872	0.00000	0.400	0.00000
DP/SDSP13-16.4.3-1	0.00024	0.30769	0.00000	0.400	0.00000
DP/SDSP13-16.4.4-1	0.00024	0.16007	0.00000	0.400	0.00000
DP/SDSP13-16.4.0-1	0.00024	0.09532	0.00000	0.400	0.00000
DP/SDSP13-16.5.1-2	0.00189	0.08821	0.00000	0.400	0.00000
DP/SDSP13-16.5.2-2	0.00189	0.34872	0.00000	0.400	0.00000
DP/SDSP13-16.5.3-1	0.00189	0.30769	0.00000	0.400	0.00000
DP/SDSP13-16.5.4-1	0.00189	0.16007	0.00000	0.400	0.00000
DP/SDSP13-16.5.0-1	0.00189	0.09532	0.00000	0.400	0.00000
DP/SDSP13-16.6.1-2	0.00011	0.08821	0.76526	0.400	0.00000
DP/SDSP13-16.6.2-2	0.00011	0.34872	0.76526	0.400	0.00001
DP/SDSP13-16.6.3-1	0.00011	0.30769	0.00000	0.400	0.00000
DP/SDSP13-16.6.4-1	0.00011	0.16007	0.00000	0.400	0.00000
DP/SDSP13-16.6.0-1	0.00011	0.09532	0.00000	0.400	0.00000
DP/SDSP13-16.7.1-2	0.00000	0.08821	0.76526	0.400	0.00000
DP/SDSP13-16.7.2-2	0.00000	0.34872	0.76526	0.400	0.00000
DP/SDSP13-16.7.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP13-16.7.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP13-16.7.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP14-17.1.1-1	0.00064	0.08821	0.93553	0.400	0.00002
DP/SDSP14-17.1.2-1	0.00064	0.34872	0.93553	0.400	0.00008
DP/SDSP14-17.1.3-1	0.00064	0.30769	0.93507	0.400	0.00007
DP/SDSP14-17.1.4-1	0.00064	0.16007	0.93507	0.400	0.00004
DP/SDSP14-17.1.0-1	0.00064	0.09532	0.93507	0.400	0.00002
DP/SDSP14-17.2.1-1	0.00057	0.08821	0.94742	0.400	0.00002
DP/SDSP14-17.2.2-1	0.00057	0.34872	0.94742	0.400	0.00008
DP/SDSP14-17.2.3-1	0.00057	0.30769	0.94710	0.400	0.00007
DP/SDSP14-17.2.4-1	0.00057	0.16007	0.94710	0.400	0.00003
DP/SDSP14-17.2.0-1	0.00057	0.09532	0.94710	0.400	0.00002
DP/SDSP14-17.3.1-2	0.00001	0.08821	0.00000	0.400	0.00000
DP/SDSP14-17.3.2-2	0.00001	0.34872	0.00000	0.400	0.00000
DP/SDSP14-17.3.3-1	0.00001	0.30769	0.00000	0.400	0.00000
DP/SDSP14-17.3.4-1	0.00001	0.16007	0.00000	0.400	0.00000
DP/SDSP14-17.3.0-1	0.00001	0.09532	0.00000	0.400	0.00000
DP/SDSP14-17.4.1-2	0.00023	0.08821	0.00000	0.400	0.00000
DP/SDSP14-17.4.2-2	0.00023	0.34872	0.00000	0.400	0.00000
DP/SDSP14-17.4.3-1	0.00023	0.30769	0.00000	0.400	0.00000
DP/SDSP14-17.4.4-1	0.00023	0.16007	0.00000	0.400	0.00000
DP/SDSP14-17.4.0-1	0.00023	0.09532	0.00000	0.400	0.00000
DP/SDSP14-17.5.1-2	0.00179	0.08821	0.00000	0.400	0.00000
DP/SDSP14-17.5.2-2	0.00179	0.34872	0.00000	0.400	0.00000
DP/SDSP14-17.5.3-1	0.00179	0.30769	0.00000	0.400	0.00000
DP/SDSP14-17.5.4-1	0.00179	0.16007	0.00000	0.400	0.00000
DP/SDSP14-17.5.0-1	0.00179	0.09532	0.00000	0.400	0.00000
DP/SDSP14-17.6.1-2	0.00011	0.08821	1.00000	0.400	0.00000
DP/SDSP14-17.6.2-2	0.00011	0.34872	1.00000	0.400	0.00001
DP/SDSP14-17.6.3-1	0.00011	0.30769	0.00000	0.400	0.00000
DP/SDSP14-17.6.4-1	0.00011	0.16007	0.00000	0.400	0.00000
DP/SDSP14-17.6.0-1	0.00011	0.09532	0.00000	0.400	0.00000
DP/SDSP14-17.7.1-2	0.00000	0.08821	1.00000	0.400	0.00000
DP/SDSP14-17.7.2-2	0.00000	0.34872	1.00000	0.400	0.00000
DP/SDSP14-17.7.3-1	0.00000	0.30769	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP14-17.7.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP14-17.7.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP15-18.1.1	0.00102	0.08821	1.00000	0.400	0.00004
DP/SDSP15-18.1.2	0.00102	0.34872	1.00000	0.400	0.00014
DP/SDSP15-18.1.3	0.00102	0.30769	1.00000	0.400	0.00013
DP/SDSP15-18.1.4	0.00102	0.16007	1.00000	0.400	0.00007
DP/SDSP15-18.1.0	0.00102	0.09532	1.00000	0.400	0.00004
DP/SDSP15-18.2.1	0.00093	0.08821	1.00000	0.400	0.00003
DP/SDSP15-18.2.2	0.00093	0.34872	1.00000	0.400	0.00013
DP/SDSP15-18.2.3	0.00093	0.30769	1.00000	0.400	0.00011
DP/SDSP15-18.2.4	0.00093	0.16007	1.00000	0.400	0.00006
DP/SDSP15-18.2.0	0.00093	0.09532	1.00000	0.400	0.00004
DP/SDSP15-18.3.1	0.00037	0.08821	1.00000	0.400	0.00001
DP/SDSP15-18.3.2	0.00037	0.34872	1.00000	0.400	0.00005
DP/SDSP15-18.3.3	0.00037	0.30769	1.00000	0.400	0.00005
DP/SDSP15-18.3.4	0.00037	0.16007	1.00000	0.400	0.00002
DP/SDSP15-18.3.0	0.00037	0.09532	1.00000	0.400	0.00001
DP/SDSP15-18.4.1-2	0.00285	0.08821	0.00000	0.400	0.00000
DP/SDSP15-18.4.2-2	0.00285	0.34872	0.00000	0.400	0.00000
DP/SDSP15-18.4.3-1	0.00285	0.30769	0.00000	0.400	0.00000
DP/SDSP15-18.4.4-1	0.00285	0.16007	0.00000	0.400	0.00000
DP/SDSP15-18.4.0-1	0.00285	0.09532	0.00000	0.400	0.00000
DP/SDSP15-18.5.1-2	0.00017	0.08821	1.00000	0.400	0.00001
DP/SDSP15-18.5.2-2	0.00017	0.34872	1.00000	0.400	0.00002
DP/SDSP15-18.5.3-2	0.00017	0.30769	0.00000	0.400	0.00000
DP/SDSP15-18.5.4-2	0.00017	0.16007	0.00000	0.400	0.00000
DP/SDSP15-18.5.0-2	0.00017	0.09532	0.00000	0.400	0.00000
DP/SDSP1-5.1.1-1	0.00000	0.08821	0.00000	0.400	0.00000
DP/SDSP1-5.1.2-1	0.00000	0.34872	0.00000	0.400	0.00000
DP/SDSP1-5.1.0-1	0.00000	0.56308	0.00000	0.400	0.00000
DP/SDSP1-5.2.1-1	0.00172	0.08821	0.00000	0.400	0.00000
DP/SDSP1-5.2.2-1	0.00172	0.34872	0.00000	0.400	0.00000
DP/SDSP1-5.2.0-1	0.00172	0.56308	0.00000	0.400	0.00000
DP/SDSP1-5.3.1-1	0.00017	0.08821	0.00000	0.400	0.00000
DP/SDSP1-5.3.2-1	0.00017	0.34872	0.00000	0.400	0.00000
DP/SDSP1-5.3.0-1	0.00017	0.56308	0.00000	0.400	0.00000
DP/SDSP1-5.4.1-1	0.00047	0.08821	0.00000	0.400	0.00000
DP/SDSP1-5.4.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DP/SDSP1-5.4.0-1	0.00047	0.56308	0.00000	0.400	0.00000
DP/SDSP1-5.5.1-1	0.00016	0.08821	0.00000	0.400	0.00000
DP/SDSP1-5.5.2-1	0.00016	0.34872	0.00000	0.400	0.00000
DP/SDSP1-5.5.0-1	0.00016	0.56308	0.00000	0.400	0.00000
DP/SDSP2-6.1.1-1	0.00233	0.08821	0.00000	0.400	0.00000
DP/SDSP2-6.1.2-1	0.00233	0.34872	0.00000	0.400	0.00000
DP/SDSP2-6.1.0-1	0.00233	0.56308	0.00000	0.400	0.00000
DP/SDSP2-6.2.1-1	0.00023	0.08821	0.00000	0.400	0.00000
DP/SDSP2-6.2.2-1	0.00023	0.34872	0.00000	0.400	0.00000
DP/SDSP2-6.2.0-1	0.00023	0.56308	0.00000	0.400	0.00000
DP/SDSP2-6.3.1-1	0.00063	0.08821	0.00000	0.400	0.00000
DP/SDSP2-6.3.2-1	0.00063	0.34872	0.00000	0.400	0.00000
DP/SDSP2-6.3.0-1	0.00063	0.56308	0.00000	0.400	0.00000
DP/SDSP2-6.4.1-1	0.00152	0.08821	0.00000	0.400	0.00000
DP/SDSP2-6.4.2-1	0.00152	0.34872	0.00000	0.400	0.00000
DP/SDSP2-6.4.0-1	0.00152	0.56308	0.00000	0.400	0.00000
DP/SDSP3-7.1.1-1	0.00056	0.08821	0.00000	0.400	0.00000
DP/SDSP3-7.1.2-1	0.00056	0.34872	0.00000	0.400	0.00000
DP/SDSP3-7.1.0-1	0.00056	0.56308	0.00000	0.400	0.00000
DP/SDSP3-7.2.1-1	0.00006	0.08821	0.00000	0.400	0.00000
DP/SDSP3-7.2.2-1	0.00006	0.34872	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP3-7.2.0-1	0.00006	0.56308	0.00000	0.400	0.00000
DP/SDSP3-7.3.1-1	0.00015	0.08821	0.00000	0.400	0.00000
DP/SDSP3-7.3.2-4	0.00015	0.34872	0.00000	0.400	0.00000
DP/SDSP3-7.3.0-4	0.00015	0.56308	0.00000	0.400	0.00000
DP/SDSP3-7.4.1-1	0.00037	0.08821	0.00000	0.400	0.00000
DP/SDSP3-7.4.2-4	0.00037	0.34872	0.00000	0.400	0.00000
DP/SDSP3-7.4.0-4	0.00037	0.56308	0.00000	0.400	0.00000
DP/SDSP4-8.1.1-1	0.00048	0.08821	0.00000	0.400	0.00000
DP/SDSP4-8.1.2-1	0.00048	0.34872	0.00000	0.400	0.00000
DP/SDSP4-8.1.0-1	0.00048	0.56308	0.00000	0.400	0.00000
DP/SDSP4-8.2.1-1	0.00005	0.08821	0.00000	0.400	0.00000
DP/SDSP4-8.2.2-1	0.00005	0.34872	0.00000	0.400	0.00000
DP/SDSP4-8.2.0-1	0.00005	0.56308	0.00000	0.400	0.00000
DP/SDSP4-8.3.1-1	0.00013	0.08821	0.00000	0.400	0.00000
DP/SDSP4-8.3.2-3	0.00013	0.34872	0.00000	0.400	0.00000
DP/SDSP4-8.3.0-3	0.00013	0.56308	0.00000	0.400	0.00000
DP/SDSP4-8.4.1-1	0.00031	0.08821	0.00000	0.400	0.00000
DP/SDSP4-8.4.2-3	0.00031	0.34872	0.00000	0.400	0.00000
DP/SDSP4-8.4.0-3	0.00031	0.56308	0.00000	0.400	0.00000
DP/SDSP5-9.1.1-1	0.00091	0.08821	0.00000	0.400	0.00000
DP/SDSP5-9.1.2-1	0.00091	0.34872	0.00000	0.400	0.00000
DP/SDSP5-9.1.0-1	0.00091	0.56308	0.00000	0.400	0.00000
DP/SDSP5-9.2.1-1	0.00022	0.08821	0.00000	0.400	0.00000
DP/SDSP5-9.2.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DP/SDSP5-9.2.0-1	0.00022	0.56308	0.00000	0.400	0.00000
DP/SDSP5-9.3.1-1	0.00054	0.08821	0.00000	0.400	0.00000
DP/SDSP5-9.3.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DP/SDSP5-9.3.0-1	0.00054	0.56308	0.00000	0.400	0.00000
DP/SDSP6-10.1.1-1	0.00091	0.08821	0.00000	0.400	0.00000
DP/SDSP6-10.1.2-1	0.00091	0.34872	0.00000	0.400	0.00000
DP/SDSP6-10.1.0-1	0.00091	0.56308	0.00000	0.400	0.00000
DP/SDSP6-10.2.1-1	0.00022	0.08821	0.00000	0.400	0.00000
DP/SDSP6-10.2.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DP/SDSP6-10.2.0-1	0.00022	0.56308	0.00000	0.400	0.00000
DP/SDSP6-10.3.1-1	0.00054	0.08821	0.00000	0.400	0.00000
DP/SDSP6-10.3.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DP/SDSP6-10.3.0-1	0.00054	0.56308	0.00000	0.400	0.00000
DP/SDSP7-11.1.1	0.00091	0.08821	0.00000	0.400	0.00000
DP/SDSP7-11.1.2-1	0.00091	0.34872	0.00000	0.400	0.00000
DP/SDSP7-11.1.0-1	0.00091	0.56308	0.00000	0.400	0.00000
DP/SDSP7-11.2.1-1	0.00022	0.08821	0.00000	0.400	0.00000
DP/SDSP7-11.2.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DP/SDSP7-11.2.0-1	0.00022	0.56308	0.00000	0.400	0.00000
DP/SDSP7-11.3.1-1	0.00054	0.08821	0.00000	0.400	0.00000
DP/SDSP7-11.3.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DP/SDSP7-11.3.0-1	0.00054	0.56308	0.00000	0.400	0.00000
DP/SDSP8-12.1.1	0.00091	0.08821	0.00000	0.400	0.00000
DP/SDSP8-12.1.2-1	0.00091	0.34872	0.00000	0.400	0.00000
DP/SDSP8-12.1.0-1	0.00091	0.56308	0.00000	0.400	0.00000
DP/SDSP8-12.2.1-1	0.00022	0.08821	0.00000	0.400	0.00000
DP/SDSP8-12.2.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DP/SDSP8-12.2.0-1	0.00022	0.56308	0.00000	0.400	0.00000
DP/SDSP8-12.3.1-1	0.00054	0.08821	0.00000	0.400	0.00000
DP/SDSP8-12.3.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DP/SDSP8-12.3.0-1	0.00054	0.56308	0.00000	0.400	0.00000
DP/SDSP9-13.1.1	0.00046	0.08821	0.00000	0.400	0.00000
DP/SDSP9-13.1.2-1	0.00046	0.34872	0.00000	0.400	0.00000
DP/SDSP9-13.1.3-1	0.00046	0.30769	0.00000	0.400	0.00000
DP/SDSP9-13.1.4-1	0.00046	0.16007	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP9-13.1.0-1	0.00046	0.09532	0.00000	0.400	0.00000
DP/SDSP9-13.2.1-1	0.00045	0.08821	0.00000	0.400	0.00000
DP/SDSP9-13.2.2-1	0.00045	0.34872	0.00000	0.400	0.00000
DP/SDSP9-13.2.3-1	0.00045	0.30769	0.00000	0.400	0.00000
DP/SDSP9-13.2.4-1	0.00045	0.16007	0.00000	0.400	0.00000
DP/SDSP9-13.2.0-1	0.00045	0.09532	0.00000	0.400	0.00000
DP/SDSP9-13.3.1-1	0.00022	0.08821	0.00000	0.400	0.00000
DP/SDSP9-13.3.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DP/SDSP9-13.3.3-1	0.00022	0.30769	0.00000	0.400	0.00000
DP/SDSP9-13.3.4-1	0.00022	0.16007	0.00000	0.400	0.00000
DP/SDSP9-13.3.0-1	0.00022	0.09532	0.00000	0.400	0.00000
DP/SDSP9-13.4.1-1	0.00054	0.08821	0.00000	0.400	0.00000
DP/SDSP9-13.4.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DP/SDSP9-13.4.3-1	0.00054	0.30769	0.00000	0.400	0.00000
DP/SDSP9-13.4.4-1	0.00054	0.16007	0.00000	0.400	0.00000
DP/SDSP9-13.4.0-1	0.00054	0.09532	0.00000	0.400	0.00000
DP/SDSP10-14.1.1	0.00046	0.08821	0.00000	0.400	0.00000
DP/SDSP10-14.1.2-1	0.00046	0.34872	0.00000	0.400	0.00000
DP/SDSP10-14.1.3-1	0.00046	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.1.4-1	0.00046	0.16007	0.00000	0.400	0.00000
DP/SDSP10-14.1.0-1	0.00046	0.09532	0.00000	0.400	0.00000
DP/SDSP10-14.2.1-1	0.00014	0.08821	0.00000	0.400	0.00000
DP/SDSP10-14.2.2-1	0.00014	0.34872	0.00000	0.400	0.00000
DP/SDSP10-14.2.3-1	0.00014	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.2.4-1	0.00014	0.16007	0.00000	0.400	0.00000
DP/SDSP10-14.2.0-1	0.00014	0.09532	0.00000	0.400	0.00000
DP/SDSP10-14.3.1-1	0.00030	0.08821	0.00000	0.400	0.00000
DP/SDSP10-14.3.2-1	0.00030	0.34872	0.00000	0.400	0.00000
DP/SDSP10-14.3.3-1	0.00030	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.3.4-1	0.00030	0.16007	0.00000	0.400	0.00000
DP/SDSP10-14.3.0-1	0.00030	0.09532	0.00000	0.400	0.00000
DP/SDSP10-14.4.1-1	0.00022	0.08821	0.00000	0.400	0.00000
DP/SDSP10-14.4.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DP/SDSP10-14.4.3-1	0.00022	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.4.4-1	0.00022	0.16007	0.00000	0.400	0.00000
DP/SDSP10-14.4.0-1	0.00022	0.09532	0.00000	0.400	0.00000
DP/SDSP10-14.5.1-1	0.00054	0.08821	0.00000	0.400	0.00000
DP/SDSP10-14.5.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DP/SDSP10-14.5.3-1	0.00054	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.5.4-1	0.00054	0.16007	0.00000	0.400	0.00000
DP/SDSP10-14.5.0-1	0.00054	0.09532	0.00000	0.400	0.00000
DP/SDSP10-14.6.1-1	0.00000	0.08821	0.00000	0.400	0.00000
DP/SDSP10-14.6.2-1	0.00000	0.34872	0.00000	0.400	0.00000
DP/SDSP10-14.6.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP10-14.6.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP10-14.6.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP11-15.1.1-1	0.00046	0.08821	0.00000	0.400	0.00000
DP/SDSP11-15.1.2-1	0.00046	0.34872	0.00000	0.400	0.00000
DP/SDSP11-15.1.3-1	0.00046	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.1.4-1	0.00046	0.16007	0.00000	0.400	0.00000
DP/SDSP11-15.1.0-1	0.00046	0.09532	0.00000	0.400	0.00000
DP/SDSP11-15.2.1-1	0.00014	0.08821	0.00000	0.400	0.00000
DP/SDSP11-15.2.2-1	0.00014	0.34872	0.00000	0.400	0.00000
DP/SDSP11-15.2.3-1	0.00014	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.2.4-1	0.00014	0.16007	0.00000	0.400	0.00000
DP/SDSP11-15.2.0-1	0.00014	0.09532	0.00000	0.400	0.00000
DP/SDSP11-15.3.1-1	0.00012	0.08821	0.00000	0.400	0.00000
DP/SDSP11-15.3.2-1	0.00012	0.34872	0.00000	0.400	0.00000
DP/SDSP11-15.3.3-1	0.00012	0.30769	0.00000	0.400	0.00000



CASE	P	V	S	W	W*P*V*S
DP/SDSP11-15.3.4-1	0.00012	0.16007	0.00000	0.400	0.00000
DP/SDSP11-15.3.0-1	0.00012	0.09532	0.00000	0.400	0.00000
DP/SDSP11-15.4.1-1	0.00018	0.08821	0.00000	0.400	0.00000
DP/SDSP11-15.4.2-1	0.00018	0.34872	0.00000	0.400	0.00000
DP/SDSP11-15.4.3-1	0.00018	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.4.4-1	0.00018	0.16007	0.00000	0.400	0.00000
DP/SDSP11-15.4.0-1	0.00018	0.09532	0.00000	0.400	0.00000
DP/SDSP11-15.5.1-1	0.00022	0.08821	0.00000	0.400	0.00000
DP/SDSP11-15.5.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DP/SDSP11-15.5.3-1	0.00022	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.5.4-1	0.00022	0.16007	0.00000	0.400	0.00000
DP/SDSP11-15.5.0-1	0.00022	0.09532	0.00000	0.400	0.00000
DP/SDSP11-15.6.1-1	0.00049	0.08821	0.00000	0.400	0.00000
DP/SDSP11-15.6.2-1	0.00049	0.34872	0.00000	0.400	0.00000
DP/SDSP11-15.6.3-1	0.00049	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.6.4-1	0.00049	0.16007	0.00000	0.400	0.00000
DP/SDSP11-15.6.0-1	0.00049	0.09532	0.00000	0.400	0.00000
DP/SDSP11-15.7.1-1	0.00005	0.08821	0.62383	0.400	0.00000
DP/SDSP11-15.7.2-1	0.00005	0.34872	0.00000	0.400	0.00000
DP/SDSP11-15.7.3-1	0.00005	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.7.4-1	0.00005	0.16007	0.00000	0.400	0.00000
DP/SDSP11-15.7.0-1	0.00005	0.09532	0.00000	0.400	0.00000
DP/SDSP11-15.8.1-1	0.00000	0.08821	0.62383	0.400	0.00000
DP/SDSP11-15.8.2-1	0.00000	0.34872	0.00000	0.400	0.00000
DP/SDSP11-15.8.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP11-15.8.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP11-15.8.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP12-16.1.1-2	0.00046	0.08821	0.00000	0.400	0.00000
DP/SDSP12-16.1.2-2	0.00046	0.34872	0.00000	0.400	0.00000
DP/SDSP12-16.1.3-1	0.00046	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.1.4-1	0.00046	0.16007	0.00000	0.400	0.00000
DP/SDSP12-16.1.0-1	0.00046	0.09532	0.00000	0.400	0.00000
DP/SDSP12-16.2.1-1	0.00014	0.08821	0.00000	0.400	0.00000
DP/SDSP12-16.2.2-1	0.00014	0.34872	0.00000	0.400	0.00000
DP/SDSP12-16.2.3-1	0.00014	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.2.4-1	0.00014	0.16007	0.00000	0.400	0.00000
DP/SDSP12-16.2.0-1	0.00014	0.09532	0.00000	0.400	0.00000
DP/SDSP12-16.3.1-1	0.00000	0.08821	0.00000	0.400	0.00000
DP/SDSP12-16.3.2-1	0.00000	0.34872	0.00000	0.400	0.00000
DP/SDSP12-16.3.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.3.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP12-16.3.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP12-16.4.1-2	0.00012	0.08821	0.00000	0.400	0.00000
DP/SDSP12-16.4.2-1	0.00012	0.34872	0.00000	0.400	0.00000
DP/SDSP12-16.4.3-1	0.00012	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.4.4-1	0.00012	0.16007	0.00000	0.400	0.00000
DP/SDSP12-16.4.0-1	0.00012	0.09532	0.00000	0.400	0.00000
DP/SDSP12-16.5.1-2	0.00018	0.08821	0.00000	0.400	0.00000
DP/SDSP12-16.5.2-1	0.00018	0.34872	0.00000	0.400	0.00000
DP/SDSP12-16.5.3-1	0.00018	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.5.4-1	0.00018	0.16007	0.00000	0.400	0.00000
DP/SDSP12-16.5.0-1	0.00018	0.09532	0.00000	0.400	0.00000
DP/SDSP12-16.6.1-2	0.00022	0.08821	0.00000	0.400	0.00000
DP/SDSP12-16.6.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DP/SDSP12-16.6.3-1	0.00022	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.6.4-1	0.00022	0.16007	0.00000	0.400	0.00000
DP/SDSP12-16.6.0-1	0.00022	0.09532	0.00000	0.400	0.00000
DP/SDSP12-16.7.1-2	0.00049	0.08821	0.00000	0.400	0.00000
DP/SDSP12-16.7.2-1	0.00049	0.34872	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DP/SDSP12-16.7.3-1	0.00049	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.7.4-1	0.00049	0.16007	0.00000	0.400	0.00000
DP/SDSP12-16.7.0-1	0.00049	0.09532	0.00000	0.400	0.00000
DP/SDSP12-16.8.1-2	0.00005	0.08821	0.81939	0.400	0.00000
DP/SDSP12-16.8.2-2	0.00005	0.34872	0.57599	0.400	0.00000
DP/SDSP12-16.8.3-1	0.00005	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.8.4-1	0.00005	0.16007	0.00000	0.400	0.00000
DP/SDSP12-16.8.0-1	0.00005	0.09532	0.00000	0.400	0.00000
DP/SDSP12-16.9.1-2	0.00000	0.08821	0.81939	0.400	0.00000
DP/SDSP12-16.9.2-2	0.00000	0.34872	0.57599	0.400	0.00000
DP/SDSP12-16.9.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP12-16.9.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP12-16.9.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP13-17.1.1-2	0.00031	0.08821	0.59345	0.400	0.00001
DP/SDSP13-17.1.2-2	0.00031	0.34872	0.59345	0.400	0.00003
DP/SDSP13-17.1.3-2	0.00031	0.30769	0.57344	0.400	0.00002
DP/SDSP13-17.1.4-2	0.00031	0.16007	0.57344	0.400	0.00001
DP/SDSP13-17.1.0-2	0.00031	0.09532	0.57344	0.400	0.00001
DP/SDSP13-17.2.1-2	0.00014	0.08821	0.60424	0.400	0.00000
DP/SDSP13-17.2.2-2	0.00014	0.34872	0.60424	0.400	0.00001
DP/SDSP13-17.2.3-2	0.00014	0.30769	0.58513	0.400	0.00001
DP/SDSP13-17.2.4-2	0.00014	0.16007	0.58513	0.400	0.00001
DP/SDSP13-17.2.0-2	0.00014	0.09532	0.58513	0.400	0.00000
DP/SDSP13-17.3.1-2	0.00014	0.08821	0.00000	0.400	0.00000
DP/SDSP13-17.3.2-2	0.00014	0.34872	0.00000	0.400	0.00000
DP/SDSP13-17.3.3-1	0.00014	0.30769	0.00000	0.400	0.00000
DP/SDSP13-17.3.4-1	0.00014	0.16007	0.00000	0.400	0.00000
DP/SDSP13-17.3.0-1	0.00014	0.09532	0.00000	0.400	0.00000
DP/SDSP13-17.4.1-2	0.00000	0.08821	0.00000	0.400	0.00000
DP/SDSP13-17.4.2-2	0.00000	0.34872	0.00000	0.400	0.00000
DP/SDSP13-17.4.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP13-17.4.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP13-17.4.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP13-17.5.1-2	0.00011	0.08821	0.00000	0.400	0.00000
DP/SDSP13-17.5.2-2	0.00011	0.34872	0.00000	0.400	0.00000
DP/SDSP13-17.5.3-1	0.00011	0.30769	0.00000	0.400	0.00000
DP/SDSP13-17.5.4-1	0.00011	0.16007	0.00000	0.400	0.00000
DP/SDSP13-17.5.0-1	0.00011	0.09532	0.00000	0.400	0.00000
DP/SDSP13-17.6.1-2	0.00085	0.08821	0.00000	0.400	0.00000
DP/SDSP13-17.6.2-2	0.00085	0.34872	0.00000	0.400	0.00000
DP/SDSP13-17.6.3-1	0.00085	0.30769	0.00000	0.400	0.00000
DP/SDSP13-17.6.4-1	0.00085	0.16007	0.00000	0.400	0.00000
DP/SDSP13-17.6.0-1	0.00085	0.09532	0.00000	0.400	0.00000
DP/SDSP13-17.7.1-2	0.00005	0.08821	0.86655	0.400	0.00000
DP/SDSP13-17.7.2-2	0.00005	0.34872	0.86655	0.400	0.00001
DP/SDSP13-17.7.3-1	0.00005	0.30769	0.00000	0.400	0.00000
DP/SDSP13-17.7.4-1	0.00005	0.16007	0.00000	0.400	0.00000
DP/SDSP13-17.7.0-1	0.00005	0.09532	0.00000	0.400	0.00000
DP/SDSP13-17.8.1-2	0.00000	0.08821	0.86655	0.400	0.00000
DP/SDSP13-17.8.2-2	0.00000	0.34872	0.86655	0.400	0.00000
DP/SDSP13-17.8.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DP/SDSP13-17.8.4-1	0.00000	0.16007	0.00000	0.400	0.00000
DP/SDSP13-17.8.0-1	0.00000	0.09532	0.00000	0.400	0.00000
DP/SDSP14-18.1.1-1	0.00041	0.08821	0.90028	0.400	0.00001
DP/SDSP14-18.1.2-1	0.00041	0.34872	0.90028	0.400	0.00005
DP/SDSP14-18.1.3-1	0.00041	0.30769	0.90118	0.400	0.00005
DP/SDSP14-18.1.4-1	0.00041	0.16007	0.90118	0.400	0.00002
DP/SDSP14-18.1.0-1	0.00041	0.09532	0.90118	0.400	0.00001
DP/SDSP14-18.2.1-1	0.00037	0.08821	0.91597	0.400	0.00001

CASE	P	V	S	W	W*P*V*S
DP/SDSP14-18.2.2-1	0.00037	0.34872	0.91597	0.400	0.00005
DP/SDSP14-18.2.3-1	0.00037	0.30769	0.91658	0.400	0.00004
DP/SDSP14-18.2.4-1	0.00037	0.16007	0.91658	0.400	0.00002
DP/SDSP14-18.2.0-1	0.00037	0.09532	0.91658	0.400	0.00001
DP/SDSP14-18.3.1-2	0.000001	0.08821	0.00000	0.400	0.00000
DP/SDSP14-18.3.2-2	0.000001	0.34872	0.00000	0.400	0.00000
DP/SDSP14-18.3.3-1	0.000001	0.30769	0.00000	0.400	0.00000
DP/SDSP14-18.3.4-1	0.000001	0.16007	0.00000	0.400	0.00000
DP/SDSP14-18.3.0-1	0.000001	0.09532	0.00000	0.400	0.00000
DP/SDSP14-18.4.1-2	0.00015	0.08821	0.00000	0.400	0.00000
DP/SDSP14-18.4.2-2	0.00015	0.34872	0.00000	0.400	0.00000
DP/SDSP14-18.4.3-1	0.00015	0.30769	0.00000	0.400	0.00000
DP/SDSP14-18.4.4-1	0.00015	0.16007	0.00000	0.400	0.00000
DP/SDSP14-18.4.0-1	0.00015	0.09532	0.00000	0.400	0.00000
DP/SDSP14-18.5.1-2	0.00114	0.08821	0.00000	0.400	0.00000
DP/SDSP14-18.5.2-2	0.00114	0.34872	0.00000	0.400	0.00000
DP/SDSP14-18.5.3-1	0.00114	0.30769	0.00000	0.400	0.00000
DP/SDSP14-18.5.4-1	0.00114	0.16007	0.00000	0.400	0.00000
DP/SDSP14-18.5.0-1	0.00114	0.09532	0.00000	0.400	0.00000
DP/SDSP14-18.6.1-2	0.00007	0.08821	1.00000	0.400	0.00000
DP/SDSP14-18.6.2-2	0.00007	0.34872	1.00000	0.400	0.00001
DP/SDSP14-18.6.3-1	0.00007	0.30769	0.00000	0.400	0.00000
DP/SDSP14-18.6.4-1	0.00007	0.16007	0.00000	0.400	0.00000
DP/SDSP14-18.6.0-1	0.00007	0.09532	0.00000	0.400	0.00000
DP/SDSP14-18.7.1-2	0.000000	0.08821	1.00000	0.400	0.00000
DP/SDSP14-18.7.2-2	0.000000	0.34872	1.00000	0.400	0.00000
DP/SDSP14-18.7.3-1	0.000000	0.30769	0.00000	0.400	0.00000
DP/SDSP14-18.7.4-1	0.000000	0.16007	0.00000	0.400	0.00000
DP/SDSP14-18.7.0-1	0.000000	0.09532	0.00000	0.400	0.00000
SUBTOTAL				0.400	0.23530
DS/SDSP1.1.1	0.000000	0.35897	1.00000	0.400	0.00000
DS/SDSP1.1.0	0.000000	0.64103	1.00000	0.400	0.00000
DS/SDSP1.2.1	0.000000	0.35897	1.00000	0.400	0.00000
DS/SDSP1.2.0	0.000000	0.64103	1.00000	0.400	0.00000
DS/SDSP1.3.1	0.01267	0.35897	1.00000	0.400	0.00182
DS/SDSP1.3.0	0.01267	0.64103	1.00000	0.400	0.00325
DS/SDSP2.1.1-1	0.01674	0.35897	1.00000	0.400	0.00240
DS/SDSP2.1.0-1	0.01674	0.64103	1.00000	0.400	0.00429
DS/SDSP2.2.1	0.00841	0.35897	1.00000	0.400	0.00121
DS/SDSP2.2.0	0.00841	0.64103	1.00000	0.400	0.00216
DS/SDSP3.1.1-1	0.00244	0.35897	1.00000	0.400	0.00035
DS/SDSP3.1.0-1	0.00244	0.64103	1.00000	0.400	0.00063
DS/SDSP3.2.1-1	0.00030	0.35897	1.00000	0.400	0.00004
DS/SDSP3.2.0-1	0.00030	0.64103	1.00000	0.400	0.00008
DS/SDSP4.1.1-1	0.00331	0.35897	1.00000	0.400	0.00048
DS/SDSP4.1.0-1	0.00331	0.64103	1.00000	0.400	0.00085
DS/SDSP4.2.1-1	0.00060	0.35897	1.00000	0.400	0.00009
DS/SDSP4.2.0-1	0.00060	0.64103	1.00000	0.400	0.00015
DS/SDSP5.1.1-1	0.01271	0.01026	1.00000	0.400	0.00005
DS/SDSP5.1.2-1	0.01271	0.34872	1.00000	0.400	0.00177
DS/SDSP5.1.0-1	0.01271	0.64103	1.00000	0.400	0.00326
DS/SDSP5.2.1-1	0.00190	0.01026	1.00000	0.400	0.00001
DS/SDSP5.2.2-1	0.00190	0.34872	1.00000	0.400	0.00027
DS/SDSP5.2.0-1	0.00190	0.64103	1.00000	0.400	0.00049
DS/SDSP5.3.1-1	0.00251	0.01026	1.00000	0.400	0.00001
DS/SDSP5.3.2-1	0.00251	0.34872	1.00000	0.400	0.00035
DS/SDSP5.3.0-1	0.00251	0.64103	1.00000	0.400	0.00064

CASE	P	V	S	W	W*P*V*S
DS/SDSP6.1.1	0.01271	0.01026	1.00000	0.400	0.00005
DS/SDSP6.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DS/SDSP6.1.0	0.01271	0.64103	1.00000	0.400	0.00326
DS/SDSP6.2.1	0.00190	0.01026	1.00000	0.400	0.00001
DS/SDSP6.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DS/SDSP6.2.0	0.00190	0.64103	1.00000	0.400	0.00049
DS/SDSP6.3.1	0.00251	0.01026	1.00000	0.400	0.00001
DS/SDSP6.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DS/SDSP6.3.0	0.00251	0.64103	1.00000	0.400	0.00064
DS/SDSP7.1.1	0.01271	0.01026	1.00000	0.400	0.00005
DS/SDSP7.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DS/SDSP7.1.0	0.01271	0.64103	1.00000	0.400	0.00326
DS/SDSP7.2.1	0.00190	0.01026	1.00000	0.400	0.00001
DS/SDSP7.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DS/SDSP7.2.0	0.00190	0.64103	1.00000	0.400	0.00049
DS/SDSP7.3.1	0.00251	0.01026	1.00000	0.400	0.00001
DS/SDSP7.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DS/SDSP7.3.0	0.00251	0.64103	1.00000	0.400	0.00064
DS/SDSP8.1.1	0.01271	0.01026	1.00000	0.400	0.00005
DS/SDSP8.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DS/SDSP8.1.0	0.01271	0.64103	1.00000	0.400	0.00326
DS/SDSP8.2.1	0.00190	0.01026	1.00000	0.400	0.00001
DS/SDSP8.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DS/SDSP8.2.0	0.00190	0.64103	1.00000	0.400	0.00049
DS/SDSP8.3.1	0.00251	0.01026	1.00000	0.400	0.00001
DS/SDSP8.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DS/SDSP8.3.0	0.00251	0.64103	1.00000	0.400	0.00064
DS/SDSP9.1.1	0.01271	0.01026	1.00000	0.400	0.00005
DS/SDSP9.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DS/SDSP9.1.0	0.01271	0.64103	1.00000	0.400	0.00326
DS/SDSP9.2.1	0.00190	0.01026	1.00000	0.400	0.00001
DS/SDSP9.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DS/SDSP9.2.0	0.00190	0.64103	1.00000	0.400	0.00049
DS/SDSP9.3.1	0.00251	0.01026	1.00000	0.400	0.00001
DS/SDSP9.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DS/SDSP9.3.0	0.00251	0.64103	1.00000	0.400	0.00064
DS/SDSP10.1.1	0.01271	0.01026	1.00000	0.400	0.00005
DS/SDSP10.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DS/SDSP10.1.0	0.01271	0.64103	1.00000	0.400	0.00326
DS/SDSP10.2.1	0.00190	0.01026	1.00000	0.400	0.00001
DS/SDSP10.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DS/SDSP10.2.0	0.00190	0.64103	1.00000	0.400	0.00049
DS/SDSP10.3.1	0.00251	0.01026	1.00000	0.400	0.00001
DS/SDSP10.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DS/SDSP10.3.0	0.00251	0.64103	1.00000	0.400	0.00064
DS/SDSP11.1.1	0.01271	0.01026	1.00000	0.400	0.00005
DS/SDSP11.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DS/SDSP11.1.0	0.01271	0.64103	1.00000	0.400	0.00326
DS/SDSP11.2.1	0.00190	0.01026	1.00000	0.400	0.00001
DS/SDSP11.2.2	0.00190	0.34872	1.00000	0.400	0.00027
DS/SDSP11.2.0	0.00190	0.64103	1.00000	0.400	0.00049
DS/SDSP11.3.1	0.00251	0.01026	1.00000	0.400	0.00001
DS/SDSP11.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DS/SDSP11.3.0	0.00251	0.64103	1.00000	0.400	0.00064
DS/SDSP12.1.1	0.01271	0.01026	1.00000	0.400	0.00005
DS/SDSP12.1.2	0.01271	0.34872	1.00000	0.400	0.00177
DS/SDSP12.1.0	0.01271	0.64103	1.00000	0.400	0.00326
DS/SDSP12.2.1	0.00190	0.01026	1.00000	0.400	0.00001
DS/SDSP12.2.2	0.00190	0.34872	1.00000	0.400	0.00027

CASE	P	V	S	W	W*P*V*S
DS/SDSP12.2.0	0.00190	0.64103	1.00000	0.400	0.00049
DS/SDSP12.3.1	0.00251	0.01026	1.00000	0.400	0.00001
DS/SDSP12.3.2	0.00251	0.34872	1.00000	0.400	0.00035
DS/SDSP12.3.0	0.00251	0.64103	1.00000	0.400	0.00064
DS/SDSP13.1.1-1	0.00746	0.01026	1.00000	0.400	0.00003
DS/SDSP13.1.2-1	0.00746	0.34872	1.00000	0.400	0.00104
DS/SDSP13.1.3-1	0.00746	0.30769	1.00000	0.400	0.00092
DS/SDSP13.1.4-1	0.00746	0.20567	1.00000	0.400	0.00061
DS/SDSP13.1.0-1	0.00746	0.12766	1.00000	0.400	0.00038
DS/SDSP13.2.1-1	0.00967	0.01026	0.80987	0.400	0.00003
DS/SDSP13.2.2-1	0.00967	0.34872	0.80987	0.400	0.00109
DS/SDSP13.2.3-1	0.00967	0.30769	0.80621	0.400	0.00096
DS/SDSP13.2.4-1	0.00967	0.20567	0.80621	0.400	0.00064
DS/SDSP13.2.0-1	0.00967	0.12766	0.80621	0.400	0.00040
DS/SDSP14.1.1-1	0.00935	0.01026	1.00000	0.400	0.00004
DS/SDSP14.1.2-1	0.00935	0.34872	1.00000	0.400	0.00130
DS/SDSP14.1.3-1	0.00935	0.30769	1.00000	0.400	0.00115
DS/SDSP14.1.4-1	0.00935	0.20567	1.00000	0.400	0.00077
DS/SDSP14.1.0-1	0.00935	0.12766	1.00000	0.400	0.00048
DS/SDSP14.2.1-1	0.00778	0.01026	0.78635	0.400	0.00003
DS/SDSP14.2.2-1	0.00778	0.34872	0.78635	0.400	0.00085
DS/SDSP14.2.3-1	0.00778	0.30769	0.77841	0.400	0.00074
DS/SDSP14.2.4-1	0.00778	0.20567	0.77841	0.400	0.00050
DS/SDSP14.2.0-1	0.00778	0.12766	0.77841	0.400	0.00031
DS/SDSP14.3.1-1	0.00000	0.01026	1.00000	0.400	0.00000
DS/SDSP14.3.2-1	0.00000	0.34872	1.00000	0.400	0.00000
DS/SDSP14.3.3-1	0.00000	0.30769	1.00000	0.400	0.00000
DS/SDSP14.3.4-1	0.00000	0.20567	1.00000	0.400	0.00000
DS/SDSP14.3.0-1	0.00000	0.12766	1.00000	0.400	0.00000
DS/SDSP15.1.1	0.01079	0.01026	1.00000	0.400	0.00004
DS/SDSP15.1.2	0.01079	0.34872	1.00000	0.400	0.00151
DS/SDSP15.1.3	0.01079	0.30769	1.00000	0.400	0.00133
DS/SDSP15.1.4	0.01079	0.20567	1.00000	0.400	0.00089
DS/SDSP15.1.0	0.01079	0.12766	1.00000	0.400	0.00055
DS/SDSP15.2.1-1	0.00623	0.01026	0.78168	0.400	0.00002
DS/SDSP15.2.2-1	0.00623	0.34872	0.78168	0.400	0.00068
DS/SDSP15.2.3-1	0.00623	0.30769	0.77049	0.400	0.00059
DS/SDSP15.2.4-1	0.00623	0.20567	0.77049	0.400	0.00039
DS/SDSP15.2.0-1	0.00623	0.12766	0.77049	0.400	0.00025
DS/SDSP15.3.1-1	0.00011	0.01026	1.00000	0.400	0.00000
DS/SDSP15.3.2-1	0.00011	0.34872	1.00000	0.400	0.00002
DS/SDSP15.3.3-1	0.00011	0.30769	1.00000	0.400	0.00001
DS/SDSP15.3.4-1	0.00011	0.20567	1.00000	0.400	0.00001
DS/SDSP15.3.0-1	0.00011	0.12766	1.00000	0.400	0.00001
DS/SDSP16.1.1	0.00942	0.01026	1.00000	0.400	0.00004
DS/SDSP16.1.2	0.00942	0.34872	1.00000	0.400	0.00131
DS/SDSP16.1.3	0.00942	0.30769	1.00000	0.400	0.00116
DS/SDSP16.1.4	0.00942	0.20567	1.00000	0.400	0.00077
DS/SDSP16.1.0	0.00942	0.12766	1.00000	0.400	0.00048
DS/SDSP16.2.1	0.00771	0.01026	1.00000	0.400	0.00003
DS/SDSP16.2.2	0.00771	0.34872	1.00000	0.400	0.00108
DS/SDSP16.2.3	0.00771	0.30769	1.00000	0.400	0.00095
DS/SDSP16.2.4	0.00771	0.20567	1.00000	0.400	0.00063
DS/SDSP16.2.0	0.00771	0.12766	1.00000	0.400	0.00039
DS/SDSP17.1.1	0.00476	0.01026	1.00000	0.400	0.00002
DS/SDSP17.1.2	0.00476	0.34872	1.00000	0.400	0.00066
DS/SDSP17.1.3	0.00476	0.30769	1.00000	0.400	0.00059
DS/SDSP17.1.4	0.00476	0.20567	1.00000	0.400	0.00039
DS/SDSP17.1.0	0.00476	0.12766	1.00000	0.400	0.00024

CASE	P	V	S	W	W*P*V*S
DS/SDSP17.2.1-1	0.00999	0.01026	1.00000	0.400	0.00004
DS/SDSP17.2.2-1	0.00999	0.34872	1.00000	0.400	0.00139
DS/SDSP17.2.3-1	0.00999	0.30769	1.00000	0.400	0.00123
DS/SDSP17.2.4-1	0.00999	0.20567	1.00000	0.400	0.00082
DS/SDSP17.2.0-1	0.00999	0.12766	1.00000	0.400	0.00051
DS/SDSP18.1.1	0.05592	0.35897	1.00000	0.400	0.00803
DS/SDSP18.1.2	0.05592	0.30769	1.00000	0.400	0.00688
DS/SDSP18.1.3	0.05592	0.20567	1.00000	0.400	0.00460
DS/SDSP18.1.0	0.05592	0.12766	1.00000	0.400	0.00286
DS/SDSP1-2.1.1	0.00000	0.35897	1.00000	0.400	0.00000
DS/SDSP1-2.1.0	0.00000	0.64103	1.00000	0.400	0.00000
DS/SDSP1-2.2.1	0.01609	0.35897	1.00000	0.400	0.00231
DS/SDSP1-2.2.0	0.01609	0.64103	1.00000	0.400	0.00413
DS/SDSP1-2.3.1	0.00743	0.35897	1.00000	0.400	0.00107
DS/SDSP1-2.3.0	0.00743	0.64103	1.00000	0.400	0.00190
DS/SDSP2-3.1.1	0.00688	0.35897	1.00000	0.400	0.00099
DS/SDSP2-3.1.0	0.00688	0.64103	1.00000	0.400	0.00176
DS/SDSP2-3.2.1	0.00626	0.35897	0.98112	0.400	0.00088
DS/SDSP2-3.2.0	0.00626	0.64103	0.98112	0.400	0.00158
DS/SDSP3-4.1.1	0.00328	0.35897	1.00000	0.400	0.00047
DS/SDSP3-4.1.0	0.00328	0.64103	1.00000	0.400	0.00084
DS/SDSP3-4.2.1-1	0.00259	0.35897	1.00000	0.400	0.00037
DS/SDSP3-4.2.0-1	0.00259	0.64103	1.00000	0.400	0.00066
DS/SDSP4-5.1.1-1	0.00696	0.01026	1.00000	0.400	0.00003
DS/SDSP4-5.1.2-1	0.00696	0.34872	1.00000	0.400	0.00097
DS/SDSP4-5.1.0-1	0.00696	0.64103	1.00000	0.400	0.00178
DS/SDSP4-5.2.1-1	0.00070	0.01026	1.00000	0.400	0.00000
DS/SDSP4-5.2.2-1	0.00070	0.34872	1.00000	0.400	0.00010
DS/SDSP4-5.2.0-1	0.00070	0.64103	1.00000	0.400	0.00018
DS/SDSP4-5.3.1-1	0.00187	0.01026	1.00000	0.400	0.00001
DS/SDSP4-5.3.2	0.00187	0.34872	0.69923	0.400	0.00018
DS/SDSP4-5.3.0	0.00187	0.64103	0.69923	0.400	0.00034
DS/SDSP4-5.4.1-1	0.00377	0.01026	1.00000	0.400	0.00002
DS/SDSP4-5.4.2	0.00377	0.34872	0.69923	0.400	0.00037
DS/SDSP4-5.4.0	0.00377	0.64103	0.69923	0.400	0.00068
DS/SDSP5-6.1.1	0.01409	0.01026	1.00000	0.400	0.00006
DS/SDSP5-6.1.2	0.01409	0.34872	1.00000	0.400	0.00197
DS/SDSP5-6.1.0	0.01409	0.64103	1.00000	0.400	0.00361
DS/SDSP5-6.2.1	0.00346	0.01026	1.00000	0.400	0.00001
DS/SDSP5-6.2.2	0.00346	0.34872	0.75269	0.400	0.00036
DS/SDSP5-6.2.0	0.00346	0.64103	0.75269	0.400	0.00067
DS/SDSP5-6.3.1	0.00758	0.01026	1.00000	0.400	0.00003
DS/SDSP5-6.3.2	0.00758	0.34872	0.70284	0.400	0.00074
DS/SDSP5-6.3.0	0.00758	0.64103	0.70284	0.400	0.00137
DS/SDSP6-7.1.1	0.01409	0.01026	1.00000	0.400	0.00006
DS/SDSP6-7.1.2	0.01409	0.34872	0.95384	0.400	0.00187
DS/SDSP6-7.1.0	0.01409	0.64103	0.95384	0.400	0.00345
DS/SDSP6-7.2.1	0.00346	0.01026	0.71271	0.400	0.00001
DS/SDSP6-7.2.2-1	0.00346	0.34872	0.00000	0.400	0.00000
DS/SDSP6-7.2.0-1	0.00346	0.64103	0.00000	0.400	0.00000
DS/SDSP6-7.3.1	0.00758	0.01026	0.00000	0.400	0.00000
DS/SDSP6-7.3.2-1	0.00758	0.34872	0.00000	0.400	0.00000
DS/SDSP6-7.3.0-1	0.00758	0.64103	0.00000	0.400	0.00000
DS/SDSP7-8.1.1	0.01409	0.01026	1.00000	0.400	0.00006
DS/SDSP7-8.1.2	0.01409	0.34872	0.91202	0.400	0.00179
DS/SDSP7-8.1.0	0.01409	0.64103	0.91202	0.400	0.00329
DS/SDSP7-8.2.1	0.00346	0.01026	1.00000	0.400	0.00001
DS/SDSP7-8.2.2	0.00346	0.34872	0.00000	0.400	0.00000
DS/SDSP7-8.2.0	0.00346	0.64103	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP7-8.3.1	0.00758	0.01026	1.00000	0.400	0.00003
DS/SDSP7-8.3.2	0.00758	0.34872	0.00000	0.400	0.00000
DS/SDSP7-8.3.0	0.00758	0.64103	0.00000	0.400	0.00000
DS/SDSP8-9.1.1	0.01409	0.01026	0.99063	0.400	0.00006
DS/SDSP8-9.1.2	0.01409	0.34872	0.89199	0.400	0.00175
DS/SDSP8-9.1.0	0.01409	0.64103	0.89199	0.400	0.00322
DS/SDSP8-9.2.1	0.00346	0.01026	1.00000	0.400	0.00001
DS/SDSP8-9.2.2	0.00346	0.34872	0.00000	0.400	0.00000
DS/SDSP8-9.2.0	0.00346	0.64103	0.00000	0.400	0.00000
DS/SDSP8-9.3.1	0.00758	0.01026	1.00000	0.400	0.00003
DS/SDSP8-9.3.2	0.00758	0.34872	0.00000	0.400	0.00000
DS/SDSP8-9.3.0	0.00758	0.64103	0.00000	0.400	0.00000
DS/SDSP9-10.1.1	0.01409	0.01026	0.98554	0.400	0.00006
DS/SDSP9-10.1.2	0.01409	0.34872	0.88734	0.400	0.00174
DS/SDSP9-10.1.0	0.01409	0.64103	0.88734	0.400	0.00321
DS/SDSP9-10.2.1	0.00346	0.01026	1.00000	0.400	0.00001
DS/SDSP9-10.2.2-1	0.00346	0.34872	0.00000	0.400	0.00000
DS/SDSP9-10.2.0-1	0.00346	0.64103	0.00000	0.400	0.00000
DS/SDSP9-10.3.1	0.00758	0.01026	1.00000	0.400	0.00003
DS/SDSP9-10.3.2-1	0.00758	0.34872	0.00000	0.400	0.00000
DS/SDSP9-10.3.0-1	0.00758	0.64103	0.00000	0.400	0.00000
DS/SDSP10-11.1.1	0.01409	0.01026	0.98596	0.400	0.00006
DS/SDSP10-11.1.2	0.01409	0.34872	0.88769	0.400	0.00174
DS/SDSP10-11.1.0	0.01409	0.64103	0.88769	0.400	0.00321
DS/SDSP10-11.2.1	0.00346	0.01026	1.00000	0.400	0.00001
DS/SDSP10-11.2.2	0.00346	0.34872	0.89841	0.400	0.00043
DS/SDSP10-11.2.0	0.00346	0.64103	0.89841	0.400	0.00080
DS/SDSP10-11.3.1	0.00758	0.01026	1.00000	0.400	0.00003
DS/SDSP10-11.3.2	0.00758	0.34872	0.91946	0.400	0.00097
DS/SDSP10-11.3.0	0.00758	0.64103	0.91946	0.400	0.00179
DS/SDSP11-12.1.1	0.01409	0.01026	0.98968	0.400	0.00006
DS/SDSP11-12.1.2	0.01409	0.34872	0.89023	0.400	0.00175
DS/SDSP11-12.1.0	0.01409	0.64103	0.89023	0.400	0.00322
DS/SDSP11-12.2.1	0.00346	0.01026	1.00000	0.400	0.00001
DS/SDSP11-12.2.2	0.00346	0.34872	0.89859	0.400	0.00043
DS/SDSP11-12.2.0	0.00346	0.64103	0.89859	0.400	0.00080
DS/SDSP11-12.3.1	0.00758	0.01026	1.00000	0.400	0.00003
DS/SDSP11-12.3.2	0.00758	0.34872	0.92007	0.400	0.00097
DS/SDSP11-12.3.0	0.00758	0.64103	0.92007	0.400	0.00179
DS/SDSP12-13.1.1	0.00709	0.01026	1.00000	0.400	0.00003
DS/SDSP12-13.1.2	0.00709	0.34872	1.00000	0.400	0.00099
DS/SDSP12-13.1.3	0.00709	0.30769	1.00000	0.400	0.00087
DS/SDSP12-13.1.4	0.00709	0.20567	1.00000	0.400	0.00058
DS/SDSP12-13.1.0	0.00709	0.12766	1.00000	0.400	0.00036
DS/SDSP12-13.2.1	0.00700	0.01026	0.56819	0.400	0.00002
DS/SDSP12-13.2.2	0.00700	0.34872	0.38818	0.400	0.00038
DS/SDSP12-13.2.3	0.00700	0.30769	0.00000	0.400	0.00000
DS/SDSP12-13.2.4	0.00700	0.20567	0.00000	0.400	0.00000
DS/SDSP12-13.2.0	0.00700	0.12766	0.00000	0.400	0.00000
DS/SDSP12-13.3.1	0.00346	0.01026	0.71416	0.400	0.00001
DS/SDSP12-13.3.2	0.00346	0.34872	0.23740	0.400	0.00011
DS/SDSP12-13.3.3-1	0.00346	0.30769	0.00000	0.400	0.00000
DS/SDSP12-13.3.4-1	0.00346	0.20567	0.00000	0.400	0.00000
DS/SDSP12-13.3.0-1	0.00346	0.12766	0.00000	0.400	0.00000
DS/SDSP12-13.4.1-1	0.00758	0.01026	0.72473	0.400	0.00002
DS/SDSP12-13.4.2-1	0.00758	0.34872	0.24028	0.400	0.00025
DS/SDSP12-13.4.3-1	0.00758	0.30769	0.00000	0.400	0.00000
DS/SDSP12-13.4.4-1	0.00758	0.20567	0.00000	0.400	0.00000
DS/SDSP12-13.4.0-1	0.00758	0.12766	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP13-14.1.1-1	0.00709	0.01026	1.00000	0.400	0.00003
DS/SDSP13-14.1.2-1	0.00709	0.34872	1.00000	0.400	0.00099
DS/SDSP13-14.1.3-1	0.00709	0.30769	1.00000	0.400	0.00087
DS/SDSP13-14.1.4-1	0.00709	0.20567	1.00000	0.400	0.00058
DS/SDSP13-14.1.0-1	0.00709	0.12766	1.00000	0.400	0.00036
DS/SDSP13-14.2.1-1	0.00224	0.01026	0.60659	0.400	0.00001
DS/SDSP13-14.2.2-1	0.00224	0.34872	0.60659	0.400	0.00019
DS/SDSP13-14.2.3-1	0.00224	0.30769	0.50753	0.400	0.00014
DS/SDSP13-14.2.4-1	0.00224	0.20567	0.50753	0.400	0.00009
DS/SDSP13-14.2.0-1	0.00224	0.12766	0.50753	0.400	0.00006
DS/SDSP13-14.3.1-1	0.01579	0.01026	0.60659	0.400	0.00004
DS/SDSP13-14.3.2-1	0.01579	0.34872	0.60659	0.400	0.00134
DS/SDSP13-14.3.3-1	0.01579	0.30769	0.50753	0.400	0.00099
DS/SDSP13-14.3.4-1	0.01579	0.20567	0.50753	0.400	0.00066
DS/SDSP13-14.3.0-1	0.01579	0.12766	0.50753	0.400	0.00041
DS/SDSP13-14.4.1-1	0.00000	0.01026	0.60659	0.400	0.00000
DS/SDSP13-14.4.2-1	0.00000	0.34872	0.60659	0.400	0.00000
DS/SDSP13-14.4.3-1	0.00000	0.30769	0.50753	0.400	0.00000
DS/SDSP13-14.4.4-1	0.00000	0.20567	0.50753	0.400	0.00000
DS/SDSP13-14.4.0-1	0.00000	0.12766	0.50753	0.400	0.00000
DS/SDSP14-15.1.1-1	0.00934	0.01026	1.00000	0.400	0.00004
DS/SDSP14-15.1.2-1	0.00934	0.34872	1.00000	0.400	0.00130
DS/SDSP14-15.1.3-1	0.00934	0.30769	1.00000	0.400	0.00115
DS/SDSP14-15.1.4-1	0.00934	0.20567	1.00000	0.400	0.00077
DS/SDSP14-15.1.0-1	0.00934	0.12766	1.00000	0.400	0.00048
DS/SDSP14-15.2.1-1	0.00189	0.01026	0.56812	0.400	0.00000
DS/SDSP14-15.2.2-1	0.00189	0.34872	0.56812	0.400	0.00015
DS/SDSP14-15.2.3-1	0.00189	0.30769	0.38117	0.400	0.00009
DS/SDSP14-15.2.4-1	0.00189	0.20567	0.38117	0.400	0.00006
DS/SDSP14-15.2.0-1	0.00189	0.12766	0.38117	0.400	0.00004
DS/SDSP14-15.3.1-1	0.01325	0.01026	0.56812	0.400	0.00003
DS/SDSP14-15.3.2-1	0.01325	0.34872	0.56812	0.400	0.00105
DS/SDSP14-15.3.3-1	0.01325	0.30769	0.38117	0.400	0.00062
DS/SDSP14-15.3.4-1	0.01325	0.20567	0.38117	0.400	0.00042
DS/SDSP14-15.3.0-1	0.01325	0.12766	0.38117	0.400	0.00026
DS/SDSP14-15.4.1-1	0.00065	0.01026	1.00000	0.400	0.00000
DS/SDSP14-15.4.2-1	0.00065	0.34872	1.00000	0.400	0.00009
DS/SDSP14-15.4.3-1	0.00065	0.30769	1.00000	0.400	0.00008
DS/SDSP14-15.4.4-1	0.00065	0.20567	1.00000	0.400	0.00005
DS/SDSP14-15.4.0-1	0.00065	0.12766	1.00000	0.400	0.00003
DS/SDSP14-15.5.1-1	0.00000	0.01026	1.00000	0.400	0.00000
DS/SDSP14-15.5.2-1	0.00000	0.34872	1.00000	0.400	0.00000
DS/SDSP14-15.5.3-1	0.00000	0.30769	1.00000	0.400	0.00000
DS/SDSP14-15.5.4-1	0.00000	0.20567	1.00000	0.400	0.00000
DS/SDSP14-15.5.0-1	0.00000	0.12766	1.00000	0.400	0.00000
DS/SDSP15-16.1.1	0.00941	0.01026	1.00000	0.400	0.00004
DS/SDSP15-16.1.2	0.00941	0.34872	1.00000	0.400	0.00131
DS/SDSP15-16.1.3	0.00941	0.30769	1.00000	0.400	0.00116
DS/SDSP15-16.1.4	0.00941	0.20567	1.00000	0.400	0.00077
DS/SDSP15-16.1.0	0.00941	0.12766	1.00000	0.400	0.00048
DS/SDSP15-16.2.1	0.00181	0.01026	1.00000	0.400	0.00001
DS/SDSP15-16.2.2	0.00181	0.34872	1.00000	0.400	0.00025
DS/SDSP15-16.2.3	0.00181	0.30769	1.00000	0.400	0.00022
DS/SDSP15-16.2.4	0.00181	0.20567	1.00000	0.400	0.00015
DS/SDSP15-16.2.0	0.00181	0.12766	1.00000	0.400	0.00009
DS/SDSP15-16.3.1-2	0.01325	0.01026	0.65691	0.400	0.00004
DS/SDSP15-16.3.2-2	0.01325	0.34872	0.65691	0.400	0.00121
DS/SDSP15-16.3.3-1	0.01325	0.30769	0.00000	0.400	0.00000
DS/SDSP15-16.3.4-1	0.01325	0.20567	0.00000	0.400	0.00000



CASE	P	V	S	W	W*P*V*S
DS/SDSP15-16.3.0-1	0.01325	0.12766	0.00000	0.400	0.00000
DS/SDSP15-16.4.1-2	0.00065	0.01026	1.00000	0.400	0.00000
DS/SDSP15-16.4.2-2	0.00065	0.34872	1.00000	0.400	0.00009
DS/SDSP15-16.4.3	0.00065	0.30769	0.00000	0.400	0.00000
DS/SDSP15-16.4.4	0.00065	0.20567	0.00000	0.400	0.00000
DS/SDSP15-16.4.0	0.00065	0.12766	0.00000	0.400	0.00000
DS/SDSP16-17.1.1	0.00460	0.01026	1.00000	0.400	0.00002
DS/SDSP16-17.1.2	0.00460	0.34872	1.00000	0.400	0.00064
DS/SDSP16-17.1.3	0.00460	0.30769	1.00000	0.400	0.00057
DS/SDSP16-17.1.4	0.00460	0.20567	1.00000	0.400	0.00038
DS/SDSP16-17.1.0	0.00460	0.12766	1.00000	0.400	0.00024
DS/SDSP16-17.2.1	0.00428	0.01026	1.00000	0.400	0.00002
DS/SDSP16-17.2.2	0.00428	0.34872	1.00000	0.400	0.00060
DS/SDSP16-17.2.3	0.00428	0.30769	1.00000	0.400	0.00053
DS/SDSP16-17.2.4	0.00428	0.20567	1.00000	0.400	0.00035
DS/SDSP16-17.2.0	0.00428	0.12766	1.00000	0.400	0.00022
DS/SDSP16-17.3.1	0.01479	0.01026	1.00000	0.400	0.00006
DS/SDSP16-17.3.2	0.01479	0.34872	1.00000	0.400	0.00206
DS/SDSP16-17.3.3	0.01479	0.30769	1.00000	0.400	0.00182
DS/SDSP16-17.3.4	0.01479	0.20567	1.00000	0.400	0.00122
DS/SDSP16-17.3.0	0.01479	0.12766	1.00000	0.400	0.00076
DS/SDSP17-18.1.1	0.00670	0.01026	1.00000	0.400	0.00003
DS/SDSP17-18.1.2	0.00670	0.34872	1.00000	0.400	0.00094
DS/SDSP17-18.1.3	0.00670	0.30769	1.00000	0.400	0.00083
DS/SDSP17-18.1.4	0.00670	0.20567	1.00000	0.400	0.00055
DS/SDSP17-18.1.0	0.00670	0.12766	1.00000	0.400	0.00034
DS/SDSP17-18.2.1-1	0.02795	0.01026	1.00000	0.400	0.00011
DS/SDSP17-18.2.2-1	0.02795	0.34872	1.00000	0.400	0.00390
DS/SDSP17-18.2.3-1	0.02795	0.30769	1.00000	0.400	0.00344
DS/SDSP17-18.2.4-1	0.02795	0.20567	1.00000	0.400	0.00230
DS/SDSP17-18.2.0-1	0.02795	0.12766	1.00000	0.400	0.00143
DS/SDSP1-3.1.1	0.00000	0.35897	1.00000	0.400	0.00000
DS/SDSP1-3.1.0	0.00000	0.64103	1.00000	0.400	0.00000
DS/SDSP1-3.2.1	0.00244	0.35897	1.00000	0.400	0.00035
DS/SDSP1-3.2.0	0.00244	0.64103	1.00000	0.400	0.00062
DS/SDSP1-3.3.1	0.00113	0.35897	0.89232	0.400	0.00014
DS/SDSP1-3.3.0	0.00113	0.64103	0.89232	0.400	0.00026
DS/SDSP2-4.1.1	0.00617	0.35897	1.00000	0.400	0.00089
DS/SDSP2-4.1.0	0.00617	0.64103	1.00000	0.400	0.00158
DS/SDSP2-4.2.1	0.00630	0.35897	0.71247	0.400	0.00064
DS/SDSP2-4.2.0	0.00630	0.64103	0.71247	0.400	0.00115
DS/SDSP3-5.1.1-1	0.00438	0.01026	1.00000	0.400	0.00002
DS/SDSP3-5.1.2-1	0.00438	0.34872	1.00000	0.400	0.00061
DS/SDSP3-5.1.0-1	0.00438	0.64103	1.00000	0.400	0.00112
DS/SDSP3-5.2.1-1	0.00043	0.01026	1.00000	0.400	0.00000
DS/SDSP3-5.2.2-1	0.00043	0.34872	1.00000	0.400	0.00006
DS/SDSP3-5.2.0-1	0.00043	0.64103	1.00000	0.400	0.00011
DS/SDSP3-5.3.1	0.00119	0.01026	0.86335	0.400	0.00000
DS/SDSP3-5.3.2	0.00119	0.34872	0.00000	0.400	0.00000
DS/SDSP3-5.3.0	0.00119	0.64103	0.00000	0.400	0.00000
DS/SDSP3-5.4.1	0.00285	0.01026	0.86335	0.400	0.00001
DS/SDSP3-5.4.2	0.00285	0.34872	0.00000	0.400	0.00000
DS/SDSP3-5.4.0	0.00285	0.64103	0.00000	0.400	0.00000
DS/SDSP4-6.1.1	0.00345	0.01026	0.90539	0.400	0.00001
DS/SDSP4-6.1.2	0.00345	0.34872	0.90539	0.400	0.00044
DS/SDSP4-6.1.0	0.00345	0.64103	0.90539	0.400	0.00080
DS/SDSP4-6.2.1	0.00034	0.01026	0.84371	0.400	0.00000
DS/SDSP4-6.2.2	0.00034	0.34872	0.84371	0.400	0.00004
DS/SDSP4-6.2.0	0.00034	0.64103	0.84371	0.400	0.00007

CASE	P	V	S	W	W*P*V*S
DS/SDSP4-6.3.1-1	0.00094	0.01026	0.00000	0.400	0.00000
DS/SDSP4-6.3.2-1	0.00094	0.34872	0.00000	0.400	0.00000
DS/SDSP4-6.3.0-1	0.00094	0.64103	0.00000	0.400	0.00000
DS/SDSP4-6.4.1-1	0.00225	0.01026	0.00000	0.400	0.00000
DS/SDSP4-6.4.2-1	0.00225	0.34872	0.00000	0.400	0.00000
DS/SDSP4-6.4.0-1	0.00225	0.64103	0.00000	0.400	0.00000
DS/SDSP5-7.1.1	0.00631	0.01026	0.76835	0.400	0.00002
DS/SDSP5-7.1.2	0.00631	0.34872	0.65365	0.400	0.00058
DS/SDSP5-7.1.0	0.00631	0.64103	0.65365	0.400	0.00106
DS/SDSP5-7.2.1-1	0.00156	0.01026	0.00000	0.400	0.00000
DS/SDSP5-7.2.2-3	0.00156	0.34872	0.00000	0.400	0.00000
DS/SDSP5-7.2.0-3	0.00156	0.64103	0.00000	0.400	0.00000
DS/SDSP5-7.3.1-1	0.00374	0.01026	0.00000	0.400	0.00000
DS/SDSP5-7.3.2-3	0.00374	0.34872	0.00000	0.400	0.00000
DS/SDSP5-7.3.0-3	0.00374	0.64103	0.00000	0.400	0.00000
DS/SDSP6-8.1.1	0.00631	0.01026	0.77070	0.400	0.00002
DS/SDSP6-8.1.2	0.00631	0.34872	0.53874	0.400	0.00047
DS/SDSP6-8.1.0	0.00631	0.64103	0.53874	0.400	0.00087
DS/SDSP6-8.2.1-1	0.00156	0.01026	0.00000	0.400	0.00000
DS/SDSP6-8.2.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DS/SDSP6-8.2.0-1	0.00156	0.64103	0.00000	0.400	0.00000
DS/SDSP6-8.3.1-1	0.00374	0.01026	0.00000	0.400	0.00000
DS/SDSP6-8.3.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DS/SDSP6-8.3.0-1	0.00374	0.64103	0.00000	0.400	0.00000
DS/SDSP7-9.1.1	0.00631	0.01026	0.79741	0.400	0.00002
DS/SDSP7-9.1.2	0.00631	0.34872	0.46277	0.400	0.00041
DS/SDSP7-9.1.0	0.00631	0.64103	0.46277	0.400	0.00075
DS/SDSP7-9.2.1	0.00156	0.01026	0.89886	0.400	0.00001
DS/SDSP7-9.2.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DS/SDSP7-9.2.0-1	0.00156	0.64103	0.00000	0.400	0.00000
DS/SDSP7-9.3.1	0.00374	0.01026	0.92393	0.400	0.00001
DS/SDSP7-9.3.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DS/SDSP7-9.3.0-1	0.00374	0.64103	0.00000	0.400	0.00000
DS/SDSP8-10.1.1	0.00631	0.01026	0.77793	0.400	0.00002
DS/SDSP8-10.1.2	0.00631	0.34872	0.43953	0.400	0.00039
DS/SDSP8-10.1.0	0.00631	0.64103	0.43953	0.400	0.00071
DS/SDSP8-10.2.1	0.00156	0.01026	0.97774	0.400	0.00001
DS/SDSP8-10.2.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DS/SDSP8-10.2.0-1	0.00156	0.64103	0.00000	0.400	0.00000
DS/SDSP8-10.3.1	0.00374	0.01026	0.95179	0.400	0.00001
DS/SDSP8-10.3.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DS/SDSP8-10.3.0-1	0.00374	0.64103	0.00000	0.400	0.00000
DS/SDSP9-11.1.1	0.00631	0.01026	0.77415	0.400	0.00002
DS/SDSP9-11.1.2	0.00631	0.34872	0.44673	0.400	0.00039
DS/SDSP9-11.1.0	0.00631	0.64103	0.44673	0.400	0.00072
DS/SDSP9-11.2.1	0.00156	0.01026	0.97869	0.400	0.00001
DS/SDSP9-11.2.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DS/SDSP9-11.2.0-1	0.00156	0.64103	0.00000	0.400	0.00000
DS/SDSP9-11.3.1	0.00374	0.01026	0.99299	0.400	0.00002
DS/SDSP9-11.3.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DS/SDSP9-11.3.0-1	0.00374	0.64103	0.00000	0.400	0.00000
DS/SDSP10-12.1.1	0.00631	0.01026	0.77857	0.400	0.00002
DS/SDSP10-12.1.2	0.00631	0.34872	0.46040	0.400	0.00041
DS/SDSP10-12.1.0	0.00631	0.64103	0.46040	0.400	0.00075
DS/SDSP10-12.2.1	0.00156	0.01026	0.91093	0.400	0.00001
DS/SDSP10-12.2.2	0.00156	0.34872	0.00000	0.400	0.00000
DS/SDSP10-12.2.0	0.00156	0.64103	0.00000	0.400	0.00000
DS/SDSP10-12.3.1	0.00374	0.01026	0.93949	0.400	0.00001
DS/SDSP10-12.3.2	0.00374	0.34872	0.34355	0.400	0.00018

CASE	P	V	S	W	W*P*V*S
DS/SDSP10-12.3.0	0.00374	0.64103	0.34355	0.400	0.00033
DS/SDSP11-13.1.1	0.00321	0.01026	0.89672	0.400	0.00001
DS/SDSP11-13.1.2	0.00321	0.34872	0.75642	0.400	0.00034
DS/SDSP11-13.1.3	0.00321	0.30769	0.75668	0.400	0.00030
DS/SDSP11-13.1.4	0.00321	0.20567	0.75668	0.400	0.00020
DS/SDSP11-13.1.0	0.00321	0.12766	0.75668	0.400	0.00012
DS/SDSP11-13.2.1	0.00311	0.01026	0.00000	0.400	0.00000
DS/SDSP11-13.2.2	0.00311	0.34872	0.00000	0.400	0.00000
DS/SDSP11-13.2.3-1	0.00311	0.30769	0.00000	0.400	0.00000
DS/SDSP11-13.2.4-1	0.00311	0.20567	0.00000	0.400	0.00000
DS/SDSP11-13.2.0-1	0.00311	0.12766	0.00000	0.400	0.00000
DS/SDSP11-13.3.1	0.00156	0.01026	0.33431	0.400	0.00000
DS/SDSP11-13.3.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DS/SDSP11-13.3.3-1	0.00156	0.30769	0.00000	0.400	0.00000
DS/SDSP11-13.3.4-1	0.00156	0.20567	0.00000	0.400	0.00000
DS/SDSP11-13.3.0-1	0.00156	0.12766	0.00000	0.400	0.00000
DS/SDSP11-13.4.1	0.00374	0.01026	0.41130	0.400	0.00001
DS/SDSP11-13.4.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DS/SDSP11-13.4.3-1	0.00374	0.30769	0.00000	0.400	0.00000
DS/SDSP11-13.4.4-1	0.00374	0.20567	0.00000	0.400	0.00000
DS/SDSP11-13.4.0-1	0.00374	0.12766	0.00000	0.400	0.00000
DS/SDSP12-14.1.1	0.00321	0.01026	0.99169	0.400	0.00001
DS/SDSP12-14.1.2	0.00321	0.34872	0.93611	0.400	0.00042
DS/SDSP12-14.1.3	0.00321	0.30769	0.93621	0.400	0.00037
DS/SDSP12-14.1.4	0.00321	0.20567	0.93621	0.400	0.00025
DS/SDSP12-14.1.0	0.00321	0.12766	0.93621	0.400	0.00015
DS/SDSP12-14.2.1-1	0.00100	0.01026	0.16490	0.400	0.00000
DS/SDSP12-14.2.2-1	0.00100	0.34872	0.00000	0.400	0.00000
DS/SDSP12-14.2.3-1	0.00100	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.2.4-1	0.00100	0.20567	0.00000	0.400	0.00000
DS/SDSP12-14.2.0-1	0.00100	0.12766	0.00000	0.400	0.00000
DS/SDSP12-14.3.1-1	0.00211	0.01026	0.16490	0.400	0.00000
DS/SDSP12-14.3.2-1	0.00211	0.34872	0.00000	0.400	0.00000
DS/SDSP12-14.3.3-1	0.00211	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.3.4-1	0.00211	0.20567	0.00000	0.400	0.00000
DS/SDSP12-14.3.0-1	0.00211	0.12766	0.00000	0.400	0.00000
DS/SDSP12-14.4.1-1	0.00156	0.01026	0.49770	0.400	0.00000
DS/SDSP12-14.4.2-1	0.00156	0.34872	0.00000	0.400	0.00000
DS/SDSP12-14.4.3-1	0.00156	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.4.4-1	0.00156	0.20567	0.00000	0.400	0.00000
DS/SDSP12-14.4.0-1	0.00156	0.12766	0.00000	0.400	0.00000
DS/SDSP12-14.5.1-1	0.00374	0.01026	0.49770	0.400	0.00001
DS/SDSP12-14.5.2-1	0.00374	0.34872	0.00000	0.400	0.00000
DS/SDSP12-14.5.3-1	0.00374	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.5.4-1	0.00374	0.20567	0.00000	0.400	0.00000
DS/SDSP12-14.5.0-1	0.00374	0.12766	0.00000	0.400	0.00000
DS/SDSP12-14.6.1-1	0.00000	0.01026	0.49770	0.400	0.00000
DS/SDSP12-14.6.2-1	0.00000	0.34872	0.00000	0.400	0.00000
DS/SDSP12-14.6.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP12-14.6.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP12-14.6.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP13-15.1.1-1	0.00321	0.01026	1.00000	0.400	0.00001
DS/SDSP13-15.1.2-1	0.00321	0.34872	1.00000	0.400	0.00045
DS/SDSP13-15.1.3-1	0.00321	0.30769	1.00000	0.400	0.00039
DS/SDSP13-15.1.4-1	0.00321	0.20567	1.00000	0.400	0.00026
DS/SDSP13-15.1.0-1	0.00321	0.12766	1.00000	0.400	0.00016
DS/SDSP13-15.2.1-1	0.00100	0.01026	0.23514	0.400	0.00000
DS/SDSP13-15.2.2-1	0.00100	0.34872	0.23514	0.400	0.00003
DS/SDSP13-15.2.3-1	0.00100	0.30769	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP13-15.2.4-1	0.00100	0.20567	0.00000	0.400	0.00000
DS/SDSP13-15.2.0-1	0.00100	0.12766	0.00000	0.400	0.00000
DS/SDSP13-15.3.1-1	0.00084	0.01026	0.23514	0.400	0.00000
DS/SDSP13-15.3.2-1	0.00084	0.34872	0.23514	0.400	0.00003
DS/SDSP13-15.3.3-1	0.00084	0.30769	0.00000	0.400	0.00000
DS/SDSP13-15.3.4-1	0.00084	0.20567	0.00000	0.400	0.00000
DS/SDSP13-15.3.0-1	0.00084	0.12766	0.00000	0.400	0.00000
DS/SDSP13-15.4.1-1	0.00620	0.01026	0.23514	0.400	0.00001
DS/SDSP13-15.4.2-1	0.00620	0.34872	0.23514	0.400	0.00020
DS/SDSP13-15.4.3-1	0.00620	0.30769	0.00000	0.400	0.00000
DS/SDSP13-15.4.4-1	0.00620	0.20567	0.00000	0.400	0.00000
DS/SDSP13-15.4.0-1	0.00620	0.12766	0.00000	0.400	0.00000
DS/SDSP13-15.5.1-1	0.00037	0.01026	1.00000	0.400	0.00000
DS/SDSP13-15.5.2-1	0.00037	0.34872	1.00000	0.400	0.00005
DS/SDSP13-15.5.3-1	0.00037	0.30769	0.98420	0.400	0.00004
DS/SDSP13-15.5.4-1	0.00037	0.20567	0.98420	0.400	0.00003
DS/SDSP13-15.5.0-1	0.00037	0.12766	0.98420	0.400	0.00002
DS/SDSP13-15.6.1-1	0.00000	0.01026	1.00000	0.400	0.00000
DS/SDSP13-15.6.2-1	0.00000	0.34872	1.00000	0.400	0.00000
DS/SDSP13-15.6.3-1	0.00000	0.30769	0.98420	0.400	0.00000
DS/SDSP13-15.6.4-1	0.00000	0.20567	0.98420	0.400	0.00000
DS/SDSP13-15.6.0-1	0.00000	0.12766	0.98420	0.400	0.00000
DS/SDSP14-16.1.1-1	0.00420	0.01026	1.00000	0.400	0.00002
DS/SDSP14-16.1.2-1	0.00420	0.34872	1.00000	0.400	0.00059
DS/SDSP14-16.1.3-1	0.00420	0.30769	1.00000	0.400	0.00052
DS/SDSP14-16.1.4-1	0.00420	0.20567	1.00000	0.400	0.00035
DS/SDSP14-16.1.0-1	0.00420	0.12766	1.00000	0.400	0.00021
DS/SDSP14-16.2.1-2	0.00003	0.01026	0.35488	0.400	0.00000
DS/SDSP14-16.2.2-2	0.00003	0.34872	0.35488	0.400	0.00000
DS/SDSP14-16.2.3-1	0.00003	0.30769	0.00000	0.400	0.00000
DS/SDSP14-16.2.4-1	0.00003	0.20567	0.00000	0.400	0.00000
DS/SDSP14-16.2.0-1	0.00003	0.12766	0.00000	0.400	0.00000
DS/SDSP14-16.3.1-2	0.00080	0.01026	0.39534	0.400	0.00000
DS/SDSP14-16.3.2-2	0.00080	0.34872	0.39534	0.400	0.00004
DS/SDSP14-16.3.3-1	0.00080	0.30769	0.00000	0.400	0.00000
DS/SDSP14-16.3.4-1	0.00080	0.20567	0.00000	0.400	0.00000
DS/SDSP14-16.3.0-1	0.00080	0.12766	0.00000	0.400	0.00000
DS/SDSP14-16.4.1-2	0.00620	0.01026	0.39534	0.400	0.00001
DS/SDSP14-16.4.2-2	0.00620	0.34872	0.39534	0.400	0.00034
DS/SDSP14-16.4.3-1	0.00620	0.30769	0.00000	0.400	0.00000
DS/SDSP14-16.4.4-1	0.00620	0.20567	0.00000	0.400	0.00000
DS/SDSP14-16.4.0-1	0.00620	0.12766	0.00000	0.400	0.00000
DS/SDSP14-16.5.1-2	0.00037	0.01026	1.00000	0.400	0.00000
DS/SDSP14-16.5.2-2	0.00037	0.34872	1.00000	0.400	0.00005
DS/SDSP14-16.5.3-1	0.00037	0.30769	0.00000	0.400	0.00000
DS/SDSP14-16.5.4-1	0.00037	0.20567	0.00000	0.400	0.00000
DS/SDSP14-16.5.0-1	0.00037	0.12766	0.00000	0.400	0.00000
DS/SDSP14-16.6.1-2	0.00000	0.01026	1.00000	0.400	0.00000
DS/SDSP14-16.6.2-2	0.00000	0.34872	1.00000	0.400	0.00000
DS/SDSP14-16.6.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP14-16.6.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP14-16.6.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP15-17.1.1	0.00213	0.01026	1.00000	0.400	0.00001
DS/SDSP15-17.1.2	0.00213	0.34872	1.00000	0.400	0.00030
DS/SDSP15-17.1.3	0.00213	0.30769	1.00000	0.400	0.00026
DS/SDSP15-17.1.4	0.00213	0.20567	1.00000	0.400	0.00018
DS/SDSP15-17.1.0	0.00213	0.12766	1.00000	0.400	0.00011
DS/SDSP15-17.2.1	0.00194	0.01026	1.00000	0.400	0.00001
DS/SDSP15-17.2.2	0.00194	0.34872	1.00000	0.400	0.00027

CASE	P	V	S	W	W*P*V*S
DS/SDSP15-17.2.3	0.00194	0.30769	1.00000	0.400	0.00024
DS/SDSP15-17.2.4	0.00194	0.20567	1.00000	0.400	0.00016
DS/SDSP15-17.2.0	0.00194	0.12766	1.00000	0.400	0.00010
DS/SDSP15-17.3.1	0.00077	0.01026	1.00000	0.400	0.00000
DS/SDSP15-17.3.2	0.00077	0.34872	1.00000	0.400	0.00011
DS/SDSP15-17.3.3	0.00077	0.30769	1.00000	0.400	0.00009
DS/SDSP15-17.3.4	0.00077	0.20567	1.00000	0.400	0.00006
DS/SDSP15-17.3.0	0.00077	0.12766	1.00000	0.400	0.00004
DS/SDSP15-17.4.1-2	0.00595	0.01026	0.68228	0.400	0.00002
DS/SDSP15-17.4.2-2	0.00595	0.34872	0.68228	0.400	0.00057
DS/SDSP15-17.4.3-1	0.00595	0.30769	0.00000	0.400	0.00000
DS/SDSP15-17.4.4-1	0.00595	0.20567	0.00000	0.400	0.00000
DS/SDSP15-17.4.0-1	0.00595	0.12766	0.00000	0.400	0.00000
DS/SDSP15-17.5.1-2	0.00035	0.01026	1.00000	0.400	0.00000
DS/SDSP15-17.5.2-2	0.00035	0.34872	1.00000	0.400	0.00005
DS/SDSP15-17.5.3-1	0.00035	0.30769	0.00000	0.400	0.00000
DS/SDSP15-17.5.4-1	0.00035	0.20567	0.00000	0.400	0.00000
DS/SDSP15-17.5.0-1	0.00035	0.12766	0.00000	0.400	0.00000
DS/SDSP16-18.1.1	0.00316	0.01026	1.00000	0.400	0.00001
DS/SDSP16-18.1.2	0.00316	0.34872	1.00000	0.400	0.00044
DS/SDSP16-18.1.3	0.00316	0.30769	1.00000	0.400	0.00039
DS/SDSP16-18.1.4	0.00316	0.20567	1.00000	0.400	0.00026
DS/SDSP16-18.1.0	0.00316	0.12766	1.00000	0.400	0.00016
DS/SDSP16-18.2.1	0.00287	0.01026	1.00000	0.400	0.00001
DS/SDSP16-18.2.2	0.00287	0.34872	1.00000	0.400	0.00040
DS/SDSP16-18.2.3	0.00287	0.30769	1.00000	0.400	0.00035
DS/SDSP16-18.2.4	0.00287	0.20567	1.00000	0.400	0.00024
DS/SDSP16-18.2.0	0.00287	0.12766	1.00000	0.400	0.00015
DS/SDSP16-18.3.1	0.01049	0.01026	1.00000	0.400	0.00004
DS/SDSP16-18.3.2	0.01049	0.34872	1.00000	0.400	0.00146
DS/SDSP16-18.3.3	0.01049	0.30769	1.00000	0.400	0.00129
DS/SDSP16-18.3.4	0.01049	0.20567	1.00000	0.400	0.00086
DS/SDSP16-18.3.0	0.01049	0.12766	1.00000	0.400	0.00054
DS/SDSP1-4.1.1	0.00000	0.35897	1.00000	0.400	0.00000
DS/SDSP1-4.1.0	0.00000	0.64103	1.00000	0.400	0.00000
DS/SDSP1-4.2.1	0.00183	0.35897	1.00000	0.400	0.00026
DS/SDSP1-4.2.0	0.00183	0.64103	1.00000	0.400	0.00047
DS/SDSP1-4.3.1	0.00085	0.35897	0.00000	0.400	0.00000
DS/SDSP1-4.3.0	0.00085	0.64103	0.00000	0.400	0.00000
DS/SDSP2-5.1.1	0.00743	0.01026	0.76864	0.400	0.00002
DS/SDSP2-5.1.2	0.00743	0.34872	0.76864	0.400	0.00080
DS/SDSP2-5.1.0	0.00743	0.64103	0.76864	0.400	0.00146
DS/SDSP2-5.2.1-1	0.00074	0.01026	0.00000	0.400	0.00000
DS/SDSP2-5.2.2-1	0.00074	0.34872	0.00000	0.400	0.00000
DS/SDSP2-5.2.0-1	0.00074	0.64103	0.00000	0.400	0.00000
DS/SDSP2-5.3.1-1	0.00201	0.01026	0.00000	0.400	0.00000
DS/SDSP2-5.3.2-1	0.00201	0.34872	0.00000	0.400	0.00000
DS/SDSP2-5.3.0-1	0.00201	0.64103	0.00000	0.400	0.00000
DS/SDSP2-5.4.1-1	0.00483	0.01026	0.00000	0.400	0.00000
DS/SDSP2-5.4.2-1	0.00483	0.34872	0.00000	0.400	0.00000
DS/SDSP2-5.4.0-1	0.00483	0.64103	0.00000	0.400	0.00000
DS/SDSP3-6.1.1	0.00180	0.01026	0.81477	0.400	0.00001
DS/SDSP3-6.1.2	0.00180	0.34872	0.81477	0.400	0.00020
DS/SDSP3-6.1.0	0.00180	0.64103	0.81477	0.400	0.00038
DS/SDSP3-6.2.1	0.00018	0.01026	0.30582	0.400	0.00000
DS/SDSP3-6.2.2	0.00018	0.34872	0.30582	0.400	0.00001
DS/SDSP3-6.2.0	0.00018	0.64103	0.30582	0.400	0.00001
DS/SDSP3-6.3.1-1	0.00049	0.01026	0.00000	0.400	0.00000
DS/SDSP3-6.3.2-1	0.00049	0.34872	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP3-6.3.0-1	0.00049	0.64103	0.00000	0.400	0.00000
DS/SDSP3-6.4.1-1	0.00117	0.01026	0.00000	0.400	0.00000
DS/SDSP3-6.4.2-1	0.00117	0.34872	0.00000	0.400	0.00000
DS/SDSP3-6.4.0-1	0.00117	0.64103	0.00000	0.400	0.00000
DS/SDSP4-7.1.1	0.00099	0.01026	0.47915	0.400	0.00000
DS/SDSP4-7.1.2	0.00099	0.34872	0.00000	0.400	0.00000
DS/SDSP4-7.1.0	0.00099	0.64103	0.00000	0.400	0.00000
DS/SDSP4-7.2.1	0.00010	0.01026	0.00000	0.400	0.00000
DS/SDSP4-7.2.2-1	0.00010	0.34872	0.00000	0.400	0.00000
DS/SDSP4-7.2.0-1	0.00010	0.64103	0.00000	0.400	0.00000
DS/SDSP4-7.3.1-1	0.00027	0.01026	0.00000	0.400	0.00000
DS/SDSP4-7.3.2-1	0.00027	0.34872	0.00000	0.400	0.00000
DS/SDSP4-7.3.0-1	0.00027	0.64103	0.00000	0.400	0.00000
DS/SDSP4-7.4.1-1	0.00064	0.01026	0.00000	0.400	0.00000
DS/SDSP4-7.4.2-1	0.00064	0.34872	0.00000	0.400	0.00000
DS/SDSP4-7.4.0-1	0.00064	0.64103	0.00000	0.400	0.00000
DS/SDSP5-8.1.1	0.00192	0.01026	0.21259	0.400	0.00000
DS/SDSP5-8.1.2-1	0.00192	0.34872	0.00000	0.400	0.00000
DS/SDSP5-8.1.0-1	0.00192	0.64103	0.00000	0.400	0.00000
DS/SDSP5-8.2.1-1	0.00047	0.01026	0.00000	0.400	0.00000
DS/SDSP5-8.2.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DS/SDSP5-8.2.0-1	0.00047	0.64103	0.00000	0.400	0.00000
DS/SDSP5-8.3.1-1	0.00114	0.01026	0.00000	0.400	0.00000
DS/SDSP5-8.3.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DS/SDSP5-8.3.0-1	0.00114	0.64103	0.00000	0.400	0.00000
DS/SDSP6-9.1.1	0.00192	0.01026	0.43171	0.400	0.00000
DS/SDSP6-9.1.2-1	0.00192	0.34872	0.00000	0.400	0.00000
DS/SDSP6-9.1.0-1	0.00192	0.64103	0.00000	0.400	0.00000
DS/SDSP6-9.2.1-1	0.00047	0.01026	0.00000	0.400	0.00000
DS/SDSP6-9.2.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DS/SDSP6-9.2.0-1	0.00047	0.64103	0.00000	0.400	0.00000
DS/SDSP6-9.3.1-1	0.00114	0.01026	0.00000	0.400	0.00000
DS/SDSP6-9.3.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DS/SDSP6-9.3.0-1	0.00114	0.64103	0.00000	0.400	0.00000
DS/SDSP7-10.1.1	0.00192	0.01026	0.54373	0.400	0.00000
DS/SDSP7-10.1.2-1	0.00192	0.34872	0.00000	0.400	0.00000
DS/SDSP7-10.1.0-1	0.00192	0.64103	0.00000	0.400	0.00000
DS/SDSP7-10.2.1	0.00047	0.01026	0.00000	0.400	0.00000
DS/SDSP7-10.2.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DS/SDSP7-10.2.0-1	0.00047	0.64103	0.00000	0.400	0.00000
DS/SDSP7-10.3.1	0.00114	0.01026	0.00000	0.400	0.00000
DS/SDSP7-10.3.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DS/SDSP7-10.3.0-1	0.00114	0.64103	0.00000	0.400	0.00000
DS/SDSP8-11.1.1	0.00192	0.01026	0.52051	0.400	0.00000
DS/SDSP8-11.1.2	0.00192	0.34872	0.00000	0.400	0.00000
DS/SDSP8-11.1.0	0.00192	0.64103	0.00000	0.400	0.00000
DS/SDSP8-11.2.1	0.00047	0.01026	0.00000	0.400	0.00000
DS/SDSP8-11.2.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DS/SDSP8-11.2.0-1	0.00047	0.64103	0.00000	0.400	0.00000
DS/SDSP8-11.3.1	0.00114	0.01026	0.00000	0.400	0.00000
DS/SDSP8-11.3.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DS/SDSP8-11.3.0-1	0.00114	0.64103	0.00000	0.400	0.00000
DS/SDSP9-12.1.1	0.00192	0.01026	0.52393	0.400	0.00000
DS/SDSP9-12.1.2	0.00192	0.34872	0.00000	0.400	0.00000
DS/SDSP9-12.1.0	0.00192	0.64103	0.00000	0.400	0.00000
DS/SDSP9-12.2.1	0.00047	0.01026	0.00000	0.400	0.00000
DS/SDSP9-12.2.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DS/SDSP9-12.2.0-1	0.00047	0.64103	0.00000	0.400	0.00000
DS/SDSP9-12.3.1	0.00114	0.01026	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP9-12.3.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DS/SDSP9-12.3.0-1	0.00114	0.64103	0.00000	0.400	0.00000
DS/SDSP10-13.1.1	0.00098	0.01026	0.67107	0.400	0.00000
DS/SDSP10-13.1.2	0.00098	0.34872	0.00000	0.400	0.00000
DS/SDSP10-13.1.3	0.00098	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.1.4	0.00098	0.20567	0.00000	0.400	0.00000
DS/SDSP10-13.1.0	0.00098	0.12766	0.00000	0.400	0.00000
DS/SDSP10-13.2.1	0.00095	0.01026	0.00000	0.400	0.00000
DS/SDSP10-13.2.2-1	0.00095	0.34872	0.00000	0.400	0.00000
DS/SDSP10-13.2.3-1	0.00095	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.2.4-1	0.00095	0.20567	0.00000	0.400	0.00000
DS/SDSP10-13.2.0-1	0.00095	0.12766	0.00000	0.400	0.00000
DS/SDSP10-13.3.1	0.00047	0.01026	0.00000	0.400	0.00000
DS/SDSP10-13.3.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DS/SDSP10-13.3.3-1	0.00047	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.3.4-1	0.00047	0.20567	0.00000	0.400	0.00000
DS/SDSP10-13.3.0-1	0.00047	0.12766	0.00000	0.400	0.00000
DS/SDSP10-13.4.1	0.00114	0.01026	0.00000	0.400	0.00000
DS/SDSP10-13.4.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DS/SDSP10-13.4.3-1	0.00114	0.30769	0.00000	0.400	0.00000
DS/SDSP10-13.4.4-1	0.00114	0.20567	0.00000	0.400	0.00000
DS/SDSP10-13.4.0-1	0.00114	0.12766	0.00000	0.400	0.00000
DS/SDSP11-14.1.1	0.00098	0.01026	0.77085	0.400	0.00000
DS/SDSP11-14.1.2	0.00098	0.34872	0.56849	0.400	0.00008
DS/SDSP11-14.1.3	0.00098	0.30769	0.54087	0.400	0.00007
DS/SDSP11-14.1.4	0.00098	0.20567	0.54087	0.400	0.00004
DS/SDSP11-14.1.0	0.00098	0.12766	0.54087	0.400	0.00003
DS/SDSP11-14.2.1-1	0.00030	0.01026	0.00000	0.400	0.00000
DS/SDSP11-14.2.2-1	0.00030	0.34872	0.00000	0.400	0.00000
DS/SDSP11-14.2.3-1	0.00030	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.2.4-1	0.00030	0.20567	0.00000	0.400	0.00000
DS/SDSP11-14.2.0-1	0.00030	0.12766	0.00000	0.400	0.00000
DS/SDSP11-14.3.1-1	0.00064	0.01026	0.00000	0.400	0.00000
DS/SDSP11-14.3.2-1	0.00064	0.34872	0.00000	0.400	0.00000
DS/SDSP11-14.3.3-1	0.00064	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.3.4-1	0.00064	0.20567	0.00000	0.400	0.00000
DS/SDSP11-14.3.0-1	0.00064	0.12766	0.00000	0.400	0.00000
DS/SDSP11-14.4.1-1	0.00047	0.01026	0.00000	0.400	0.00000
DS/SDSP11-14.4.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DS/SDSP11-14.4.3-1	0.00047	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.4.4-1	0.00047	0.20567	0.00000	0.400	0.00000
DS/SDSP11-14.4.0-1	0.00047	0.12766	0.00000	0.400	0.00000
DS/SDSP11-14.5.1-1	0.00114	0.01026	0.00000	0.400	0.00000
DS/SDSP11-14.5.2-1	0.00114	0.34872	0.00000	0.400	0.00000
DS/SDSP11-14.5.3-1	0.00114	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.5.4-1	0.00114	0.20567	0.00000	0.400	0.00000
DS/SDSP11-14.5.0-1	0.00114	0.12766	0.00000	0.400	0.00000
DS/SDSP11-14.6.1-1	0.00000	0.01026	0.00000	0.400	0.00000
DS/SDSP11-14.6.2-1	0.00000	0.34872	0.00000	0.400	0.00000
DS/SDSP11-14.6.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP11-14.6.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP11-14.6.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP12-15.1.1-1	0.00098	0.01026	0.85040	0.400	0.00000
DS/SDSP12-15.1.2-1	0.00098	0.34872	0.76121	0.400	0.00010
DS/SDSP12-15.1.3-1	0.00098	0.30769	0.76165	0.400	0.00009
DS/SDSP12-15.1.4-1	0.00098	0.20567	0.76165	0.400	0.00006
DS/SDSP12-15.1.0-1	0.00098	0.12766	0.76165	0.400	0.00004
DS/SDSP12-15.2.1-1	0.00030	0.01026	0.00000	0.400	0.00000
DS/SDSP12-15.2.2-1	0.00030	0.34872	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP12-15.2.3-1	0.00030	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.2.4-1	0.00030	0.20567	0.00000	0.400	0.00000
DS/SDSP12-15.2.0-1	0.00030	0.12766	0.00000	0.400	0.00000
DS/SDSP12-15.3.1-1	0.00025	0.01026	0.00000	0.400	0.00000
DS/SDSP12-15.3.2-1	0.00025	0.34872	0.00000	0.400	0.00000
DS/SDSP12-15.3.3-1	0.00025	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.3.4-1	0.00025	0.20567	0.00000	0.400	0.00000
DS/SDSP12-15.3.0-1	0.00025	0.12766	0.00000	0.400	0.00000
DS/SDSP12-15.4.1-1	0.00039	0.01026	0.00000	0.400	0.00000
DS/SDSP12-15.4.2-1	0.00039	0.34872	0.00000	0.400	0.00000
DS/SDSP12-15.4.3-1	0.00039	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.4.4-1	0.00039	0.20567	0.00000	0.400	0.00000
DS/SDSP12-15.4.0-1	0.00039	0.12766	0.00000	0.400	0.00000
DS/SDSP12-15.5.1-1	0.00047	0.01026	0.00000	0.400	0.00000
DS/SDSP12-15.5.2-1	0.00047	0.34872	0.00000	0.400	0.00000
DS/SDSP12-15.5.3-1	0.00047	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.5.4-1	0.00047	0.20567	0.00000	0.400	0.00000
DS/SDSP12-15.5.0-1	0.00047	0.12766	0.00000	0.400	0.00000
DS/SDSP12-15.6.1-1	0.00103	0.01026	0.00000	0.400	0.00000
DS/SDSP12-15.6.2-1	0.00103	0.34872	0.00000	0.400	0.00000
DS/SDSP12-15.6.3-1	0.00103	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.6.4-1	0.00103	0.20567	0.00000	0.400	0.00000
DS/SDSP12-15.6.0-1	0.00103	0.12766	0.00000	0.400	0.00000
DS/SDSP12-15.7.1-1	0.00011	0.01026	1.00000	0.400	0.00000
DS/SDSP12-15.7.2-1	0.00011	0.34872	0.90543	0.400	0.00001
DS/SDSP12-15.7.3-1	0.00011	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.7.4-1	0.00011	0.20567	0.00000	0.400	0.00000
DS/SDSP12-15.7.0-1	0.00011	0.12766	0.00000	0.400	0.00000
DS/SDSP12-15.8.1-1	0.00000	0.01026	1.00000	0.400	0.00000
DS/SDSP12-15.8.2-1	0.00000	0.34872	0.90543	0.400	0.00000
DS/SDSP12-15.8.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP12-15.8.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP12-15.8.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP13-16.1.1-2	0.00098	0.01026	0.98658	0.400	0.00000
DS/SDSP13-16.1.2-2	0.00098	0.34872	0.98658	0.400	0.00013
DS/SDSP13-16.1.3-2	0.00098	0.30769	0.98649	0.400	0.00012
DS/SDSP13-16.1.4-2	0.00098	0.20567	0.98649	0.400	0.00008
DS/SDSP13-16.1.0-2	0.00098	0.12766	0.98649	0.400	0.00005
DS/SDSP13-16.2.1-2	0.00030	0.01026	0.00000	0.400	0.00000
DS/SDSP13-16.2.2-2	0.00030	0.34872	0.00000	0.400	0.00000
DS/SDSP13-16.2.3-1	0.00030	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.2.4-1	0.00030	0.20567	0.00000	0.400	0.00000
DS/SDSP13-16.2.0-1	0.00030	0.12766	0.00000	0.400	0.00000
DS/SDSP13-16.3.1-2	0.00001	0.01026	0.00000	0.400	0.00000
DS/SDSP13-16.3.2-2	0.00001	0.34872	0.00000	0.400	0.00000
DS/SDSP13-16.3.3-1	0.00001	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.3.4-1	0.00001	0.20567	0.00000	0.400	0.00000
DS/SDSP13-16.3.0-1	0.00001	0.12766	0.00000	0.400	0.00000
DS/SDSP13-16.4.1-2	0.00024	0.01026	0.00000	0.400	0.00000
DS/SDSP13-16.4.2-2	0.00024	0.34872	0.00000	0.400	0.00000
DS/SDSP13-16.4.3-1	0.00024	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.4.4-1	0.00024	0.20567	0.00000	0.400	0.00000
DS/SDSP13-16.4.0-1	0.00024	0.12766	0.00000	0.400	0.00000
DS/SDSP13-16.5.1-2	0.00189	0.01026	0.00000	0.400	0.00000
DS/SDSP13-16.5.2-2	0.00189	0.34872	0.00000	0.400	0.00000
DS/SDSP13-16.5.3-1	0.00189	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.5.4-1	0.00189	0.20567	0.00000	0.400	0.00000
DS/SDSP13-16.5.0-1	0.00189	0.12766	0.00000	0.400	0.00000
DS/SDSP13-16.6.1-2	0.00011	0.01026	1.00000	0.400	0.00000



CASE	P	V	S	W	W*P*V*S
DS/SDSP13-16.6.2-2	0.00011	0.34872	1.00000	0.400	0.00002
DS/SDSP13-16.6.3-1	0.00011	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.6.4-1	0.00011	0.20567	0.00000	0.400	0.00000
DS/SDSP13-16.6.0-1	0.00011	0.12766	0.00000	0.400	0.00000
DS/SDSP13-16.7.1-2	0.00000	0.01026	1.00000	0.400	0.00000
DS/SDSP13-16.7.2-2	0.00000	0.34872	1.00000	0.400	0.00000
DS/SDSP13-16.7.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP13-16.7.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP13-16.7.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP14-17.1.1	0.00064	0.01026	1.00000	0.400	0.00000
DS/SDSP14-17.1.2	0.00064	0.34872	1.00000	0.400	0.00009
DS/SDSP14-17.1.3	0.00064	0.30769	1.00000	0.400	0.00008
DS/SDSP14-17.1.4	0.00064	0.20567	1.00000	0.400	0.00005
DS/SDSP14-17.1.0	0.00064	0.12766	1.00000	0.400	0.00003
DS/SDSP14-17.2.1-1	0.00057	0.01026	1.00000	0.400	0.00000
DS/SDSP14-17.2.2-1	0.00057	0.34872	1.00000	0.400	0.00008
DS/SDSP14-17.2.3-1	0.00057	0.30769	1.00000	0.400	0.00007
DS/SDSP14-17.2.4-1	0.00057	0.20567	1.00000	0.400	0.00005
DS/SDSP14-17.2.0-1	0.00057	0.12766	1.00000	0.400	0.00003
DS/SDSP14-17.3.1-2	0.00001	0.01026	0.34765	0.400	0.00000
DS/SDSP14-17.3.2-2	0.00001	0.34872	0.34765	0.400	0.00000
DS/SDSP14-17.3.3-1	0.00001	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.3.4-1	0.00001	0.20567	0.00000	0.400	0.00000
DS/SDSP14-17.3.0-1	0.00001	0.12766	0.00000	0.400	0.00000
DS/SDSP14-17.4.1-2	0.00023	0.01026	0.44836	0.400	0.00000
DS/SDSP14-17.4.2-2	0.00023	0.34872	0.44836	0.400	0.00001
DS/SDSP14-17.4.3-1	0.00023	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.4.4-1	0.00023	0.20567	0.00000	0.400	0.00000
DS/SDSP14-17.4.0-1	0.00023	0.12766	0.00000	0.400	0.00000
DS/SDSP14-17.5.1-2	0.00179	0.01026	0.44836	0.400	0.00000
DS/SDSP14-17.5.2-2	0.00179	0.34872	0.44836	0.400	0.00011
DS/SDSP14-17.5.3-1	0.00179	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.5.4-1	0.00179	0.20567	0.00000	0.400	0.00000
DS/SDSP14-17.5.0-1	0.00179	0.12766	0.00000	0.400	0.00000
DS/SDSP14-17.6.1-2	0.00011	0.01026	1.00000	0.400	0.00000
DS/SDSP14-17.6.2-2	0.00011	0.34872	1.00000	0.400	0.00001
DS/SDSP14-17.6.3-1	0.00011	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.6.4-1	0.00011	0.20567	0.00000	0.400	0.00000
DS/SDSP14-17.6.0-1	0.00011	0.12766	0.00000	0.400	0.00000
DS/SDSP14-17.7.1-2	0.00000	0.01026	1.00000	0.400	0.00000
DS/SDSP14-17.7.2-2	0.00000	0.34872	1.00000	0.400	0.00000
DS/SDSP14-17.7.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP14-17.7.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP14-17.7.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP15-18.1.1	0.00102	0.01026	1.00000	0.400	0.00000
DS/SDSP15-18.1.2	0.00102	0.34872	1.00000	0.400	0.00014
DS/SDSP15-18.1.3	0.00102	0.30769	1.00000	0.400	0.00013
DS/SDSP15-18.1.4	0.00102	0.20567	1.00000	0.400	0.00008
DS/SDSP15-18.1.0	0.00102	0.12766	1.00000	0.400	0.00005
DS/SDSP15-18.2.1	0.00093	0.01026	1.00000	0.400	0.00000
DS/SDSP15-18.2.2	0.00093	0.34872	1.00000	0.400	0.00013
DS/SDSP15-18.2.3	0.00093	0.30769	1.00000	0.400	0.00011
DS/SDSP15-18.2.4	0.00093	0.20567	1.00000	0.400	0.00008
DS/SDSP15-18.2.0	0.00093	0.12766	1.00000	0.400	0.00005
DS/SDSP15-18.3.1-1	0.00037	0.01026	1.00000	0.400	0.00000
DS/SDSP15-18.3.2-1	0.00037	0.34872	1.00000	0.400	0.00005
DS/SDSP15-18.3.3	0.00037	0.30769	1.00000	0.400	0.00005
DS/SDSP15-18.3.4	0.00037	0.20567	1.00000	0.400	0.00003
DS/SDSP15-18.3.0	0.00037	0.12766	1.00000	0.400	0.00002

CASE	P	V	S	W	W*P*V*S
DS/SDSP15-18.4.1-2	0.00285	0.01026	0.72949	0.400	0.00001
DS/SDSP15-18.4.2-2	0.00285	0.34872	0.72949	0.400	0.00029
DS/SDSP15-18.4.3-1	0.00285	0.30769	0.00000	0.400	0.00000
DS/SDSP15-18.4.4-1	0.00285	0.20567	0.00000	0.400	0.00000
DS/SDSP15-18.4.0-1	0.00285	0.12766	0.00000	0.400	0.00000
DS/SDSP15-18.5.1-2	0.00017	0.01026	1.00000	0.400	0.00000
DS/SDSP15-18.5.2-2	0.00017	0.34872	1.00000	0.400	0.00002
DS/SDSP15-18.5.3-1	0.00017	0.30769	0.00000	0.400	0.00000
DS/SDSP15-18.5.4-1	0.00017	0.20567	0.00000	0.400	0.00000
DS/SDSP15-18.5.0-1	0.00017	0.12766	0.00000	0.400	0.00000
DS/SDSP1-5.1.1	0.00000	0.01026	0.00000	0.400	0.00000
DS/SDSP1-5.1.2	0.00000	0.34872	0.00000	0.400	0.00000
DS/SDSP1-5.1.0	0.00000	0.64103	0.00000	0.400	0.00000
DS/SDSP1-5.2.1	0.00172	0.01026	0.00000	0.400	0.00000
DS/SDSP1-5.2.2	0.00172	0.34872	0.00000	0.400	0.00000
DS/SDSP1-5.2.0	0.00172	0.64103	0.00000	0.400	0.00000
DS/SDSP1-5.3.1-1	0.00017	0.01026	0.00000	0.400	0.00000
DS/SDSP1-5.3.2-1	0.00017	0.34872	0.00000	0.400	0.00000
DS/SDSP1-5.3.0-1	0.00017	0.64103	0.00000	0.400	0.00000
DS/SDSP1-5.4.1-1	0.00047	0.01026	0.00000	0.400	0.00000
DS/SDSP1-5.4.2-2	0.00047	0.34872	0.00000	0.400	0.00000
DS/SDSP1-5.4.0-2	0.00047	0.64103	0.00000	0.400	0.00000
DS/SDSP1-5.5.1-1	0.00016	0.01026	0.00000	0.400	0.00000
DS/SDSP1-5.5.2-2	0.00016	0.34872	0.00000	0.400	0.00000
DS/SDSP1-5.5.0-2	0.00016	0.64103	0.00000	0.400	0.00000
DS/SDSP2-6.1.1-1	0.00233	0.01026	0.00000	0.400	0.00000
DS/SDSP2-6.1.2-1	0.00233	0.34872	0.00000	0.400	0.00000
DS/SDSP2-6.1.0-1	0.00233	0.64103	0.00000	0.400	0.00000
DS/SDSP2-6.2.1-1	0.00023	0.01026	0.00000	0.400	0.00000
DS/SDSP2-6.2.2-1	0.00023	0.34872	0.00000	0.400	0.00000
DS/SDSP2-6.2.0-1	0.00023	0.64103	0.00000	0.400	0.00000
DS/SDSP2-6.3.1-1	0.00063	0.01026	0.00000	0.400	0.00000
DS/SDSP2-6.3.2-1	0.00063	0.34872	0.00000	0.400	0.00000
DS/SDSP2-6.3.0-1	0.00063	0.64103	0.00000	0.400	0.00000
DS/SDSP2-6.4.1-1	0.00152	0.01026	0.00000	0.400	0.00000
DS/SDSP2-6.4.2-1	0.00152	0.34872	0.00000	0.400	0.00000
DS/SDSP2-6.4.0-1	0.00152	0.64103	0.00000	0.400	0.00000
DS/SDSP3-7.1.1-1	0.00056	0.01026	0.00000	0.400	0.00000
DS/SDSP3-7.1.2-1	0.00056	0.34872	0.00000	0.400	0.00000
DS/SDSP3-7.1.0-1	0.00056	0.64103	0.00000	0.400	0.00000
DS/SDSP3-7.2.1-1	0.00006	0.01026	0.00000	0.400	0.00000
DS/SDSP3-7.2.2-1	0.00006	0.34872	0.00000	0.400	0.00000
DS/SDSP3-7.2.0-1	0.00006	0.64103	0.00000	0.400	0.00000
DS/SDSP3-7.3.1-3	0.00015	0.01026	0.00000	0.400	0.00000
DS/SDSP3-7.3.2-1	0.00015	0.34872	0.00000	0.400	0.00000
DS/SDSP3-7.3.0-1	0.00015	0.64103	0.00000	0.400	0.00000
DS/SDSP3-7.4.1-3	0.00037	0.01026	0.00000	0.400	0.00000
DS/SDSP3-7.4.2-1	0.00037	0.34872	0.00000	0.400	0.00000
DS/SDSP3-7.4.0-1	0.00037	0.64103	0.00000	0.400	0.00000
DS/SDSP4-8.1.1-1	0.00048	0.01026	0.00000	0.400	0.00000
DS/SDSP4-8.1.2-1	0.00048	0.34872	0.00000	0.400	0.00000
DS/SDSP4-8.1.0-1	0.00048	0.64103	0.00000	0.400	0.00000
DS/SDSP4-8.2.1-1	0.00005	0.01026	0.00000	0.400	0.00000
DS/SDSP4-8.2.2-1	0.00005	0.34872	0.00000	0.400	0.00000
DS/SDSP4-8.2.0-1	0.00005	0.64103	0.00000	0.400	0.00000
DS/SDSP4-8.3.1-1	0.00013	0.01026	0.00000	0.400	0.00000
DS/SDSP4-8.3.2-1	0.00013	0.34872	0.00000	0.400	0.00000
DS/SDSP4-8.3.0-1	0.00013	0.64103	0.00000	0.400	0.00000
DS/SDSP4-8.4.1-1	0.00031	0.01026	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP4-8.4.2-1	0.00031	0.34872	0.00000	0.400	0.00000
DS/SDSP4-8.4.0-1	0.00031	0.64103	0.00000	0.400	0.00000
DS/SDSP5-9.1.1-1	0.00091	0.01026	0.00000	0.400	0.00000
DS/SDSP5-9.1.2-1	0.00091	0.34872	0.00000	0.400	0.00000
DS/SDSP5-9.1.0-1	0.00091	0.64103	0.00000	0.400	0.00000
DS/SDSP5-9.2.1-1	0.00022	0.01026	0.00000	0.400	0.00000
DS/SDSP5-9.2.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DS/SDSP5-9.2.0-1	0.00022	0.64103	0.00000	0.400	0.00000
DS/SDSP5-9.3.1-1	0.00054	0.01026	0.00000	0.400	0.00000
DS/SDSP5-9.3.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DS/SDSP5-9.3.0-1	0.00054	0.64103	0.00000	0.400	0.00000
DS/SDSP6-10.1.1	0.00091	0.01026	0.00000	0.400	0.00000
DS/SDSP6-10.1.2-1	0.00091	0.34872	0.00000	0.400	0.00000
DS/SDSP6-10.1.0-1	0.00091	0.64103	0.00000	0.400	0.00000
DS/SDSP6-10.2.1-1	0.00022	0.01026	0.00000	0.400	0.00000
DS/SDSP6-10.2.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DS/SDSP6-10.2.0-1	0.00022	0.64103	0.00000	0.400	0.00000
DS/SDSP6-10.3.1-1	0.00054	0.01026	0.00000	0.400	0.00000
DS/SDSP6-10.3.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DS/SDSP6-10.3.0-1	0.00054	0.64103	0.00000	0.400	0.00000
DS/SDSP7-11.1.1	0.00091	0.01026	0.00000	0.400	0.00000
DS/SDSP7-11.1.2-1	0.00091	0.34872	0.00000	0.400	0.00000
DS/SDSP7-11.1.0-1	0.00091	0.64103	0.00000	0.400	0.00000
DS/SDSP7-11.2.1-1	0.00022	0.01026	0.00000	0.400	0.00000
DS/SDSP7-11.2.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DS/SDSP7-11.2.0-1	0.00022	0.64103	0.00000	0.400	0.00000
DS/SDSP7-11.3.1-1	0.00054	0.01026	0.00000	0.400	0.00000
DS/SDSP7-11.3.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DS/SDSP7-11.3.0-1	0.00054	0.64103	0.00000	0.400	0.00000
DS/SDSP8-12.1.1	0.00091	0.01026	0.00000	0.400	0.00000
DS/SDSP8-12.1.2-1	0.00091	0.34872	0.00000	0.400	0.00000
DS/SDSP8-12.1.0-1	0.00091	0.64103	0.00000	0.400	0.00000
DS/SDSP8-12.2.1-1	0.00022	0.01026	0.00000	0.400	0.00000
DS/SDSP8-12.2.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DS/SDSP8-12.2.0-1	0.00022	0.64103	0.00000	0.400	0.00000
DS/SDSP8-12.3.1-1	0.00054	0.01026	0.00000	0.400	0.00000
DS/SDSP8-12.3.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DS/SDSP8-12.3.0-1	0.00054	0.64103	0.00000	0.400	0.00000
DS/SDSP9-13.1.1	0.00046	0.01026	0.30983	0.400	0.00000
DS/SDSP9-13.1.2-1	0.00046	0.34872	0.00000	0.400	0.00000
DS/SDSP9-13.1.3-1	0.00046	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.1.4-1	0.00046	0.20567	0.00000	0.400	0.00000
DS/SDSP9-13.1.0-1	0.00046	0.12766	0.00000	0.400	0.00000
DS/SDSP9-13.2.1	0.00045	0.01026	0.00000	0.400	0.00000
DS/SDSP9-13.2.2-1	0.00045	0.34872	0.00000	0.400	0.00000
DS/SDSP9-13.2.3-1	0.00045	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.2.4-1	0.00045	0.20567	0.00000	0.400	0.00000
DS/SDSP9-13.2.0-1	0.00045	0.12766	0.00000	0.400	0.00000
DS/SDSP9-13.3.1-1	0.00022	0.01026	0.00000	0.400	0.00000
DS/SDSP9-13.3.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DS/SDSP9-13.3.3-1	0.00022	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.3.4-1	0.00022	0.20567	0.00000	0.400	0.00000
DS/SDSP9-13.3.0-1	0.00022	0.12766	0.00000	0.400	0.00000
DS/SDSP9-13.4.1-1	0.00054	0.01026	0.00000	0.400	0.00000
DS/SDSP9-13.4.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DS/SDSP9-13.4.3-1	0.00054	0.30769	0.00000	0.400	0.00000
DS/SDSP9-13.4.4-1	0.00054	0.20567	0.00000	0.400	0.00000
DS/SDSP9-13.4.0-1	0.00054	0.12766	0.00000	0.400	0.00000
DS/SDSP10-14.1.1	0.00046	0.01026	0.50734	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP10-14.1.2	0.00046	0.34872	0.00000	0.400	0.00000
DS/SDSP10-14.1.3-1	0.00046	0.30769	0.00000	0.400	0.00000
DS/SDSP10-14.1.4-1	0.00046	0.20567	0.00000	0.400	0.00000
DS/SDSP10-14.1.0-1	0.00046	0.12766	0.00000	0.400	0.00000
DS/SDSP10-14.2.1-1	0.00014	0.01026	0.00000	0.400	0.00000
DS/SDSP10-14.2.2-1	0.00014	0.34872	0.00000	0.400	0.00000
DS/SDSP10-14.2.3-1	0.00014	0.30769	0.00000	0.400	0.00000
DS/SDSP10-14.2.4-1	0.00014	0.20567	0.00000	0.400	0.00000
DS/SDSP10-14.2.0-1	0.00014	0.12766	0.00000	0.400	0.00000
DS/SDSP10-14.3.1-1	0.00030	0.01026	0.00000	0.400	0.00000
DS/SDSP10-14.3.2-1	0.00030	0.34872	0.00000	0.400	0.00000
DS/SDSP10-14.3.3-1	0.00030	0.30769	0.00000	0.400	0.00000
DS/SDSP10-14.3.4-1	0.00030	0.20567	0.00000	0.400	0.00000
DS/SDSP10-14.3.0-1	0.00030	0.12766	0.00000	0.400	0.00000
DS/SDSP10-14.4.1-1	0.00022	0.01026	0.00000	0.400	0.00000
DS/SDSP10-14.4.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DS/SDSP10-14.4.3-1	0.00022	0.30769	0.00000	0.400	0.00000
DS/SDSP10-14.4.4-1	0.00022	0.20567	0.00000	0.400	0.00000
DS/SDSP10-14.4.0-1	0.00022	0.12766	0.00000	0.400	0.00000
DS/SDSP10-14.5.1-1	0.00054	0.01026	0.00000	0.400	0.00000
DS/SDSP10-14.5.2-1	0.00054	0.34872	0.00000	0.400	0.00000
DS/SDSP10-14.5.3-1	0.00054	0.30769	0.00000	0.400	0.00000
DS/SDSP10-14.5.4-1	0.00054	0.20567	0.00000	0.400	0.00000
DS/SDSP10-14.5.0-1	0.00054	0.12766	0.00000	0.400	0.00000
DS/SDSP10-14.6.1-1	0.00000	0.01026	0.00000	0.400	0.00000
DS/SDSP10-14.6.2-1	0.00000	0.34872	0.00000	0.400	0.00000
DS/SDSP10-14.6.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP10-14.6.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP10-14.6.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP11-15.1.1-1	0.00046	0.01026	0.60308	0.400	0.00000
DS/SDSP11-15.1.2-1	0.00046	0.34872	0.17582	0.400	0.00001
DS/SDSP11-15.1.3	0.00046	0.30769	0.00000	0.400	0.00000
DS/SDSP11-15.1.4	0.00046	0.20567	0.00000	0.400	0.00000
DS/SDSP11-15.1.0	0.00046	0.12766	0.00000	0.400	0.00000
DS/SDSP11-15.2.1-1	0.00014	0.01026	0.00000	0.400	0.00000
DS/SDSP11-15.2.2-1	0.00014	0.34872	0.00000	0.400	0.00000
DS/SDSP11-15.2.3-1	0.00014	0.30769	0.00000	0.400	0.00000
DS/SDSP11-15.2.4-1	0.00014	0.20567	0.00000	0.400	0.00000
DS/SDSP11-15.2.0-1	0.00014	0.12766	0.00000	0.400	0.00000
DS/SDSP11-15.3.1-1	0.00012	0.01026	0.00000	0.400	0.00000
DS/SDSP11-15.3.2-1	0.00012	0.34872	0.00000	0.400	0.00000
DS/SDSP11-15.3.3-1	0.00012	0.30769	0.00000	0.400	0.00000
DS/SDSP11-15.3.4-1	0.00012	0.20567	0.00000	0.400	0.00000
DS/SDSP11-15.3.0-1	0.00012	0.12766	0.00000	0.400	0.00000
DS/SDSP11-15.4.1-1	0.00018	0.01026	0.00000	0.400	0.00000
DS/SDSP11-15.4.2-1	0.00018	0.34872	0.00000	0.400	0.00000
DS/SDSP11-15.4.3-1	0.00018	0.30769	0.00000	0.400	0.00000
DS/SDSP11-15.4.4-1	0.00018	0.20567	0.00000	0.400	0.00000
DS/SDSP11-15.4.0-1	0.00018	0.12766	0.00000	0.400	0.00000
DS/SDSP11-15.5.1-1	0.00022	0.01026	0.00000	0.400	0.00000
DS/SDSP11-15.5.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DS/SDSP11-15.5.3-1	0.00022	0.30769	0.00000	0.400	0.00000
DS/SDSP11-15.5.4-1	0.00022	0.20567	0.00000	0.400	0.00000
DS/SDSP11-15.5.0-1	0.00022	0.12766	0.00000	0.400	0.00000
DS/SDSP11-15.6.1-1	0.00049	0.01026	0.00000	0.400	0.00000
DS/SDSP11-15.6.2-1	0.00049	0.34872	0.00000	0.400	0.00000
DS/SDSP11-15.6.3-1	0.00049	0.30769	0.00000	0.400	0.00000
DS/SDSP11-15.6.4-1	0.00049	0.20567	0.00000	0.400	0.00000
DS/SDSP11-15.6.0-1	0.00049	0.12766	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP11-15.7.1	0.00005	0.01026	0.88233	0.400	0.00000
DS/SDSP11-15.7.2-1	0.00005	0.34872	0.55152	0.400	0.00000
DS/SDSP11-15.7.3-1	0.00005	0.30769	0.00000	0.400	0.00000
DS/SDSP11-15.7.4-1	0.00005	0.20567	0.00000	0.400	0.00000
DS/SDSP11-15.7.0-1	0.00005	0.12766	0.00000	0.400	0.00000
DS/SDSP11-15.8.1	0.00000	0.01026	0.88233	0.400	0.00000
DS/SDSP11-15.8.2-1	0.00000	0.34872	0.55152	0.400	0.00000
DS/SDSP11-15.8.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP11-15.8.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP11-15.8.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP12-16.1.1-2	0.00046	0.01026	0.73228	0.400	0.00000
DS/SDSP12-16.1.2-2	0.00046	0.34872	0.60498	0.400	0.00004
DS/SDSP12-16.1.3	0.00046	0.30769	0.52567	0.400	0.00003
DS/SDSP12-16.1.4	0.00046	0.20567	0.52567	0.400	0.00002
DS/SDSP12-16.1.0	0.00046	0.12766	0.52567	0.400	0.00001
DS/SDSP12-16.2.1-2	0.00014	0.01026	0.00000	0.400	0.00000
DS/SDSP12-16.2.2-2	0.00014	0.34872	0.00000	0.400	0.00000
DS/SDSP12-16.2.3-1	0.00014	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.2.4-1	0.00014	0.20567	0.00000	0.400	0.00000
DS/SDSP12-16.2.0-1	0.00014	0.12766	0.00000	0.400	0.00000
DS/SDSP12-16.3.1-2	0.00000	0.01026	0.00000	0.400	0.00000
DS/SDSP12-16.3.2-2	0.00000	0.34872	0.00000	0.400	0.00000
DS/SDSP12-16.3.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.3.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP12-16.3.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP12-16.4.1-2	0.00012	0.01026	0.00000	0.400	0.00000
DS/SDSP12-16.4.2-2	0.00012	0.34872	0.00000	0.400	0.00000
DS/SDSP12-16.4.3-1	0.00012	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.4.4-1	0.00012	0.20567	0.00000	0.400	0.00000
DS/SDSP12-16.4.0-1	0.00012	0.12766	0.00000	0.400	0.00000
DS/SDSP12-16.5.1-2	0.00018	0.01026	0.00000	0.400	0.00000
DS/SDSP12-16.5.2-2	0.00018	0.34872	0.00000	0.400	0.00000
DS/SDSP12-16.5.3-1	0.00018	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.5.4-1	0.00018	0.20567	0.00000	0.400	0.00000
DS/SDSP12-16.5.0-1	0.00018	0.12766	0.00000	0.400	0.00000
DS/SDSP12-16.6.1-2	0.00022	0.01026	0.00000	0.400	0.00000
DS/SDSP12-16.6.2-1	0.00022	0.34872	0.00000	0.400	0.00000
DS/SDSP12-16.6.3-1	0.00022	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.6.4-1	0.00022	0.20567	0.00000	0.400	0.00000
DS/SDSP12-16.6.0-1	0.00022	0.12766	0.00000	0.400	0.00000
DS/SDSP12-16.7.1-2	0.00049	0.01026	0.00000	0.400	0.00000
DS/SDSP12-16.7.2-1	0.00049	0.34872	0.00000	0.400	0.00000
DS/SDSP12-16.7.3-1	0.00049	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.7.4-1	0.00049	0.20567	0.00000	0.400	0.00000
DS/SDSP12-16.7.0-1	0.00049	0.12766	0.00000	0.400	0.00000
DS/SDSP12-16.8.1-2	0.00005	0.01026	0.96738	0.400	0.00000
DS/SDSP12-16.8.2-2	0.00005	0.34872	0.83331	0.400	0.00001
DS/SDSP12-16.8.3-1	0.00005	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.8.4-1	0.00005	0.20567	0.00000	0.400	0.00000
DS/SDSP12-16.8.0-1	0.00005	0.12766	0.00000	0.400	0.00000
DS/SDSP12-16.9.1-2	0.00000	0.01026	0.96738	0.400	0.00000
DS/SDSP12-16.9.2-2	0.00000	0.34872	0.83331	0.400	0.00000
DS/SDSP12-16.9.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP12-16.9.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP12-16.9.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP13-17.1.1-1	0.00031	0.01026	0.92920	0.400	0.00000
DS/SDSP13-17.1.2-1	0.00031	0.34872	0.92920	0.400	0.00004
DS/SDSP13-17.1.3-1	0.00031	0.30769	0.92569	0.400	0.00003
DS/SDSP13-17.1.4-1	0.00031	0.20567	0.92569	0.400	0.00002

CASE	P	V	S	W	W*P*V*S
DS/SDSP13-17.1.0-1	0.00031	0.12766	0.92569	0.400	0.00001
DS/SDSP13-17.2.1-2	0.00014	0.01026	0.94137	0.400	0.00000
DS/SDSP13-17.2.2-2	0.00014	0.34872	0.94137	0.400	0.00002
DS/SDSP13-17.2.3-1	0.00014	0.30769	0.93861	0.400	0.00002
DS/SDSP13-17.2.4-1	0.00014	0.20567	0.93861	0.400	0.00001
DS/SDSP13-17.2.0-1	0.00014	0.12766	0.93861	0.400	0.00001
DS/SDSP13-17.3.1-2	0.00014	0.01026	0.00000	0.400	0.00000
DS/SDSP13-17.3.2-2	0.00014	0.34872	0.00000	0.400	0.00000
DS/SDSP13-17.3.3-1	0.00014	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.3.4-1	0.00014	0.20567	0.00000	0.400	0.00000
DS/SDSP13-17.3.0-1	0.00014	0.12766	0.00000	0.400	0.00000
DS/SDSP13-17.4.1-2	0.00000	0.01026	0.00000	0.400	0.00000
DS/SDSP13-17.4.2-2	0.00000	0.34872	0.00000	0.400	0.00000
DS/SDSP13-17.4.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.4.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP13-17.4.0-1	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP13-17.5.1-2	0.00011	0.01026	0.00000	0.400	0.00000
DS/SDSP13-17.5.2-2	0.00011	0.34872	0.00000	0.400	0.00000
DS/SDSP13-17.5.3-1	0.00011	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.5.4-1	0.00011	0.20567	0.00000	0.400	0.00000
DS/SDSP13-17.5.0-1	0.00011	0.12766	0.00000	0.400	0.00000
DS/SDSP13-17.6.1-2	0.00085	0.01026	0.00000	0.400	0.00000
DS/SDSP13-17.6.2-2	0.00085	0.34872	0.00000	0.400	0.00000
DS/SDSP13-17.6.3-1	0.00085	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.6.4-1	0.00085	0.20567	0.00000	0.400	0.00000
DS/SDSP13-17.6.0-1	0.00085	0.12766	0.00000	0.400	0.00000
DS/SDSP13-17.7.1-2	0.00005	0.01026	1.00000	0.400	0.00000
DS/SDSP13-17.7.2-2	0.00005	0.34872	1.00000	0.400	0.00001
DS/SDSP13-17.7.3-2	0.00005	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.7.4-2	0.00005	0.20567	0.00000	0.400	0.00000
DS/SDSP13-17.7.0-2	0.00005	0.12766	0.00000	0.400	0.00000
DS/SDSP13-17.8.1-2	0.00000	0.01026	1.00000	0.400	0.00000
DS/SDSP13-17.8.2-2	0.00000	0.34872	1.00000	0.400	0.00000
DS/SDSP13-17.8.3-2	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP13-17.8.4-2	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP13-17.8.0-2	0.00000	0.12766	0.00000	0.400	0.00000
DS/SDSP14-18.1.1-1	0.00041	0.01026	1.00000	0.400	0.00000
DS/SDSP14-18.1.2-1	0.00041	0.34872	1.00000	0.400	0.00006
DS/SDSP14-18.1.3	0.00041	0.30769	1.00000	0.400	0.00005
DS/SDSP14-18.1.4	0.00041	0.20567	1.00000	0.400	0.00003
DS/SDSP14-18.1.0	0.00041	0.12766	1.00000	0.400	0.00002
DS/SDSP14-18.2.1-1	0.00037	0.01026	1.00000	0.400	0.00000
DS/SDSP14-18.2.2-1	0.00037	0.34872	1.00000	0.400	0.00005
DS/SDSP14-18.2.3	0.00037	0.30769	1.00000	0.400	0.00005
DS/SDSP14-18.2.4	0.00037	0.20567	1.00000	0.400	0.00003
DS/SDSP14-18.2.0	0.00037	0.12766	1.00000	0.400	0.00002
DS/SDSP14-18.3.1-2	0.00001	0.01026	0.42889	0.400	0.00000
DS/SDSP14-18.3.2-2	0.00001	0.34872	0.42889	0.400	0.00000
DS/SDSP14-18.3.3-1	0.00001	0.30769	0.00000	0.400	0.00000
DS/SDSP14-18.3.4-1	0.00001	0.20567	0.00000	0.400	0.00000
DS/SDSP14-18.3.0-1	0.00001	0.12766	0.00000	0.400	0.00000
DS/SDSP14-18.4.1-2	0.00015	0.01026	0.52347	0.400	0.00000
DS/SDSP14-18.4.2-2	0.00015	0.34872	0.52347	0.400	0.00001
DS/SDSP14-18.4.3-1	0.00015	0.30769	0.00000	0.400	0.00000
DS/SDSP14-18.4.4-1	0.00015	0.20567	0.00000	0.400	0.00000
DS/SDSP14-18.4.0-1	0.00015	0.12766	0.00000	0.400	0.00000
DS/SDSP14-18.5.1-2	0.00114	0.01026	0.52347	0.400	0.00000
DS/SDSP14-18.5.2-2	0.00114	0.34872	0.52347	0.400	0.00008
DS/SDSP14-18.5.3-1	0.00114	0.30769	0.00000	0.400	0.00000

CASE	P	V	S	W	W*P*V*S
DS/SDSP14-18.5.4-1	0.00114	0.20567	0.00000	0.400	0.00000
DS/SDSP14-18.5.0-1	0.00114	0.12766	0.00000	0.400	0.00000
DS/SDSP14-18.6.1-2	0.00007	0.01026	1.00000	0.400	0.00000
DS/SDSP14-18.6.2-2	0.00007	0.34872	1.00000	0.400	0.00001
DS/SDSP14-18.6.3-1	0.00007	0.30769	0.00000	0.400	0.00000
DS/SDSP14-18.6.4-1	0.00007	0.20567	0.00000	0.400	0.00000
DS/SDSP14-18.6.0-1	0.00007	0.12766	0.00000	0.400	0.00000
DS/SDSP14-18.7.1-2	0.00000	0.01026	1.00000	0.400	0.00000
DS/SDSP14-18.7.2-2	0.00000	0.34872	1.00000	0.400	0.00000
DS/SDSP14-18.7.3-1	0.00000	0.30769	0.00000	0.400	0.00000
DS/SDSP14-18.7.4-1	0.00000	0.20567	0.00000	0.400	0.00000
DS/SDSP14-18.7.0-1	0.00000	0.12766	0.00000	0.400	0.00000
SUBTOTAL				0.400	0.28133
TOTAL				0.200	0.62986

## DAMAGE DEFINITIONS FOR REGULATION 7

A total of 2936 damages listed

One-zone damages (306 damages)

### DAMAGED COMPARTMENTS

Damage case : SDSP1.1.1, Zone Z01 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP1.1.0, Zone Z01 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP1.2.1, Zone Z01 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49

Damage case : SDSP1.2.0, Zone Z01 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49

Damage case : SDSP1.3.1, Zone Z01 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1.3.0, Zone Z01 Port, b3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP2.1.1-1, Zone Z02 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2.1.1, Zone Z02 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2.1.0-1, Zone Z02 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2.1.0, Zone Z02 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2.2.1-1, Zone Z02 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2.2.1, Zone Z02 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2.2.0-1, Zone Z02 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2.2.0, Zone Z02 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP3.1.1-1, Zone Z03 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3.1.1-2, Zone Z03 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3.1.1, Zone Z03 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3.1.0-1, Zone Z03 Port, b1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3.1.0-2, Zone Z03 Port, b1, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3.1.0, Zone Z03 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3.2.1-1, Zone Z03 Port, b2, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
410P	wb	0.95	170.7	9.42	-4.35	4.15
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3.2.1-2, Zone Z03 Port, b2, h1, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3.2.1, Zone Z03 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3.2.0-1, Zone Z03 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
410P	wb	0.95	170.7	9.42	-4.35	4.15
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3.2.0-2, Zone Z03 Port, b2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3.2.0, Zone Z03 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4.1.1-1, Zone Z04 Port, b1, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4.1.1-2, Zone Z04 Port, b1, h1, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4.1.1, Zone Z04 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4.1.0-1, Zone Z04 Port, b1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4.1.0-2, Zone Z04 Port, b1, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4.1.0, Zone Z04 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4.2.1-1, Zone Z04 Port, b2, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4.2.1-2, Zone Z04 Port, b2, h1, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4.2.1, Zone Z04 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4.2.0-1, Zone Z04 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4.2.0-2, Zone Z04 Port, b2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4.2.0, Zone Z04 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP5.1.1-1, Zone Z05 Port, b1, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.1.1, Zone Z05 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.1.2-1, Zone Z05 Port, b1, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.1.2, Zone Z05 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.1.0-1, Zone Z05 Port, b1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.1.0, Zone Z05 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.2.1-1, Zone Z05 Port, b2, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.2.1, Zone Z05 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.2.2-1, Zone Z05 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.2.2, Zone Z05 Port, b2, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.2.0-1, Zone Z05 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.2.0, Zone Z05 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.3.1-1, Zone Z05 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.3.1, Zone Z05 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.3.2-1, Zone Z05 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.3.2, Zone Z05 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.3.0-1, Zone Z05 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5.3.0, Zone Z05 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP6.1.1-1, Zone Z06 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.1.1, Zone Z06 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.1.2-1, Zone Z06 Port, b1, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.1.2, Zone Z06 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.1.0-1, Zone Z06 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.1.0, Zone Z06 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.2.1-1, Zone Z06 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.2.1, Zone Z06 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.2.2-1, Zone Z06 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.2.2, Zone Z06 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.2.0-1, Zone Z06 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.2.0, Zone Z06 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.3.1-1, Zone Z06 Port, b3, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.3.1, Zone Z06 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.3.2-1, Zone Z06 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.3.2, Zone Z06 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.3.0-1, Zone Z06 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6.3.0, Zone Z06 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP7.1.1-1, Zone Z07 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7.1.1, Zone Z07 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7.1.2-1, Zone Z07 Port, b1, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.1.2, Zone Z07 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.1.0-1, Zone Z07 Port, b1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.1.0, Zone Z07 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.2.1-1, Zone Z07 Port, b2, h1, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7.2.1, Zone Z07 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7.2.2-1, Zone Z07 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.2.2, Zone Z07 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.2.0-1, Zone Z07 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.2.0, Zone Z07 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.3.1-1, Zone Z07 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7.3.1, Zone Z07 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7.3.2-1, Zone Z07 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.3.2, Zone Z07 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.3.0-1, Zone Z07 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7.3.0, Zone Z07 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP8.1.1-1, Zone Z08 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8.1.1, Zone Z08 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8.1.2-1, Zone Z08 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.1.2, Zone Z08 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.1.0-1, Zone Z08 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.1.0, Zone Z08 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.2.1-1, Zone Z08 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8.2.1, Zone Z08 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8.2.2-1, Zone Z08 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.2.2, Zone Z08 Port, b2, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.2.0-1, Zone Z08 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.2.0, Zone Z08 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.3.1-1, Zone Z08 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8.3.1, Zone Z08 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8.3.2-1, Zone Z08 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.3.2, Zone Z08 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.3.0-1, Zone Z08 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8.3.0, Zone Z08 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP9.1.1-1, Zone Z09 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9.1.1, Zone Z09 Port, b1, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9.1.2-1, Zone Z09 Port, b1, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.1.2, Zone Z09 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.1.0-1, Zone Z09 Port, b1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.1.0, Zone Z09 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.2.1-1, Zone Z09 Port, b2, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9.2.1, Zone Z09 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9.2.2-1, Zone Z09 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.2.2, Zone Z09 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.2.0-1, Zone Z09 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.2.0, Zone Z09 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.3.1-1, Zone Z09 Port, b3, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9.3.1, Zone Z09 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9.3.2-1, Zone Z09 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.3.2, Zone Z09 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.3.0-1, Zone Z09 Port, b3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9.3.0, Zone Z09 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP10.1.1-1, Zone Z10 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10.1.1, Zone Z10 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10.1.2-1, Zone Z10 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.1.2, Zone Z10 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.1.0-1, Zone Z10 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.1.0, Zone Z10 Port, b1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.2.1-1, Zone Z10 Port, b2, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10.2.1, Zone Z10 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10.2.2-1, Zone Z10 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.2.2, Zone Z10 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.2.0-1, Zone Z10 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.2.0, Zone Z10 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.3.1-1, Zone Z10 Port, b3, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10.3.1, Zone Z10 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10.3.2-1, Zone Z10 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.3.2, Zone Z10 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.3.0-1, Zone Z10 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10.3.0, Zone Z10 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP11.1.1-1, Zone Z11 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11.1.1, Zone Z11 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11.1.2-1, Zone Z11 Port, b1, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.1.2, Zone Z11 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.1.0-1, Zone Z11 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.1.0, Zone Z11 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.2.1-1, Zone Z11 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11.2.1, Zone Z11 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11.2.2-1, Zone Z11 Port, b2, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.2.2, Zone Z11 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.2.0-1, Zone Z11 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.2.0, Zone Z11 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.3.1-1, Zone Z11 Port, b3, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11.3.1, Zone Z11 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11.3.2-1, Zone Z11 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.3.2, Zone Z11 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.3.0-1, Zone Z11 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11.3.0, Zone Z11 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP12.1.1-1, Zone Z12 Port, b1, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12.1.1, Zone Z12 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12.1.2-1, Zone Z12 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12.1.2, Zone Z12 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12.1.0-1, Zone Z12 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12.1.0, Zone Z12 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12.2.1-1, Zone Z12 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12.2.1, Zone Z12 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12.2.2-1, Zone Z12 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

Damage case : SDSP12.2.2, Zone Z12 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

Damage case : SDSP12.2.0-1, Zone Z12 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

Damage case : SDSP12.2.0, Zone Z12 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

Damage case : SDSP12.3.1-1, Zone Z12 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12.3.1, Zone Z12 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12.3.2-1, Zone Z12 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

Damage case : SDSP12.3.2, Zone Z12 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

Damage case : SDSP12.3.0-1, Zone Z12 Port, b3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

Damage case : SDSP12.3.0, Zone Z12 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

Damage case : SDSP13.1.1-1, Zone Z13 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13.1.1, Zone Z13 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13.1.2-1, Zone Z13 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13.1.2, Zone Z13 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13.1.3-1, Zone Z13 Port, b1, h3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13.1.3, Zone Z13 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13.1.4-1, Zone Z13 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13.1.4, Zone Z13 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13.1.0-1, Zone Z13 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13.1.0, Zone Z13 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13.2.1-1, Zone Z13 Port, b2, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13.2.1, Zone Z13 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13.2.2-1, Zone Z13 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13.2.2, Zone Z13 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13.2.3-1, Zone Z13 Port, b2, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13.2.3, Zone Z13 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF13.2.4-1, Zone Z13 Port, b2, h4, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13.2.4, Zone Z13 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13.2.0-1, Zone Z13 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13.2.0, Zone Z13 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.1.1-1, Zone Z14 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14.1.1, Zone Z14 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25



Damage case : SDSF14.1.2-1, Zone Z14 Port, b1, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14.1.2, Zone Z14 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14.1.3-1, Zone Z14 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.1.3, Zone Z14 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.1.4-1, Zone Z14 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.1.4, Zone Z14 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.1.0-1, Zone Z14 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.1.0, Zone Z14 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.2.1-1, Zone Z14 Port, b2, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14.2.1, Zone Z14 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14.2.2-1, Zone Z14 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14.2.2, Zone Z14 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14.2.3-1, Zone Z14 Port, b2, h3, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.2.3, Zone Z14 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.2.4-1, Zone Z14 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.2.4, Zone Z14 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.2.0-1, Zone Z14 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.2.0, Zone Z14 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.3.1-1, Zone Z14 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14.3.1, Zone Z14 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14.3.2-1, Zone Z14 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14.3.2, Zone Z14 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14.3.3-1, Zone Z14 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.3.3, Zone Z14 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.3.4-1, Zone Z14 Port, b3, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.3.4, Zone Z14 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.3.0-1, Zone Z14 Port, b3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14.3.0, Zone Z14 Port, b3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.1.1-1, Zone Z15 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73

Damage case : SDSP15.1.1, Zone Z15 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73

Damage case : SDSP15.1.2-1, Zone Z15 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73

Damage case : SDSP15.1.2, Zone Z15 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73

Damage case : SDSP15.1.3-1, Zone Z15 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.1.3, Zone Z15 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.1.4-1, Zone Z15 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.1.4, Zone Z15 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.1.0-1, Zone Z15 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.1.0, Zone Z15 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.2.1-1, Zone Z15 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15.2.1, Zone Z15 Port, b2, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15.2.2-1, Zone Z15 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15.2.2, Zone Z15 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15.2.3-1, Zone Z15 Port, b2, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.2.3, Zone Z15 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.2.4-1, Zone Z15 Port, b2, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.2.4, Zone Z15 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.2.0-1, Zone Z15 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.2.0, Zone Z15 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.3.1-1, Zone Z15 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15.3.1, Zone Z15 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15.3.2-1, Zone Z15 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15.3.2, Zone Z15 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15.3.3-1, Zone Z15 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.3.3, Zone Z15 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.3.4-1, Zone Z15 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.3.4, Zone Z15 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.3.0-1, Zone Z15 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15.3.0, Zone Z15 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP16.1.1-1, Zone Z16 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69

Damage case : SDSP16.1.1, Zone Z16 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69

Damage case : SDSP16.1.2-1, Zone Z16 Port, b1, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69

Damage case : SDSP16.1.2, Zone Z16 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69

Damage case : SDSP16.1.3-1, Zone Z16 Port, b1, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.1.3, Zone Z16 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.1.4-1, Zone Z16 Port, b1, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.1.4, Zone Z16 Port, b1, h4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.1.0-1, Zone Z16 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.1.0, Zone Z16 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.2.1-1, Zone Z16 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16.2.1, Zone Z16 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16.2.2-1, Zone Z16 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16.2.2, Zone Z16 Port, b2, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16.2.3-1, Zone Z16 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.2.3, Zone Z16 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.2.4-1, Zone Z16 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.2.4, Zone Z16 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.2.0-1, Zone Z16 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16.2.0, Zone Z16 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.1.1-1, Zone Z17 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17.1.1, Zone Z17 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17.1.2-1, Zone Z17 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17.1.2, Zone Z17 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSF17.1.3-1, Zone Z17 Port, b1, h3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.1.3, Zone Z17 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.1.4-1, Zone Z17 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.1.4, Zone Z17 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.1.0-1, Zone Z17 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.1.0, Zone Z17 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.2.1-1, Zone Z17 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17.2.1, Zone Z17 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17.2.2-1, Zone Z17 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17.2.2, Zone Z17 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17.2.3-1, Zone Z17 Port, b2, h3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.2.3, Zone Z17 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.2.4-1, Zone Z17 Port, b2, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.2.4, Zone Z17 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.2.0-1, Zone Z17 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17.2.0, Zone Z17 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP18.1.1, Zone Z18 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49

Damage case : SDSP18.1.2, Zone Z18 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
R101	Forpeak	0.95	839.9	117.32	0.00	15.12

Damage case : SDSP18.1.3, Zone Z18 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
R101	Forpeak	0.95	839.9	117.32	0.00	15.12

Damage case : SDSP18.1.0, Zone Z18 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
R101	Forpeak	0.95	839.9	117.32	0.00	15.12

Multi-zone damages (2630 damages)

DAMAGED COMPARTMENTS

Damage case : SDSP1-2.1.1, Zones Z01-Z02 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-2.1.0, Zones Z01-Z02 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-2.2.1, Zones Z01-Z02 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-2.2.0, Zones Z01-Z02 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-2.3.1-1, Zones Z01-Z02 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-2.3.1, Zones Z01-Z02 Port, b3, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-2.3.0-1, Zones Z01-Z02 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-2.3.0, Zones Z01-Z02 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-3.1.1-2, Zones Z02-Z03 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-3.1.1, Zones Z02-Z03 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-3.1.0-2, Zones Z02-Z03 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-3.1.0, Zones Z02-Z03 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-3.2.1-2, Zones Z02-Z03 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-3.2.1, Zones Z02-Z03 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-3.2.0-2, Zones Z02-Z03 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-3.2.0, Zones Z02-Z03 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP3-4.1.1-2, Zones Z03-Z04 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-4.1.1, Zones Z03-Z04 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-4.1.0-2, Zones Z03-Z04 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-4.1.0, Zones Z03-Z04 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-4.2.1-1, Zones Z03-Z04 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-4.2.1-2, Zones Z03-Z04 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-4.2.1, Zones Z03-Z04 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-4.2.0-1, Zones Z03-Z04 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-4.2.0-2, Zones Z03-Z04 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-4.2.0, Zones Z03-Z04 Port, b2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.1.1-1, Zones Z04-Z05 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.1.1-2, Zones Z04-Z05 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.1.1, Zones Z04-Z05 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.1.2-1, Zones Z04-Z05 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.1.2-2, Zones Z04-Z05 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.1.2, Zones Z04-Z05 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.1.0-1, Zones Z04-Z05 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.1.0-2, Zones Z04-Z05 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.1.0, Zones Z04-Z05 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.2.1-1, Zones Z04-Z05 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.2.1-2, Zones Z04-Z05 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.2.1, Zones Z04-Z05 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.2.2-1, Zones Z04-Z05 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.2.2-2, Zones Z04-Z05 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.2.2, Zones Z04-Z05 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.2.0-1, Zones Z04-Z05 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.2.0-2, Zones Z04-Z05 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.2.0, Zones Z04-Z05 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.3.1-1, Zones Z04-Z05 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.3.1-2, Zones Z04-Z05 Port, b3, h1, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.3.1, Zones Z04-Z05 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.3.2-1, Zones Z04-Z05 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.3.2-2, Zones Z04-Z05 Port, b3, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.3.2, Zones Z04-Z05 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.3.0-1, Zones Z04-Z05 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.3.0-2, Zones Z04-Z05 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.3.0, Zones Z04-Z05 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.4.1-1, Zones Z04-Z05 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.4.1-2, Zones Z04-Z05 Port, b4, h1, l.ext2





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.4.1, Zones Z04-Z05 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.4.2-1, Zones Z04-Z05 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.4.2-2, Zones Z04-Z05 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.4.2, Zones Z04-Z05 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.4.0-1, Zones Z04-Z05 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-5.4.0-2, Zones Z04-Z05 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-5.4.0, Zones Z04-Z05 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP5-6.1.1-1, Zones Z05-Z06 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.1.1-2, Zones Z05-Z06 Port, b1, h1, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.1.1, Zones Z05-Z06 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.1.2-1, Zones Z05-Z06 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.1.2-2, Zones Z05-Z06 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.1.2, Zones Z05-Z06 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.1.0-1, Zones Z05-Z06 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.1.0-2, Zones Z05-Z06 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.1.0, Zones Z05-Z06 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.2.1-1, Zones Z05-Z06 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.2.1-2, Zones Z05-Z06 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.2.1, Zones Z05-Z06 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.2.2-1, Zones Z05-Z06 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.2.2-2, Zones Z05-Z06 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.2.2, Zones Z05-Z06 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.2.0-1, Zones Z05-Z06 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.2.0-2, Zones Z05-Z06 Port, b2, 1.ext2





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.2.0, Zones Z05-Z06 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.3.1-1, Zones Z05-Z06 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.3.1-2, Zones Z05-Z06 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.3.1, Zones Z05-Z06 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.3.2-1, Zones Z05-Z06 Port, b3, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.3.2-2, Zones Z05-Z06 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.3.2, Zones Z05-Z06 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.3.0-1, Zones Z05-Z06 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.3.0-2, Zones Z05-Z06 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-6.3.0, Zones Z05-Z06 Port, b3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP6-7.1.1-1, Zones Z06-Z07 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.1.1-2, Zones Z06-Z07 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.1.1, Zones Z06-Z07 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.1.2-1, Zones Z06-Z07 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.1.2-2, Zones Z06-Z07 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.1.2, Zones Z06-Z07 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.1.0-1, Zones Z06-Z07 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.1.0-2, Zones Z06-Z07 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.1.0, Zones Z06-Z07 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.2.1-1, Zones Z06-Z07 Port, b2, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.2.1-2, Zones Z06-Z07 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.2.1, Zones Z06-Z07 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.2.2-1, Zones Z06-Z07 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.2.2-2, Zones Z06-Z07 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.2.2, Zones Z06-Z07 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.2.0-1, Zones Z06-Z07 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.2.0-2, Zones Z06-Z07 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.2.0, Zones Z06-Z07 Port, b2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.3.1-1, Zones Z06-Z07 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.3.1-2, Zones Z06-Z07 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.3.1, Zones Z06-Z07 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.3.2-1, Zones Z06-Z07 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.3.2-2, Zones Z06-Z07 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.3.2, Zones Z06-Z07 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.3.0-1, Zones Z06-Z07 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.3.0-2, Zones Z06-Z07 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-7.3.0, Zones Z06-Z07 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP7-8.1.1-1, Zones Z07-Z08 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-8.1.1, Zones Z07-Z08 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-8.1.2-1, Zones Z07-Z08 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.1.2, Zones Z07-Z08 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.1.0-1, Zones Z07-Z08 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.1.0, Zones Z07-Z08 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.2.1-1, Zones Z07-Z08 Port, b2, h1, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-8.2.1, Zones Z07-Z08 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-8.2.2-1, Zones Z07-Z08 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.2.2, Zones Z07-Z08 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.2.0-1, Zones Z07-Z08 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.2.0, Zones Z07-Z08 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.3.1-1, Zones Z07-Z08 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-8.3.1, Zones Z07-Z08 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-8.3.2-1, Zones Z07-Z08 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.3.2, Zones Z07-Z08 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.3.0-1, Zones Z07-Z08 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-8.3.0, Zones Z07-Z08 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP8-9.1.1-1, Zones Z08-Z09 Port, b1, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-9.1.1, Zones Z08-Z09 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-9.1.2-1, Zones Z08-Z09 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.1.2, Zones Z08-Z09 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.1.0-1, Zones Z08-Z09 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.1.0, Zones Z08-Z09 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.2.1-1, Zones Z08-Z09 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-9.2.1, Zones Z08-Z09 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-9.2.2-1, Zones Z08-Z09 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.2.2, Zones Z08-Z09 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.2.0-1, Zones Z08-Z09 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.2.0, Zones Z08-Z09 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.3.1-1, Zones Z08-Z09 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-9.3.1, Zones Z08-Z09 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-9.3.2-1, Zones Z08-Z09 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.3.2, Zones Z08-Z09 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.3.0-1, Zones Z08-Z09 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-9.3.0, Zones Z08-Z09 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP9-10.1.1-1, Zones Z09-Z10 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-10.1.1, Zones Z09-Z10 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-10.1.2-1, Zones Z09-Z10 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.1.2, Zones Z09-Z10 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.1.0-1, Zones Z09-Z10 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.1.0, Zones Z09-Z10 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.2.1-1, Zones Z09-Z10 Port, b2, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-10.2.1, Zones Z09-Z10 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-10.2.2-1, Zones Z09-Z10 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.2.2, Zones Z09-Z10 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.2.0-1, Zones Z09-Z10 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.2.0, Zones Z09-Z10 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.3.1-1, Zones Z09-Z10 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-10.3.1, Zones Z09-Z10 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-10.3.2-1, Zones Z09-Z10 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.3.2, Zones Z09-Z10 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.3.0-1, Zones Z09-Z10 Port, b3, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-10.3.0, Zones Z09-Z10 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP10-11.1.1-1, Zones Z10-Z11 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-11.1.1, Zones Z10-Z11 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-11.1.2-1, Zones Z10-Z11 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.1.2, Zones Z10-Z11 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.1.0-1, Zones Z10-Z11 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.1.0, Zones Z10-Z11 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.2.1-1, Zones Z10-Z11 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-11.2.1, Zones Z10-Z11 Port, b2, h1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-11.2.2-1, Zones Z10-Z11 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.2.2, Zones Z10-Z11 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.2.0-1, Zones Z10-Z11 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.2.0, Zones Z10-Z11 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.3.1-1, Zones Z10-Z11 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-11.3.1, Zones Z10-Z11 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-11.3.2-1, Zones Z10-Z11 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.3.2, Zones Z10-Z11 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.3.0-1, Zones Z10-Z11 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-11.3.0, Zones Z10-Z11 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP11-12.1.1-1, Zones Z11-Z12 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-12.1.1, Zones Z11-Z12 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-12.1.2-1, Zones Z11-Z12 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.1.2, Zones Z11-Z12 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.1.0-1, Zones Z11-Z12 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.1.0, Zones Z11-Z12 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.2.1-1, Zones Z11-Z12 Port, b2, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-12.2.1, Zones Z11-Z12 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-12.2.2-1, Zones Z11-Z12 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.2.2, Zones Z11-Z12 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.2.0-1, Zones Z11-Z12 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.2.0, Zones Z11-Z12 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.3.1-1, Zones Z11-Z12 Port, b3, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-12.3.1, Zones Z11-Z12 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-12.3.2-1, Zones Z11-Z12 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.3.2, Zones Z11-Z12 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.3.0-1, Zones Z11-Z12 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-12.3.0, Zones Z11-Z12 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP12-13.1.1-1, Zones Z12-Z13 Port, b1, h1, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12-13.1.1, Zones Z12-Z13 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12-13.1.2-1, Zones Z12-Z13 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12-13.1.2, Zones Z12-Z13 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12-13.1.3-1, Zones Z12-Z13 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.1.3, Zones Z12-Z13 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.1.4-1, Zones Z12-Z13 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.1.4, Zones Z12-Z13 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.1.0-1, Zones Z12-Z13 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.1.0, Zones Z12-Z13 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

-----

Damage case : SDSP12-13.2.1-1, Zones Z12-Z13 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.2.1, Zones Z12-Z13 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.2.2-1, Zones Z12-Z13 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.2.2, Zones Z12-Z13 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.2.3-1, Zones Z12-Z13 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.2.3, Zones Z12-Z13 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.2.4-1, Zones Z12-Z13 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.2.4, Zones Z12-Z13 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.2.0-1, Zones Z12-Z13 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.2.0, Zones Z12-Z13 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.3.1-1, Zones Z12-Z13 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.3.1, Zones Z12-Z13 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.3.2-1, Zones Z12-Z13 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.3.2, Zones Z12-Z13 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.3.3-1, Zones Z12-Z13 Port, b3, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.3.3, Zones Z12-Z13 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.3.4-1, Zones Z12-Z13 Port, b3, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.3.4, Zones Z12-Z13 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.3.0-1, Zones Z12-Z13 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.3.0, Zones Z12-Z13 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.4.1-1, Zones Z12-Z13 Port, b4, h1, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.4.1, Zones Z12-Z13 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.4.2-1, Zones Z12-Z13 Port, b4, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.4.2, Zones Z12-Z13 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-13.4.3-1, Zones Z12-Z13 Port, b4, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.4.3, Zones Z12-Z13 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.4.4-1, Zones Z12-Z13 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.4.4, Zones Z12-Z13 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.4.0-1, Zones Z12-Z13 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-13.4.0, Zones Z12-Z13 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.1.1-1, Zones Z13-Z14 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-14.1.1, Zones Z13-Z14 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-14.1.2-1, Zones Z13-Z14 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-14.1.2, Zones Z13-Z14 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-14.1.3-1, Zones Z13-Z14 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.1.3, Zones Z13-Z14 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.1.4-1, Zones Z13-Z14 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.1.4, Zones Z13-Z14 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.1.0-1, Zones Z13-Z14 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.1.0, Zones Z13-Z14 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.2.1-1, Zones Z13-Z14 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.2.1, Zones Z13-Z14 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.2.2-1, Zones Z13-Z14 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.2.2, Zones Z13-Z14 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.2.3-1, Zones Z13-Z14 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.2.3, Zones Z13-Z14 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.2.4-1, Zones Z13-Z14 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.2.4, Zones Z13-Z14 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.2.0-1, Zones Z13-Z14 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.2.0, Zones Z13-Z14 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.3.1-1, Zones Z13-Z14 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.3.1, Zones Z13-Z14 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.3.2-1, Zones Z13-Z14 Port, b3, h2, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.3.2, Zones Z13-Z14 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.3.3-1, Zones Z13-Z14 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.3.3, Zones Z13-Z14 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.3.4-1, Zones Z13-Z14 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.3.4, Zones Z13-Z14 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.3.0-1, Zones Z13-Z14 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.3.0, Zones Z13-Z14 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.4.1-1, Zones Z13-Z14 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.4.1, Zones Z13-Z14 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.4.2-1, Zones Z13-Z14 Port, b4, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.4.2, Zones Z13-Z14 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-14.4.3-1, Zones Z13-Z14 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.4.3, Zones Z13-Z14 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.4.4-1, Zones Z13-Z14 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.4.4, Zones Z13-Z14 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.4.0-1, Zones Z13-Z14 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-14.4.0, Zones Z13-Z14 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.1.1-1, Zones Z14-Z15 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14-15.1.1, Zones Z14-Z15 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14-15.1.2-1, Zones Z14-Z15 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14-15.1.2, Zones Z14-Z15 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14-15.1.3-1, Zones Z14-Z15 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.1.3, Zones Z14-Z15 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.1.4-1, Zones Z14-Z15 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.1.4, Zones Z14-Z15 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.1.0-1, Zones Z14-Z15 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.1.0, Zones Z14-Z15 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.2.1-1, Zones Z14-Z15 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.2.1, Zones Z14-Z15 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.2.2-1, Zones Z14-Z15 Port, b2, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.2.2, Zones Z14-Z15 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.2.3-1, Zones Z14-Z15 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.2.3, Zones Z14-Z15 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.2.4-1, Zones Z14-Z15 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.2.4, Zones Z14-Z15 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.2.0-1, Zones Z14-Z15 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.2.0, Zones Z14-Z15 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.3.1-1, Zones Z14-Z15 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.3.1, Zones Z14-Z15 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.3.2-1, Zones Z14-Z15 Port, b3, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.3.2, Zones Z14-Z15 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.3.3-1, Zones Z14-Z15 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.3.3, Zones Z14-Z15 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.3.4-1, Zones Z14-Z15 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.3.4, Zones Z14-Z15 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.3.0-1, Zones Z14-Z15 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.3.0, Zones Z14-Z15 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.4.1-1, Zones Z14-Z15 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.4.1, Zones Z14-Z15 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.4.2-1, Zones Z14-Z15 Port, b4, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.4.2, Zones Z14-Z15 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.4.3-1, Zones Z14-Z15 Port, b4, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.4.3, Zones Z14-Z15 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.4.4-1, Zones Z14-Z15 Port, b4, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.4.4, Zones Z14-Z15 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.4.0-1, Zones Z14-Z15 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.4.0, Zones Z14-Z15 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.5.1-1, Zones Z14-Z15 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.5.1, Zones Z14-Z15 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.5.2-1, Zones Z14-Z15 Port, b5, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.5.2, Zones Z14-Z15 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-15.5.3-1, Zones Z14-Z15 Port, b5, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00



Damage case : SDSF14-15.5.3, Zones Z14-Z15 Port, b5, h3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.5.4-1, Zones Z14-Z15 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.5.4, Zones Z14-Z15 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.5.0-1, Zones Z14-Z15 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-15.5.0, Zones Z14-Z15 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.1.1-1, Zones Z15-Z16 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73

Damage case : SDSP15-16.1.1-2, Zones Z15-Z16 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73

Damage case : SDSP15-16.1.1, Zones Z15-Z16 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73

Damage case : SDSP15-16.1.2-1, Zones Z15-Z16 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73

Damage case : SDSP15-16.1.2-2, Zones Z15-Z16 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73

Damage case : SDSP15-16.1.2, Zones Z15-Z16 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73

Damage case : SDSP15-16.1.3-1, Zones Z15-Z16 Port, b1, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.1.3-2, Zones Z15-Z16 Port, b1, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.1.3, Zones Z15-Z16 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.1.4-1, Zones Z15-Z16 Port, b1, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.1.4-2, Zones Z15-Z16 Port, b1, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.1.4, Zones Z15-Z16 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.1.0-1, Zones Z15-Z16 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.1.0-2, Zones Z15-Z16 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.1.0, Zones Z15-Z16 Port, b1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.2.1-1, Zones Z15-Z16 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-16.2.1-2, Zones Z15-Z16 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-16.2.1, Zones Z15-Z16 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-16.2.2-1, Zones Z15-Z16 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-16.2.2-2, Zones Z15-Z16 Port, b2, h2, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-16.2.2, Zones Z15-Z16 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-16.2.3-1, Zones Z15-Z16 Port, b2, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.2.3-2, Zones Z15-Z16 Port, b2, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.2.3, Zones Z15-Z16 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.2.4-1, Zones Z15-Z16 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.2.4-2, Zones Z15-Z16 Port, b2, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.2.4, Zones Z15-Z16 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.2.0-1, Zones Z15-Z16 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.2.0-2, Zones Z15-Z16 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.2.0, Zones Z15-Z16 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.3.1-1, Zones Z15-Z16 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.3.1-2, Zones Z15-Z16 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.3.1, Zones Z15-Z16 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.3.2-1, Zones Z15-Z16 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.3.2-2, Zones Z15-Z16 Port, b3, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.3.2, Zones Z15-Z16 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.3.3-1, Zones Z15-Z16 Port, b3, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.3.3-2, Zones Z15-Z16 Port, b3, h3, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.3.3, Zones Z15-Z16 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.3.4-1, Zones Z15-Z16 Port, b3, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.3.4-2, Zones Z15-Z16 Port, b3, h4, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.3.4, Zones Z15-Z16 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.3.0-1, Zones Z15-Z16 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.3.0-2, Zones Z15-Z16 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.3.0, Zones Z15-Z16 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.4.1-1, Zones Z15-Z16 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.4.1-2, Zones Z15-Z16 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.4.1, Zones Z15-Z16 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.4.2-1, Zones Z15-Z16 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.4.2-2, Zones Z15-Z16 Port, b4, h2, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.4.2, Zones Z15-Z16 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-16.4.3-1, Zones Z15-Z16 Port, b4, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.4.3-2, Zones Z15-Z16 Port, b4, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.4.3, Zones Z15-Z16 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.4.4-1, Zones Z15-Z16 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.4.4-2, Zones Z15-Z16 Port, b4, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.4.4, Zones Z15-Z16 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF15-16.4.0-1, Zones Z15-Z16 Port, b4, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.4.0-2, Zones Z15-Z16 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-16.4.0, Zones Z15-Z16 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP16-17.1.1-1, Zones Z16-Z17 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-17.1.1, Zones Z16-Z17 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-17.1.2-1, Zones Z16-Z17 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-17.1.2, Zones Z16-Z17 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-17.1.3-1, Zones Z16-Z17 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.1.3, Zones Z16-Z17 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.1.4-1, Zones Z16-Z17 Port, b1, h4, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.1.4, Zones Z16-Z17 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.1.0-1, Zones Z16-Z17 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.1.0, Zones Z16-Z17 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.2.1-1, Zones Z16-Z17 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-17.2.1, Zones Z16-Z17 Port, b2, h1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-17.2.2-1, Zones Z16-Z17 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-17.2.2, Zones Z16-Z17 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-17.2.3-1, Zones Z16-Z17 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.2.3, Zones Z16-Z17 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.2.4-1, Zones Z16-Z17 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.2.4, Zones Z16-Z17 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.2.0-1, Zones Z16-Z17 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.2.0, Zones Z16-Z17 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.3.1-1, Zones Z16-Z17 Port, b3, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16-17.3.1, Zones Z16-Z17 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16-17.3.2-1, Zones Z16-Z17 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16-17.3.2, Zones Z16-Z17 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16-17.3.3-1, Zones Z16-Z17 Port, b3, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.3.3, Zones Z16-Z17 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.3.4-1, Zones Z16-Z17 Port, b3, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.3.4, Zones Z16-Z17 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.3.0-1, Zones Z16-Z17 Port, b3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-17.3.0, Zones Z16-Z17 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.1.1-1, Zones Z17-Z18 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17-18.1.1, Zones Z17-Z18 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17-18.1.2-1, Zones Z17-Z18 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17-18.1.2, Zones Z17-Z18 Port, b1, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17-18.1.3-1, Zones Z17-Z18 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.1.3, Zones Z17-Z18 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.1.4-1, Zones Z17-Z18 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.1.4, Zones Z17-Z18 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06



Damage case : SDSP17-18.1.0-1, Zones Z17-Z18 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.1.0, Zones Z17-Z18 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.2.1-1, Zones Z17-Z18 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17-18.2.1, Zones Z17-Z18 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17-18.2.2-1, Zones Z17-Z18 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17-18.2.2, Zones Z17-Z18 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP17-18.2.3-1, Zones Z17-Z18 Port, b2, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.2.3, Zones Z17-Z18 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.2.4-1, Zones Z17-Z18 Port, b2, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.2.4, Zones Z17-Z18 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.2.0-1, Zones Z17-Z18 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP17-18.2.0, Zones Z17-Z18 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP1-3.1.1-2, Zones Z01-Z03 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-3.1.1, Zones Z01-Z03 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-3.1.0-2, Zones Z01-Z03 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-3.1.0, Zones Z01-Z03 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-3.2.1-2, Zones Z01-Z03 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-3.2.1, Zones Z01-Z03 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-3.2.0-2, Zones Z01-Z03 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-3.2.0, Zones Z01-Z03 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-3.3.1-2, Zones Z01-Z03 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-3.3.1, Zones Z01-Z03 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-3.3.0-2, Zones Z01-Z03 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-3.3.0, Zones Z01-Z03 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-4.1.1-2, Zones Z02-Z04 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-4.1.1, Zones Z02-Z04 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-4.1.0-2, Zones Z02-Z04 Port, b1, 1.ext2





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-4.1.0, Zones Z02-Z04 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-4.2.1-2, Zones Z02-Z04 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-4.2.1, Zones Z02-Z04 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-4.2.0-2, Zones Z02-Z04 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-4.2.0, Zones Z02-Z04 Port, b2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP3-5.1.1-1, Zones Z03-Z05 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.1.1-2, Zones Z03-Z05 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.1.1, Zones Z03-Z05 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.1.2-1, Zones Z03-Z05 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.1.2-2, Zones Z03-Z05 Port, b1, h2, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.1.2, Zones Z03-Z05 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.1.0-1, Zones Z03-Z05 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.1.0-2, Zones Z03-Z05 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.1.0, Zones Z03-Z05 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.2.1-1, Zones Z03-Z05 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.2.1-2, Zones Z03-Z05 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.2.1, Zones Z03-Z05 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.2.2-1, Zones Z03-Z05 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.2.2-2, Zones Z03-Z05 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.2.2, Zones Z03-Z05 Port, b2, h2





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.2.0-1, Zones Z03-Z05 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.2.0-2, Zones Z03-Z05 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.2.0, Zones Z03-Z05 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.3.1-1, Zones Z03-Z05 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.3.1-2, Zones Z03-Z05 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.3.1, Zones Z03-Z05 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.3.2-1, Zones Z03-Z05 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.3.2-2, Zones Z03-Z05 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.3.2, Zones Z03-Z05 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.3.0-1, Zones Z03-Z05 Port, b3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.3.0-2, Zones Z03-Z05 Port, b3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.3.0, Zones Z03-Z05 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.4.1-1, Zones Z03-Z05 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.4.1-2, Zones Z03-Z05 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.4.1, Zones Z03-Z05 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.4.2-1, Zones Z03-Z05 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.4.2-2, Zones Z03-Z05 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.4.2, Zones Z03-Z05 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.4.0-1, Zones Z03-Z05 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-5.4.0-2, Zones Z03-Z05 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-5.4.0, Zones Z03-Z05 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.1.1-1, Zones Z04-Z06 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.1.1-2, Zones Z04-Z06 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.1.1-3, Zones Z04-Z06 Port, b1, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.1.1, Zones Z04-Z06 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.1.2-1, Zones Z04-Z06 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.1.2-2, Zones Z04-Z06 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.1.2-3, Zones Z04-Z06 Port, b1, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.1.2, Zones Z04-Z06 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.1.0-1, Zones Z04-Z06 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.1.0-2, Zones Z04-Z06 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.1.0-3, Zones Z04-Z06 Port, b1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.1.0, Zones Z04-Z06 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.2.1-1, Zones Z04-Z06 Port, b2, h1, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.2.1-2, Zones Z04-Z06 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.2.1-3, Zones Z04-Z06 Port, b2, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.2.1, Zones Z04-Z06 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.2.2-1, Zones Z04-Z06 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.2.2-2, Zones Z04-Z06 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.2.2-3, Zones Z04-Z06 Port, b2, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.2.2, Zones Z04-Z06 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.2.0-1, Zones Z04-Z06 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.2.0-2, Zones Z04-Z06 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.2.0-3, Zones Z04-Z06 Port, b2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.2.0, Zones Z04-Z06 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.3.1-1, Zones Z04-Z06 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.3.1-2, Zones Z04-Z06 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.3.1-3, Zones Z04-Z06 Port, b3, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.3.1, Zones Z04-Z06 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.3.2-1, Zones Z04-Z06 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.3.2-2, Zones Z04-Z06 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.3.2-3, Zones Z04-Z06 Port, b3, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.3.2, Zones Z04-Z06 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.3.0-1, Zones Z04-Z06 Port, b3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.3.0-2, Zones Z04-Z06 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.3.0-3, Zones Z04-Z06 Port, b3, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.3.0, Zones Z04-Z06 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.4.1-1, Zones Z04-Z06 Port, b4, h1, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.4.1-2, Zones Z04-Z06 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.4.1-3, Zones Z04-Z06 Port, b4, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.4.1, Zones Z04-Z06 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.4.2-1, Zones Z04-Z06 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.4.2-2, Zones Z04-Z06 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.4.2-3, Zones Z04-Z06 Port, b4, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.4.2, Zones Z04-Z06 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.4.0-1, Zones Z04-Z06 Port, b4, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.4.0-2, Zones Z04-Z06 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-6.4.0-3, Zones Z04-Z06 Port, b4, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-6.4.0, Zones Z04-Z06 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP5-7.1.1-1, Zones Z05-Z07 Port, b1, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.1-2, Zones Z05-Z07 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.1-3, Zones Z05-Z07 Port, b1, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.1, Zones Z05-Z07 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.2-1, Zones Z05-Z07 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.2-2, Zones Z05-Z07 Port, b1, h2, l.ext2





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.2-3, Zones Z05-Z07 Port, b1, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.2, Zones Z05-Z07 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.0-1, Zones Z05-Z07 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.0-2, Zones Z05-Z07 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.0-3, Zones Z05-Z07 Port, b1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.1.0, Zones Z05-Z07 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.1-1, Zones Z05-Z07 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.1-2, Zones Z05-Z07 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.1-3, Zones Z05-Z07 Port, b2, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.1, Zones Z05-Z07 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.2-1, Zones Z05-Z07 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.2-2, Zones Z05-Z07 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.2-3, Zones Z05-Z07 Port, b2, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.2, Zones Z05-Z07 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.0-1, Zones Z05-Z07 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.0-2, Zones Z05-Z07 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.0-3, Zones Z05-Z07 Port, b2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.2.0, Zones Z05-Z07 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.1-1, Zones Z05-Z07 Port, b3, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.1-2, Zones Z05-Z07 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.1-3, Zones Z05-Z07 Port, b3, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.1, Zones Z05-Z07 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.2-1, Zones Z05-Z07 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.2-2, Zones Z05-Z07 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.2-3, Zones Z05-Z07 Port, b3, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.2, Zones Z05-Z07 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.0-1, Zones Z05-Z07 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.0-2, Zones Z05-Z07 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.0-3, Zones Z05-Z07 Port, b3, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-7.3.0, Zones Z05-Z07 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP6-8.1.1-1, Zones Z06-Z08 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.1.1-2, Zones Z06-Z08 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.1.1, Zones Z06-Z08 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.1.2-1, Zones Z06-Z08 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.1.2-2, Zones Z06-Z08 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.1.2, Zones Z06-Z08 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.1.0-1, Zones Z06-Z08 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.1.0-2, Zones Z06-Z08 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.1.0, Zones Z06-Z08 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.2.1-1, Zones Z06-Z08 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.2.1-2, Zones Z06-Z08 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.2.1, Zones Z06-Z08 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.2.2-1, Zones Z06-Z08 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.2.2-2, Zones Z06-Z08 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.2.2, Zones Z06-Z08 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.2.0-1, Zones Z06-Z08 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.2.0-2, Zones Z06-Z08 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.2.0, Zones Z06-Z08 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.3.1-1, Zones Z06-Z08 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.3.1-2, Zones Z06-Z08 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.3.1, Zones Z06-Z08 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.3.2-1, Zones Z06-Z08 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.3.2-2, Zones Z06-Z08 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.3.2, Zones Z06-Z08 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.3.0-1, Zones Z06-Z08 Port, b3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.3.0-2, Zones Z06-Z08 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-8.3.0, Zones Z06-Z08 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP7-9.1.1-1, Zones Z07-Z09 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-9.1.1, Zones Z07-Z09 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-9.1.2-1, Zones Z07-Z09 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.1.2, Zones Z07-Z09 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.1.0-1, Zones Z07-Z09 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.1.0, Zones Z07-Z09 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.2.1-1, Zones Z07-Z09 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-9.2.1, Zones Z07-Z09 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-9.2.2-1, Zones Z07-Z09 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.2.2, Zones Z07-Z09 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.2.0-1, Zones Z07-Z09 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.2.0, Zones Z07-Z09 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.3.1-1, Zones Z07-Z09 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-9.3.1, Zones Z07-Z09 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-9.3.2-1, Zones Z07-Z09 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.3.2, Zones Z07-Z09 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.3.0-1, Zones Z07-Z09 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-9.3.0, Zones Z07-Z09 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP8-10.1.1-1, Zones Z08-Z10 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-10.1.1, Zones Z08-Z10 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-10.1.2-1, Zones Z08-Z10 Port, b1, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.1.2, Zones Z08-Z10 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.1.0-1, Zones Z08-Z10 Port, b1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.1.0, Zones Z08-Z10 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.2.1-1, Zones Z08-Z10 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-10.2.1, Zones Z08-Z10 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-10.2.2-1, Zones Z08-Z10 Port, b2, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.2.2, Zones Z08-Z10 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.2.0-1, Zones Z08-Z10 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.2.0, Zones Z08-Z10 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.3.1-1, Zones Z08-Z10 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-10.3.1, Zones Z08-Z10 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-10.3.2-1, Zones Z08-Z10 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.3.2, Zones Z08-Z10 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.3.0-1, Zones Z08-Z10 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-10.3.0, Zones Z08-Z10 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP9-11.1.1-1, Zones Z09-Z11 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-11.1.1, Zones Z09-Z11 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-11.1.2-1, Zones Z09-Z11 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.1.2, Zones Z09-Z11 Port, b1, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.1.0-1, Zones Z09-Z11 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.1.0, Zones Z09-Z11 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.2.1-1, Zones Z09-Z11 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-11.2.1, Zones Z09-Z11 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-11.2.2-1, Zones Z09-Z11 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.2.2, Zones Z09-Z11 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.2.0-1, Zones Z09-Z11 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.2.0, Zones Z09-Z11 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.3.1-1, Zones Z09-Z11 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-11.3.1, Zones Z09-Z11 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-11.3.2-1, Zones Z09-Z11 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.3.2, Zones Z09-Z11 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.3.0-1, Zones Z09-Z11 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-11.3.0, Zones Z09-Z11 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP10-12.1.1-1, Zones Z10-Z12 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-12.1.1, Zones Z10-Z12 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-12.1.2-1, Zones Z10-Z12 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-12.1.2, Zones Z10-Z12 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-12.1.0-1, Zones Z10-Z12 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-12.1.0, Zones Z10-Z12 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-12.2.1-1, Zones Z10-Z12 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-12.2.1, Zones Z10-Z12 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-12.2.2-1, Zones Z10-Z12 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-12.2.2, Zones Z10-Z12 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-12.2.0-1, Zones Z10-Z12 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-12.2.0, Zones Z10-Z12 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-12.3.1-1, Zones Z10-Z12 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-12.3.1, Zones Z10-Z12 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-12.3.2-1, Zones Z10-Z12 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-12.3.2, Zones Z10-Z12 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSPP10-12.3.0-1, Zones Z10-Z12 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSPP10-12.3.0, Zones Z10-Z12 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSPP11-13.1.1-1, Zones Z11-Z13 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSPP11-13.1.1, Zones Z11-Z13 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-13.1.2-1, Zones Z11-Z13 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-13.1.2, Zones Z11-Z13 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-13.1.3-1, Zones Z11-Z13 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.1.3, Zones Z11-Z13 Port, b1, h3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.1.4-1, Zones Z11-Z13 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.1.4, Zones Z11-Z13 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.1.0-1, Zones Z11-Z13 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.1.0, Zones Z11-Z13 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.2.1-1, Zones Z11-Z13 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.2.1, Zones Z11-Z13 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.2.2-1, Zones Z11-Z13 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.2.2, Zones Z11-Z13 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.2.3-1, Zones Z11-Z13 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.2.3, Zones Z11-Z13 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.2.4-1, Zones Z11-Z13 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF11-13.2.4, Zones Z11-Z13 Port, b2, h4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.2.0-1, Zones Z11-Z13 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.2.0, Zones Z11-Z13 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.3.1-1, Zones Z11-Z13 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.3.1, Zones Z11-Z13 Port, b3, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.3.2-1, Zones Z11-Z13 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.3.2, Zones Z11-Z13 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.3.3-1, Zones Z11-Z13 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.3.3, Zones Z11-Z13 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.3.4-1, Zones Z11-Z13 Port, b3, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.3.4, Zones Z11-Z13 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.3.0-1, Zones Z11-Z13 Port, b3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.3.0, Zones Z11-Z13 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.4.1-1, Zones Z11-Z13 Port, b4, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.4.1, Zones Z11-Z13 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.4.2-1, Zones Z11-Z13 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.4.2, Zones Z11-Z13 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-13.4.3-1, Zones Z11-Z13 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.4.3, Zones Z11-Z13 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.4.4-1, Zones Z11-Z13 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.4.4, Zones Z11-Z13 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.4.0-1, Zones Z11-Z13 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-13.4.0, Zones Z11-Z13 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.1.1-1, Zones Z12-Z14 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12-14.1.1, Zones Z12-Z14 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12-14.1.2-1, Zones Z12-Z14 Port, b1, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12-14.1.2, Zones Z12-Z14 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12-14.1.3-1, Zones Z12-Z14 Port, b1, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF12-14.1.3, Zones Z12-Z14 Port, b1, h3





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.1.4-1, Zones Z12-Z14 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.1.4, Zones Z12-Z14 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.1.0-1, Zones Z12-Z14 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.1.0, Zones Z12-Z14 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.2.1-1, Zones Z12-Z14 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.2.1, Zones Z12-Z14 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.2.2-1, Zones Z12-Z14 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.2.2, Zones Z12-Z14 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.2.3-1, Zones Z12-Z14 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.2.3, Zones Z12-Z14 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.2.4-1, Zones Z12-Z14 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.2.4, Zones Z12-Z14 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.2.0-1, Zones Z12-Z14 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.2.0, Zones Z12-Z14 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.3.1-1, Zones Z12-Z14 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.3.1, Zones Z12-Z14 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.3.2-1, Zones Z12-Z14 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.3.2, Zones Z12-Z14 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.3.3-1, Zones Z12-Z14 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.3.3, Zones Z12-Z14 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.3.4-1, Zones Z12-Z14 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.3.4, Zones Z12-Z14 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.3.0-1, Zones Z12-Z14 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.3.0, Zones Z12-Z14 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.4.1-1, Zones Z12-Z14 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.4.1, Zones Z12-Z14 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.4.2-1, Zones Z12-Z14 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.4.2, Zones Z12-Z14 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.4.3-1, Zones Z12-Z14 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.4.3, Zones Z12-Z14 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.4.4-1, Zones Z12-Z14 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSPl2-14.4.4, Zones Z12-Z14 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSPl2-14.4.0-1, Zones Z12-Z14 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSPl2-14.4.0, Zones Z12-Z14 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF12-14.5.1-1, Zones Z12-Z14 Port, b5, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.5.1, Zones Z12-Z14 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.5.2-1, Zones Z12-Z14 Port, b5, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.5.2, Zones Z12-Z14 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.5.3-1, Zones Z12-Z14 Port, b5, h3, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.5.3, Zones Z12-Z14 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.5.4-1, Zones Z12-Z14 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.5.4, Zones Z12-Z14 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.5.0-1, Zones Z12-Z14 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.5.0, Zones Z12-Z14 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.6.1-1, Zones Z12-Z14 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.6.1, Zones Z12-Z14 Port, b6, h1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.6.2-1, Zones Z12-Z14 Port, b6, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.6.2, Zones Z12-Z14 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-14.6.3-1, Zones Z12-Z14 Port, b6, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.6.3, Zones Z12-Z14 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.6.4-1, Zones Z12-Z14 Port, b6, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.6.4, Zones Z12-Z14 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF12-14.6.0-1, Zones Z12-Z14 Port, b6, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-14.6.0, Zones Z12-Z14 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.1.1-1, Zones Z13-Z15 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-15.1.1, Zones Z13-Z15 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-15.1.2-1, Zones Z13-Z15 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-15.1.2, Zones Z13-Z15 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-15.1.3-1, Zones Z13-Z15 Port, b1, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.1.3, Zones Z13-Z15 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.1.4-1, Zones Z13-Z15 Port, b1, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.1.4, Zones Z13-Z15 Port, b1, h4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.1.0-1, Zones Z13-Z15 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.1.0, Zones Z13-Z15 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.2.1-1, Zones Z13-Z15 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.2.1, Zones Z13-Z15 Port, b2, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.2.2-1, Zones Z13-Z15 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.2.2, Zones Z13-Z15 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.2.3-1, Zones Z13-Z15 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.2.3, Zones Z13-Z15 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.2.4-1, Zones Z13-Z15 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.2.4, Zones Z13-Z15 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.2.0-1, Zones Z13-Z15 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.2.0, Zones Z13-Z15 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.3.1-1, Zones Z13-Z15 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.3.1, Zones Z13-Z15 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.3.2-1, Zones Z13-Z15 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.3.2, Zones Z13-Z15 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.3.3-1, Zones Z13-Z15 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.3.3, Zones Z13-Z15 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.3.4-1, Zones Z13-Z15 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.3.4, Zones Z13-Z15 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.3.0-1, Zones Z13-Z15 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.3.0, Zones Z13-Z15 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.4.1-1, Zones Z13-Z15 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.4.1, Zones Z13-Z15 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.4.2-1, Zones Z13-Z15 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.4.2, Zones Z13-Z15 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.4.3-1, Zones Z13-Z15 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.4.3, Zones Z13-Z15 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.4.4-1, Zones Z13-Z15 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.4.4, Zones Z13-Z15 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.4.0-1, Zones Z13-Z15 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.4.0, Zones Z13-Z15 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.5.1-1, Zones Z13-Z15 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.5.1, Zones Z13-Z15 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.5.2-1, Zones Z13-Z15 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.5.2, Zones Z13-Z15 Port, b5, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.5.3-1, Zones Z13-Z15 Port, b5, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.5.3, Zones Z13-Z15 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.5.4-1, Zones Z13-Z15 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.5.4, Zones Z13-Z15 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.5.0-1, Zones Z13-Z15 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.5.0, Zones Z13-Z15 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.6.1-1, Zones Z13-Z15 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.6.1, Zones Z13-Z15 Port, b6, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.6.2-1, Zones Z13-Z15 Port, b6, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.6.2, Zones Z13-Z15 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-15.6.3-1, Zones Z13-Z15 Port, b6, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.6.3, Zones Z13-Z15 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.6.4-1, Zones Z13-Z15 Port, b6, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.6.4, Zones Z13-Z15 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.6.0-1, Zones Z13-Z15 Port, b6, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-15.6.0, Zones Z13-Z15 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.1.1-1, Zones Z14-Z16 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14-16.1.1-2, Zones Z14-Z16 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14-16.1.1, Zones Z14-Z16 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14-16.1.2-1, Zones Z14-Z16 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14-16.1.2-2, Zones Z14-Z16 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14-16.1.2, Zones Z14-Z16 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

Damage case : SDSP14-16.1.3-1, Zones Z14-Z16 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.1.3-2, Zones Z14-Z16 Port, b1, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.1.3, Zones Z14-Z16 Port, b1, h3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.1.4-1, Zones Z14-Z16 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.1.4-2, Zones Z14-Z16 Port, b1, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.1.4, Zones Z14-Z16 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.1.0-1, Zones Z14-Z16 Port, b1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.1.0-2, Zones Z14-Z16 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.1.0, Zones Z14-Z16 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.2.1-1, Zones Z14-Z16 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.2.1-2, Zones Z14-Z16 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.2.1, Zones Z14-Z16 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.2.2-1, Zones Z14-Z16 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.2.2-2, Zones Z14-Z16 Port, b2, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.2.2, Zones Z14-Z16 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.2.3-1, Zones Z14-Z16 Port, b2, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.2.3-2, Zones Z14-Z16 Port, b2, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.2.3, Zones Z14-Z16 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.2.4-1, Zones Z14-Z16 Port, b2, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.2.4-2, Zones Z14-Z16 Port, b2, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.2.4, Zones Z14-Z16 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.2.0-1, Zones Z14-Z16 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.2.0-2, Zones Z14-Z16 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.2.0, Zones Z14-Z16 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.3.1-1, Zones Z14-Z16 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.3.1-2, Zones Z14-Z16 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.3.1, Zones Z14-Z16 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.3.2-1, Zones Z14-Z16 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.3.2-2, Zones Z14-Z16 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.3.2, Zones Z14-Z16 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.3.3-1, Zones Z14-Z16 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.3.3-2, Zones Z14-Z16 Port, b3, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.3.3, Zones Z14-Z16 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.3.4-1, Zones Z14-Z16 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.3.4-2, Zones Z14-Z16 Port, b3, h4, l.ext2





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.3.4, Zones Z14-Z16 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.3.0-1, Zones Z14-Z16 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.3.0-2, Zones Z14-Z16 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.3.0, Zones Z14-Z16 Port, b3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.4.1-1, Zones Z14-Z16 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.4.1-2, Zones Z14-Z16 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.4.1, Zones Z14-Z16 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.4.2-1, Zones Z14-Z16 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.4.2-2, Zones Z14-Z16 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.4.2, Zones Z14-Z16 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.4.3-1, Zones Z14-Z16 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.4.3-2, Zones Z14-Z16 Port, b4, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.4.3, Zones Z14-Z16 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.4.4-1, Zones Z14-Z16 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.4.4-2, Zones Z14-Z16 Port, b4, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.4.4, Zones Z14-Z16 Port, b4, h4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.4.0-1, Zones Z14-Z16 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.4.0-2, Zones Z14-Z16 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.4.0, Zones Z14-Z16 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.5.1-1, Zones Z14-Z16 Port, b5, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.5.1-2, Zones Z14-Z16 Port, b5, h1, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.5.1, Zones Z14-Z16 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.5.2-1, Zones Z14-Z16 Port, b5, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.5.2-2, Zones Z14-Z16 Port, b5, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.5.2, Zones Z14-Z16 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.5.3-1, Zones Z14-Z16 Port, b5, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.5.3-2, Zones Z14-Z16 Port, b5, h3, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.5.3, Zones Z14-Z16 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.5.4-1, Zones Z14-Z16 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.5.4-2, Zones Z14-Z16 Port, b5, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.5.4, Zones Z14-Z16 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.5.0-1, Zones Z14-Z16 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.5.0-2, Zones Z14-Z16 Port, b5, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.5.0, Zones Z14-Z16 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.6.1-1, Zones Z14-Z16 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.6.1-2, Zones Z14-Z16 Port, b6, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.6.1, Zones Z14-Z16 Port, b6, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSF14-16.6.2-1, Zones Z14-Z16 Port, b6, h2, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.6.2-2, Zones Z14-Z16 Port, b6, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.6.2, Zones Z14-Z16 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-16.6.3-1, Zones Z14-Z16 Port, b6, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.6.3-2, Zones Z14-Z16 Port, b6, h3, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.6.3, Zones Z14-Z16 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.6.4-1, Zones Z14-Z16 Port, b6, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.6.4-2, Zones Z14-Z16 Port, b6, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.6.4, Zones Z14-Z16 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.6.0-1, Zones Z14-Z16 Port, b6, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.6.0-2, Zones Z14-Z16 Port, b6, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-16.6.0, Zones Z14-Z16 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.1.1-1, Zones Z15-Z17 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.1.1-2, Zones Z15-Z17 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.1.1, Zones Z15-Z17 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.1.2-1, Zones Z15-Z17 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.1.2-2, Zones Z15-Z17 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.1.2, Zones Z15-Z17 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.1.3-1, Zones Z15-Z17 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.1.3-2, Zones Z15-Z17 Port, b1, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.1.3, Zones Z15-Z17 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.1.4-1, Zones Z15-Z17 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.1.4-2, Zones Z15-Z17 Port, b1, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.1.4, Zones Z15-Z17 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.1.0-1, Zones Z15-Z17 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.1.0-2, Zones Z15-Z17 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.1.0, Zones Z15-Z17 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.2.1-1, Zones Z15-Z17 Port, b2, h1, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.2.1-2, Zones Z15-Z17 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.2.1, Zones Z15-Z17 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.2.2-1, Zones Z15-Z17 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.2.2-2, Zones Z15-Z17 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.2.2, Zones Z15-Z17 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-17.2.3-1, Zones Z15-Z17 Port, b2, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.2.3-2, Zones Z15-Z17 Port, b2, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.2.3, Zones Z15-Z17 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.2.4-1, Zones Z15-Z17 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.2.4-2, Zones Z15-Z17 Port, b2, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.2.4, Zones Z15-Z17 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.2.0-1, Zones Z15-Z17 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.2.0-2, Zones Z15-Z17 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.2.0, Zones Z15-Z17 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.3.1-1, Zones Z15-Z17 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-17.3.1-2, Zones Z15-Z17 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-17.3.1, Zones Z15-Z17 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-17.3.2-1, Zones Z15-Z17 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-17.3.2-2, Zones Z15-Z17 Port, b3, h2, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-17.3.2, Zones Z15-Z17 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-17.3.3-1, Zones Z15-Z17 Port, b3, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.3.3-2, Zones Z15-Z17 Port, b3, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00



Damage case : SDSF15-17.3.3, Zones Z15-Z17 Port, b3, h3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.3.4-1, Zones Z15-Z17 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.3.4-2, Zones Z15-Z17 Port, b3, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.3.4, Zones Z15-Z17 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.3.0-1, Zones Z15-Z17 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.3.0-2, Zones Z15-Z17 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.3.0, Zones Z15-Z17 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.4.1-1, Zones Z15-Z17 Port, b4, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-17.4.1-2, Zones Z15-Z17 Port, b4, h1, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-17.4.1, Zones Z15-Z17 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-17.4.2-1, Zones Z15-Z17 Port, b4, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-17.4.2-2, Zones Z15-Z17 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-17.4.2, Zones Z15-Z17 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-17.4.3-1, Zones Z15-Z17 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.4.3-2, Zones Z15-Z17 Port, b4, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.4.3, Zones Z15-Z17 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.4.4-1, Zones Z15-Z17 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.4.4-2, Zones Z15-Z17 Port, b4, h4, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.4.4, Zones Z15-Z17 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.4.0-1, Zones Z15-Z17 Port, b4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00



Damage case : SDSF15-17.4.0-2, Zones Z15-Z17 Port, b4, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.4.0, Zones Z15-Z17 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.5.1-1, Zones Z15-Z17 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-17.5.1-2, Zones Z15-Z17 Port, b5, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-17.5.1, Zones Z15-Z17 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-17.5.2-1, Zones Z15-Z17 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-17.5.2-2, Zones Z15-Z17 Port, b5, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSPl5-17.5.2, Zones Z15-Z17 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSPl5-17.5.3-1, Zones Z15-Z17 Port, b5, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSPl5-17.5.3-2, Zones Z15-Z17 Port, b5, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.5.3, Zones Z15-Z17 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.5.4-1, Zones Z15-Z17 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.5.4-2, Zones Z15-Z17 Port, b5, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.5.4, Zones Z15-Z17 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.5.0-1, Zones Z15-Z17 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.5.0-2, Zones Z15-Z17 Port, b5, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-17.5.0, Zones Z15-Z17 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP16-18.1.1-1, Zones Z16-Z18 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-18.1.1, Zones Z16-Z18 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-18.1.2-1, Zones Z16-Z18 Port, b1, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-18.1.2, Zones Z16-Z18 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-18.1.3-1, Zones Z16-Z18 Port, b1, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.1.3, Zones Z16-Z18 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.1.4-1, Zones Z16-Z18 Port, b1, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.1.4, Zones Z16-Z18 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.1.0-1, Zones Z16-Z18 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.1.0, Zones Z16-Z18 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.2.1-1, Zones Z16-Z18 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-18.2.1, Zones Z16-Z18 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-18.2.2-1, Zones Z16-Z18 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-18.2.2, Zones Z16-Z18 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP16-18.2.3-1, Zones Z16-Z18 Port, b2, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.2.3, Zones Z16-Z18 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.2.4-1, Zones Z16-Z18 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.2.4, Zones Z16-Z18 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.2.0-1, Zones Z16-Z18 Port, b2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.2.0, Zones Z16-Z18 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.3.1-1, Zones Z16-Z18 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16-18.3.1, Zones Z16-Z18 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16-18.3.2-1, Zones Z16-Z18 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16-18.3.2, Zones Z16-Z18 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP16-18.3.3-1, Zones Z16-Z18 Port, b3, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.3.3, Zones Z16-Z18 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.3.4-1, Zones Z16-Z18 Port, b3, h4, 1.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.3.4, Zones Z16-Z18 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.3.0-1, Zones Z16-Z18 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP16-18.3.0, Zones Z16-Z18 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06

Damage case : SDSP1-4.1.1-2, Zones Z01-Z04 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-4.1.1, Zones Z01-Z04 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-4.1.0-2, Zones Z01-Z04 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-4.1.0, Zones Z01-Z04 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-4.2.1-2, Zones Z01-Z04 Port, b2, h1, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-4.2.1, Zones Z01-Z04 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-4.2.0-2, Zones Z01-Z04 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-4.2.0, Zones Z01-Z04 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-4.3.1-2, Zones Z01-Z04 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-4.3.1, Zones Z01-Z04 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-4.3.0-2, Zones Z01-Z04 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-4.3.0, Zones Z01-Z04 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

-----

Damage case : SDSP2-5.1.1-1, Zones Z02-Z05 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-5.1.1-2, Zones Z02-Z05 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-5.1.1, Zones Z02-Z05 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-5.1.2-1, Zones Z02-Z05 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-5.1.2-2, Zones Z02-Z05 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-5.1.2, Zones Z02-Z05 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-5.1.0-1, Zones Z02-Z05 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-5.1.0-2, Zones Z02-Z05 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-5.1.0, Zones Z02-Z05 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-5.2.1-1, Zones Z02-Z05 Port, b2, h1, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.2.1-2, Zones Z02-Z05 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.2.1, Zones Z02-Z05 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.2.2-1, Zones Z02-Z05 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.2.2-2, Zones Z02-Z05 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.2.2, Zones Z02-Z05 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.2.0-1, Zones Z02-Z05 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.2.0-2, Zones Z02-Z05 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.2.0, Zones Z02-Z05 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.3.1-1, Zones Z02-Z05 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.3.1-2, Zones Z02-Z05 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.3.1, Zones Z02-Z05 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.3.2-1, Zones Z02-Z05 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.3.2-2, Zones Z02-Z05 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.3.2, Zones Z02-Z05 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.3.0-1, Zones Z02-Z05 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.3.0-2, Zones Z02-Z05 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.3.0, Zones Z02-Z05 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.4.1-1, Zones Z02-Z05 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.4.1-2, Zones Z02-Z05 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.4.1, Zones Z02-Z05 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.4.2-1, Zones Z02-Z05 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.4.2-2, Zones Z02-Z05 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.4.2, Zones Z02-Z05 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.4.0-1, Zones Z02-Z05 Port, b4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.4.0-2, Zones Z02-Z05 Port, b4, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-5.4.0, Zones Z02-Z05 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP3-6.1.1-1, Zones Z03-Z06 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.1.1-2, Zones Z03-Z06 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.1.1-3, Zones Z03-Z06 Port, b1, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.1.1, Zones Z03-Z06 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.1.2-1, Zones Z03-Z06 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.1.2-2, Zones Z03-Z06 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.1.2-3, Zones Z03-Z06 Port, b1, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.1.2, Zones Z03-Z06 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.1.0-1, Zones Z03-Z06 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.1.0-2, Zones Z03-Z06 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.1.0-3, Zones Z03-Z06 Port, b1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.1.0, Zones Z03-Z06 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.2.1-1, Zones Z03-Z06 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.2.1-2, Zones Z03-Z06 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.2.1-3, Zones Z03-Z06 Port, b2, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.2.1, Zones Z03-Z06 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.2.2-1, Zones Z03-Z06 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.2.2-2, Zones Z03-Z06 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.2.2-3, Zones Z03-Z06 Port, b2, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.2.2, Zones Z03-Z06 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.2.0-1, Zones Z03-Z06 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.2.0-2, Zones Z03-Z06 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.2.0-3, Zones Z03-Z06 Port, b2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.2.0, Zones Z03-Z06 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.3.1-1, Zones Z03-Z06 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.3.1-2, Zones Z03-Z06 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.3.1-3, Zones Z03-Z06 Port, b3, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.3.1, Zones Z03-Z06 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.3.2-1, Zones Z03-Z06 Port, b3, h2, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.3.2-2, Zones Z03-Z06 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.3.2-3, Zones Z03-Z06 Port, b3, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.3.2, Zones Z03-Z06 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.3.0-1, Zones Z03-Z06 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.3.0-2, Zones Z03-Z06 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.3.0-3, Zones Z03-Z06 Port, b3, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.3.0, Zones Z03-Z06 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.4.1-1, Zones Z03-Z06 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.4.1-2, Zones Z03-Z06 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.4.1-3, Zones Z03-Z06 Port, b4, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.4.1, Zones Z03-Z06 Port, b4, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.4.2-1, Zones Z03-Z06 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.4.2-2, Zones Z03-Z06 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.4.2-3, Zones Z03-Z06 Port, b4, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.4.2, Zones Z03-Z06 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.4.0-1, Zones Z03-Z06 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.4.0-2, Zones Z03-Z06 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-6.4.0-3, Zones Z03-Z06 Port, b4, l.ext3





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-6.4.0, Zones Z03-Z06 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.1-1, Zones Z04-Z07 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.1-2, Zones Z04-Z07 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.1-3, Zones Z04-Z07 Port, b1, h1, l.ext3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.1-4, Zones Z04-Z07 Port, b1, h1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.1.1, Zones Z04-Z07 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.2-1, Zones Z04-Z07 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.2-2, Zones Z04-Z07 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.2-3, Zones Z04-Z07 Port, b1, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.2-4, Zones Z04-Z07 Port, b1, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.1.2, Zones Z04-Z07 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.0-1, Zones Z04-Z07 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.0-2, Zones Z04-Z07 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.0-3, Zones Z04-Z07 Port, b1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.1.0-4, Zones Z04-Z07 Port, b1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.1.0, Zones Z04-Z07 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.1-1, Zones Z04-Z07 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.1-2, Zones Z04-Z07 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.1-3, Zones Z04-Z07 Port, b2, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.1-4, Zones Z04-Z07 Port, b2, h1, l.ext4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.2.1, Zones Z04-Z07 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.2-1, Zones Z04-Z07 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.2-2, Zones Z04-Z07 Port, b2, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69



Damage case : SDSP4-7.2.2-3, Zones Z04-Z07 Port, b2, h2, 1.ext3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.2-4, Zones Z04-Z07 Port, b2, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.2.2, Zones Z04-Z07 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.0-1, Zones Z04-Z07 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.0-2, Zones Z04-Z07 Port, b2, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.0-3, Zones Z04-Z07 Port, b2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.2.0-4, Zones Z04-Z07 Port, b2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.2.0, Zones Z04-Z07 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.1-1, Zones Z04-Z07 Port, b3, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.1-2, Zones Z04-Z07 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.1-3, Zones Z04-Z07 Port, b3, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.1-4, Zones Z04-Z07 Port, b3, h1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.3.1, Zones Z04-Z07 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.2-1, Zones Z04-Z07 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.2-2, Zones Z04-Z07 Port, b3, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.2-3, Zones Z04-Z07 Port, b3, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.2-4, Zones Z04-Z07 Port, b3, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.3.2, Zones Z04-Z07 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.0-1, Zones Z04-Z07 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.0-2, Zones Z04-Z07 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.0-3, Zones Z04-Z07 Port, b3, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.3.0-4, Zones Z04-Z07 Port, b3, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.3.0, Zones Z04-Z07 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.1-1, Zones Z04-Z07 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.1-2, Zones Z04-Z07 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.1-3, Zones Z04-Z07 Port, b4, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.1-4, Zones Z04-Z07 Port, b4, h1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.4.1, Zones Z04-Z07 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.2-1, Zones Z04-Z07 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.2-2, Zones Z04-Z07 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.2-3, Zones Z04-Z07 Port, b4, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.2-4, Zones Z04-Z07 Port, b4, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.4.2, Zones Z04-Z07 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.0-1, Zones Z04-Z07 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.0-2, Zones Z04-Z07 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.0-3, Zones Z04-Z07 Port, b4, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-7.4.0-4, Zones Z04-Z07 Port, b4, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-7.4.0, Zones Z04-Z07 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP5-8.1.1-1, Zones Z05-Z08 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.1-2, Zones Z05-Z08 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.1-3, Zones Z05-Z08 Port, b1, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.1, Zones Z05-Z08 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.2-1, Zones Z05-Z08 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.2-2, Zones Z05-Z08 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.2-3, Zones Z05-Z08 Port, b1, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.2, Zones Z05-Z08 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.0-1, Zones Z05-Z08 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.0-2, Zones Z05-Z08 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.0-3, Zones Z05-Z08 Port, b1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.1.0, Zones Z05-Z08 Port, b1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.1-1, Zones Z05-Z08 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.1-2, Zones Z05-Z08 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.1-3, Zones Z05-Z08 Port, b2, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.1, Zones Z05-Z08 Port, b2, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.2-1, Zones Z05-Z08 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.2-2, Zones Z05-Z08 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.2-3, Zones Z05-Z08 Port, b2, h2, l.ext3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.2, Zones Z05-Z08 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.0-1, Zones Z05-Z08 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.0-2, Zones Z05-Z08 Port, b2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.0-3, Zones Z05-Z08 Port, b2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.2.0, Zones Z05-Z08 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.1-1, Zones Z05-Z08 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.1-2, Zones Z05-Z08 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.1-3, Zones Z05-Z08 Port, b3, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.1, Zones Z05-Z08 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.2-1, Zones Z05-Z08 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.2-2, Zones Z05-Z08 Port, b3, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.2-3, Zones Z05-Z08 Port, b3, h2, 1.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.2, Zones Z05-Z08 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.0-1, Zones Z05-Z08 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.0-2, Zones Z05-Z08 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.0-3, Zones Z05-Z08 Port, b3, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-8.3.0, Zones Z05-Z08 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP6-9.1.1-1, Zones Z06-Z09 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.1.1-2, Zones Z06-Z09 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.1.1, Zones Z06-Z09 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.1.2-1, Zones Z06-Z09 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.1.2-2, Zones Z06-Z09 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.1.2, Zones Z06-Z09 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.1.0-1, Zones Z06-Z09 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.1.0-2, Zones Z06-Z09 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00



Damage case : SDSP6-9.1.0, Zones Z06-Z09 Port, b1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.2.1-1, Zones Z06-Z09 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.2.1-2, Zones Z06-Z09 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.2.1, Zones Z06-Z09 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.2.2-1, Zones Z06-Z09 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.2.2-2, Zones Z06-Z09 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.2.2, Zones Z06-Z09 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.2.0-1, Zones Z06-Z09 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.2.0-2, Zones Z06-Z09 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.2.0, Zones Z06-Z09 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.3.1-1, Zones Z06-Z09 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.3.1-2, Zones Z06-Z09 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.3.1, Zones Z06-Z09 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.3.2-1, Zones Z06-Z09 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.3.2-2, Zones Z06-Z09 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.3.2, Zones Z06-Z09 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.3.0-1, Zones Z06-Z09 Port, b3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.3.0-2, Zones Z06-Z09 Port, b3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-9.3.0, Zones Z06-Z09 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
312C	Cargo	0.95	2791.2	39.90	0.00	5.05



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP7-10.1.1-1, Zones Z07-Z10 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-10.1.1, Zones Z07-Z10 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-10.1.2-1, Zones Z07-Z10 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.1.2, Zones Z07-Z10 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.1.0-1, Zones Z07-Z10 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.1.0, Zones Z07-Z10 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.2.1-1, Zones Z07-Z10 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-10.2.1, Zones Z07-Z10 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-10.2.2-1, Zones Z07-Z10 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.2.2, Zones Z07-Z10 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.2.0-1, Zones Z07-Z10 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.2.0, Zones Z07-Z10 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.3.1-1, Zones Z07-Z10 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-10.3.1, Zones Z07-Z10 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-10.3.2-1, Zones Z07-Z10 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.3.2, Zones Z07-Z10 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.3.0-1, Zones Z07-Z10 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-10.3.0, Zones Z07-Z10 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP8-11.1.1-1, Zones Z08-Z11 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-11.1.1, Zones Z08-Z11 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-11.1.2-1, Zones Z08-Z11 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.1.2, Zones Z08-Z11 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.1.0-1, Zones Z08-Z11 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.1.0, Zones Z08-Z11 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.2.1-1, Zones Z08-Z11 Port, b2, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-11.2.1, Zones Z08-Z11 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-11.2.2-1, Zones Z08-Z11 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.2.2, Zones Z08-Z11 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.2.0-1, Zones Z08-Z11 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.2.0, Zones Z08-Z11 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.3.1-1, Zones Z08-Z11 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-11.3.1, Zones Z08-Z11 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-11.3.2-1, Zones Z08-Z11 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.3.2, Zones Z08-Z11 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.3.0-1, Zones Z08-Z11 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-11.3.0, Zones Z08-Z11 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP9-12.1.1-1, Zones Z09-Z12 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-12.1.1, Zones Z09-Z12 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-12.1.2-1, Zones Z09-Z12 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.1.2, Zones Z09-Z12 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.1.0-1, Zones Z09-Z12 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.1.0, Zones Z09-Z12 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.2.1-1, Zones Z09-Z12 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-12.2.1, Zones Z09-Z12 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-12.2.2-1, Zones Z09-Z12 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.2.2, Zones Z09-Z12 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.2.0-1, Zones Z09-Z12 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.2.0, Zones Z09-Z12 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.3.1-1, Zones Z09-Z12 Port, b3, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-12.3.1, Zones Z09-Z12 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-12.3.2-1, Zones Z09-Z12 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.3.2, Zones Z09-Z12 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.3.0-1, Zones Z09-Z12 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-12.3.0, Zones Z09-Z12 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP10-13.1.1-1, Zones Z10-Z13 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-13.1.1, Zones Z10-Z13 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-13.1.2-1, Zones Z10-Z13 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-13.1.2, Zones Z10-Z13 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-13.1.3-1, Zones Z10-Z13 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.1.3, Zones Z10-Z13 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.1.4-1, Zones Z10-Z13 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.1.4, Zones Z10-Z13 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.1.0-1, Zones Z10-Z13 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.1.0, Zones Z10-Z13 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.2.1-1, Zones Z10-Z13 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.2.1, Zones Z10-Z13 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.2.2-1, Zones Z10-Z13 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.2.2, Zones Z10-Z13 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.2.3-1, Zones Z10-Z13 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.2.3, Zones Z10-Z13 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.2.4-1, Zones Z10-Z13 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.2.4, Zones Z10-Z13 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.2.0-1, Zones Z10-Z13 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.2.0, Zones Z10-Z13 Port, b2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.3.1-1, Zones Z10-Z13 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.3.1, Zones Z10-Z13 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.3.2-1, Zones Z10-Z13 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.3.2, Zones Z10-Z13 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.3.3-1, Zones Z10-Z13 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.3.3, Zones Z10-Z13 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.3.4-1, Zones Z10-Z13 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.3.4, Zones Z10-Z13 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.3.0-1, Zones Z10-Z13 Port, b3, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.3.0, Zones Z10-Z13 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.4.1-1, Zones Z10-Z13 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.4.1, Zones Z10-Z13 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.4.2-1, Zones Z10-Z13 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.4.2, Zones Z10-Z13 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-13.4.3-1, Zones Z10-Z13 Port, b4, h3, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.4.3, Zones Z10-Z13 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.4.4-1, Zones Z10-Z13 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.4.4, Zones Z10-Z13 Port, b4, h4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.4.0-1, Zones Z10-Z13 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-13.4.0, Zones Z10-Z13 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.1.1-1, Zones Z11-Z14 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-14.1.1, Zones Z11-Z14 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-14.1.2-1, Zones Z11-Z14 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-14.1.2, Zones Z11-Z14 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-14.1.3-1, Zones Z11-Z14 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.1.3, Zones Z11-Z14 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.1.4-1, Zones Z11-Z14 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.1.4, Zones Z11-Z14 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.1.0-1, Zones Z11-Z14 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.1.0, Zones Z11-Z14 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.2.1-1, Zones Z11-Z14 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.2.1, Zones Z11-Z14 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.2.2-1, Zones Z11-Z14 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.2.2, Zones Z11-Z14 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.2.3-1, Zones Z11-Z14 Port, b2, h3, 1.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.2.3, Zones Z11-Z14 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.2.4-1, Zones Z11-Z14 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.2.4, Zones Z11-Z14 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.2.0-1, Zones Z11-Z14 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.2.0, Zones Z11-Z14 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.3.1-1, Zones Z11-Z14 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.3.1, Zones Z11-Z14 Port, b3, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.3.2-1, Zones Z11-Z14 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.3.2, Zones Z11-Z14 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.3.3-1, Zones Z11-Z14 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.3.3, Zones Z11-Z14 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.3.4-1, Zones Z11-Z14 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.3.4, Zones Z11-Z14 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF11-14.3.0-1, Zones Z11-Z14 Port, b3, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.3.0, Zones Z11-Z14 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.4.1-1, Zones Z11-Z14 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.4.1, Zones Z11-Z14 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.4.2-1, Zones Z11-Z14 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.4.2, Zones Z11-Z14 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.4.3-1, Zones Z11-Z14 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.4.3, Zones Z11-Z14 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.4.4-1, Zones Z11-Z14 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.4.4, Zones Z11-Z14 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.4.0-1, Zones Z11-Z14 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.4.0, Zones Z11-Z14 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.5.1-1, Zones Z11-Z14 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.5.1, Zones Z11-Z14 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.5.2-1, Zones Z11-Z14 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.5.2, Zones Z11-Z14 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.5.3-1, Zones Z11-Z14 Port, b5, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.5.3, Zones Z11-Z14 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.5.4-1, Zones Z11-Z14 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.5.4, Zones Z11-Z14 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.5.0-1, Zones Z11-Z14 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.5.0, Zones Z11-Z14 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.6.1-1, Zones Z11-Z14 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.6.1, Zones Z11-Z14 Port, b6, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.6.2-1, Zones Z11-Z14 Port, b6, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.6.2, Zones Z11-Z14 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-14.6.3-1, Zones Z11-Z14 Port, b6, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.6.3, Zones Z11-Z14 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00



Damage case : SDSF11-14.6.4-1, Zones Z11-Z14 Port, b6, h4, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.6.4, Zones Z11-Z14 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.6.0-1, Zones Z11-Z14 Port, b6, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-14.6.0, Zones Z11-Z14 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.1.1-1, Zones Z12-Z15 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12-15.1.1, Zones Z12-Z15 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12-15.1.2-1, Zones Z12-Z15 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSF12-15.1.2, Zones Z12-Z15 Port, b1, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12-15.1.3-1, Zones Z12-Z15 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.1.3, Zones Z12-Z15 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.1.4-1, Zones Z12-Z15 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.1.4, Zones Z12-Z15 Port, b1, h4





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.1.0-1, Zones Z12-Z15 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.1.0, Zones Z12-Z15 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.2.1-1, Zones Z12-Z15 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.2.1, Zones Z12-Z15 Port, b2, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.2.2-1, Zones Z12-Z15 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.2.2, Zones Z12-Z15 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.2.3-1, Zones Z12-Z15 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.2.3, Zones Z12-Z15 Port, b2, h3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.2.4-1, Zones Z12-Z15 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.2.4, Zones Z12-Z15 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.2.0-1, Zones Z12-Z15 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.2.0, Zones Z12-Z15 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.3.1-1, Zones Z12-Z15 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.3.1, Zones Z12-Z15 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.3.2-1, Zones Z12-Z15 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.3.2, Zones Z12-Z15 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.3.3-1, Zones Z12-Z15 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.3.3, Zones Z12-Z15 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.3.4-1, Zones Z12-Z15 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.3.4, Zones Z12-Z15 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.3.0-1, Zones Z12-Z15 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.3.0, Zones Z12-Z15 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.4.1-1, Zones Z12-Z15 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.4.1, Zones Z12-Z15 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.4.2-1, Zones Z12-Z15 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.4.2, Zones Z12-Z15 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.4.3-1, Zones Z12-Z15 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.4.3, Zones Z12-Z15 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.4.4-1, Zones Z12-Z15 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.4.4, Zones Z12-Z15 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.4.0-1, Zones Z12-Z15 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.4.0, Zones Z12-Z15 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.5.1-1, Zones Z12-Z15 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.5.1, Zones Z12-Z15 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.5.2-1, Zones Z12-Z15 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.5.2, Zones Z12-Z15 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.5.3-1, Zones Z12-Z15 Port, b5, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.5.3, Zones Z12-Z15 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.5.4-1, Zones Z12-Z15 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF12-15.5.4, Zones Z12-Z15 Port, b5, h4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.5.0-1, Zones Z12-Z15 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.5.0, Zones Z12-Z15 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.6.1-1, Zones Z12-Z15 Port, b6, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.6.1, Zones Z12-Z15 Port, b6, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.6.2-1, Zones Z12-Z15 Port, b6, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.6.2, Zones Z12-Z15 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.6.3-1, Zones Z12-Z15 Port, b6, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.6.3, Zones Z12-Z15 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.6.4-1, Zones Z12-Z15 Port, b6, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.6.4, Zones Z12-Z15 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.6.0-1, Zones Z12-Z15 Port, b6, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.6.0, Zones Z12-Z15 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.7.1-1, Zones Z12-Z15 Port, b7, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.7.1, Zones Z12-Z15 Port, b7, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.7.2-1, Zones Z12-Z15 Port, b7, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSF12-15.7.2, Zones Z12-Z15 Port, b7, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.7.3-1, Zones Z12-Z15 Port, b7, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.7.3, Zones Z12-Z15 Port, b7, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.7.4-1, Zones Z12-Z15 Port, b7, h4, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.7.4, Zones Z12-Z15 Port, b7, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.7.0-1, Zones Z12-Z15 Port, b7, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.7.0, Zones Z12-Z15 Port, b7

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.8.1-1, Zones Z12-Z15 Port, b8, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.8.1, Zones Z12-Z15 Port, b8, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.8.2-1, Zones Z12-Z15 Port, b8, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.8.2, Zones Z12-Z15 Port, b8, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-15.8.3-1, Zones Z12-Z15 Port, b8, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.8.3, Zones Z12-Z15 Port, b8, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.8.4-1, Zones Z12-Z15 Port, b8, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.8.4, Zones Z12-Z15 Port, b8, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.8.0-1, Zones Z12-Z15 Port, b8, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-15.8.0, Zones Z12-Z15 Port, b8

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.1.1-1, Zones Z13-Z16 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-16.1.1-2, Zones Z13-Z16 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-16.1.1, Zones Z13-Z16 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-16.1.2-1, Zones Z13-Z16 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-16.1.2-2, Zones Z13-Z16 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-16.1.2, Zones Z13-Z16 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

Damage case : SDSP13-16.1.3-1, Zones Z13-Z16 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.1.3-2, Zones Z13-Z16 Port, b1, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.1.3, Zones Z13-Z16 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.1.4-1, Zones Z13-Z16 Port, b1, h4, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.1.4-2, Zones Z13-Z16 Port, b1, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.1.4, Zones Z13-Z16 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.1.0-1, Zones Z13-Z16 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.1.0-2, Zones Z13-Z16 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.1.0, Zones Z13-Z16 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.2.1-1, Zones Z13-Z16 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.2.1-2, Zones Z13-Z16 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.2.1, Zones Z13-Z16 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.2.2-1, Zones Z13-Z16 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.2.2-2, Zones Z13-Z16 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.2.2, Zones Z13-Z16 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.2.3-1, Zones Z13-Z16 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.2.3-2, Zones Z13-Z16 Port, b2, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.2.3, Zones Z13-Z16 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.2.4-1, Zones Z13-Z16 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.2.4-2, Zones Z13-Z16 Port, b2, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.2.4, Zones Z13-Z16 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.2.0-1, Zones Z13-Z16 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.2.0-2, Zones Z13-Z16 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.2.0, Zones Z13-Z16 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.3.1-1, Zones Z13-Z16 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.3.1-2, Zones Z13-Z16 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.3.1, Zones Z13-Z16 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.3.2-1, Zones Z13-Z16 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.3.2-2, Zones Z13-Z16 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.3.2, Zones Z13-Z16 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.3.3-1, Zones Z13-Z16 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.3.3-2, Zones Z13-Z16 Port, b3, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.3.3, Zones Z13-Z16 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.3.4-1, Zones Z13-Z16 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00



Damage case : SDSP13-16.3.4-2, Zones Z13-Z16 Port, b3, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.3.4, Zones Z13-Z16 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.3.0-1, Zones Z13-Z16 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.3.0-2, Zones Z13-Z16 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.3.0, Zones Z13-Z16 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.4.1-1, Zones Z13-Z16 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.4.1-2, Zones Z13-Z16 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.4.1, Zones Z13-Z16 Port, b4, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.4.2-1, Zones Z13-Z16 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.4.2-2, Zones Z13-Z16 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.4.2, Zones Z13-Z16 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.4.3-1, Zones Z13-Z16 Port, b4, h3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.4.3-2, Zones Z13-Z16 Port, b4, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.4.3, Zones Z13-Z16 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.4.4-1, Zones Z13-Z16 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.4.4-2, Zones Z13-Z16 Port, b4, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.4.4, Zones Z13-Z16 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.4.0-1, Zones Z13-Z16 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00



Damage case : SDSF13-16.4.0-2, Zones Z13-Z16 Port, b4, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.4.0, Zones Z13-Z16 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.5.1-1, Zones Z13-Z16 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.5.1-2, Zones Z13-Z16 Port, b5, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSF13-16.5.1, Zones Z13-Z16 Port, b5, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.5.2-1, Zones Z13-Z16 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.5.2-2, Zones Z13-Z16 Port, b5, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.5.2, Zones Z13-Z16 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.5.3-1, Zones Z13-Z16 Port, b5, h3, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.5.3-2, Zones Z13-Z16 Port, b5, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.5.3, Zones Z13-Z16 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.5.4-1, Zones Z13-Z16 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.5.4-2, Zones Z13-Z16 Port, b5, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.5.4, Zones Z13-Z16 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.5.0-1, Zones Z13-Z16 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.5.0-2, Zones Z13-Z16 Port, b5, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.5.0, Zones Z13-Z16 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.6.1-1, Zones Z13-Z16 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.6.1-2, Zones Z13-Z16 Port, b6, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.6.1, Zones Z13-Z16 Port, b6, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.6.2-1, Zones Z13-Z16 Port, b6, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.6.2-2, Zones Z13-Z16 Port, b6, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.6.2, Zones Z13-Z16 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.6.3-1, Zones Z13-Z16 Port, b6, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.6.3-2, Zones Z13-Z16 Port, b6, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.6.3, Zones Z13-Z16 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.6.4-1, Zones Z13-Z16 Port, b6, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.6.4-2, Zones Z13-Z16 Port, b6, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.6.4, Zones Z13-Z16 Port, b6, h4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.6.0-1, Zones Z13-Z16 Port, b6, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.6.0-2, Zones Z13-Z16 Port, b6, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.6.0, Zones Z13-Z16 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.7.1-1, Zones Z13-Z16 Port, b7, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.7.1-2, Zones Z13-Z16 Port, b7, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.7.1, Zones Z13-Z16 Port, b7, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.7.2-1, Zones Z13-Z16 Port, b7, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.7.2-2, Zones Z13-Z16 Port, b7, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.7.2, Zones Z13-Z16 Port, b7, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-16.7.3-1, Zones Z13-Z16 Port, b7, h3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.7.3-2, Zones Z13-Z16 Port, b7, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.7.3, Zones Z13-Z16 Port, b7, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.7.4-1, Zones Z13-Z16 Port, b7, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.7.4-2, Zones Z13-Z16 Port, b7, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.7.4, Zones Z13-Z16 Port, b7, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.7.0-1, Zones Z13-Z16 Port, b7, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.7.0-2, Zones Z13-Z16 Port, b7, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-16.7.0, Zones Z13-Z16 Port, b7

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.1.1-1, Zones Z14-Z17 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.1.1-2, Zones Z14-Z17 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.1.1, Zones Z14-Z17 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.1.2-1, Zones Z14-Z17 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.1.2-2, Zones Z14-Z17 Port, b1, h2, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.1.2, Zones Z14-Z17 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.1.3-1, Zones Z14-Z17 Port, b1, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.1.3-2, Zones Z14-Z17 Port, b1, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.1.3, Zones Z14-Z17 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.1.4-1, Zones Z14-Z17 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.1.4-2, Zones Z14-Z17 Port, b1, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.1.4, Zones Z14-Z17 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.1.0-1, Zones Z14-Z17 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.1.0-2, Zones Z14-Z17 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.1.0, Zones Z14-Z17 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.2.1-1, Zones Z14-Z17 Port, b2, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.2.1-2, Zones Z14-Z17 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.2.1, Zones Z14-Z17 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.2.2-1, Zones Z14-Z17 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.2.2-2, Zones Z14-Z17 Port, b2, h2, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.2.2, Zones Z14-Z17 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-17.2.3-1, Zones Z14-Z17 Port, b2, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.2.3-2, Zones Z14-Z17 Port, b2, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.2.3, Zones Z14-Z17 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.2.4-1, Zones Z14-Z17 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.2.4-2, Zones Z14-Z17 Port, b2, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.2.4, Zones Z14-Z17 Port, b2, h4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.2.0-1, Zones Z14-Z17 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.2.0-2, Zones Z14-Z17 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.2.0, Zones Z14-Z17 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.3.1-1, Zones Z14-Z17 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.3.1-2, Zones Z14-Z17 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.3.1, Zones Z14-Z17 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.3.2-1, Zones Z14-Z17 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.3.2-2, Zones Z14-Z17 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.3.2, Zones Z14-Z17 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.3.3-1, Zones Z14-Z17 Port, b3, h3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.3.3-2, Zones Z14-Z17 Port, b3, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.3.3, Zones Z14-Z17 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.3.4-1, Zones Z14-Z17 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.3.4-2, Zones Z14-Z17 Port, b3, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.3.4, Zones Z14-Z17 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.3.0-1, Zones Z14-Z17 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.3.0-2, Zones Z14-Z17 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.3.0, Zones Z14-Z17 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.4.1-1, Zones Z14-Z17 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.4.1-2, Zones Z14-Z17 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.4.1, Zones Z14-Z17 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.4.2-1, Zones Z14-Z17 Port, b4, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.4.2-2, Zones Z14-Z17 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.4.2, Zones Z14-Z17 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.4.3-1, Zones Z14-Z17 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.4.3-2, Zones Z14-Z17 Port, b4, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.4.3, Zones Z14-Z17 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.4.4-1, Zones Z14-Z17 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.4.4-2, Zones Z14-Z17 Port, b4, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.4.4, Zones Z14-Z17 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.4.0-1, Zones Z14-Z17 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.4.0-2, Zones Z14-Z17 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.4.0, Zones Z14-Z17 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.5.1-1, Zones Z14-Z17 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.5.1-2, Zones Z14-Z17 Port, b5, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.5.1, Zones Z14-Z17 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.5.2-1, Zones Z14-Z17 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.5.2-2, Zones Z14-Z17 Port, b5, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.5.2, Zones Z14-Z17 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.5.3-1, Zones Z14-Z17 Port, b5, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.5.3-2, Zones Z14-Z17 Port, b5, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.5.3, Zones Z14-Z17 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.5.4-1, Zones Z14-Z17 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.5.4-2, Zones Z14-Z17 Port, b5, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.5.4, Zones Z14-Z17 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.5.0-1, Zones Z14-Z17 Port, b5, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.5.0-2, Zones Z14-Z17 Port, b5, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.5.0, Zones Z14-Z17 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.6.1-1, Zones Z14-Z17 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.6.1-2, Zones Z14-Z17 Port, b6, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.6.1, Zones Z14-Z17 Port, b6, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.6.2-1, Zones Z14-Z17 Port, b6, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.6.2-2, Zones Z14-Z17 Port, b6, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.6.2, Zones Z14-Z17 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.6.3-1, Zones Z14-Z17 Port, b6, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.6.3-2, Zones Z14-Z17 Port, b6, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.6.3, Zones Z14-Z17 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.6.4-1, Zones Z14-Z17 Port, b6, h4, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.6.4-2, Zones Z14-Z17 Port, b6, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.6.4, Zones Z14-Z17 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.6.0-1, Zones Z14-Z17 Port, b6, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.6.0-2, Zones Z14-Z17 Port, b6, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.6.0, Zones Z14-Z17 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.7.1-1, Zones Z14-Z17 Port, b7, h1, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.7.1-2, Zones Z14-Z17 Port, b7, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.7.1, Zones Z14-Z17 Port, b7, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.7.2-1, Zones Z14-Z17 Port, b7, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.7.2-2, Zones Z14-Z17 Port, b7, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.7.2, Zones Z14-Z17 Port, b7, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-17.7.3-1, Zones Z14-Z17 Port, b7, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.7.3-2, Zones Z14-Z17 Port, b7, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.7.3, Zones Z14-Z17 Port, b7, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.7.4-1, Zones Z14-Z17 Port, b7, h4, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.7.4-2, Zones Z14-Z17 Port, b7, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.7.4, Zones Z14-Z17 Port, b7, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.7.0-1, Zones Z14-Z17 Port, b7, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.7.0-2, Zones Z14-Z17 Port, b7, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-17.7.0, Zones Z14-Z17 Port, b7

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.1.1-1, Zones Z15-Z18 Port, b1, h1, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.1.1-2, Zones Z15-Z18 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.1.1, Zones Z15-Z18 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.1.2-1, Zones Z15-Z18 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.1.2-2, Zones Z15-Z18 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.1.2, Zones Z15-Z18 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.1.3-1, Zones Z15-Z18 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.1.3-2, Zones Z15-Z18 Port, b1, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.1.3, Zones Z15-Z18 Port, b1, h3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.1.4-1, Zones Z15-Z18 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.1.4-2, Zones Z15-Z18 Port, b1, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.1.4, Zones Z15-Z18 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.1.0-1, Zones Z15-Z18 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.1.0-2, Zones Z15-Z18 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.1.0, Zones Z15-Z18 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.2.1-1, Zones Z15-Z18 Port, b2, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.2.1-2, Zones Z15-Z18 Port, b2, h1, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.2.1, Zones Z15-Z18 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.2.2-1, Zones Z15-Z18 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.2.2-2, Zones Z15-Z18 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.2.2, Zones Z15-Z18 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP15-18.2.3-1, Zones Z15-Z18 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00



Damage case : SDSP15-18.2.3-2, Zones Z15-Z18 Port, b2, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.2.3, Zones Z15-Z18 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.2.4-1, Zones Z15-Z18 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.2.4-2, Zones Z15-Z18 Port, b2, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.2.4, Zones Z15-Z18 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.2.0-1, Zones Z15-Z18 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.2.0-2, Zones Z15-Z18 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.2.0, Zones Z15-Z18 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.3.1-1, Zones Z15-Z18 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-18.3.1-2, Zones Z15-Z18 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-18.3.1, Zones Z15-Z18 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-18.3.2-1, Zones Z15-Z18 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-18.3.2-2, Zones Z15-Z18 Port, b3, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSF15-18.3.2, Zones Z15-Z18 Port, b3, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

Damage case : SDSP15-18.3.3-1, Zones Z15-Z18 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.3.3-2, Zones Z15-Z18 Port, b3, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.3.3, Zones Z15-Z18 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.3.4-1, Zones Z15-Z18 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.3.4-2, Zones Z15-Z18 Port, b3, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.3.4, Zones Z15-Z18 Port, b3, h4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.3.0-1, Zones Z15-Z18 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.3.0-2, Zones Z15-Z18 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.3.0, Zones Z15-Z18 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.4.1-1, Zones Z15-Z18 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.4.1-2, Zones Z15-Z18 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.4.1, Zones Z15-Z18 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.4.2-1, Zones Z15-Z18 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.4.2-2, Zones Z15-Z18 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.4.2, Zones Z15-Z18 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.4.3-1, Zones Z15-Z18 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.4.3-2, Zones Z15-Z18 Port, b4, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.4.3, Zones Z15-Z18 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.4.4-1, Zones Z15-Z18 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.4.4-2, Zones Z15-Z18 Port, b4, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.4.4, Zones Z15-Z18 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.4.0-1, Zones Z15-Z18 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.4.0-2, Zones Z15-Z18 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.4.0, Zones Z15-Z18 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.5.1-1, Zones Z15-Z18 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.5.1-2, Zones Z15-Z18 Port, b5, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.5.1, Zones Z15-Z18 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.5.2-1, Zones Z15-Z18 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.5.2-2, Zones Z15-Z18 Port, b5, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.5.2, Zones Z15-Z18 Port, b5, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP15-18.5.3-1, Zones Z15-Z18 Port, b5, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.5.3-2, Zones Z15-Z18 Port, b5, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.5.3, Zones Z15-Z18 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.5.4-1, Zones Z15-Z18 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.5.4-2, Zones Z15-Z18 Port, b5, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF15-18.5.4, Zones Z15-Z18 Port, b5, h4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.5.0-1, Zones Z15-Z18 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP15-18.5.0-2, Zones Z15-Z18 Port, b5, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF15-18.5.0, Zones Z15-Z18 Port, b5



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
21P	wb	0.95	287.5	94.48	-10.65	7.73
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP1-5.1.1-1, Zones Z01-Z05 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.1.1-2, Zones Z01-Z05 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.1.1, Zones Z01-Z05 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.1.2-1, Zones Z01-Z05 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.1.2-2, Zones Z01-Z05 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.1.2, Zones Z01-Z05 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.1.0-1, Zones Z01-Z05 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.1.0-2, Zones Z01-Z05 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.1.0, Zones Z01-Z05 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.2.1-1, Zones Z01-Z05 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.2.1-2, Zones Z01-Z05 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.2.1, Zones Z01-Z05 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.2.2-1, Zones Z01-Z05 Port, b2, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.2.2-2, Zones Z01-Z05 Port, b2, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.2.2, Zones Z01-Z05 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.2.0-1, Zones Z01-Z05 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.2.0-2, Zones Z01-Z05 Port, b2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.2.0, Zones Z01-Z05 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49

Damage case : SDSP1-5.3.1-1, Zones Z01-Z05 Port, b3, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.3.1-2, Zones Z01-Z05 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.3.1, Zones Z01-Z05 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.3.2-1, Zones Z01-Z05 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.3.2-2, Zones Z01-Z05 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.3.2, Zones Z01-Z05 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.3.0-1, Zones Z01-Z05 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.3.0-2, Zones Z01-Z05 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.3.0, Zones Z01-Z05 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.4.1-1, Zones Z01-Z05 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.4.1-2, Zones Z01-Z05 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.4.1, Zones Z01-Z05 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.4.2-1, Zones Z01-Z05 Port, b4, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.4.2-2, Zones Z01-Z05 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.4.2, Zones Z01-Z05 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.4.0-1, Zones Z01-Z05 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.4.0-2, Zones Z01-Z05 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.4.0, Zones Z01-Z05 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.5.1-1, Zones Z01-Z05 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.5.1-2, Zones Z01-Z05 Port, b5, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.5.1, Zones Z01-Z05 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.5.2-1, Zones Z01-Z05 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.5.2-2, Zones Z01-Z05 Port, b5, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.5.2, Zones Z01-Z05 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.5.0-1, Zones Z01-Z05 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.5.0-2, Zones Z01-Z05 Port, b5, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP1-5.5.0, Zones Z01-Z05 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
43P	fw	0.95	228.3	-5.38	-4.45	8.49
43S	fw	0.95	228.3	-5.38	4.45	8.49
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.1.1-1, Zones Z02-Z06 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.1-2, Zones Z02-Z06 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.1-3, Zones Z02-Z06 Port, b1, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.1, Zones Z02-Z06 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.2-1, Zones Z02-Z06 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.2-2, Zones Z02-Z06 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.2-3, Zones Z02-Z06 Port, b1, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.2, Zones Z02-Z06 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.0-1, Zones Z02-Z06 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.0-2, Zones Z02-Z06 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.0-3, Zones Z02-Z06 Port, b1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.1.0, Zones Z02-Z06 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75

Damage case : SDSP2-6.2.1-1, Zones Z02-Z06 Port, b2, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.1-2, Zones Z02-Z06 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.1-3, Zones Z02-Z06 Port, b2, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.1, Zones Z02-Z06 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.2-1, Zones Z02-Z06 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.2-2, Zones Z02-Z06 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.2-3, Zones Z02-Z06 Port, b2, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.2, Zones Z02-Z06 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.0-1, Zones Z02-Z06 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.0-2, Zones Z02-Z06 Port, b2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.0-3, Zones Z02-Z06 Port, b2, 1.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.2.0, Zones Z02-Z06 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.1-1, Zones Z02-Z06 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.1-2, Zones Z02-Z06 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.1-3, Zones Z02-Z06 Port, b3, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.1, Zones Z02-Z06 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.2-1, Zones Z02-Z06 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.2-2, Zones Z02-Z06 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.2-3, Zones Z02-Z06 Port, b3, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.2, Zones Z02-Z06 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.0-1, Zones Z02-Z06 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.0-2, Zones Z02-Z06 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.0-3, Zones Z02-Z06 Port, b3, l.ext3





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.3.0, Zones Z02-Z06 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.1-1, Zones Z02-Z06 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.1-2, Zones Z02-Z06 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.1-3, Zones Z02-Z06 Port, b4, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.1, Zones Z02-Z06 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.2-1, Zones Z02-Z06 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.2-2, Zones Z02-Z06 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.2-3, Zones Z02-Z06 Port, b4, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.2, Zones Z02-Z06 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.0-1, Zones Z02-Z06 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.0-2, Zones Z02-Z06 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.0-3, Zones Z02-Z06 Port, b4, l.ext3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP2-6.4.0, Zones Z02-Z06 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
323C	Cargo	0.95	891.1	20.40	0.00	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69
42P	wb	0.95	422.1	-0.25	-11.38	8.75
C41	Thruster room aft	.0.85	472.7	1.40	-4.25	8.80
C43	Thr aft ps	0.85	98.3	0.02	-5.99	8.09

Damage case : SDSP3-7.1.1-1, Zones Z03-Z07 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.1-2, Zones Z03-Z07 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.1-3, Zones Z03-Z07 Port, b1, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.1-4, Zones Z03-Z07 Port, b1, h1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.1.1, Zones Z03-Z07 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.2-1, Zones Z03-Z07 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.2-2, Zones Z03-Z07 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.2-3, Zones Z03-Z07 Port, b1, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.2-4, Zones Z03-Z07 Port, b1, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.1.2, Zones Z03-Z07 Port, b1, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.0-1, Zones Z03-Z07 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.0-2, Zones Z03-Z07 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.0-3, Zones Z03-Z07 Port, b1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.1.0-4, Zones Z03-Z07 Port, b1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.1.0, Zones Z03-Z07 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.1-1, Zones Z03-Z07 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.1-2, Zones Z03-Z07 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.1-3, Zones Z03-Z07 Port, b2, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.1-4, Zones Z03-Z07 Port, b2, h1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.2.1, Zones Z03-Z07 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.2-1, Zones Z03-Z07 Port, b2, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.2-2, Zones Z03-Z07 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.2-3, Zones Z03-Z07 Port, b2, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.2-4, Zones Z03-Z07 Port, b2, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.2.2, Zones Z03-Z07 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.0-1, Zones Z03-Z07 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.0-2, Zones Z03-Z07 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

-----

Damage case : SDSP3-7.2.0-3, Zones Z03-Z07 Port, b2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.2.0-4, Zones Z03-Z07 Port, b2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.2.0, Zones Z03-Z07 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.1-1, Zones Z03-Z07 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.1-2, Zones Z03-Z07 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.1-3, Zones Z03-Z07 Port, b3, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.1-4, Zones Z03-Z07 Port, b3, h1, l.ext4



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.3.1, Zones Z03-Z07 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.2-1, Zones Z03-Z07 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.2-2, Zones Z03-Z07 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.2-3, Zones Z03-Z07 Port, b3, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.2-4, Zones Z03-Z07 Port, b3, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.3.2, Zones Z03-Z07 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.0-1, Zones Z03-Z07 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.0-2, Zones Z03-Z07 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.0-3, Zones Z03-Z07 Port, b3, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.3.0-4, Zones Z03-Z07 Port, b3, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.3.0, Zones Z03-Z07 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.1-1, Zones Z03-Z07 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.1-2, Zones Z03-Z07 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.1-3, Zones Z03-Z07 Port, b4, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.1-4, Zones Z03-Z07 Port, b4, h1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.4.1, Zones Z03-Z07 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.2-1, Zones Z03-Z07 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.2-2, Zones Z03-Z07 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.2-3, Zones Z03-Z07 Port, b4, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.2-4, Zones Z03-Z07 Port, b4, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.4.2, Zones Z03-Z07 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.0-1, Zones Z03-Z07 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.0-2, Zones Z03-Z07 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.0-3, Zones Z03-Z07 Port, b4, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP3-7.4.0-4, Zones Z03-Z07 Port, b4, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80

Damage case : SDSP3-7.4.0, Zones Z03-Z07 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
412C	WB roll red	0.95	537.6	7.50	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.1-1, Zones Z04-Z08 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.1-2, Zones Z04-Z08 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.1-3, Zones Z04-Z08 Port, b1, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.1-4, Zones Z04-Z08 Port, b1, h1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.1.1, Zones Z04-Z08 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.2-1, Zones Z04-Z08 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.2-2, Zones Z04-Z08 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.2-3, Zones Z04-Z08 Port, b1, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.2-4, Zones Z04-Z08 Port, b1, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.1.2, Zones Z04-Z08 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.0-1, Zones Z04-Z08 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.0-2, Zones Z04-Z08 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.0-3, Zones Z04-Z08 Port, b1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.1.0-4, Zones Z04-Z08 Port, b1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.1.0, Zones Z04-Z08 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.1-1, Zones Z04-Z08 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.1-2, Zones Z04-Z08 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.1-3, Zones Z04-Z08 Port, b2, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.1-4, Zones Z04-Z08 Port, b2, h1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.2.1, Zones Z04-Z08 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.2-1, Zones Z04-Z08 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.2-2, Zones Z04-Z08 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.2-3, Zones Z04-Z08 Port, b2, h2, l.ext3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.2-4, Zones Z04-Z08 Port, b2, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.2.2, Zones Z04-Z08 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.0-1, Zones Z04-Z08 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.0-2, Zones Z04-Z08 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.0-3, Zones Z04-Z08 Port, b2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.2.0-4, Zones Z04-Z08 Port, b2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.2.0, Zones Z04-Z08 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.1-1, Zones Z04-Z08 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.1-2, Zones Z04-Z08 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.1-3, Zones Z04-Z08 Port, b3, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.1-4, Zones Z04-Z08 Port, b3, h1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.3.1, Zones Z04-Z08 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.2-1, Zones Z04-Z08 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.2-2, Zones Z04-Z08 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.2-3, Zones Z04-Z08 Port, b3, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.2-4, Zones Z04-Z08 Port, b3, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.3.2, Zones Z04-Z08 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.0-1, Zones Z04-Z08 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.0-2, Zones Z04-Z08 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.0-3, Zones Z04-Z08 Port, b3, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.3.0-4, Zones Z04-Z08 Port, b3, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.3.0, Zones Z04-Z08 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.1-1, Zones Z04-Z08 Port, b4, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.1-2, Zones Z04-Z08 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.1-3, Zones Z04-Z08 Port, b4, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.1-4, Zones Z04-Z08 Port, b4, h1, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.4.1, Zones Z04-Z08 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.2-1, Zones Z04-Z08 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.2-2, Zones Z04-Z08 Port, b4, h2, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.2-3, Zones Z04-Z08 Port, b4, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.2-4, Zones Z04-Z08 Port, b4, h2, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.4.2, Zones Z04-Z08 Port, b4, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.0-1, Zones Z04-Z08 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.0-2, Zones Z04-Z08 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.0-3, Zones Z04-Z08 Port, b4, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP4-8.4.0-4, Zones Z04-Z08 Port, b4, l.ext4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
411C	WB roll red	0.95	645.1	10.80	0.00	8.80

Damage case : SDSP4-8.4.0, Zones Z04-Z08 Port, b4





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44
401C	wb	0.95	306.4	3.46	0.00	4.12
410P	wb	0.95	170.7	9.42	-4.35	4.15
411C	WB roll red	0.95	645.1	10.80	0.00	8.80
41P	wb	0.95	50.7	9.66	-10.96	4.69

Damage case : SDSP5-9.1.1-1, Zones Z05-Z09 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.1-2, Zones Z05-Z09 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.1-3, Zones Z05-Z09 Port, b1, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.1, Zones Z05-Z09 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.2-1, Zones Z05-Z09 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.2-2, Zones Z05-Z09 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.2-3, Zones Z05-Z09 Port, b1, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.2, Zones Z05-Z09 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.0-1, Zones Z05-Z09 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.0-2, Zones Z05-Z09 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.0-3, Zones Z05-Z09 Port, b1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.1.0, Zones Z05-Z09 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.1-1, Zones Z05-Z09 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.1-2, Zones Z05-Z09 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.1-3, Zones Z05-Z09 Port, b2, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.1, Zones Z05-Z09 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.2-1, Zones Z05-Z09 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.2-2, Zones Z05-Z09 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.2-3, Zones Z05-Z09 Port, b2, h2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.2, Zones Z05-Z09 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.0-1, Zones Z05-Z09 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.0-2, Zones Z05-Z09 Port, b2, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.0-3, Zones Z05-Z09 Port, b2, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.2.0, Zones Z05-Z09 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.1-1, Zones Z05-Z09 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.1-2, Zones Z05-Z09 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.1-3, Zones Z05-Z09 Port, b3, h1, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.1, Zones Z05-Z09 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.2-1, Zones Z05-Z09 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.2-2, Zones Z05-Z09 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.2-3, Zones Z05-Z09 Port, b3, h2, l.ext3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.2, Zones Z05-Z09 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.0-1, Zones Z05-Z09 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.0-2, Zones Z05-Z09 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.0-3, Zones Z05-Z09 Port, b3, l.ext3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP5-9.3.0, Zones Z05-Z09 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
308C	wb	0.95	118.2	16.76	0.00	1.54
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00
38P	void	0.95	396.5	16.57	-11.10	7.44

Damage case : SDSP6-10.1.1-1, Zones Z06-Z10 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.1.1-2, Zones Z06-Z10 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.1.1, Zones Z06-Z10 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.1.2-1, Zones Z06-Z10 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.1.2-2, Zones Z06-Z10 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.1.2, Zones Z06-Z10 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.1.0-1, Zones Z06-Z10 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.1.0-2, Zones Z06-Z10 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.1.0, Zones Z06-Z10 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
33P	void	0.95	310.1	55.50	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.2.1-1, Zones Z06-Z10 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.2.1-2, Zones Z06-Z10 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.2.1, Zones Z06-Z10 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
33P	void	0.95	310.1	55.50	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.2.2-1, Zones Z06-Z10 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.2.2-2, Zones Z06-Z10 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.2.2, Zones Z06-Z10 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.2.0-1, Zones Z06-Z10 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.2.0-2, Zones Z06-Z10 Port, b2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.2.0, Zones Z06-Z10 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.3.1-1, Zones Z06-Z10 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.3.1-2, Zones Z06-Z10 Port, b3, h1, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.3.1, Zones Z06-Z10 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.3.2-1, Zones Z06-Z10 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.3.2-2, Zones Z06-Z10 Port, b3, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.3.2, Zones Z06-Z10 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00



Damage case : SDSP6-10.3.0-1, Zones Z06-Z10 Port, b3, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.3.0-2, Zones Z06-Z10 Port, b3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP6-10.3.0, Zones Z06-Z10 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
307C	wb	0.95	122.5	24.32	0.00	1.11
307P	wb	0.95	18.6	24.83	-8.40	1.41

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
313C	Cargo	0.95	1729.7	20.60	0.00	5.29
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
323C	Cargo	0.95	891.1	20.40	0.00	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30
37P	void	0.95	435.4	24.35	-11.14	7.00

Damage case : SDSP7-11.1.1-1, Zones Z07-Z11 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-11.1.1, Zones Z07-Z11 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-11.1.2-1, Zones Z07-Z11 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.1.2, Zones Z07-Z11 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.1.0-1, Zones Z07-Z11 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.1.0, Zones Z07-Z11 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.2.1-1, Zones Z07-Z11 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-11.2.1, Zones Z07-Z11 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-11.2.2-1, Zones Z07-Z11 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.2.2, Zones Z07-Z11 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.2.0-1, Zones Z07-Z11 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.2.0, Zones Z07-Z11 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.3.1-1, Zones Z07-Z11 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-11.3.1, Zones Z07-Z11 Port, b3, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05
36P	void	0.95	306.7	32.11	-11.17	5.09

Damage case : SDSP7-11.3.2-1, Zones Z07-Z11 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.3.2, Zones Z07-Z11 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.3.0-1, Zones Z07-Z11 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP7-11.3.0, Zones Z07-Z11 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
306C	wb	0.95	139.9	32.23	0.00	0.81
306P	wb	0.95	44.6	32.59	-9.22	0.98
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30
36P	void	0.95	306.7	32.11	-11.17	5.09
36UP	void	0.95	148.5	32.10	-11.20	10.30

Damage case : SDSP8-12.1.1-1, Zones Z08-Z12 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-12.1.1, Zones Z08-Z12 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-12.1.2-1, Zones Z08-Z12 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.1.2, Zones Z08-Z12 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.1.0-1, Zones Z08-Z12 Port, b1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.1.0, Zones Z08-Z12 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.2.1-1, Zones Z08-Z12 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-12.2.1, Zones Z08-Z12 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-12.2.2-1, Zones Z08-Z12 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.2.2, Zones Z08-Z12 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.2.0-1, Zones Z08-Z12 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.2.0, Zones Z08-Z12 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.3.1-1, Zones Z08-Z12 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-12.3.1, Zones Z08-Z12 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
35P	void	0.95	310.1	39.90	-11.20	5.05

Damage case : SDSP8-12.3.2-1, Zones Z08-Z12 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.3.2, Zones Z08-Z12 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.3.0-1, Zones Z08-Z12 Port, b3, 1.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP8-12.3.0, Zones Z08-Z12 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
305C	wb	0.95	154.4	39.90	0.00	0.75
305P	wb	0.95	69.5	40.05	-9.73	0.83
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
35P	void	0.95	310.1	39.90	-11.20	5.05
35UP	void	0.95	148.5	39.90	-11.20	10.30

Damage case : SDSP9-13.1.1-1, Zones Z09-Z13 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-13.1.1, Zones Z09-Z13 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05

Damage case : SDSP9-13.1.2-1, Zones Z09-Z13 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-13.1.2, Zones Z09-Z13 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30

Damage case : SDSP9-13.1.3-1, Zones Z09-Z13 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.1.3, Zones Z09-Z13 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.1.4-1, Zones Z09-Z13 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.1.4, Zones Z09-Z13 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.1.0-1, Zones Z09-Z13 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.1.0, Zones Z09-Z13 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.2.1-1, Zones Z09-Z13 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.2.1, Zones Z09-Z13 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.2.2-1, Zones Z09-Z13 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.2.2, Zones Z09-Z13 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.2.3-1, Zones Z09-Z13 Port, b2, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.2.3, Zones Z09-Z13 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.2.4-1, Zones Z09-Z13 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.2.4, Zones Z09-Z13 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.2.0-1, Zones Z09-Z13 Port, b2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.2.0, Zones Z09-Z13 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.3.1-1, Zones Z09-Z13 Port, b3, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
34P	void	0.95	310.1	47.70	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.3.1, Zones Z09-Z13 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.3.2-1, Zones Z09-Z13 Port, b3, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.3.2, Zones Z09-Z13 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.3.3-1, Zones Z09-Z13 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.3.3, Zones Z09-Z13 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.3.4-1, Zones Z09-Z13 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.3.4, Zones Z09-Z13 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.3.0-1, Zones Z09-Z13 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.3.0, Zones Z09-Z13 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.4.1-1, Zones Z09-Z13 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.4.1, Zones Z09-Z13 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
34P	void	0.95	310.1	47.70	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.4.2-1, Zones Z09-Z13 Port, b4, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.4.2, Zones Z09-Z13 Port, b4, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP9-13.4.3-1, Zones Z09-Z13 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.4.3, Zones Z09-Z13 Port, b4, h3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.4.4-1, Zones Z09-Z13 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.4.4, Zones Z09-Z13 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.4.0-1, Zones Z09-Z13 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP9-13.4.0, Zones Z09-Z13 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
203C	wb	0.95	289.7	78.84	0.00	0.77
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
304C	wb	0.95	154.4	47.70	0.00	0.75
304P	wb	0.95	79.1	47.74	-10.01	0.79
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
312C	Cargo	0.95	2791.2	39.90	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
322C	Cargo	0.95	1336.6	39.90	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
34P	void	0.95	310.1	47.70	-11.20	5.05
34UP	void	0.95	148.5	47.70	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.1.1-1, Zones Z10-Z14 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-14.1.1, Zones Z10-Z14 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05

Damage case : SDSP10-14.1.2-1, Zones Z10-Z14 Port, b1, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-14.1.2, Zones Z10-Z14 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

Damage case : SDSP10-14.1.3-1, Zones Z10-Z14 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.1.3, Zones Z10-Z14 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.1.4-1, Zones Z10-Z14 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.1.4, Zones Z10-Z14 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.1.0-1, Zones Z10-Z14 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.1.0, Zones Z10-Z14 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.2.1-1, Zones Z10-Z14 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.2.1, Zones Z10-Z14 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.2.2-1, Zones Z10-Z14 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.2.2, Zones Z10-Z14 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.2.3-1, Zones Z10-Z14 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.2.3, Zones Z10-Z14 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.2.4-1, Zones Z10-Z14 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.2.4, Zones Z10-Z14 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.2.0-1, Zones Z10-Z14 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.2.0, Zones Z10-Z14 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.3.1-1, Zones Z10-Z14 Port, b3, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.3.1, Zones Z10-Z14 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.3.2-1, Zones Z10-Z14 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.3.2, Zones Z10-Z14 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.3.3-1, Zones Z10-Z14 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.3.3, Zones Z10-Z14 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.3.4-1, Zones Z10-Z14 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.3.4, Zones Z10-Z14 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.3.0-1, Zones Z10-Z14 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.3.0, Zones Z10-Z14 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.4.1-1, Zones Z10-Z14 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.4.1, Zones Z10-Z14 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.4.2-1, Zones Z10-Z14 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.4.2, Zones Z10-Z14 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.4.3-1, Zones Z10-Z14 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.4.3, Zones Z10-Z14 Port, b4, h3





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.4.4-1, Zones Z10-Z14 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.4.4, Zones Z10-Z14 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.4.0-1, Zones Z10-Z14 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.4.0, Zones Z10-Z14 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.5.1-1, Zones Z10-Z14 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.5.1, Zones Z10-Z14 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.5.2-1, Zones Z10-Z14 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.5.2, Zones Z10-Z14 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.5.3-1, Zones Z10-Z14 Port, b5, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.5.3, Zones Z10-Z14 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.5.4-1, Zones Z10-Z14 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.5.4, Zones Z10-Z14 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF10-14.5.0-1, Zones Z10-Z14 Port, b5, 1.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.5.0, Zones Z10-Z14 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.6.1-1, Zones Z10-Z14 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.6.1, Zones Z10-Z14 Port, b6, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
33P	void	0.95	310.1	55.50	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.6.2-1, Zones Z10-Z14 Port, b6, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.6.2, Zones Z10-Z14 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP10-14.6.3-1, Zones Z10-Z14 Port, b6, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.6.3, Zones Z10-Z14 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.6.4-1, Zones Z10-Z14 Port, b6, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.6.4, Zones Z10-Z14 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.6.0-1, Zones Z10-Z14 Port, b6, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP10-14.6.0, Zones Z10-Z14 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
303C	wb	0.95	154.4	55.50	0.00	0.75
303P	wb	0.95	81.1	55.50	-10.08	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
33P	void	0.95	310.1	55.50	-11.20	5.05
33UP	void	0.95	148.5	55.50	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.1.1-1, Zones Z11-Z15 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-15.1.1, Zones Z11-Z15 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05

Damage case : SDSP11-15.1.2-1, Zones Z11-Z15 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-15.1.2, Zones Z11-Z15 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

Damage case : SDSP11-15.1.3-1, Zones Z11-Z15 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.1.3, Zones Z11-Z15 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.1.4-1, Zones Z11-Z15 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.1.4, Zones Z11-Z15 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.1.0-1, Zones Z11-Z15 Port, b1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.1.0, Zones Z11-Z15 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.2.1-1, Zones Z11-Z15 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.2.1, Zones Z11-Z15 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.2.2-1, Zones Z11-Z15 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.2.2, Zones Z11-Z15 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.2.3-1, Zones Z11-Z15 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.2.3, Zones Z11-Z15 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.2.4-1, Zones Z11-Z15 Port, b2, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.2.4, Zones Z11-Z15 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSF11-15.2.0-1, Zones Z11-Z15 Port, b2, 1.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.2.0, Zones Z11-Z15 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.3.1-1, Zones Z11-Z15 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.3.1, Zones Z11-Z15 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.3.2-1, Zones Z11-Z15 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.3.2, Zones Z11-Z15 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.3.3-1, Zones Z11-Z15 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.3.3, Zones Z11-Z15 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.3.4-1, Zones Z11-Z15 Port, b3, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.3.4, Zones Z11-Z15 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.3.0-1, Zones Z11-Z15 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.3.0, Zones Z11-Z15 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.4.1-1, Zones Z11-Z15 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.4.1, Zones Z11-Z15 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.4.2-1, Zones Z11-Z15 Port, b4, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.4.2, Zones Z11-Z15 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.4.3-1, Zones Z11-Z15 Port, b4, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.4.3, Zones Z11-Z15 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.4.4-1, Zones Z11-Z15 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.4.4, Zones Z11-Z15 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.4.0-1, Zones Z11-Z15 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.4.0, Zones Z11-Z15 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.5.1-1, Zones Z11-Z15 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.5.1, Zones Z11-Z15 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.5.2-1, Zones Z11-Z15 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.5.2, Zones Z11-Z15 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.5.3-1, Zones Z11-Z15 Port, b5, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.5.3, Zones Z11-Z15 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.5.4-1, Zones Z11-Z15 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.5.4, Zones Z11-Z15 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.5.0-1, Zones Z11-Z15 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.5.0, Zones Z11-Z15 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.6.1-1, Zones Z11-Z15 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.6.1, Zones Z11-Z15 Port, b6, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.6.2-1, Zones Z11-Z15 Port, b6, h2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.6.2, Zones Z11-Z15 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.6.3-1, Zones Z11-Z15 Port, b6, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.6.3, Zones Z11-Z15 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.6.4-1, Zones Z11-Z15 Port, b6, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.6.4, Zones Z11-Z15 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.6.0-1, Zones Z11-Z15 Port, b6, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.6.0, Zones Z11-Z15 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.7.1-1, Zones Z11-Z15 Port, b7, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.7.1, Zones Z11-Z15 Port, b7, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.7.2-1, Zones Z11-Z15 Port, b7, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.7.2, Zones Z11-Z15 Port, b7, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.7.3-1, Zones Z11-Z15 Port, b7, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.7.3, Zones Z11-Z15 Port, b7, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.7.4-1, Zones Z11-Z15 Port, b7, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.7.4, Zones Z11-Z15 Port, b7, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.7.0-1, Zones Z11-Z15 Port, b7, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.7.0, Zones Z11-Z15 Port, b7

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.8.1-1, Zones Z11-Z15 Port, b8, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.8.1, Zones Z11-Z15 Port, b8, h1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
32P	void	0.95	310.1	63.30	-11.20	5.05
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.8.2-1, Zones Z11-Z15 Port, b8, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.8.2, Zones Z11-Z15 Port, b8, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP11-15.8.3-1, Zones Z11-Z15 Port, b8, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.8.3, Zones Z11-Z15 Port, b8, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.8.4-1, Zones Z11-Z15 Port, b8, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.8.4, Zones Z11-Z15 Port, b8, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.8.0-1, Zones Z11-Z15 Port, b8, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP11-15.8.0, Zones Z11-Z15 Port, b8

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
302C	wb	0.95	154.4	63.30	0.00	0.75
302P	wb	0.95	80.9	63.29	-10.07	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
32P	void	0.95	310.1	63.30	-11.20	5.05
32UP	void	0.95	148.5	63.30	-11.20	10.30
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.1.1-1, Zones Z12-Z16 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12-16.1.1-2, Zones Z12-Z16 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12-16.1.1, Zones Z12-Z16 Port, b1, h1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05

Damage case : SDSP12-16.1.2-1, Zones Z12-Z16 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12-16.1.2-2, Zones Z12-Z16 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12-16.1.2, Zones Z12-Z16 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

Damage case : SDSP12-16.1.3-1, Zones Z12-Z16 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.1.3-2, Zones Z12-Z16 Port, b1, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.1.3, Zones Z12-Z16 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.1.4-1, Zones Z12-Z16 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.1.4-2, Zones Z12-Z16 Port, b1, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.1.4, Zones Z12-Z16 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.1.0-1, Zones Z12-Z16 Port, b1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.1.0-2, Zones Z12-Z16 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.1.0, Zones Z12-Z16 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.2.1-1, Zones Z12-Z16 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.2.1-2, Zones Z12-Z16 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.2.1, Zones Z12-Z16 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.2.2-1, Zones Z12-Z16 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.2.2-2, Zones Z12-Z16 Port, b2, h2, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.2.2, Zones Z12-Z16 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.2.3-1, Zones Z12-Z16 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.2.3-2, Zones Z12-Z16 Port, b2, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.2.3, Zones Z12-Z16 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.2.4-1, Zones Z12-Z16 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.2.4-2, Zones Z12-Z16 Port, b2, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.2.4, Zones Z12-Z16 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.2.0-1, Zones Z12-Z16 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.2.0-2, Zones Z12-Z16 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.2.0, Zones Z12-Z16 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.3.1-1, Zones Z12-Z16 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.3.1-2, Zones Z12-Z16 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.3.1, Zones Z12-Z16 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.3.2-1, Zones Z12-Z16 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.3.2-2, Zones Z12-Z16 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.3.2, Zones Z12-Z16 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.3.3-1, Zones Z12-Z16 Port, b3, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.3.3-2, Zones Z12-Z16 Port, b3, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.3.3, Zones Z12-Z16 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.3.4-1, Zones Z12-Z16 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.3.4-2, Zones Z12-Z16 Port, b3, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.3.4, Zones Z12-Z16 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.3.0-1, Zones Z12-Z16 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.3.0-2, Zones Z12-Z16 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.3.0, Zones Z12-Z16 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.4.1-1, Zones Z12-Z16 Port, b4, h1, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.4.1-2, Zones Z12-Z16 Port, b4, h1, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.4.1, Zones Z12-Z16 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.4.2-1, Zones Z12-Z16 Port, b4, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.4.2-2, Zones Z12-Z16 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.4.2, Zones Z12-Z16 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.4.3-1, Zones Z12-Z16 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.4.3-2, Zones Z12-Z16 Port, b4, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.4.3, Zones Z12-Z16 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.4.4-1, Zones Z12-Z16 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.4.4-2, Zones Z12-Z16 Port, b4, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.4.4, Zones Z12-Z16 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.4.0-1, Zones Z12-Z16 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.4.0-2, Zones Z12-Z16 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.4.0, Zones Z12-Z16 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.5.1-1, Zones Z12-Z16 Port, b5, h1, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.5.1-2, Zones Z12-Z16 Port, b5, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.5.1, Zones Z12-Z16 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.5.2-1, Zones Z12-Z16 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSPl2-16.5.2-2, Zones Z12-Z16 Port, b5, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSPl2-16.5.2, Zones Z12-Z16 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSPl2-16.5.3-1, Zones Z12-Z16 Port, b5, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.5.3-2, Zones Z12-Z16 Port, b5, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.5.3, Zones Z12-Z16 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.5.4-1, Zones Z12-Z16 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.5.4-2, Zones Z12-Z16 Port, b5, h4, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.5.4, Zones Z12-Z16 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.5.0-1, Zones Z12-Z16 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.5.0-2, Zones Z12-Z16 Port, b5, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.5.0, Zones Z12-Z16 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.6.1-1, Zones Z12-Z16 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.6.1-2, Zones Z12-Z16 Port, b6, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.6.1, Zones Z12-Z16 Port, b6, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.6.2-1, Zones Z12-Z16 Port, b6, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.6.2-2, Zones Z12-Z16 Port, b6, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.6.2, Zones Z12-Z16 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.6.3-1, Zones Z12-Z16 Port, b6, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.6.3-2, Zones Z12-Z16 Port, b6, h3, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.6.3, Zones Z12-Z16 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.6.4-1, Zones Z12-Z16 Port, b6, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.6.4-2, Zones Z12-Z16 Port, b6, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.6.4, Zones Z12-Z16 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.6.0-1, Zones Z12-Z16 Port, b6, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.6.0-2, Zones Z12-Z16 Port, b6, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.6.0, Zones Z12-Z16 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.7.1-1, Zones Z12-Z16 Port, b7, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.7.1-2, Zones Z12-Z16 Port, b7, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.7.1, Zones Z12-Z16 Port, b7, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.7.2-1, Zones Z12-Z16 Port, b7, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.7.2-2, Zones Z12-Z16 Port, b7, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.7.2, Zones Z12-Z16 Port, b7, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.7.3-1, Zones Z12-Z16 Port, b7, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.7.3-2, Zones Z12-Z16 Port, b7, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.7.3, Zones Z12-Z16 Port, b7, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.7.4-1, Zones Z12-Z16 Port, b7, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.7.4-2, Zones Z12-Z16 Port, b7, h4, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.7.4, Zones Z12-Z16 Port, b7, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.7.0-1, Zones Z12-Z16 Port, b7, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.7.0-2, Zones Z12-Z16 Port, b7, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.7.0, Zones Z12-Z16 Port, b7



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.8.1-1, Zones Z12-Z16 Port, b8, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.8.1-2, Zones Z12-Z16 Port, b8, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.8.1, Zones Z12-Z16 Port, b8, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.8.2-1, Zones Z12-Z16 Port, b8, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.8.2-2, Zones Z12-Z16 Port, b8, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.8.2, Zones Z12-Z16 Port, b8, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.8.3-1, Zones Z12-Z16 Port, b8, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.8.3-2, Zones Z12-Z16 Port, b8, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.8.3, Zones Z12-Z16 Port, b8, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.8.4-1, Zones Z12-Z16 Port, b8, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.8.4-2, Zones Z12-Z16 Port, b8, h4, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.8.4, Zones Z12-Z16 Port, b8, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.8.0-1, Zones Z12-Z16 Port, b8, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.8.0-2, Zones Z12-Z16 Port, b8, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.8.0, Zones Z12-Z16 Port, b8

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.9.1-1, Zones Z12-Z16 Port, b9, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.9.1-2, Zones Z12-Z16 Port, b9, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.9.1, Zones Z12-Z16 Port, b9, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.9.2-1, Zones Z12-Z16 Port, b9, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.9.2-2, Zones Z12-Z16 Port, b9, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.9.2, Zones Z12-Z16 Port, b9, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP12-16.9.3-1, Zones Z12-Z16 Port, b9, h3, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.9.3-2, Zones Z12-Z16 Port, b9, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.9.3, Zones Z12-Z16 Port, b9, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.9.4-1, Zones Z12-Z16 Port, b9, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.9.4-2, Zones Z12-Z16 Port, b9, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.9.4, Zones Z12-Z16 Port, b9, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.9.0-1, Zones Z12-Z16 Port, b9, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.9.0-2, Zones Z12-Z16 Port, b9, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP12-16.9.0, Zones Z12-Z16 Port, b9

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
102C	wb	0.95	350.9	102.04	0.00	1.74
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
301C	wb	0.95	154.4	71.10	0.00	0.75
301P	wb	0.95	77.5	71.05	-9.94	0.78
311C	Cargo	0.95	2791.2	63.30	0.00	5.05
31P	void	0.95	310.1	71.10	-11.20	5.05
31UP	void	0.95	148.5	71.10	-11.20	10.30
321C	Cargo	0.95	1336.6	63.30	0.00	10.30
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.1.1-1, Zones Z13-Z17 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.1.1-2, Zones Z13-Z17 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.1.1, Zones Z13-Z17 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.1.2-1, Zones Z13-Z17 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.1.2-2, Zones Z13-Z17 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.1.2, Zones Z13-Z17 Port, b1, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.1.3-1, Zones Z13-Z17 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.1.3-2, Zones Z13-Z17 Port, b1, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.1.3, Zones Z13-Z17 Port, b1, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.1.4-1, Zones Z13-Z17 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.1.4-2, Zones Z13-Z17 Port, b1, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.1.4, Zones Z13-Z17 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.1.0-1, Zones Z13-Z17 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.1.0-2, Zones Z13-Z17 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.1.0, Zones Z13-Z17 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.2.1-1, Zones Z13-Z17 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.2.1-2, Zones Z13-Z17 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.2.1, Zones Z13-Z17 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.2.2-1, Zones Z13-Z17 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.2.2-2, Zones Z13-Z17 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.2.2, Zones Z13-Z17 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP13-17.2.3-1, Zones Z13-Z17 Port, b2, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.2.3-2, Zones Z13-Z17 Port, b2, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.2.3, Zones Z13-Z17 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.2.4-1, Zones Z13-Z17 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.2.4-2, Zones Z13-Z17 Port, b2, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.2.4, Zones Z13-Z17 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.2.0-1, Zones Z13-Z17 Port, b2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.2.0-2, Zones Z13-Z17 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.2.0, Zones Z13-Z17 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.3.1-1, Zones Z13-Z17 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.3.1-2, Zones Z13-Z17 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.3.1, Zones Z13-Z17 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.3.2-1, Zones Z13-Z17 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.3.2-2, Zones Z13-Z17 Port, b3, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.3.2, Zones Z13-Z17 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.3.3-1, Zones Z13-Z17 Port, b3, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.3.3-2, Zones Z13-Z17 Port, b3, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.3.3, Zones Z13-Z17 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.3.4-1, Zones Z13-Z17 Port, b3, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.3.4-2, Zones Z13-Z17 Port, b3, h4, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.3.4, Zones Z13-Z17 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.3.0-1, Zones Z13-Z17 Port, b3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.3.0-2, Zones Z13-Z17 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.3.0, Zones Z13-Z17 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.4.1-1, Zones Z13-Z17 Port, b4, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.4.1-2, Zones Z13-Z17 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.4.1, Zones Z13-Z17 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.4.2-1, Zones Z13-Z17 Port, b4, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.4.2-2, Zones Z13-Z17 Port, b4, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.4.2, Zones Z13-Z17 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.4.3-1, Zones Z13-Z17 Port, b4, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.4.3-2, Zones Z13-Z17 Port, b4, h3, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.4.3, Zones Z13-Z17 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.4.4-1, Zones Z13-Z17 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.4.4-2, Zones Z13-Z17 Port, b4, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.4.4, Zones Z13-Z17 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.4.0-1, Zones Z13-Z17 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.4.0-2, Zones Z13-Z17 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.4.0, Zones Z13-Z17 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.5.1-1, Zones Z13-Z17 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.5.1-2, Zones Z13-Z17 Port, b5, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.5.1, Zones Z13-Z17 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.5.2-1, Zones Z13-Z17 Port, b5, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.5.2-2, Zones Z13-Z17 Port, b5, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.5.2, Zones Z13-Z17 Port, b5, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.5.3-1, Zones Z13-Z17 Port, b5, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.5.3-2, Zones Z13-Z17 Port, b5, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.5.3, Zones Z13-Z17 Port, b5, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.5.4-1, Zones Z13-Z17 Port, b5, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.5.4-2, Zones Z13-Z17 Port, b5, h4, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.5.4, Zones Z13-Z17 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.5.0-1, Zones Z13-Z17 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.5.0-2, Zones Z13-Z17 Port, b5, l.ext2





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.5.0, Zones Z13-Z17 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.6.1-1, Zones Z13-Z17 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.6.1-2, Zones Z13-Z17 Port, b6, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.6.1, Zones Z13-Z17 Port, b6, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.6.2-1, Zones Z13-Z17 Port, b6, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.6.2-2, Zones Z13-Z17 Port, b6, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.6.2, Zones Z13-Z17 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.6.3-1, Zones Z13-Z17 Port, b6, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.6.3-2, Zones Z13-Z17 Port, b6, h3, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.6.3, Zones Z13-Z17 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.6.4-1, Zones Z13-Z17 Port, b6, h4, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.6.4-2, Zones Z13-Z17 Port, b6, h4, 1.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.6.4, Zones Z13-Z17 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.6.0-1, Zones Z13-Z17 Port, b6, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.6.0-2, Zones Z13-Z17 Port, b6, l.ext2





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.6.0, Zones Z13-Z17 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.7.1-1, Zones Z13-Z17 Port, b7, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.7.1-2, Zones Z13-Z17 Port, b7, h1, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.7.1, Zones Z13-Z17 Port, b7, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.7.2-1, Zones Z13-Z17 Port, b7, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.7.2-2, Zones Z13-Z17 Port, b7, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.7.2, Zones Z13-Z17 Port, b7, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.7.3-1, Zones Z13-Z17 Port, b7, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.7.3-2, Zones Z13-Z17 Port, b7, h3, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.7.3, Zones Z13-Z17 Port, b7, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.7.4-1, Zones Z13-Z17 Port, b7, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.7.4-2, Zones Z13-Z17 Port, b7, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.7.4, Zones Z13-Z17 Port, b7, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.7.0-1, Zones Z13-Z17 Port, b7, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.7.0-2, Zones Z13-Z17 Port, b7, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.7.0, Zones Z13-Z17 Port, b7

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.8.1-1, Zones Z13-Z17 Port, b8, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.8.1-2, Zones Z13-Z17 Port, b8, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.8.1, Zones Z13-Z17 Port, b8, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.8.2-1, Zones Z13-Z17 Port, b8, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.8.2-2, Zones Z13-Z17 Port, b8, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.8.2, Zones Z13-Z17 Port, b8, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP13-17.8.3-1, Zones Z13-Z17 Port, b8, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.8.3-2, Zones Z13-Z17 Port, b8, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.8.3, Zones Z13-Z17 Port, b8, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.8.4-1, Zones Z13-Z17 Port, b8, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.8.4-2, Zones Z13-Z17 Port, b8, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.8.4, Zones Z13-Z17 Port, b8, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.8.0-1, Zones Z13-Z17 Port, b8, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.8.0-2, Zones Z13-Z17 Port, b8, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP13-17.8.0, Zones Z13-Z17 Port, b8

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
203C	wb	0.95	289.7	78.84	0.00	0.77
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
23P	wb	0.95	207.6	78.86	-12.67	6.86
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.1.1-1, Zones Z14-Z18 Port, b1, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.1.1-2, Zones Z14-Z18 Port, b1, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.1.1, Zones Z14-Z18 Port, b1, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.1.2-1, Zones Z14-Z18 Port, b1, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.1.2-2, Zones Z14-Z18 Port, b1, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.1.2, Zones Z14-Z18 Port, b1, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.1.3-1, Zones Z14-Z18 Port, b1, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.1.3-2, Zones Z14-Z18 Port, b1, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.1.3, Zones Z14-Z18 Port, b1, h3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.1.4-1, Zones Z14-Z18 Port, b1, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.1.4-2, Zones Z14-Z18 Port, b1, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.1.4, Zones Z14-Z18 Port, b1, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.1.0-1, Zones Z14-Z18 Port, b1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.1.0-2, Zones Z14-Z18 Port, b1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.1.0, Zones Z14-Z18 Port, b1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.2.1-1, Zones Z14-Z18 Port, b2, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.2.1-2, Zones Z14-Z18 Port, b2, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.2.1, Zones Z14-Z18 Port, b2, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.2.2-1, Zones Z14-Z18 Port, b2, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.2.2-2, Zones Z14-Z18 Port, b2, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSP14-18.2.2, Zones Z14-Z18 Port, b2, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45

Damage case : SDSF14-18.2.3-1, Zones Z14-Z18 Port, b2, h3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.2.3-2, Zones Z14-Z18 Port, b2, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.2.3, Zones Z14-Z18 Port, b2, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.2.4-1, Zones Z14-Z18 Port, b2, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.2.4-2, Zones Z14-Z18 Port, b2, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.2.4, Zones Z14-Z18 Port, b2, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.2.0-1, Zones Z14-Z18 Port, b2, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.2.0-2, Zones Z14-Z18 Port, b2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.2.0, Zones Z14-Z18 Port, b2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.3.1-1, Zones Z14-Z18 Port, b3, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.3.1-2, Zones Z14-Z18 Port, b3, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.3.1, Zones Z14-Z18 Port, b3, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.3.2-1, Zones Z14-Z18 Port, b3, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.3.2-2, Zones Z14-Z18 Port, b3, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.3.2, Zones Z14-Z18 Port, b3, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.3.3-1, Zones Z14-Z18 Port, b3, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.3.3-2, Zones Z14-Z18 Port, b3, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.3.3, Zones Z14-Z18 Port, b3, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.3.4-1, Zones Z14-Z18 Port, b3, h4, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.3.4-2, Zones Z14-Z18 Port, b3, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.3.4, Zones Z14-Z18 Port, b3, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.3.0-1, Zones Z14-Z18 Port, b3, l.ext1



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.3.0-2, Zones Z14-Z18 Port, b3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.3.0, Zones Z14-Z18 Port, b3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.4.1-1, Zones Z14-Z18 Port, b4, h1, l.ext1





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.4.1-2, Zones Z14-Z18 Port, b4, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.4.1, Zones Z14-Z18 Port, b4, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.4.2-1, Zones Z14-Z18 Port, b4, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.4.2-2, Zones Z14-Z18 Port, b4, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.4.2, Zones Z14-Z18 Port, b4, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.4.3-1, Zones Z14-Z18 Port, b4, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.4.3-2, Zones Z14-Z18 Port, b4, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.4.3, Zones Z14-Z18 Port, b4, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.4.4-1, Zones Z14-Z18 Port, b4, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.4.4-2, Zones Z14-Z18 Port, b4, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.4.4, Zones Z14-Z18 Port, b4, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.4.0-1, Zones Z14-Z18 Port, b4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.4.0-2, Zones Z14-Z18 Port, b4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.4.0, Zones Z14-Z18 Port, b4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.5.1-1, Zones Z14-Z18 Port, b5, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.5.1-2, Zones Z14-Z18 Port, b5, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.5.1, Zones Z14-Z18 Port, b5, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.5.2-1, Zones Z14-Z18 Port, b5, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.5.2-2, Zones Z14-Z18 Port, b5, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.5.2, Zones Z14-Z18 Port, b5, h2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.5.3-1, Zones Z14-Z18 Port, b5, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.5.3-2, Zones Z14-Z18 Port, b5, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.5.3, Zones Z14-Z18 Port, b5, h3



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.5.4-1, Zones Z14-Z18 Port, b5, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.5.4-2, Zones Z14-Z18 Port, b5, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.5.4, Zones Z14-Z18 Port, b5, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.5.0-1, Zones Z14-Z18 Port, b5, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.5.0-2, Zones Z14-Z18 Port, b5, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.5.0, Zones Z14-Z18 Port, b5

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.6.1-1, Zones Z14-Z18 Port, b6, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.6.1-2, Zones Z14-Z18 Port, b6, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.6.1, Zones Z14-Z18 Port, b6, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.6.2-1, Zones Z14-Z18 Port, b6, h2, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.6.2-2, Zones Z14-Z18 Port, b6, h2, 1.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.6.2, Zones Z14-Z18 Port, b6, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.6.3-1, Zones Z14-Z18 Port, b6, h3, 1.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.6.3-2, Zones Z14-Z18 Port, b6, h3, 1.ext2





COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.6.3, Zones Z14-Z18 Port, b6, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.6.4-1, Zones Z14-Z18 Port, b6, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.6.4-2, Zones Z14-Z18 Port, b6, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.6.4, Zones Z14-Z18 Port, b6, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.6.0-1, Zones Z14-Z18 Port, b6, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.6.0-2, Zones Z14-Z18 Port, b6, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.6.0, Zones Z14-Z18 Port, b6

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.7.1-1, Zones Z14-Z18 Port, b7, h1, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.7.1-2, Zones Z14-Z18 Port, b7, h1, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.7.1, Zones Z14-Z18 Port, b7, h1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.7.2-1, Zones Z14-Z18 Port, b7, h2, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.7.2-2, Zones Z14-Z18 Port, b7, h2, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.7.2, Zones Z14-Z18 Port, b7, h2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

Damage case : SDSP14-18.7.3-1, Zones Z14-Z18 Port, b7, h3, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.7.3-2, Zones Z14-Z18 Port, b7, h3, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.7.3, Zones Z14-Z18 Port, b7, h3

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.7.4-1, Zones Z14-Z18 Port, b7, h4, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.7.4-2, Zones Z14-Z18 Port, b7, h4, l.ext2

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.7.4, Zones Z14-Z18 Port, b7, h4

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.7.0-1, Zones Z14-Z18 Port, b7, l.ext1

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur.	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur.	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.7.0-2, Zones Z14-Z18 Port, b7, l.ext2



COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

Damage case : SDSP14-18.7.0, Zones Z14-Z18 Port, b7

COMP	DES	IPERM	VOL m3	XCG m	YCG m	ZCG m
01C	WB	0.95	417.5	116.48	0.00	6.49
101C	wb	0.95	198.4	109.44	0.00	1.80
102C	wb	0.95	350.9	102.04	0.00	1.74
10P	fw	0.95	113.3	109.50	-6.36	9.93
10S	FW	0.95	113.3	109.50	6.36	9.93
11P	fw	0.95	216.9	102.03	-8.87	8.69
201C	wb	0.95	203.7	94.32	0.00	0.79
202C	wb	0.95	254.0	86.59	0.00	0.78
21P	wb	0.95	287.5	94.48	-10.65	7.73
22P	wb	0.95	248.6	86.92	-12.04	7.25
C10	Thruster room front	0.85	597.5	109.42	0.00	7.45
C11	Thruster room front	0.85	947.2	102.13	0.00	7.60
C20	Engine room SB	0.85	2506.1	85.94	5.17	6.75
C21	Engine room PS	0.85	2506.1	85.94	-5.17	6.75
R101	Forpeak	0.95	839.9	117.32	0.00	15.12
R102	Main superstructur	0.95	2335.8	105.61	0.00	15.06
R103	Main superstructur	0.95	3931.2	86.70	0.00	15.00

## PART B-2

### CALCULATION RESULTS FOR REGULATION 9

Regulation requirement:  $S = 1$

TRIM: 0

## DAMAGE DEFINITIONS FOR REGULATION 9

A total of 374 damages listed

DAMAGED COMPARTMENTS