

TABLE OF CONTENTS:

PRINCIPAL PARTICULARS

CALCULATION SUMMARY

Initial conditions
Heeling moments
Calculation options
Part B-1 index summary
SFAC diagrams
Part B-1 regulation 8 summary
Part B-2 regulation 9 summary
GM curves

GENERAL DATA

Buoyant hull
Hydrostatic data & cross curves
Wind profile
Ship model arrangement
Subdivision
Light service condition

PART B-1: REGULATION 6, 7 AND 8

Zone index
Index calculation results
Index damage definitions
Reg 8.2-3 results
Reg 8.2-3 side damages

PART B-2: REGULATION 9

Reg 9 results
Reg 9 bottom damages

PRINCIPAL PARTICULARS

| | |
|-----------------------------------|-----------|
| Length over all (LOA) | 145.161 m |
| Length betw. perpendiculars (LPP) | 130.000 m |
| Subdivision length | 144.642 m |
| Freeboard length | 134.597 m |
| Load line draught | 10.625 m |
| Design draught (moulded) | 5.900 m |
| Breadth (moulded) | 30.000 m |

CALCULATION SUMMARY

INITIAL CONDITIONS

INIT GROUP SDSINI

| INIT | | DL | DP | DS |
|-------|--------|---------|---------|---------|
| <hr/> | | | | |
| T0 | m | 6.700 | 7.840 | 8.600 |
| TR0 | m | 0.000 | 0.000 | 0.000 |
| HEEL0 | degree | 0.0 | 0.0 | 0.0 |
| | | | | |
| DSP0 | t | 21395.6 | 25775.6 | 28723.6 |
| LCB | m | 61.930 | 60.757 | 60.213 |
| TCB | m | 0.000 | 0.000 | 0.000 |
| VCB | m | 3.656 | 4.270 | 4.676 |
| | | | | |
| GM0 | m | 1.800 | 1.800 | 2.500 |
| GM | m | 1.800 | 1.800 | 2.500 |
| KG | m | 14.27 | 13.02 | 11.74 |
| KMT | m | 16.075 | 14.819 | 14.241 |

HEELING MOMENTS

MOM, PROBSDSMAX,
 'Maximum moment (PROBSDSPASS, PROBSDSWIND, PROBSDSSURV) '
MAX, PROBSDSPASS, PROBSDSWIND, PROBSDSSURV
OK

MOM, PROBSDSPASS, 'Passenger moment '
CURV, CONSTANT
MOME, 121.502
OK

MOM, PROBSDSWIND, 'Wind moment '
TYPE, WIND
PARA, C=0.012237, PROF=WINDPROF, TP2
OK

MOM, PROBSDSSURV, 'Survival craft moment '
CURV, CONSTANT
MOME, 0
OK

CALCULATION SETTINGS

CALCULATION ARGUMENTS USED IN THE STUDY:

| | | |
|--------|-----------------------------------|---------------------------|
| HULL | DAMHULL | hull name |
| HEEL | 0 1 3 5 7 10 12 15 20 25 30 40 50 | |
| ARRV | C | heeling angle DEGREE |
| OPARR | ... | arrangement version |
| CCONN | not given | opening arrangement |
| FORCE | BOTH | compartment connections |
| OPTION | PERM NOPROGR LOG CDISP CDIR | force heel side & range |
| | | calc. and output options |
| MARGIN | - | margin line |
| ROP | ... | relevant openings |
| RCR | ... | relevant criteria |
| CGM | not given | changed gm M |
| WTARR | PROB.AUTO_WTA | watertight arrangement |
| SYTOL | 0.001 | symmetry tolerance M |
| TRLIM | 80 | trim limit DEGREE |
| SWH | not given | significant wave height M |
| FRBD | not given | freeboard deck edge |
| AAS | not given | auto assign of arguments |

INDEX SUMMARY

TRIM 0

ATTAINED AND REQUIRED SUBDIVISION INDEX

| | |
|------------------------------|-----------|
| Subdivision length | 144.642 m |
| Breadth at the load line | 30.000 m |
| Breadth at the bulkhead deck | 30.000 m |
| Number of persons N1 | 120 |
| Number of persons N2 | 0 |

Required subdivision index $R = 0.59012$

Attained subdivision index $A = 0.73483$

| INIT | T m | GM m | A/R | A | A*WCOEF | WCOEF |
|------|--------|---------|------|---------|---------|-------|
| DL | 6.700 | 1.800 | 1.16 | 0.68318 | 0.13664 | 0.200 |
| DP | 7.840 | 1.800 | 1.22 | 0.71737 | 0.28695 | 0.400 |
| DS | 8.600 | 2.500 | 1.32 | 0.77811 | 0.31125 | 0.400 |


INDEX ACCORDING TO NUMBER OF ZONES

| DAMAGES | W*P*V*S |
|----------------|---------|
| 1-ZONE DAMAGES | 0.32139 |
| 2-ZONE DAMAGES | 0.30020 |
| 3-ZONE DAMAGES | 0.09063 |
| 4-ZONE DAMAGES | 0.01831 |
| 5-ZONE DAMAGES | 0.00430 |
| A-INDEX TOTAL | 0.73483 |


TRIM 0

The diagram illustrates the hull structure of a ship, showing the internal framework and the arrangement of 100 numbered triangles (1-100) along the top edge. The triangles are colored red, yellow, green, and blue, representing different materials or components. The hull is divided into sections by vertical lines, and the top edge is labeled "PORT SIDE".

RESULT TABLE: TAB*SDSD1RES2-TR0
INITIAL CONDITION: DP
DRAUGHT: 7.84
GM: 1.8
A-value PS: 0.2869



RESULT TABLE: TAB*SDSD1RES2-TR0
INITIAL CONDITION: DS
DRAUGHT: 8.6
GM: 2.5
A-value PS: 0.3112



REGULATION 9 SUMMARY

REQUIREMENT: SFAC = 1


TRIM 0

Error: Results missing

GENERAL DATA

BUOYANT HULL

Name of buoyant hull: DAMHULL
Date of buoyant hull: 2015-04-08




Description of DAMHULL:

ROOM DAMHULL 'Hull for damage stability'
LIM <STABHULL

HYDROSTATIC DATA

| T m | DISP t | CB | LCB m | LCF m | TPC t/cm | MCT tm/cm | KMT m |
|--------|-----------|--------|----------|----------|-------------|--------------|----------|
| 1.000 | 2274.6 | 0.5617 | 70.541 | 69.34 | 25.7 | 145.2 | 63.615 |
| 1.500 | 3610.6 | 0.5968 | 69.852 | 68.19 | 27.6 | 169.9 | 46.019 |
| 2.000 | 5036.2 | 0.6255 | 69.159 | 66.66 | 29.4 | 198.5 | 36.397 |
| 2.500 | 6541.7 | 0.6508 | 68.428 | 65.34 | 30.8 | 223.9 | 30.518 |
| 3.000 | 8110.0 | 0.6729 | 67.735 | 64.17 | 32.0 | 246.6 | 26.453 |
| 3.500 | 9747.7 | 0.6936 | 66.972 | 62.40 | 33.4 | 276.7 | 23.765 |
| 4.000 | 11443.9 | 0.7129 | 66.197 | 61.01 | 34.4 | 300.9 | 21.636 |
| 4.500 | 13196.9 | 0.7310 | 65.391 | 59.54 | 35.4 | 324.6 | 19.900 |
| 5.000 | 15003.5 | 0.7481 | 64.549 | 57.53 | 36.6 | 355.1 | 18.844 |
| 5.500 | 16858.3 | 0.7644 | 63.688 | 56.22 | 37.4 | 373.4 | 17.828 |
| 6.000 | 18735.7 | 0.7789 | 62.899 | 55.39 | 37.8 | 382.2 | 17.058 |
| 6.500 | 20632.5 | 0.7919 | 62.186 | 54.99 | 38.1 | 387.0 | 16.340 |
| 7.000 | 22544.0 | 0.8036 | 61.577 | 54.92 | 38.3 | 392.4 | 15.700 |
| 7.500 | 24464.3 | 0.8140 | 61.059 | 55.05 | 38.5 | 397.7 | 15.146 |
| 8.000 | 26394.3 | 0.8234 | 60.629 | 55.32 | 38.7 | 403.3 | 14.680 |
| 8.500 | 28334.4 | 0.8320 | 60.276 | 55.64 | 38.9 | 409.3 | 14.305 |
| 9.000 | 30285.1 | 0.8400 | 59.988 | 55.98 | 39.1 | 415.7 | 14.013 |
| 9.500 | 32247.3 | 0.8474 | 59.755 | 56.37 | 39.4 | 423.0 | 13.788 |
| 10.000 | 34222.4 | 0.8544 | 59.572 | 56.79 | 39.6 | 431.3 | 13.620 |
| 10.500 | 36211.6 | 0.8611 | 59.432 | 57.24 | 39.9 | 440.1 | 13.501 |
| 11.000 | 38215.1 | 0.8674 | 59.330 | 57.72 | 40.2 | 449.6 | 13.425 |
| 11.500 | 40234.8 | 0.8736 | 59.263 | 58.21 | 40.5 | 459.5 | 13.386 |
| 12.000 | 42271.3 | 0.8796 | 59.228 | 58.74 | 40.9 | 470.3 | 13.376 |
| 12.500 | 44323.5 | 0.8855 | 59.219 | 59.32 | 41.2 | 482.4 | 13.395 |
| 13.000 | 45001.9 | 0.8639 | 59.880 | 106.51 | 13.1 | 17.5 | 8.715 |
| 13.500 | 45667.5 | 0.8442 | 60.563 | 107.03 | 13.5 | 18.7 | 8.857 |
| 14.000 | 46352.7 | 0.8263 | 61.255 | 107.54 | 13.9 | 19.8 | 9.010 |
| 14.500 | 47057.2 | 0.8099 | 61.953 | 108.06 | 14.2 | 21.0 | 9.173 |
| 15.000 | 47772.4 | 0.7948 | 62.645 | 108.15 | 14.3 | 21.3 | 9.273 |
| 15.500 | 48487.5 | 0.7807 | 63.316 | 108.15 | 14.3 | 21.3 | 9.361 |
| 16.000 | 49204.0 | 0.7675 | 63.970 | 108.08 | 14.3 | 21.1 | 9.451 |
| 16.500 | 49916.8 | 0.7551 | 64.600 | 107.88 | 14.1 | 20.5 | 9.531 |
| 17.000 | 50617.3 | 0.7432 | 65.196 | 107.48 | 13.9 | 19.5 | 9.596 |
| 17.500 | 51299.3 | 0.7317 | 65.752 | 106.68 | 13.4 | 17.5 | 9.646 |
| 18.000 | 51965.8 | 0.7206 | 66.276 | 106.02 | 13.0 | 16.0 | 9.695 |

WIND PROFILE



SHIP MODEL ARRANGEMENT

| NAME | DES | VNET m3 | PERM | IPERM |
|------|-----|------------|------|-------|
|------|-----|------------|------|-------|

CAPACITY OF ACCOMMODATION (RHO=1)

| | | | |
|------|---------------------------|--------|------|
| R101 | Forpeak | 998.4 | 0.95 |
| R102 | Main superstructure front | 2832.1 | 0.95 |
| R103 | Main superstructure aft | 4212.0 | 0.95 |

| | |
|----------|--------|
| SUBTOTAL | 8042.5 |
|----------|--------|

CAPACITY OF FRESH WATER (RHO=1)

| | | | |
|-----|----|-------|------|
| 10P | fw | 211.9 | 0.95 |
| 10S | FW | 211.9 | 0.95 |
| 11P | fw | 349.0 | 0.95 |
| 11S | FW | 349.0 | 0.95 |
| 43P | fw | 281.4 | 0.95 |
| 43S | fw | 281.4 | 0.95 |

| | |
|----------|--------|
| SUBTOTAL | 1684.6 |
|----------|--------|

CAPACITY OF Machinery Sp. (RHO=1)

| | | | |
|-----|----------------------|--------|------|
| C10 | Thruster room front | 721.5 | 0.85 |
| C11 | Thruster room front | 1031.2 | 0.85 |
| C20 | Engine room front | 3528.4 | 0.85 |
| C21 | Engine room aft | 3960.0 | 0.85 |
| C40 | Thruster room aft SB | 673.5 | 0.85 |
| C41 | Thruster room aft PS | 673.5 | 0.85 |
| C42 | Thr aft sb | 104.9 | 0.85 |
| C43 | Thr aft ps | 104.9 | 0.85 |

| | |
|----------|---------|
| SUBTOTAL | 10798.0 |
|----------|---------|

CAPACITY OF VOID (RHO=1)

| | | | |
|------|-------|--------|------|
| 311C | Cargo | 3156.1 | 0.95 |
| 312C | Cargo | 4734.2 | 0.95 |
| 313C | Cargo | 2915.1 | 0.95 |
| 31P | void | 150.3 | 0.95 |
| 31S | void | 150.3 | 0.95 |
| 31UP | void | 82.6 | 0.95 |
| 31US | void | 82.6 | 0.95 |
| 321C | Cargo | 1733.7 | 0.95 |
| 322C | Cargo | 2600.5 | 0.95 |
| 323C | Cargo | 1733.7 | 0.95 |
| 32P | void | 150.3 | 0.95 |
| 32S | void | 150.3 | 0.95 |
| 32UP | void | 82.6 | 0.95 |
| 32US | void | 82.6 | 0.95 |
| 33P | void | 150.3 | 0.95 |
| 33S | void | 150.3 | 0.95 |
| 33UP | void | 82.6 | 0.95 |
| 33US | void | 82.6 | 0.95 |


| NAME | DES | VNET m3 | PERM | IPERM |
|----------|------|------------|------|-------|
| 34P | void | 150.3 | 0.95 | |
| 34S | void | 150.3 | 0.95 | |
| 34UP | void | 82.6 | 0.95 | |
| 34US | void | 82.6 | 0.95 | |
| 35P | void | 146.9 | 0.95 | |
| 35S | void | 146.9 | 0.95 | |
| 35UP | void | 82.6 | 0.95 | |
| 35US | void | 82.6 | 0.95 | |
| 36P | void | 132.1 | 0.95 | |
| 36S | void | 132.1 | 0.95 | |
| 36UP | void | 82.6 | 0.95 | |
| 36US | void | 82.6 | 0.95 | |
| 37P | void | 190.8 | 0.95 | |
| 37S | void | 190.8 | 0.95 | |
| SUBTOTAL | | 20005.9 | | |

CAPACITY OF WATER BALLAST (RHO=1.025)

| | | | |
|------|-------------|-------|------|
| 01C | WB | 551.0 | 0.95 |
| 101C | wb | 251.2 | 0.95 |
| 102C | wb | 408.1 | 0.95 |
| 201C | wb | 196.7 | 0.95 |
| 202C | wb | 304.3 | 0.95 |
| 203C | wb | 278.3 | 0.95 |
| 204C | wb | 322.4 | 0.95 |
| 21P | wb | 341.9 | 0.95 |
| 21S | wb | 341.9 | 0.95 |
| 22P | wb | 352.2 | 0.95 |
| 22S | wb | 352.2 | 0.95 |
| 23P | wb | 227.2 | 0.95 |
| 23S | wb | 227.2 | 0.95 |
| 24P | wb | 253.5 | 0.95 |
| 24S | wb | 253.5 | 0.95 |
| 301C | wb | 175.5 | 0.95 |
| 301P | wb | 104.2 | 0.95 |
| 301S | wb | 104.2 | 0.95 |
| 302C | wb | 175.5 | 0.95 |
| 302P | wb | 105.1 | 0.95 |
| 302S | wb | 105.1 | 0.95 |
| 303C | wb | 175.5 | 0.95 |
| 303P | wb | 103.6 | 0.95 |
| 303S | wb | 103.6 | 0.95 |
| 304C | wb | 175.6 | 0.95 |
| 304P | wb | 93.7 | 0.95 |
| 304S | wb | 93.7 | 0.95 |
| 305C | wb | 163.0 | 0.95 |
| 305P | wb | 64.0 | 0.95 |
| 305S | wb | 64.0 | 0.95 |
| 306C | wb | 145.8 | 0.95 |
| 306P | wb | 28.9 | 0.95 |
| 306S | wb | 28.9 | 0.95 |
| 307C | wb | 146.1 | 0.95 |
| 401C | wb | 378.1 | 0.95 |
| 410P | wb | 205.9 | 0.95 |
| 410S | wb | 205.9 | 0.95 |
| 411C | WB roll red | 734.0 | 0.95 |

| NAME | DES | VNET m3 | PERM | IPERM |
|----------|-------------|------------|------|-------|
| 412C | WB roll red | 734.0 | 0.95 | |
| 41P | wb | 48.6 | 0.95 | |
| 41S | wb | 48.6 | 0.95 | |
| 42P | wb | 466.7 | 0.95 | |
| 42S | wb | 466.7 | 0.95 | |
| SUBTOTAL | | 10105.9 | | |
| TOTAL | | 50636.9 | | |

SUBDIVISION OF THE VESSEL



SUBDIVISION DEFINITION

| ZONE | X1 m | X2 m | BP | BS | HHSD | HHSU | PLIMIT | SLIMIT |
|------|---------|---------|---------|---------|---------|-----------|--------|--------|
| Z01 | -7.953 | -4.200 | 0/0 | 0/0 | - | 12.5 | | |
| Z02 | -4.200 | 6.600 | 4.8/15 | 4.8/15 | 5.6 | 12.5 | | |
| Z03 | 6.600 | 10.200 | 4.8 | 4.8 | 2.5/5.6 | 12.5 | | |
| Z04 | 10.200 | 13.800 | 4.8 | 4.8 | 2.5/5.6 | 12.5 | | |
| Z05 | 13.800 | 22.800 | 2.4 | 2.4 | 2.495 | 8.6/12.5 | | |
| Z06 | 22.800 | 31.800 | 2.4/8.4 | 2.4/8.4 | 1.995 | 8.6/12.5 | | |
| Z07 | 31.800 | 40.800 | 2.4/8.4 | 2.4/8.4 | 1.5 | 8.6/12.5 | | |
| Z08 | 40.800 | 49.800 | 2.4/8.4 | 2.4/8.4 | 1.5 | 8.6/12.5 | | |
| Z09 | 49.800 | 58.800 | 2.4/8.4 | 2.4/8.4 | 1.5 | 8.6/12.5 | | |
| Z10 | 58.800 | 67.800 | 2.4/8.4 | 2.4/8.4 | 1.5 | 8.6/12.5 | | |
| Z11 | 67.800 | 76.800 | 2.4/8.4 | 2.4/8.4 | 1.5 | 8.6/12.5 | | |
| Z12 | 76.800 | 84.600 | 3 | 3 | 1.5 | 12.5 | | |
| Z13 | 84.600 | 91.800 | 3 | 3 | 1.5 | 12.5/18.5 | | |
| Z14 | 91.800 | 100.800 | 4.151 | 4.151 | 1.5 | 12.5/18.5 | | |
| Z15 | 100.800 | 108.000 | 5.16 | 5.16 | 1.5 | 12.5/18.5 | | |
| Z16 | 108.000 | 116.400 | 4.848 | 4.848 | 3.2 | 12.5/18.5 | | |
| Z17 | 116.400 | 124.800 | 2.503 | 2.503 | 3.2 | 12.5/18.5 | | |
| Z18 | 124.800 | 136.695 | - | - | - | 12.5/18.5 | | |

LIGHT SERVICE CONDITION

| INIT | | DL |
|-------|--------|---------|
| ----- | | |
| T0 | m | 6.700 |
| TR0 | m | 0.000 |
| HEEL0 | degree | 0.0 |
| | | |
| DSP0 | t | 21395.6 |
| LCB | m | 61.930 |
| TCB | m | 0.000 |
| VCB | m | 3.656 |
| | | |
| GM0 | m | 1.800 |
| GM | m | 1.800 |
| KG | m | 14.27 |
| KMT | m | 16.075 |

PART B-1

CALCULATION RESULTS FOR INDEX CALCULATION

Trim: 0 Reult table: TAB*SDSD1RES2-TR0

| ----- | |
|----------------|---------|
| DAMAGES | W*P*V*S |
| ----- | |
| 1-ZONE DAMAGES | 0.32139 |
| 2-ZONE DAMAGES | 0.30020 |
| 3-ZONE DAMAGES | 0.09063 |
| 4-ZONE DAMAGES | 0.01831 |
| 5-ZONE DAMAGES | 0.00430 |
| ----- | |
| A-INDEX TOTAL | 0.73483 |
| ----- | |

CALCULATION RESULTS FOR INDEX CALCULATION

Trim: 0 Reult table: TAB*SDSD1RES2-TR0

| CASE | P | V | S | W | W*P*V*S |
|----------------|---------|---------|---------|-------|---------|
| DL/SDSP1.1.1 | 0.00000 | 0.59487 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP1.1.0 | 0.00000 | 0.40513 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP1.2.1 | 0.00000 | 0.59487 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP1.2.0 | 0.00000 | 0.40513 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP1.3.1 | 0.01184 | 0.59487 | 1.00000 | 0.200 | 0.00141 |
| DL/SDSP1.3.0 | 0.01184 | 0.40513 | 1.00000 | 0.200 | 0.00096 |
| DL/SDSP2.1.1-1 | 0.01610 | 0.59487 | 1.00000 | 0.200 | 0.00192 |
| DL/SDSP2.1.0-1 | 0.01610 | 0.40513 | 1.00000 | 0.200 | 0.00130 |
| DL/SDSP2.2.1 | 0.01003 | 0.59487 | 1.00000 | 0.200 | 0.00119 |
| DL/SDSP2.2.0 | 0.01003 | 0.40513 | 1.00000 | 0.200 | 0.00081 |
| DL/SDSP3.1.1-1 | 0.00268 | 0.59487 | 1.00000 | 0.200 | 0.00032 |
| DL/SDSP3.1.0-1 | 0.00268 | 0.40513 | 1.00000 | 0.200 | 0.00022 |
| DL/SDSP3.2.1-1 | 0.00056 | 0.59487 | 1.00000 | 0.200 | 0.00007 |
| DL/SDSP3.2.0-1 | 0.00056 | 0.40513 | 1.00000 | 0.200 | 0.00004 |
| DL/SDSP4.1.1-1 | 0.00268 | 0.59487 | 1.00000 | 0.200 | 0.00032 |
| DL/SDSP4.1.0-1 | 0.00268 | 0.40513 | 1.00000 | 0.200 | 0.00022 |
| DL/SDSP4.2.1-1 | 0.00056 | 0.59487 | 1.00000 | 0.200 | 0.00007 |
| DL/SDSP4.2.0-1 | 0.00056 | 0.40513 | 1.00000 | 0.200 | 0.00004 |
| DL/SDSP5.1.1-1 | 0.00710 | 0.19487 | 1.00000 | 0.200 | 0.00028 |
| DL/SDSP5.1.2-1 | 0.00710 | 0.40000 | 1.00000 | 0.200 | 0.00057 |
| DL/SDSP5.1.0-1 | 0.00710 | 0.40513 | 1.00000 | 0.200 | 0.00058 |
| DL/SDSP5.2.1-1 | 0.01157 | 0.19487 | 1.00000 | 0.200 | 0.00045 |
| DL/SDSP5.2.2-1 | 0.01157 | 0.40000 | 1.00000 | 0.200 | 0.00093 |
| DL/SDSP5.2.0-1 | 0.01157 | 0.40513 | 1.00000 | 0.200 | 0.00094 |
| DL/SDSP6.1.1 | 0.00710 | 0.19487 | 1.00000 | 0.200 | 0.00028 |
| DL/SDSP6.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.200 | 0.00057 |
| DL/SDSP6.1.0 | 0.00710 | 0.40513 | 1.00000 | 0.200 | 0.00058 |
| DL/SDSP6.2.1 | 0.00912 | 0.19487 | 1.00000 | 0.200 | 0.00036 |
| DL/SDSP6.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.200 | 0.00073 |
| DL/SDSP6.2.0 | 0.00912 | 0.40513 | 1.00000 | 0.200 | 0.00074 |
| DL/SDSP6.3.1 | 0.00245 | 0.19487 | 1.00000 | 0.200 | 0.00010 |
| DL/SDSP6.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.200 | 0.00020 |
| DL/SDSP6.3.0 | 0.00245 | 0.40513 | 1.00000 | 0.200 | 0.00020 |
| DL/SDSP7.1.1 | 0.00710 | 0.19487 | 1.00000 | 0.200 | 0.00028 |
| DL/SDSP7.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.200 | 0.00057 |
| DL/SDSP7.1.0 | 0.00710 | 0.40513 | 1.00000 | 0.200 | 0.00058 |
| DL/SDSP7.2.1 | 0.00912 | 0.19487 | 1.00000 | 0.200 | 0.00036 |
| DL/SDSP7.2.2 | 0.00912 | 0.40000 | 0.94511 | 0.200 | 0.00069 |
| DL/SDSP7.2.0 | 0.00912 | 0.40513 | 0.94511 | 0.200 | 0.00070 |
| DL/SDSP7.3.1 | 0.00245 | 0.19487 | 1.00000 | 0.200 | 0.00010 |
| DL/SDSP7.3.2 | 0.00245 | 0.40000 | 0.97155 | 0.200 | 0.00019 |
| DL/SDSP7.3.0 | 0.00245 | 0.40513 | 0.97155 | 0.200 | 0.00019 |
| DL/SDSP8.1.1 | 0.00710 | 0.19487 | 1.00000 | 0.200 | 0.00028 |
| DL/SDSP8.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.200 | 0.00057 |
| DL/SDSP8.1.0 | 0.00710 | 0.40513 | 1.00000 | 0.200 | 0.00058 |
| DL/SDSP8.2.1 | 0.00912 | 0.19487 | 1.00000 | 0.200 | 0.00036 |
| DL/SDSP8.2.2 | 0.00912 | 0.40000 | 0.88886 | 0.200 | 0.00065 |
| DL/SDSP8.2.0 | 0.00912 | 0.40513 | 0.88886 | 0.200 | 0.00066 |
| DL/SDSP8.3.1 | 0.00245 | 0.19487 | 1.00000 | 0.200 | 0.00010 |
| DL/SDSP8.3.2 | 0.00245 | 0.40000 | 0.92257 | 0.200 | 0.00018 |
| DL/SDSP8.3.0 | 0.00245 | 0.40513 | 0.92257 | 0.200 | 0.00018 |
| DL/SDSP9.1.1 | 0.00710 | 0.19487 | 1.00000 | 0.200 | 0.00028 |

| CASE | P | V | S | W | W*P*V*S |
|-----------------|---------|---------|---------|-------|---------|
| DL/SDSP9.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.200 | 0.00057 |
| DL/SDSP9.1.0 | 0.00710 | 0.40513 | 1.00000 | 0.200 | 0.00058 |
| DL/SDSP9.2.1 | 0.00912 | 0.19487 | 1.00000 | 0.200 | 0.00036 |
| DL/SDSP9.2.2 | 0.00912 | 0.40000 | 0.87336 | 0.200 | 0.00064 |
| DL/SDSP9.2.0 | 0.00912 | 0.40513 | 0.87336 | 0.200 | 0.00065 |
| DL/SDSP9.3.1 | 0.00245 | 0.19487 | 1.00000 | 0.200 | 0.00010 |
| DL/SDSP9.3.2 | 0.00245 | 0.40000 | 0.90902 | 0.200 | 0.00018 |
| DL/SDSP9.3.0 | 0.00245 | 0.40513 | 0.90902 | 0.200 | 0.00018 |
| DL/SDSP10.1.1 | 0.00710 | 0.19487 | 1.00000 | 0.200 | 0.00028 |
| DL/SDSP10.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.200 | 0.00057 |
| DL/SDSP10.1.0 | 0.00710 | 0.40513 | 1.00000 | 0.200 | 0.00058 |
| DL/SDSP10.2.1 | 0.00912 | 0.19487 | 1.00000 | 0.200 | 0.00036 |
| DL/SDSP10.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.200 | 0.00073 |
| DL/SDSP10.2.0 | 0.00912 | 0.40513 | 1.00000 | 0.200 | 0.00074 |
| DL/SDSP10.3.1 | 0.00245 | 0.19487 | 1.00000 | 0.200 | 0.00010 |
| DL/SDSP10.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.200 | 0.00020 |
| DL/SDSP10.3.0 | 0.00245 | 0.40513 | 1.00000 | 0.200 | 0.00020 |
| DL/SDSP11.1.1 | 0.00710 | 0.19487 | 1.00000 | 0.200 | 0.00028 |
| DL/SDSP11.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.200 | 0.00057 |
| DL/SDSP11.1.0 | 0.00710 | 0.40513 | 1.00000 | 0.200 | 0.00058 |
| DL/SDSP11.2.1 | 0.00912 | 0.19487 | 1.00000 | 0.200 | 0.00036 |
| DL/SDSP11.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.200 | 0.00073 |
| DL/SDSP11.2.0 | 0.00912 | 0.40513 | 1.00000 | 0.200 | 0.00074 |
| DL/SDSP11.3.1 | 0.00245 | 0.19487 | 1.00000 | 0.200 | 0.00010 |
| DL/SDSP11.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.200 | 0.00020 |
| DL/SDSP11.3.0 | 0.00245 | 0.40513 | 1.00000 | 0.200 | 0.00020 |
| DL/SDSP12.1.1-1 | 0.00679 | 0.59487 | 1.00000 | 0.200 | 0.00081 |
| DL/SDSP12.1.0-1 | 0.00679 | 0.40513 | 1.00000 | 0.200 | 0.00055 |
| DL/SDSP12.2.1-1 | 0.00750 | 0.59487 | 1.00000 | 0.200 | 0.00089 |
| DL/SDSP12.2.0-1 | 0.00750 | 0.40513 | 1.00000 | 0.200 | 0.00061 |
| DL/SDSP13.1.1-1 | 0.00599 | 0.59487 | 1.00000 | 0.200 | 0.00071 |
| DL/SDSP13.1.2-1 | 0.00599 | 0.37534 | 1.00000 | 0.200 | 0.00045 |
| DL/SDSP13.1.0-1 | 0.00599 | 0.02979 | 1.00000 | 0.200 | 0.00004 |
| DL/SDSP13.2.1-1 | 0.00630 | 0.59487 | 1.00000 | 0.200 | 0.00075 |
| DL/SDSP13.2.2-1 | 0.00630 | 0.37534 | 1.00000 | 0.200 | 0.00047 |
| DL/SDSP13.2.0-1 | 0.00630 | 0.02979 | 1.00000 | 0.200 | 0.00004 |
| DL/SDSP14.1.1-1 | 0.01084 | 0.59487 | 1.00000 | 0.200 | 0.00129 |
| DL/SDSP14.1.2-1 | 0.01084 | 0.37534 | 1.00000 | 0.200 | 0.00081 |
| DL/SDSP14.1.0-1 | 0.01084 | 0.02979 | 1.00000 | 0.200 | 0.00006 |
| DL/SDSP14.2.1-1 | 0.00783 | 0.59487 | 1.00000 | 0.200 | 0.00093 |
| DL/SDSP14.2.2-1 | 0.00783 | 0.37534 | 1.00000 | 0.200 | 0.00059 |
| DL/SDSP14.2.0-1 | 0.00783 | 0.02979 | 1.00000 | 0.200 | 0.00005 |
| DL/SDSP15.1.1 | 0.00869 | 0.59487 | 1.00000 | 0.200 | 0.00103 |
| DL/SDSP15.1.2 | 0.00869 | 0.37534 | 1.00000 | 0.200 | 0.00065 |
| DL/SDSP15.1.0 | 0.00869 | 0.02979 | 1.00000 | 0.200 | 0.00005 |
| DL/SDSP15.2.1-1 | 0.00360 | 0.59487 | 1.00000 | 0.200 | 0.00043 |
| DL/SDSP15.2.2-1 | 0.00360 | 0.37534 | 1.00000 | 0.200 | 0.00027 |
| DL/SDSP15.2.0-1 | 0.00360 | 0.02979 | 1.00000 | 0.200 | 0.00002 |
| DL/SDSP16.1.1 | 0.01076 | 0.59487 | 1.00000 | 0.200 | 0.00128 |
| DL/SDSP16.1.2 | 0.01076 | 0.37534 | 1.00000 | 0.200 | 0.00081 |
| DL/SDSP16.1.0 | 0.01076 | 0.02979 | 1.00000 | 0.200 | 0.00006 |
| DL/SDSP16.2.1 | 0.00566 | 0.59487 | 1.00000 | 0.200 | 0.00067 |
| DL/SDSP16.2.2 | 0.00566 | 0.37534 | 1.00000 | 0.200 | 0.00042 |
| DL/SDSP16.2.0 | 0.00566 | 0.02979 | 1.00000 | 0.200 | 0.00003 |
| DL/SDSP17.1.1 | 0.00660 | 0.59487 | 1.00000 | 0.200 | 0.00079 |
| DL/SDSP17.1.2 | 0.00660 | 0.37534 | 1.00000 | 0.200 | 0.00050 |
| DL/SDSP17.1.0 | 0.00660 | 0.02979 | 1.00000 | 0.200 | 0.00004 |
| DL/SDSP17.2.1-1 | 0.00981 | 0.59487 | 1.00000 | 0.200 | 0.00117 |
| DL/SDSP17.2.2-1 | 0.00981 | 0.37534 | 1.00000 | 0.200 | 0.00074 |

| CASE | P | V | S | W | W*P*V*S |
|------------------|---------|---------|---------|-------|---------|
| DL/SDSP17.2.0-1 | 0.00981 | 0.02979 | 1.00000 | 0.200 | 0.00006 |
| DL/SDSP18.1.1 | 0.05669 | 0.59487 | 1.00000 | 0.200 | 0.00674 |
| DL/SDSP18.1.2 | 0.05669 | 0.37534 | 1.00000 | 0.200 | 0.00426 |
| DL/SDSP18.1.0 | 0.05669 | 0.02979 | 1.00000 | 0.200 | 0.00034 |
| DL/SDSP1-2.1.1 | 0.00000 | 0.59487 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP1-2.1.0 | 0.00000 | 0.40513 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP1-2.2.1 | 0.01463 | 0.59487 | 1.00000 | 0.200 | 0.00174 |
| DL/SDSP1-2.2.0 | 0.01463 | 0.40513 | 1.00000 | 0.200 | 0.00119 |
| DL/SDSP1-2.3.1 | 0.00888 | 0.59487 | 1.00000 | 0.200 | 0.00106 |
| DL/SDSP1-2.3.0 | 0.00888 | 0.40513 | 1.00000 | 0.200 | 0.00072 |
| DL/SDSP2-3.1.1 | 0.00682 | 0.59487 | 1.00000 | 0.200 | 0.00081 |
| DL/SDSP2-3.1.0 | 0.00682 | 0.40513 | 1.00000 | 0.200 | 0.00055 |
| DL/SDSP2-3.2.1 | 0.00758 | 0.59487 | 0.65411 | 0.200 | 0.00059 |
| DL/SDSP2-3.2.0 | 0.00758 | 0.40513 | 0.65411 | 0.200 | 0.00040 |
| DL/SDSP3-4.1.1 | 0.00295 | 0.59487 | 1.00000 | 0.200 | 0.00035 |
| DL/SDSP3-4.1.0 | 0.00295 | 0.40513 | 1.00000 | 0.200 | 0.00024 |
| DL/SDSP3-4.2.1-1 | 0.00286 | 0.59487 | 1.00000 | 0.200 | 0.00034 |
| DL/SDSP3-4.2.0-1 | 0.00286 | 0.40513 | 1.00000 | 0.200 | 0.00023 |
| DL/SDSP4-5.1.1 | 0.00316 | 0.19487 | 1.00000 | 0.200 | 0.00012 |
| DL/SDSP4-5.1.2 | 0.00316 | 0.40000 | 1.00000 | 0.200 | 0.00025 |
| DL/SDSP4-5.1.0 | 0.00316 | 0.40513 | 1.00000 | 0.200 | 0.00026 |
| DL/SDSP4-5.2.1-1 | 0.00286 | 0.19487 | 1.00000 | 0.200 | 0.00011 |
| DL/SDSP4-5.2.2-1 | 0.00286 | 0.40000 | 0.93624 | 0.200 | 0.00021 |
| DL/SDSP4-5.2.0-1 | 0.00286 | 0.40513 | 0.93624 | 0.200 | 0.00022 |
| DL/SDSP4-5.3.1-1 | 0.00661 | 0.19487 | 0.98084 | 0.200 | 0.00025 |
| DL/SDSP4-5.3.2-1 | 0.00661 | 0.40000 | 0.75281 | 0.200 | 0.00040 |
| DL/SDSP4-5.3.0-1 | 0.00661 | 0.40513 | 0.75281 | 0.200 | 0.00040 |
| DL/SDSP5-6.1.1 | 0.00658 | 0.19487 | 1.00000 | 0.200 | 0.00026 |
| DL/SDSP5-6.1.2 | 0.00658 | 0.40000 | 1.00000 | 0.200 | 0.00053 |
| DL/SDSP5-6.1.0 | 0.00658 | 0.40513 | 1.00000 | 0.200 | 0.00053 |
| DL/SDSP5-6.2.1 | 0.01295 | 0.19487 | 1.00000 | 0.200 | 0.00050 |
| DL/SDSP5-6.2.2 | 0.01295 | 0.40000 | 0.83085 | 0.200 | 0.00086 |
| DL/SDSP5-6.2.0 | 0.01295 | 0.40513 | 0.83085 | 0.200 | 0.00087 |
| DL/SDSP5-6.3.1-2 | 0.00733 | 0.19487 | 1.00000 | 0.200 | 0.00029 |
| DL/SDSP5-6.3.2-2 | 0.00733 | 0.40000 | 0.85022 | 0.200 | 0.00050 |
| DL/SDSP5-6.3.0-2 | 0.00733 | 0.40513 | 0.85022 | 0.200 | 0.00050 |
| DL/SDSP6-7.1.1 | 0.00658 | 0.19487 | 1.00000 | 0.200 | 0.00026 |
| DL/SDSP6-7.1.2 | 0.00658 | 0.40000 | 1.00000 | 0.200 | 0.00053 |
| DL/SDSP6-7.1.0 | 0.00658 | 0.40513 | 1.00000 | 0.200 | 0.00053 |
| DL/SDSP6-7.2.1 | 0.01295 | 0.19487 | 1.00000 | 0.200 | 0.00050 |
| DL/SDSP6-7.2.2-1 | 0.01295 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-7.2.0-1 | 0.01295 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-7.3.1 | 0.00733 | 0.19487 | 1.00000 | 0.200 | 0.00029 |
| DL/SDSP6-7.3.2-1 | 0.00733 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-7.3.0-1 | 0.00733 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-8.1.1 | 0.00658 | 0.19487 | 0.93681 | 0.200 | 0.00024 |
| DL/SDSP7-8.1.2 | 0.00658 | 0.40000 | 0.92759 | 0.200 | 0.00049 |
| DL/SDSP7-8.1.0 | 0.00658 | 0.40513 | 0.92759 | 0.200 | 0.00049 |
| DL/SDSP7-8.2.1 | 0.01295 | 0.19487 | 0.83251 | 0.200 | 0.00042 |
| DL/SDSP7-8.2.2 | 0.01295 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-8.2.0 | 0.01295 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-8.3.1 | 0.00733 | 0.19487 | 0.89150 | 0.200 | 0.00025 |
| DL/SDSP7-8.3.2 | 0.00733 | 0.40000 | 0.25001 | 0.200 | 0.00015 |
| DL/SDSP7-8.3.0 | 0.00733 | 0.40513 | 0.25001 | 0.200 | 0.00015 |
| DL/SDSP8-9.1.1 | 0.00658 | 0.19487 | 0.89042 | 0.200 | 0.00023 |
| DL/SDSP8-9.1.2 | 0.00658 | 0.40000 | 0.87057 | 0.200 | 0.00046 |
| DL/SDSP8-9.1.0 | 0.00658 | 0.40513 | 0.87057 | 0.200 | 0.00046 |
| DL/SDSP8-9.2.1 | 0.01295 | 0.19487 | 0.78993 | 0.200 | 0.00040 |
| DL/SDSP8-9.2.2 | 0.01295 | 0.40000 | 0.00000 | 0.200 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DL/SDSP8-9.2.0 | 0.01295 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-9.3.1 | 0.00733 | 0.19487 | 0.85533 | 0.200 | 0.00024 |
| DL/SDSP8-9.3.2 | 0.00733 | 0.40000 | 0.13656 | 0.200 | 0.00008 |
| DL/SDSP8-9.3.0 | 0.00733 | 0.40513 | 0.13656 | 0.200 | 0.00008 |
| DL/SDSP9-10.1.1 | 0.00658 | 0.19487 | 0.87512 | 0.200 | 0.00022 |
| DL/SDSP9-10.1.2 | 0.00658 | 0.40000 | 0.85073 | 0.200 | 0.00045 |
| DL/SDSP9-10.1.0 | 0.00658 | 0.40513 | 0.85073 | 0.200 | 0.00045 |
| DL/SDSP9-10.2.1 | 0.01295 | 0.19487 | 0.97762 | 0.200 | 0.00049 |
| DL/SDSP9-10.2.2-1 | 0.01295 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-10.2.0-1 | 0.01295 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-10.3.1 | 0.00733 | 0.19487 | 1.00000 | 0.200 | 0.00029 |
| DL/SDSP9-10.3.2-1 | 0.00733 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-10.3.0-1 | 0.00733 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-11.1.1 | 0.00658 | 0.19487 | 0.87223 | 0.200 | 0.00022 |
| DL/SDSP10-11.1.2 | 0.00658 | 0.40000 | 0.84494 | 0.200 | 0.00044 |
| DL/SDSP10-11.1.0 | 0.00658 | 0.40513 | 0.84494 | 0.200 | 0.00045 |
| DL/SDSP10-11.2.1 | 0.01295 | 0.19487 | 0.74866 | 0.200 | 0.00038 |
| DL/SDSP10-11.2.2 | 0.01295 | 0.40000 | 0.28874 | 0.200 | 0.00030 |
| DL/SDSP10-11.2.0 | 0.01295 | 0.40513 | 0.28874 | 0.200 | 0.00030 |
| DL/SDSP10-11.3.1 | 0.00733 | 0.19487 | 0.82181 | 0.200 | 0.00023 |
| DL/SDSP10-11.3.2 | 0.00733 | 0.40000 | 0.51258 | 0.200 | 0.00030 |
| DL/SDSP10-11.3.0 | 0.00733 | 0.40513 | 0.51258 | 0.200 | 0.00030 |
| DL/SDSP11-12.1.1 | 0.00593 | 0.19487 | 0.98048 | 0.200 | 0.00023 |
| DL/SDSP11-12.1.2 | 0.00593 | 0.40000 | 0.97724 | 0.200 | 0.00046 |
| DL/SDSP11-12.1.0 | 0.00593 | 0.40513 | 0.97724 | 0.200 | 0.00047 |
| DL/SDSP11-12.2.1 | 0.00139 | 0.19487 | 0.85435 | 0.200 | 0.00005 |
| DL/SDSP11-12.2.2 | 0.00139 | 0.40000 | 0.64997 | 0.200 | 0.00007 |
| DL/SDSP11-12.2.0 | 0.00139 | 0.40513 | 0.64997 | 0.200 | 0.00007 |
| DL/SDSP11-12.3.1 | 0.01031 | 0.19487 | 0.89641 | 0.200 | 0.00036 |
| DL/SDSP11-12.3.2 | 0.01031 | 0.40000 | 0.42618 | 0.200 | 0.00035 |
| DL/SDSP11-12.3.0 | 0.01031 | 0.40513 | 0.42618 | 0.200 | 0.00036 |
| DL/SDSP11-12.4.1-1 | 0.00655 | 0.19487 | 0.92508 | 0.200 | 0.00024 |
| DL/SDSP11-12.4.2-1 | 0.00655 | 0.40000 | 0.43663 | 0.200 | 0.00023 |
| DL/SDSP11-12.4.0-1 | 0.00655 | 0.40513 | 0.43663 | 0.200 | 0.00023 |
| DL/SDSP12-13.1.1-1 | 0.00622 | 0.59487 | 1.00000 | 0.200 | 0.00074 |
| DL/SDSP12-13.1.2-1 | 0.00622 | 0.37534 | 1.00000 | 0.200 | 0.00047 |
| DL/SDSP12-13.1.0-1 | 0.00622 | 0.02979 | 1.00000 | 0.200 | 0.00004 |
| DL/SDSP12-13.2.1-1 | 0.01422 | 0.59487 | 0.89021 | 0.200 | 0.00151 |
| DL/SDSP12-13.2.2-1 | 0.01422 | 0.37534 | 0.89017 | 0.200 | 0.00095 |
| DL/SDSP12-13.2.0-1 | 0.01422 | 0.02979 | 0.89017 | 0.200 | 0.00008 |
| DL/SDSP13-14.1.1-1 | 0.00690 | 0.59487 | 1.00000 | 0.200 | 0.00082 |
| DL/SDSP13-14.1.2-1 | 0.00690 | 0.37534 | 1.00000 | 0.200 | 0.00052 |
| DL/SDSP13-14.1.0-1 | 0.00690 | 0.02979 | 1.00000 | 0.200 | 0.00004 |
| DL/SDSP13-14.2.1-1 | 0.00240 | 0.59487 | 0.75932 | 0.200 | 0.00022 |
| DL/SDSP13-14.2.2-1 | 0.00240 | 0.37534 | 0.75931 | 0.200 | 0.00014 |
| DL/SDSP13-14.2.0-1 | 0.00240 | 0.02979 | 0.75931 | 0.200 | 0.00001 |
| DL/SDSP13-14.3.1-1 | 0.01344 | 0.59487 | 0.62789 | 0.200 | 0.00100 |
| DL/SDSP13-14.3.2-1 | 0.01344 | 0.37534 | 0.61667 | 0.200 | 0.00062 |
| DL/SDSP13-14.3.0-1 | 0.01344 | 0.02979 | 0.61667 | 0.200 | 0.00005 |
| DL/SDSP14-15.1.1-1 | 0.00929 | 0.59487 | 1.00000 | 0.200 | 0.00111 |
| DL/SDSP14-15.1.2-1 | 0.00929 | 0.37534 | 1.00000 | 0.200 | 0.00070 |
| DL/SDSP14-15.1.0-1 | 0.00929 | 0.02979 | 1.00000 | 0.200 | 0.00006 |
| DL/SDSP14-15.2.1-1 | 0.00196 | 0.59487 | 0.79630 | 0.200 | 0.00019 |
| DL/SDSP14-15.2.2-1 | 0.00196 | 0.37534 | 0.79632 | 0.200 | 0.00012 |
| DL/SDSP14-15.2.0-1 | 0.00196 | 0.02979 | 0.79632 | 0.200 | 0.00001 |
| DL/SDSP14-15.3.1-1 | 0.01148 | 0.59487 | 0.79630 | 0.200 | 0.00109 |
| DL/SDSP14-15.3.2-1 | 0.01148 | 0.37534 | 0.79632 | 0.200 | 0.00069 |
| DL/SDSP14-15.3.0-1 | 0.01148 | 0.02979 | 0.79632 | 0.200 | 0.00005 |
| DL/SDSP15-16.1.1 | 0.01016 | 0.59487 | 1.00000 | 0.200 | 0.00121 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DL/SDSP15-16.1.2 | 0.01016 | 0.37534 | 1.00000 | 0.200 | 0.00076 |
| DL/SDSP15-16.1.0 | 0.01016 | 0.02979 | 1.00000 | 0.200 | 0.00006 |
| DL/SDSP15-16.2.1 | 0.00057 | 0.59487 | 1.00000 | 0.200 | 0.00007 |
| DL/SDSP15-16.2.2 | 0.00057 | 0.37534 | 1.00000 | 0.200 | 0.00004 |
| DL/SDSP15-16.2.0 | 0.00057 | 0.02979 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP15-16.3.1-1 | 0.01089 | 0.59487 | 0.93880 | 0.200 | 0.00122 |
| DL/SDSP15-16.3.2-1 | 0.01089 | 0.37534 | 0.93825 | 0.200 | 0.00077 |
| DL/SDSP15-16.3.0-1 | 0.01089 | 0.02979 | 0.93825 | 0.200 | 0.00006 |
| DL/SDSP16-17.1.1 | 0.00621 | 0.59487 | 1.00000 | 0.200 | 0.00074 |
| DL/SDSP16-17.1.2 | 0.00621 | 0.37534 | 1.00000 | 0.200 | 0.00047 |
| DL/SDSP16-17.1.0 | 0.00621 | 0.02979 | 1.00000 | 0.200 | 0.00004 |
| DL/SDSP16-17.2.1 | 0.00517 | 0.59487 | 1.00000 | 0.200 | 0.00062 |
| DL/SDSP16-17.2.2 | 0.00517 | 0.37534 | 1.00000 | 0.200 | 0.00039 |
| DL/SDSP16-17.2.0 | 0.00517 | 0.02979 | 1.00000 | 0.200 | 0.00003 |
| DL/SDSP16-17.3.1 | 0.01292 | 0.59487 | 1.00000 | 0.200 | 0.00154 |
| DL/SDSP16-17.3.2 | 0.01292 | 0.37534 | 1.00000 | 0.200 | 0.00097 |
| DL/SDSP16-17.3.0 | 0.01292 | 0.02979 | 1.00000 | 0.200 | 0.00008 |
| DL/SDSP17-18.1.1 | 0.00917 | 0.59487 | 1.00000 | 0.200 | 0.00109 |
| DL/SDSP17-18.1.2 | 0.00917 | 0.37534 | 1.00000 | 0.200 | 0.00069 |
| DL/SDSP17-18.1.0 | 0.00917 | 0.02979 | 1.00000 | 0.200 | 0.00005 |
| DL/SDSP17-18.2.1-1 | 0.02698 | 0.59487 | 1.00000 | 0.200 | 0.00321 |
| DL/SDSP17-18.2.2-1 | 0.02698 | 0.37534 | 1.00000 | 0.200 | 0.00203 |
| DL/SDSP17-18.2.0-1 | 0.02698 | 0.02979 | 1.00000 | 0.200 | 0.00016 |
| DL/SDSP1-3.1.1 | 0.00000 | 0.59487 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP1-3.1.0 | 0.00000 | 0.40513 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP1-3.2.1 | 0.00228 | 0.59487 | 1.00000 | 0.200 | 0.00027 |
| DL/SDSP1-3.2.0 | 0.00228 | 0.40513 | 1.00000 | 0.200 | 0.00018 |
| DL/SDSP1-3.3.1 | 0.00139 | 0.59487 | 0.47109 | 0.200 | 0.00008 |
| DL/SDSP1-3.3.0 | 0.00139 | 0.40513 | 0.47109 | 0.200 | 0.00005 |
| DL/SDSP2-4.1.1 | 0.00513 | 0.59487 | 0.97721 | 0.200 | 0.00060 |
| DL/SDSP2-4.1.0 | 0.00513 | 0.40513 | 0.97721 | 0.200 | 0.00041 |
| DL/SDSP2-4.2.1 | 0.00625 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-4.2.0 | 0.00625 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-5.1.1 | 0.00243 | 0.19487 | 1.00000 | 0.200 | 0.00009 |
| DL/SDSP3-5.1.2 | 0.00243 | 0.40000 | 1.00000 | 0.200 | 0.00019 |
| DL/SDSP3-5.1.0 | 0.00243 | 0.40513 | 1.00000 | 0.200 | 0.00020 |
| DL/SDSP3-5.2.1-1 | 0.00212 | 0.19487 | 0.98459 | 0.200 | 0.00008 |
| DL/SDSP3-5.2.2-1 | 0.00212 | 0.40000 | 0.43982 | 0.200 | 0.00007 |
| DL/SDSP3-5.2.0-1 | 0.00212 | 0.40513 | 0.43982 | 0.200 | 0.00008 |
| DL/SDSP3-5.3.1-1 | 0.00555 | 0.19487 | 0.86620 | 0.200 | 0.00019 |
| DL/SDSP3-5.3.2 | 0.00555 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-5.3.0 | 0.00555 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-6.1.1 | 0.00152 | 0.19487 | 0.98080 | 0.200 | 0.00006 |
| DL/SDSP4-6.1.2 | 0.00152 | 0.40000 | 0.97777 | 0.200 | 0.00012 |
| DL/SDSP4-6.1.0 | 0.00152 | 0.40513 | 0.97777 | 0.200 | 0.00012 |
| DL/SDSP4-6.2.1-2 | 0.00133 | 0.19487 | 0.86100 | 0.200 | 0.00004 |
| DL/SDSP4-6.2.2 | 0.00133 | 0.40000 | 0.16435 | 0.200 | 0.00002 |
| DL/SDSP4-6.2.0 | 0.00133 | 0.40513 | 0.16435 | 0.200 | 0.00002 |
| DL/SDSP4-6.3.1-2 | 0.00163 | 0.19487 | 0.77050 | 0.200 | 0.00005 |
| DL/SDSP4-6.3.2-1 | 0.00163 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-6.3.0-1 | 0.00163 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-6.4.1-2 | 0.00185 | 0.19487 | 0.77050 | 0.200 | 0.00006 |
| DL/SDSP4-6.4.2-1 | 0.00185 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-6.4.0-1 | 0.00185 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-7.1.1 | 0.00277 | 0.19487 | 0.86972 | 0.200 | 0.00009 |
| DL/SDSP5-7.1.2 | 0.00277 | 0.40000 | 0.83759 | 0.200 | 0.00019 |
| DL/SDSP5-7.1.0 | 0.00277 | 0.40513 | 0.83759 | 0.200 | 0.00019 |
| DL/SDSP5-7.2.1 | 0.00539 | 0.19487 | 1.00000 | 0.200 | 0.00021 |
| DL/SDSP5-7.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.200 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DL/SDSP5-7.2.0-1 | 0.00539 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-7.3.1 | 0.00337 | 0.19487 | 1.00000 | 0.200 | 0.00013 |
| DL/SDSP5-7.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-7.3.0-1 | 0.00337 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-8.1.1 | 0.00277 | 0.19487 | 0.74520 | 0.200 | 0.00008 |
| DL/SDSP6-8.1.2 | 0.00277 | 0.40000 | 0.62746 | 0.200 | 0.00014 |
| DL/SDSP6-8.1.0 | 0.00277 | 0.40513 | 0.62746 | 0.200 | 0.00014 |
| DL/SDSP6-8.2.1 | 0.00539 | 0.19487 | 0.96022 | 0.200 | 0.00020 |
| DL/SDSP6-8.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-8.2.0-1 | 0.00539 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-8.3.1 | 0.00337 | 0.19487 | 1.00000 | 0.200 | 0.00013 |
| DL/SDSP6-8.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-8.3.0-1 | 0.00337 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-9.1.1 | 0.00277 | 0.19487 | 0.63434 | 0.200 | 0.00007 |
| DL/SDSP7-9.1.2 | 0.00277 | 0.40000 | 0.44451 | 0.200 | 0.00010 |
| DL/SDSP7-9.1.0 | 0.00277 | 0.40513 | 0.44451 | 0.200 | 0.00010 |
| DL/SDSP7-9.2.1 | 0.00539 | 0.19487 | 0.54249 | 0.200 | 0.00011 |
| DL/SDSP7-9.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-9.2.0-1 | 0.00539 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-9.3.1 | 0.00337 | 0.19487 | 0.68197 | 0.200 | 0.00009 |
| DL/SDSP7-9.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-9.3.0-1 | 0.00337 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-10.1.1 | 0.00277 | 0.19487 | 0.57008 | 0.200 | 0.00006 |
| DL/SDSP8-10.1.2 | 0.00277 | 0.40000 | 0.31512 | 0.200 | 0.00007 |
| DL/SDSP8-10.1.0 | 0.00277 | 0.40513 | 0.31512 | 0.200 | 0.00007 |
| DL/SDSP8-10.2.1 | 0.00539 | 0.19487 | 0.75748 | 0.200 | 0.00016 |
| DL/SDSP8-10.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-10.2.0-1 | 0.00539 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-10.3.1 | 0.00337 | 0.19487 | 0.87355 | 0.200 | 0.00011 |
| DL/SDSP8-10.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-10.3.0-1 | 0.00337 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-11.1.1 | 0.00277 | 0.19487 | 0.54632 | 0.200 | 0.00006 |
| DL/SDSP9-11.1.2 | 0.00277 | 0.40000 | 0.24446 | 0.200 | 0.00005 |
| DL/SDSP9-11.1.0 | 0.00277 | 0.40513 | 0.24446 | 0.200 | 0.00005 |
| DL/SDSP9-11.2.1 | 0.00539 | 0.19487 | 0.75009 | 0.200 | 0.00016 |
| DL/SDSP9-11.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-11.2.0-1 | 0.00539 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-11.3.1 | 0.00337 | 0.19487 | 0.86924 | 0.200 | 0.00011 |
| DL/SDSP9-11.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-11.3.0-1 | 0.00337 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-12.1.1 | 0.00258 | 0.19487 | 0.66168 | 0.200 | 0.00007 |
| DL/SDSP10-12.1.2 | 0.00258 | 0.40000 | 0.54146 | 0.200 | 0.00011 |
| DL/SDSP10-12.1.0 | 0.00258 | 0.40513 | 0.54146 | 0.200 | 0.00011 |
| DL/SDSP10-12.2.1 | 0.00059 | 0.19487 | 0.51133 | 0.200 | 0.00001 |
| DL/SDSP10-12.2.2 | 0.00059 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-12.2.0 | 0.00059 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-12.3.1 | 0.00442 | 0.19487 | 0.56551 | 0.200 | 0.00010 |
| DL/SDSP10-12.3.2 | 0.00442 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-12.3.0 | 0.00442 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-12.4.1-1 | 0.00313 | 0.19487 | 0.67784 | 0.200 | 0.00008 |
| DL/SDSP10-12.4.2-1 | 0.00313 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-12.4.0-1 | 0.00313 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-13.1.1 | 0.00285 | 0.19487 | 0.79232 | 0.200 | 0.00009 |
| DL/SDSP11-13.1.2 | 0.00285 | 0.40000 | 0.75508 | 0.200 | 0.00017 |
| DL/SDSP11-13.1.3 | 0.00285 | 0.37534 | 0.75517 | 0.200 | 0.00016 |
| DL/SDSP11-13.1.0 | 0.00285 | 0.02979 | 0.75517 | 0.200 | 0.00001 |
| DL/SDSP11-13.2.1-1 | 0.00066 | 0.19487 | 0.58332 | 0.200 | 0.00001 |
| DL/SDSP11-13.2.2-1 | 0.00066 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-13.2.3-1 | 0.00066 | 0.37534 | 0.00000 | 0.200 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DL/SDSP11-13.2.0-1 | 0.00066 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-13.3.1-1 | 0.00488 | 0.19487 | 0.56237 | 0.200 | 0.00011 |
| DL/SDSP11-13.3.2-1 | 0.00488 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-13.3.3-1 | 0.00488 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-13.3.0-1 | 0.00488 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-13.4.1-1 | 0.00346 | 0.19487 | 0.56237 | 0.200 | 0.00008 |
| DL/SDSP11-13.4.2-1 | 0.00346 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-13.4.3-1 | 0.00346 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-13.4.0-1 | 0.00346 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-14.1.1-1 | 0.00393 | 0.59487 | 0.68206 | 0.200 | 0.00032 |
| DL/SDSP12-14.1.2-1 | 0.00393 | 0.37534 | 0.68219 | 0.200 | 0.00020 |
| DL/SDSP12-14.1.0-1 | 0.00393 | 0.02979 | 0.68219 | 0.200 | 0.00002 |
| DL/SDSP12-14.2.1-1 | 0.00134 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-14.2.2-1 | 0.00134 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-14.2.0-1 | 0.00134 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-14.3.1-1 | 0.00802 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-14.3.2-1 | 0.00802 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-14.3.0-1 | 0.00802 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-15.1.1-1 | 0.00270 | 0.59487 | 0.71039 | 0.200 | 0.00023 |
| DL/SDSP13-15.1.2-1 | 0.00270 | 0.37534 | 0.71050 | 0.200 | 0.00014 |
| DL/SDSP13-15.1.0-1 | 0.00270 | 0.02979 | 0.71050 | 0.200 | 0.00001 |
| DL/SDSP13-15.2.1-1 | 0.00092 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-15.2.2-1 | 0.00092 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-15.2.0-1 | 0.00092 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-15.3.1-1 | 0.00075 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-15.3.2-1 | 0.00075 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-15.3.0-1 | 0.00075 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-15.4.1-1 | 0.00475 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-15.4.2-1 | 0.00475 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-15.4.0-1 | 0.00475 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-16.1.1-1 | 0.00550 | 0.59487 | 0.83058 | 0.200 | 0.00054 |
| DL/SDSP14-16.1.2-1 | 0.00550 | 0.37534 | 0.83047 | 0.200 | 0.00034 |
| DL/SDSP14-16.1.0-1 | 0.00550 | 0.02979 | 0.83047 | 0.200 | 0.00003 |
| DL/SDSP14-16.2.1-2 | 0.00080 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-16.2.2-2 | 0.00080 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-16.2.0-2 | 0.00080 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-16.3.1-2 | 0.00035 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-16.3.2-1 | 0.00035 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-16.3.0-1 | 0.00035 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-16.4.1-2 | 0.00721 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-16.4.2-1 | 0.00721 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-16.4.0-1 | 0.00721 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP15-17.1.1 | 0.00267 | 0.59487 | 1.00000 | 0.200 | 0.00032 |
| DL/SDSP15-17.1.2 | 0.00267 | 0.37534 | 1.00000 | 0.200 | 0.00020 |
| DL/SDSP15-17.1.0 | 0.00267 | 0.02979 | 1.00000 | 0.200 | 0.00002 |
| DL/SDSP15-17.2.1 | 0.00218 | 0.59487 | 1.00000 | 0.200 | 0.00026 |
| DL/SDSP15-17.2.2 | 0.00218 | 0.37534 | 1.00000 | 0.200 | 0.00016 |
| DL/SDSP15-17.2.0 | 0.00218 | 0.02979 | 1.00000 | 0.200 | 0.00001 |
| DL/SDSP15-17.3.1 | 0.00027 | 0.59487 | 1.00000 | 0.200 | 0.00003 |
| DL/SDSP15-17.3.2 | 0.00027 | 0.37534 | 1.00000 | 0.200 | 0.00002 |
| DL/SDSP15-17.3.0 | 0.00027 | 0.02979 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP15-17.4.1-2 | 0.00556 | 0.59487 | 0.69517 | 0.200 | 0.00046 |
| DL/SDSP15-17.4.2-1 | 0.00556 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP15-17.4.0-1 | 0.00556 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP16-18.1.1 | 0.00386 | 0.59487 | 1.00000 | 0.200 | 0.00046 |
| DL/SDSP16-18.1.2 | 0.00386 | 0.37534 | 1.00000 | 0.200 | 0.00029 |
| DL/SDSP16-18.1.0 | 0.00386 | 0.02979 | 1.00000 | 0.200 | 0.00002 |
| DL/SDSP16-18.2.1 | 0.00315 | 0.59487 | 1.00000 | 0.200 | 0.00037 |
| DL/SDSP16-18.2.2 | 0.00315 | 0.37534 | 1.00000 | 0.200 | 0.00024 |

| CASE | P | V | S | W | W*P*V*S |
|------------------|---------|---------|---------|-------|---------|
| DL/SDSP16-18.2.0 | 0.00315 | 0.02979 | 1.00000 | 0.200 | 0.00002 |
| DL/SDSP16-18.3.1 | 0.00842 | 0.59487 | 1.00000 | 0.200 | 0.00100 |
| DL/SDSP16-18.3.2 | 0.00842 | 0.37534 | 1.00000 | 0.200 | 0.00063 |
| DL/SDSP16-18.3.0 | 0.00842 | 0.02979 | 1.00000 | 0.200 | 0.00005 |
| DL/SDSP1-4.1.1 | 0.00000 | 0.59487 | 0.86151 | 0.200 | 0.00000 |
| DL/SDSP1-4.1.0 | 0.00000 | 0.40513 | 0.86151 | 0.200 | 0.00000 |
| DL/SDSP1-4.2.1 | 0.00142 | 0.59487 | 0.86151 | 0.200 | 0.00015 |
| DL/SDSP1-4.2.0 | 0.00142 | 0.40513 | 0.86151 | 0.200 | 0.00010 |
| DL/SDSP1-4.3.1 | 0.00086 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP1-4.3.0 | 0.00086 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-5.1.1 | 0.00376 | 0.19487 | 0.51671 | 0.200 | 0.00008 |
| DL/SDSP2-5.1.2 | 0.00376 | 0.40000 | 0.51671 | 0.200 | 0.00016 |
| DL/SDSP2-5.1.0 | 0.00376 | 0.40513 | 0.51671 | 0.200 | 0.00016 |
| DL/SDSP2-5.2.1-1 | 0.00328 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-5.2.2-1 | 0.00328 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-5.2.0-1 | 0.00328 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-5.3.1-1 | 0.00859 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-5.3.2-1 | 0.00859 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-5.3.0-1 | 0.00859 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-6.1.1 | 0.00094 | 0.19487 | 0.84063 | 0.200 | 0.00003 |
| DL/SDSP3-6.1.2 | 0.00094 | 0.40000 | 0.80694 | 0.200 | 0.00006 |
| DL/SDSP3-6.1.0 | 0.00094 | 0.40513 | 0.80694 | 0.200 | 0.00006 |
| DL/SDSP3-6.2.1-2 | 0.00082 | 0.19487 | 0.69586 | 0.200 | 0.00002 |
| DL/SDSP3-6.2.2-1 | 0.00082 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-6.2.0-1 | 0.00082 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-6.3.1-2 | 0.00101 | 0.19487 | 0.57876 | 0.200 | 0.00002 |
| DL/SDSP3-6.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-6.3.0-1 | 0.00101 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-6.4.1-2 | 0.00115 | 0.19487 | 0.57876 | 0.200 | 0.00003 |
| DL/SDSP3-6.4.2-1 | 0.00115 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-6.4.0-1 | 0.00115 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-7.1.1 | 0.00041 | 0.19487 | 0.66155 | 0.200 | 0.00001 |
| DL/SDSP4-7.1.2 | 0.00041 | 0.40000 | 0.51694 | 0.200 | 0.00002 |
| DL/SDSP4-7.1.0 | 0.00041 | 0.40513 | 0.51694 | 0.200 | 0.00002 |
| DL/SDSP4-7.2.1 | 0.00036 | 0.19487 | 0.67913 | 0.200 | 0.00001 |
| DL/SDSP4-7.2.2-1 | 0.00036 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-7.2.0-1 | 0.00036 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-7.3.1 | 0.00044 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-7.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-7.3.0-1 | 0.00044 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-7.4.1 | 0.00050 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-7.4.2-1 | 0.00050 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-7.4.0-1 | 0.00050 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-8.1.1 | 0.00083 | 0.19487 | 0.52180 | 0.200 | 0.00002 |
| DL/SDSP5-8.1.2 | 0.00083 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-8.1.0 | 0.00083 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-8.2.1 | 0.00162 | 0.19487 | 0.60451 | 0.200 | 0.00004 |
| DL/SDSP5-8.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-8.2.0-1 | 0.00162 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-8.3.1 | 0.00101 | 0.19487 | 0.75902 | 0.200 | 0.00003 |
| DL/SDSP5-8.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-8.3.0-1 | 0.00101 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-9.1.1 | 0.00083 | 0.19487 | 0.35546 | 0.200 | 0.00001 |
| DL/SDSP6-9.1.2 | 0.00083 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-9.1.0 | 0.00083 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-9.2.1 | 0.00162 | 0.19487 | 0.53318 | 0.200 | 0.00003 |
| DL/SDSP6-9.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-9.2.0-1 | 0.00162 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-9.3.1 | 0.00101 | 0.19487 | 0.77316 | 0.200 | 0.00003 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DL/SDSP6-9.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-9.3.0-1 | 0.00101 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-10.1.1 | 0.00083 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-10.1.2 | 0.00083 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-10.1.0 | 0.00083 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-10.2.1 | 0.00162 | 0.19487 | 0.51930 | 0.200 | 0.00003 |
| DL/SDSP7-10.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-10.2.0-1 | 0.00162 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-10.3.1 | 0.00101 | 0.19487 | 0.73415 | 0.200 | 0.00003 |
| DL/SDSP7-10.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-10.3.0-1 | 0.00101 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-11.1.1 | 0.00083 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-11.1.2 | 0.00083 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-11.1.0 | 0.00083 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-11.2.1 | 0.00162 | 0.19487 | 0.47503 | 0.200 | 0.00003 |
| DL/SDSP8-11.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-11.2.0-1 | 0.00162 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-11.3.1 | 0.00101 | 0.19487 | 0.71080 | 0.200 | 0.00003 |
| DL/SDSP8-11.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-11.3.0-1 | 0.00101 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-12.1.1 | 0.00075 | 0.19487 | 0.08938 | 0.200 | 0.00000 |
| DL/SDSP9-12.1.2 | 0.00075 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-12.1.0 | 0.00075 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-12.2.1 | 0.00017 | 0.19487 | 0.57841 | 0.200 | 0.00000 |
| DL/SDSP9-12.2.2-1 | 0.00017 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-12.2.0-1 | 0.00017 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-12.3.1 | 0.00129 | 0.19487 | 0.80465 | 0.200 | 0.00004 |
| DL/SDSP9-12.3.2-1 | 0.00129 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-12.3.0-1 | 0.00129 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-12.4.1 | 0.00091 | 0.19487 | 0.89022 | 0.200 | 0.00003 |
| DL/SDSP9-12.4.2-1 | 0.00091 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-12.4.0-1 | 0.00091 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.1.1 | 0.00081 | 0.19487 | 0.36189 | 0.200 | 0.00001 |
| DL/SDSP10-13.1.2 | 0.00081 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.1.3 | 0.00081 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.1.0 | 0.00081 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.2.1-1 | 0.00019 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.2.2-1 | 0.00019 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.2.3-1 | 0.00019 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.2.0-1 | 0.00019 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.3.1-1 | 0.00139 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.3.2-1 | 0.00139 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.3.3-1 | 0.00139 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.3.0-1 | 0.00139 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.4.1-1 | 0.00098 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.4.2-1 | 0.00098 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.4.3-1 | 0.00098 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-13.4.0-1 | 0.00098 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.1.1-1 | 0.00118 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.1.2-1 | 0.00118 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.1.3-1 | 0.00118 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.1.0-1 | 0.00118 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.2.1-1 | 0.00027 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.2.2-1 | 0.00027 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.2.3-1 | 0.00027 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.2.0-1 | 0.00027 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.3.1-1 | 0.00050 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.3.2-1 | 0.00050 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.3.3-1 | 0.00050 | 0.37534 | 0.00000 | 0.200 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DL/SDSP11-14.3.0-1 | 0.00050 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.4.1-1 | 0.00153 | 0.19487 | 0.47431 | 0.200 | 0.00003 |
| DL/SDSP11-14.4.2-1 | 0.00153 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.4.3-1 | 0.00153 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.4.0-1 | 0.00153 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.5.1-1 | 0.00143 | 0.19487 | 0.47431 | 0.200 | 0.00003 |
| DL/SDSP11-14.5.2-1 | 0.00143 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.5.3-1 | 0.00143 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-14.5.0-1 | 0.00143 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.1.1-1 | 0.00098 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.1.2-1 | 0.00098 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.1.0-1 | 0.00098 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.2.1-1 | 0.00033 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.2.2-1 | 0.00033 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.2.0-1 | 0.00033 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.3.1-1 | 0.00027 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.3.2-1 | 0.00027 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.3.0-1 | 0.00027 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.4.1-1 | 0.00172 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.4.2-1 | 0.00172 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-15.4.0-1 | 0.00172 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.1.1-2 | 0.00103 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.1.2-2 | 0.00103 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.1.0-2 | 0.00103 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.2.1-2 | 0.00035 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.2.2-1 | 0.00035 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.2.0-1 | 0.00035 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.3.1-2 | 0.00020 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.3.2-1 | 0.00020 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.3.0-1 | 0.00020 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.4.1-2 | 0.00009 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.4.2-1 | 0.00009 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.4.0-1 | 0.00009 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.5.1-2 | 0.00181 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.5.2-1 | 0.00181 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-16.5.0-1 | 0.00181 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-17.1.1-1 | 0.00109 | 0.59487 | 0.57443 | 0.200 | 0.00007 |
| DL/SDSP14-17.1.2-1 | 0.00109 | 0.37534 | 0.57282 | 0.200 | 0.00005 |
| DL/SDSP14-17.1.0-1 | 0.00109 | 0.02979 | 0.57282 | 0.200 | 0.00000 |
| DL/SDSP14-17.2.1-1 | 0.00064 | 0.59487 | 0.59855 | 0.200 | 0.00005 |
| DL/SDSP14-17.2.2-1 | 0.00064 | 0.37534 | 0.59870 | 0.200 | 0.00003 |
| DL/SDSP14-17.2.0-1 | 0.00064 | 0.02979 | 0.59870 | 0.200 | 0.00000 |
| DL/SDSP14-17.3.1-2 | 0.00025 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-17.3.2-1 | 0.00025 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-17.3.0-1 | 0.00025 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-17.4.1-2 | 0.00011 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-17.4.2-1 | 0.00011 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-17.4.0-1 | 0.00011 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-17.5.1-2 | 0.00226 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-17.5.2-1 | 0.00226 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-17.5.0-1 | 0.00226 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP15-18.1.1 | 0.00115 | 0.59487 | 1.00000 | 0.200 | 0.00014 |
| DL/SDSP15-18.1.2 | 0.00115 | 0.37534 | 1.00000 | 0.200 | 0.00009 |
| DL/SDSP15-18.1.0 | 0.00115 | 0.02979 | 1.00000 | 0.200 | 0.00001 |
| DL/SDSP15-18.2.1 | 0.00094 | 0.59487 | 1.00000 | 0.200 | 0.00011 |
| DL/SDSP15-18.2.2 | 0.00094 | 0.37534 | 1.00000 | 0.200 | 0.00007 |
| DL/SDSP15-18.2.0 | 0.00094 | 0.02979 | 1.00000 | 0.200 | 0.00001 |
| DL/SDSP15-18.3.1 | 0.00012 | 0.59487 | 1.00000 | 0.200 | 0.00001 |
| DL/SDSP15-18.3.2 | 0.00012 | 0.37534 | 1.00000 | 0.200 | 0.00001 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DL/SDSP15-18.3.0 | 0.00012 | 0.02979 | 1.00000 | 0.200 | 0.00000 |
| DL/SDSP15-18.4.1-2 | 0.00240 | 0.59487 | 0.72273 | 0.200 | 0.00021 |
| DL/SDSP15-18.4.2-1 | 0.00240 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP15-18.4.0-1 | 0.00240 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP1-5.1.1 | 0.00000 | 0.19487 | 0.13065 | 0.200 | 0.00000 |
| DL/SDSP1-5.1.2 | 0.00000 | 0.40000 | 0.13065 | 0.200 | 0.00000 |
| DL/SDSP1-5.1.0 | 0.00000 | 0.40513 | 0.13065 | 0.200 | 0.00000 |
| DL/SDSP1-5.2.1 | 0.00084 | 0.19487 | 0.13065 | 0.200 | 0.00000 |
| DL/SDSP1-5.2.2 | 0.00084 | 0.40000 | 0.13065 | 0.200 | 0.00001 |
| DL/SDSP1-5.2.0 | 0.00084 | 0.40513 | 0.13065 | 0.200 | 0.00001 |
| DL/SDSP1-5.3.1-1 | 0.00073 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP1-5.3.2-1 | 0.00073 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP1-5.3.0-1 | 0.00073 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP1-5.4.1-1 | 0.00095 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP1-5.4.2-1 | 0.00095 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP1-5.4.0-1 | 0.00095 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.1.1 | 0.00114 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.1.2 | 0.00114 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.1.0 | 0.00114 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.2.1-1 | 0.00099 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.2.2-1 | 0.00099 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.2.0-1 | 0.00099 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.3.1-1 | 0.00122 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.3.2-1 | 0.00122 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.3.0-1 | 0.00122 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.4.1-1 | 0.00138 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.4.2-1 | 0.00138 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP2-6.4.0-1 | 0.00138 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.1.1 | 0.00030 | 0.19487 | 0.40454 | 0.200 | 0.00000 |
| DL/SDSP3-7.1.2 | 0.00030 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.1.0 | 0.00030 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.2.1-1 | 0.00026 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.2.2-1 | 0.00026 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.2.0-1 | 0.00026 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.3.1-1 | 0.00032 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.3.2-3 | 0.00032 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.3.0-3 | 0.00032 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.4.1-1 | 0.00036 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.4.2-3 | 0.00036 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP3-7.4.0-3 | 0.00036 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.1.1 | 0.00020 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.1.2 | 0.00020 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.1.0 | 0.00020 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.2.1-1 | 0.00017 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.2.2-1 | 0.00017 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.2.0-1 | 0.00017 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.3.1-1 | 0.00021 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.3.2-1 | 0.00021 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.3.0-1 | 0.00021 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.4.1-1 | 0.00024 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.4.2-1 | 0.00024 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP4-8.4.0-1 | 0.00024 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-9.1.1 | 0.00037 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-9.1.2 | 0.00037 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-9.1.0 | 0.00037 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-9.2.1 | 0.00071 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-9.2.2-1 | 0.00071 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-9.2.0-1 | 0.00071 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-9.3.1 | 0.00044 | 0.19487 | 0.00000 | 0.200 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DL/SDSP5-9.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP5-9.3.0-1 | 0.00044 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-10.1.1 | 0.00037 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-10.1.2 | 0.00037 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-10.1.0 | 0.00037 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-10.2.1 | 0.00071 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-10.2.2-1 | 0.00071 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-10.2.0-1 | 0.00071 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-10.3.1 | 0.00044 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-10.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP6-10.3.0-1 | 0.00044 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-11.1.1 | 0.00037 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-11.1.2 | 0.00037 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-11.1.0 | 0.00037 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-11.2.1 | 0.00071 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-11.2.2-1 | 0.00071 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-11.2.0-1 | 0.00071 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-11.3.1 | 0.00044 | 0.19487 | 0.54966 | 0.200 | 0.00001 |
| DL/SDSP7-11.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP7-11.3.0-1 | 0.00044 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-12.1.1 | 0.00034 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-12.1.2 | 0.00034 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-12.1.0 | 0.00034 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-12.2.1 | 0.00008 | 0.19487 | 0.05733 | 0.200 | 0.00000 |
| DL/SDSP8-12.2.2-1 | 0.00008 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-12.2.0-1 | 0.00008 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-12.3.1 | 0.00058 | 0.19487 | 0.44105 | 0.200 | 0.00001 |
| DL/SDSP8-12.3.2-1 | 0.00058 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-12.3.0-1 | 0.00058 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-12.4.1 | 0.00041 | 0.19487 | 0.74845 | 0.200 | 0.00001 |
| DL/SDSP8-12.4.2-1 | 0.00041 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP8-12.4.0-1 | 0.00041 | 0.40513 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.1.1 | 0.00037 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.1.2 | 0.00037 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.1.3 | 0.00037 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.1.0 | 0.00037 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.2.1 | 0.00009 | 0.19487 | 0.31108 | 0.200 | 0.00000 |
| DL/SDSP9-13.2.2-1 | 0.00009 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.2.3-1 | 0.00009 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.2.0-1 | 0.00009 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.3.1 | 0.00064 | 0.19487 | 0.63052 | 0.200 | 0.00002 |
| DL/SDSP9-13.3.2-1 | 0.00064 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.3.3-1 | 0.00064 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.3.0-1 | 0.00064 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.4.1-1 | 0.00045 | 0.19487 | 0.67121 | 0.200 | 0.00001 |
| DL/SDSP9-13.4.2-1 | 0.00045 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.4.3-1 | 0.00045 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP9-13.4.0-1 | 0.00045 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.1.1-1 | 0.00051 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.1.2-1 | 0.00051 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.1.3-1 | 0.00051 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.1.0-1 | 0.00051 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.2.1-1 | 0.00012 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.2.2-1 | 0.00012 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.2.3-1 | 0.00012 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.2.0-1 | 0.00012 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.3.1-1 | 0.00021 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.3.2-1 | 0.00021 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.3.3-1 | 0.00021 | 0.37534 | 0.00000 | 0.200 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DL/SDSP10-14.3.0-1 | 0.00021 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.4.1-1 | 0.00065 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.4.2-1 | 0.00065 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.4.3-1 | 0.00065 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.4.0-1 | 0.00065 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.5.1-1 | 0.00061 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.5.2-1 | 0.00061 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.5.3-1 | 0.00061 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP10-14.5.0-1 | 0.00061 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.1.1-1 | 0.00044 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.1.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.1.3-1 | 0.00044 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.1.0-1 | 0.00044 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.2.1-1 | 0.00010 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.2.2-1 | 0.00010 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.2.3-1 | 0.00010 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.2.0-1 | 0.00010 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.3.1-1 | 0.00018 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.3.2-1 | 0.00018 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.3.3-1 | 0.00018 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.3.0-1 | 0.00018 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.4.1-1 | 0.00015 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.4.2-1 | 0.00015 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.4.3-1 | 0.00015 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.4.0-1 | 0.00015 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.5.1-1 | 0.00042 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.5.2-1 | 0.00042 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.5.3-1 | 0.00042 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.5.0-1 | 0.00042 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.6.1-1 | 0.00053 | 0.19487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.6.2-1 | 0.00053 | 0.40000 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.6.3-1 | 0.00053 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP11-15.6.0-1 | 0.00053 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.1.1-2 | 0.00057 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.1.2-1 | 0.00057 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.1.0-1 | 0.00057 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.2.1-2 | 0.00020 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.2.2-1 | 0.00020 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.2.0-1 | 0.00020 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.3.1-2 | 0.00011 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.3.2-1 | 0.00011 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.3.0-1 | 0.00011 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.4.1-2 | 0.00005 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.4.2-1 | 0.00005 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.4.0-1 | 0.00005 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.5.1-2 | 0.00101 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.5.2-1 | 0.00101 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP12-16.5.0-1 | 0.00101 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.1.1-2 | 0.00042 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.1.2-1 | 0.00042 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.1.0-1 | 0.00042 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.2.1-2 | 0.00008 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.2.2-1 | 0.00008 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.2.0-1 | 0.00008 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.3.1-2 | 0.00017 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.3.2-1 | 0.00017 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.3.0-1 | 0.00017 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.4.1-2 | 0.00010 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.4.2-1 | 0.00010 | 0.37534 | 0.00000 | 0.200 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|----------|---------|---------|-------|---------|
| DL/SDSP13-17.4.0-1 | 0.00010 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.5.1-2 | 0.00004 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.5.2-1 | 0.00004 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.5.0-1 | 0.00004 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.6.1-2 | 0.00086 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.6.2-1 | 0.00086 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP13-17.6.0-1 | 0.00086 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-18.1.1-1 | 0.00063 | 0.59487 | 0.38376 | 0.200 | 0.00003 |
| DL/SDSP14-18.1.2-1 | 0.00063 | 0.37534 | 0.34144 | 0.200 | 0.00002 |
| DL/SDSP14-18.1.0-1 | 0.00063 | 0.02979 | 0.34144 | 0.200 | 0.00000 |
| DL/SDSP14-18.2.1-1 | 0.00037 | 0.59487 | 0.42674 | 0.200 | 0.00002 |
| DL/SDSP14-18.2.2-1 | 0.00037 | 0.37534 | 0.38173 | 0.200 | 0.00001 |
| DL/SDSP14-18.2.0-1 | 0.00037 | 0.02979 | 0.38173 | 0.200 | 0.00000 |
| DL/SDSP14-18.3.1-2 | 0.00014 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-18.3.2-1 | 0.00014 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-18.3.0-1 | 0.00014 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-18.4.1-2 | 0.00006 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-18.4.2-1 | 0.00006 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-18.4.0-1 | 0.00006 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-18.5.1-2 | 0.00131 | 0.59487 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-18.5.2-1 | 0.00131 | 0.37534 | 0.00000 | 0.200 | 0.00000 |
| DL/SDSP14-18.5.0-1 | 0.00131 | 0.02979 | 0.00000 | 0.200 | 0.00000 |
| SUBTOTAL | | | | 0.200 | 0.13664 |
| DP/SDSP1.1.1 | 0.000000 | 0.47795 | 1.00000 | 0.400 | 0.00000 |
| DP/SDSP1.1.0 | 0.000000 | 0.52205 | 1.00000 | 0.400 | 0.00000 |
| DP/SDSP1.2.1 | 0.000000 | 0.47795 | 1.00000 | 0.400 | 0.00000 |
| DP/SDSP1.2.0 | 0.000000 | 0.52205 | 1.00000 | 0.400 | 0.00000 |
| DP/SDSP1.3.1 | 0.01184 | 0.47795 | 1.00000 | 0.400 | 0.00226 |
| DP/SDSP1.3.0 | 0.01184 | 0.52205 | 1.00000 | 0.400 | 0.00247 |
| DP/SDSP2.1.1-1 | 0.01610 | 0.47795 | 1.00000 | 0.400 | 0.00308 |
| DP/SDSP2.1.0-1 | 0.01610 | 0.52205 | 1.00000 | 0.400 | 0.00336 |
| DP/SDSP2.2.1 | 0.01003 | 0.47795 | 1.00000 | 0.400 | 0.00192 |
| DP/SDSP2.2.0 | 0.01003 | 0.52205 | 1.00000 | 0.400 | 0.00209 |
| DP/SDSP3.1.1-1 | 0.00268 | 0.47795 | 1.00000 | 0.400 | 0.00051 |
| DP/SDSP3.1.0-1 | 0.00268 | 0.52205 | 1.00000 | 0.400 | 0.00056 |
| DP/SDSP3.2.1-1 | 0.00056 | 0.47795 | 1.00000 | 0.400 | 0.00011 |
| DP/SDSP3.2.0-1 | 0.00056 | 0.52205 | 1.00000 | 0.400 | 0.00012 |
| DP/SDSP4.1.1-1 | 0.00268 | 0.47795 | 1.00000 | 0.400 | 0.00051 |
| DP/SDSP4.1.0-1 | 0.00268 | 0.52205 | 1.00000 | 0.400 | 0.00056 |
| DP/SDSP4.2.1-1 | 0.00056 | 0.47795 | 1.00000 | 0.400 | 0.00011 |
| DP/SDSP4.2.0-1 | 0.00056 | 0.52205 | 1.00000 | 0.400 | 0.00012 |
| DP/SDSP5.1.1-1 | 0.00710 | 0.07795 | 1.00000 | 0.400 | 0.00022 |
| DP/SDSP5.1.2-1 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DP/SDSP5.1.0-1 | 0.00710 | 0.52205 | 1.00000 | 0.400 | 0.00148 |
| DP/SDSP5.2.1-1 | 0.01157 | 0.07795 | 1.00000 | 0.400 | 0.00036 |
| DP/SDSP5.2.2-1 | 0.01157 | 0.40000 | 1.00000 | 0.400 | 0.00185 |
| DP/SDSP5.2.0-1 | 0.01157 | 0.52205 | 1.00000 | 0.400 | 0.00242 |
| DP/SDSP6.1.1 | 0.00710 | 0.07795 | 1.00000 | 0.400 | 0.00022 |
| DP/SDSP6.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DP/SDSP6.1.0 | 0.00710 | 0.52205 | 1.00000 | 0.400 | 0.00148 |
| DP/SDSP6.2.1 | 0.00912 | 0.07795 | 1.00000 | 0.400 | 0.00028 |
| DP/SDSP6.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.400 | 0.00146 |
| DP/SDSP6.2.0 | 0.00912 | 0.52205 | 1.00000 | 0.400 | 0.00190 |
| DP/SDSP6.3.1 | 0.00245 | 0.07795 | 1.00000 | 0.400 | 0.00008 |
| DP/SDSP6.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DP/SDSP6.3.0 | 0.00245 | 0.52205 | 1.00000 | 0.400 | 0.00051 |
| DP/SDSP7.1.1 | 0.00710 | 0.07795 | 1.00000 | 0.400 | 0.00022 |

| CASE | P | V | S | W | W*P*V*S |
|-----------------|---------|---------|---------|-------|---------|
| DP/SDSP7.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DP/SDSP7.1.0 | 0.00710 | 0.52205 | 1.00000 | 0.400 | 0.00148 |
| DP/SDSP7.2.1 | 0.00912 | 0.07795 | 1.00000 | 0.400 | 0.00028 |
| DP/SDSP7.2.2 | 0.00912 | 0.40000 | 0.98564 | 0.400 | 0.00144 |
| DP/SDSP7.2.0 | 0.00912 | 0.52205 | 0.98564 | 0.400 | 0.00188 |
| DP/SDSP7.3.1 | 0.00245 | 0.07795 | 1.00000 | 0.400 | 0.00008 |
| DP/SDSP7.3.2 | 0.00245 | 0.40000 | 0.98653 | 0.400 | 0.00039 |
| DP/SDSP7.3.0 | 0.00245 | 0.52205 | 0.98653 | 0.400 | 0.00050 |
| DP/SDSP8.1.1 | 0.00710 | 0.07795 | 1.00000 | 0.400 | 0.00022 |
| DP/SDSP8.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DP/SDSP8.1.0 | 0.00710 | 0.52205 | 1.00000 | 0.400 | 0.00148 |
| DP/SDSP8.2.1 | 0.00912 | 0.07795 | 1.00000 | 0.400 | 0.00028 |
| DP/SDSP8.2.2 | 0.00912 | 0.40000 | 0.97240 | 0.400 | 0.00142 |
| DP/SDSP8.2.0 | 0.00912 | 0.52205 | 0.97240 | 0.400 | 0.00185 |
| DP/SDSP8.3.1 | 0.00245 | 0.07795 | 1.00000 | 0.400 | 0.00008 |
| DP/SDSP8.3.2 | 0.00245 | 0.40000 | 0.97585 | 0.400 | 0.00038 |
| DP/SDSP8.3.0 | 0.00245 | 0.52205 | 0.97585 | 0.400 | 0.00050 |
| DP/SDSP9.1.1 | 0.00710 | 0.07795 | 1.00000 | 0.400 | 0.00022 |
| DP/SDSP9.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DP/SDSP9.1.0 | 0.00710 | 0.52205 | 1.00000 | 0.400 | 0.00148 |
| DP/SDSP9.2.1 | 0.00912 | 0.07795 | 1.00000 | 0.400 | 0.00028 |
| DP/SDSP9.2.2 | 0.00912 | 0.40000 | 0.97140 | 0.400 | 0.00142 |
| DP/SDSP9.2.0 | 0.00912 | 0.52205 | 0.97140 | 0.400 | 0.00185 |
| DP/SDSP9.3.1 | 0.00245 | 0.07795 | 1.00000 | 0.400 | 0.00008 |
| DP/SDSP9.3.2 | 0.00245 | 0.40000 | 0.97714 | 0.400 | 0.00038 |
| DP/SDSP9.3.0 | 0.00245 | 0.52205 | 0.97714 | 0.400 | 0.00050 |
| DP/SDSP10.1.1 | 0.00710 | 0.07795 | 1.00000 | 0.400 | 0.00022 |
| DP/SDSP10.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DP/SDSP10.1.0 | 0.00710 | 0.52205 | 1.00000 | 0.400 | 0.00148 |
| DP/SDSP10.2.1 | 0.00912 | 0.07795 | 1.00000 | 0.400 | 0.00028 |
| DP/SDSP10.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.400 | 0.00146 |
| DP/SDSP10.2.0 | 0.00912 | 0.52205 | 1.00000 | 0.400 | 0.00190 |
| DP/SDSP10.3.1 | 0.00245 | 0.07795 | 1.00000 | 0.400 | 0.00008 |
| DP/SDSP10.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DP/SDSP10.3.0 | 0.00245 | 0.52205 | 1.00000 | 0.400 | 0.00051 |
| DP/SDSP11.1.1 | 0.00710 | 0.07795 | 1.00000 | 0.400 | 0.00022 |
| DP/SDSP11.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DP/SDSP11.1.0 | 0.00710 | 0.52205 | 1.00000 | 0.400 | 0.00148 |
| DP/SDSP11.2.1 | 0.00912 | 0.07795 | 1.00000 | 0.400 | 0.00028 |
| DP/SDSP11.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.400 | 0.00146 |
| DP/SDSP11.2.0 | 0.00912 | 0.52205 | 1.00000 | 0.400 | 0.00190 |
| DP/SDSP11.3.1 | 0.00245 | 0.07795 | 1.00000 | 0.400 | 0.00008 |
| DP/SDSP11.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DP/SDSP11.3.0 | 0.00245 | 0.52205 | 1.00000 | 0.400 | 0.00051 |
| DP/SDSP12.1.1-1 | 0.00679 | 0.47795 | 1.00000 | 0.400 | 0.00130 |
| DP/SDSP12.1.0-1 | 0.00679 | 0.52205 | 1.00000 | 0.400 | 0.00142 |
| DP/SDSP12.2.1-1 | 0.00750 | 0.47795 | 1.00000 | 0.400 | 0.00143 |
| DP/SDSP12.2.0-1 | 0.00750 | 0.52205 | 1.00000 | 0.400 | 0.00157 |
| DP/SDSP13.1.1-1 | 0.00599 | 0.47795 | 1.00000 | 0.400 | 0.00114 |
| DP/SDSP13.1.2-1 | 0.00599 | 0.44375 | 1.00000 | 0.400 | 0.00106 |
| DP/SDSP13.1.0-1 | 0.00599 | 0.07830 | 1.00000 | 0.400 | 0.00019 |
| DP/SDSP13.2.1-1 | 0.00630 | 0.47795 | 1.00000 | 0.400 | 0.00120 |
| DP/SDSP13.2.2-1 | 0.00630 | 0.44375 | 1.00000 | 0.400 | 0.00112 |
| DP/SDSP13.2.0-1 | 0.00630 | 0.07830 | 1.00000 | 0.400 | 0.00020 |
| DP/SDSP14.1.1-1 | 0.01084 | 0.47795 | 1.00000 | 0.400 | 0.00207 |
| DP/SDSP14.1.2-1 | 0.01084 | 0.44375 | 1.00000 | 0.400 | 0.00192 |
| DP/SDSP14.1.0-1 | 0.01084 | 0.07830 | 1.00000 | 0.400 | 0.00034 |
| DP/SDSP14.2.1-1 | 0.00783 | 0.47795 | 1.00000 | 0.400 | 0.00150 |
| DP/SDSP14.2.2-1 | 0.00783 | 0.44375 | 1.00000 | 0.400 | 0.00139 |

| CASE | P | V | S | W | W*P*V*S |
|------------------|---------|---------|---------|-------|---------|
| DP/SDSP14.2.0-1 | 0.00783 | 0.07830 | 1.00000 | 0.400 | 0.00025 |
| DP/SDSP15.1.1-1 | 0.00869 | 0.47795 | 1.00000 | 0.400 | 0.00166 |
| DP/SDSP15.1.2-1 | 0.00869 | 0.44375 | 1.00000 | 0.400 | 0.00154 |
| DP/SDSP15.1.0-1 | 0.00869 | 0.07830 | 1.00000 | 0.400 | 0.00027 |
| DP/SDSP15.2.1-1 | 0.00360 | 0.47795 | 1.00000 | 0.400 | 0.00069 |
| DP/SDSP15.2.2-1 | 0.00360 | 0.44375 | 1.00000 | 0.400 | 0.00064 |
| DP/SDSP15.2.0-1 | 0.00360 | 0.07830 | 1.00000 | 0.400 | 0.00011 |
| DP/SDSP16.1.1 | 0.01076 | 0.47795 | 1.00000 | 0.400 | 0.00206 |
| DP/SDSP16.1.2 | 0.01076 | 0.44375 | 1.00000 | 0.400 | 0.00191 |
| DP/SDSP16.1.0 | 0.01076 | 0.07830 | 1.00000 | 0.400 | 0.00034 |
| DP/SDSP16.2.1 | 0.00566 | 0.47795 | 1.00000 | 0.400 | 0.00108 |
| DP/SDSP16.2.2 | 0.00566 | 0.44375 | 1.00000 | 0.400 | 0.00100 |
| DP/SDSP16.2.0 | 0.00566 | 0.07830 | 1.00000 | 0.400 | 0.00018 |
| DP/SDSP17.1.1 | 0.00660 | 0.47795 | 1.00000 | 0.400 | 0.00126 |
| DP/SDSP17.1.2 | 0.00660 | 0.44375 | 1.00000 | 0.400 | 0.00117 |
| DP/SDSP17.1.0 | 0.00660 | 0.07830 | 1.00000 | 0.400 | 0.00021 |
| DP/SDSP17.2.1-1 | 0.00981 | 0.47795 | 1.00000 | 0.400 | 0.00188 |
| DP/SDSP17.2.2-1 | 0.00981 | 0.44375 | 1.00000 | 0.400 | 0.00174 |
| DP/SDSP17.2.0-1 | 0.00981 | 0.07830 | 1.00000 | 0.400 | 0.00031 |
| DP/SDSP18.1.1 | 0.05669 | 0.47795 | 1.00000 | 0.400 | 0.01084 |
| DP/SDSP18.1.2 | 0.05669 | 0.44375 | 1.00000 | 0.400 | 0.01006 |
| DP/SDSP18.1.0 | 0.05669 | 0.07830 | 1.00000 | 0.400 | 0.00178 |
| DP/SDSP1-2.1.1 | 0.00000 | 0.47795 | 1.00000 | 0.400 | 0.00000 |
| DP/SDSP1-2.1.0 | 0.00000 | 0.52205 | 1.00000 | 0.400 | 0.00000 |
| DP/SDSP1-2.2.1 | 0.01463 | 0.47795 | 1.00000 | 0.400 | 0.00280 |
| DP/SDSP1-2.2.0 | 0.01463 | 0.52205 | 1.00000 | 0.400 | 0.00305 |
| DP/SDSP1-2.3.1 | 0.00888 | 0.47795 | 0.93169 | 0.400 | 0.00158 |
| DP/SDSP1-2.3.0 | 0.00888 | 0.52205 | 0.93169 | 0.400 | 0.00173 |
| DP/SDSP2-3.1.1 | 0.00682 | 0.47795 | 1.00000 | 0.400 | 0.00130 |
| DP/SDSP2-3.1.0 | 0.00682 | 0.52205 | 1.00000 | 0.400 | 0.00142 |
| DP/SDSP2-3.2.1 | 0.00758 | 0.47795 | 0.57382 | 0.400 | 0.00083 |
| DP/SDSP2-3.2.0 | 0.00758 | 0.52205 | 0.57382 | 0.400 | 0.00091 |
| DP/SDSP3-4.1.1 | 0.00295 | 0.47795 | 1.00000 | 0.400 | 0.00056 |
| DP/SDSP3-4.1.0 | 0.00295 | 0.52205 | 1.00000 | 0.400 | 0.00062 |
| DP/SDSP3-4.2.1-1 | 0.00286 | 0.47795 | 1.00000 | 0.400 | 0.00055 |
| DP/SDSP3-4.2.0-1 | 0.00286 | 0.52205 | 1.00000 | 0.400 | 0.00060 |
| DP/SDSP4-5.1.1 | 0.00316 | 0.07795 | 1.00000 | 0.400 | 0.00010 |
| DP/SDSP4-5.1.2 | 0.00316 | 0.40000 | 1.00000 | 0.400 | 0.00050 |
| DP/SDSP4-5.1.0 | 0.00316 | 0.52205 | 1.00000 | 0.400 | 0.00066 |
| DP/SDSP4-5.2.1-1 | 0.00286 | 0.07795 | 1.00000 | 0.400 | 0.00009 |
| DP/SDSP4-5.2.2 | 0.00286 | 0.40000 | 0.84849 | 0.400 | 0.00039 |
| DP/SDSP4-5.2.0 | 0.00286 | 0.52205 | 0.84849 | 0.400 | 0.00051 |
| DP/SDSP4-5.3.1-1 | 0.00661 | 0.07795 | 1.00000 | 0.400 | 0.00021 |
| DP/SDSP4-5.3.2 | 0.00661 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-5.3.0 | 0.00661 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-6.1.1 | 0.00658 | 0.07795 | 1.00000 | 0.400 | 0.00021 |
| DP/SDSP5-6.1.2 | 0.00658 | 0.40000 | 1.00000 | 0.400 | 0.00105 |
| DP/SDSP5-6.1.0 | 0.00658 | 0.52205 | 1.00000 | 0.400 | 0.00137 |
| DP/SDSP5-6.2.1 | 0.01295 | 0.07795 | 1.00000 | 0.400 | 0.00040 |
| DP/SDSP5-6.2.2 | 0.01295 | 0.40000 | 0.77810 | 0.400 | 0.00161 |
| DP/SDSP5-6.2.0 | 0.01295 | 0.52205 | 0.77810 | 0.400 | 0.00210 |
| DP/SDSP5-6.3.1 | 0.00733 | 0.07795 | 1.00000 | 0.400 | 0.00023 |
| DP/SDSP5-6.3.2 | 0.00733 | 0.40000 | 0.77989 | 0.400 | 0.00091 |
| DP/SDSP5-6.3.0 | 0.00733 | 0.52205 | 0.77989 | 0.400 | 0.00119 |
| DP/SDSP6-7.1.1 | 0.00658 | 0.07795 | 1.00000 | 0.400 | 0.00021 |
| DP/SDSP6-7.1.2 | 0.00658 | 0.40000 | 1.00000 | 0.400 | 0.00105 |
| DP/SDSP6-7.1.0 | 0.00658 | 0.52205 | 1.00000 | 0.400 | 0.00137 |
| DP/SDSP6-7.2.1 | 0.01295 | 0.07795 | 1.00000 | 0.400 | 0.00040 |
| DP/SDSP6-7.2.2-1 | 0.01295 | 0.40000 | 0.00000 | 0.400 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DP/SDSP6-7.2.0-1 | 0.01295 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-7.3.1 | 0.00733 | 0.07795 | 1.00000 | 0.400 | 0.00023 |
| DP/SDSP6-7.3.2-1 | 0.00733 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-7.3.0-1 | 0.00733 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-8.1.1 | 0.00658 | 0.07795 | 1.00000 | 0.400 | 0.00021 |
| DP/SDSP7-8.1.2 | 0.00658 | 0.40000 | 0.98968 | 0.400 | 0.00104 |
| DP/SDSP7-8.1.0 | 0.00658 | 0.52205 | 0.98968 | 0.400 | 0.00136 |
| DP/SDSP7-8.2.1 | 0.01295 | 0.07795 | 1.00000 | 0.400 | 0.00040 |
| DP/SDSP7-8.2.2 | 0.01295 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-8.2.0 | 0.01295 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-8.3.1 | 0.00733 | 0.07795 | 1.00000 | 0.400 | 0.00023 |
| DP/SDSP7-8.3.2 | 0.00733 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-8.3.0 | 0.00733 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-9.1.1 | 0.00658 | 0.07795 | 1.00000 | 0.400 | 0.00021 |
| DP/SDSP8-9.1.2 | 0.00658 | 0.40000 | 0.95347 | 0.400 | 0.00100 |
| DP/SDSP8-9.1.0 | 0.00658 | 0.52205 | 0.95347 | 0.400 | 0.00131 |
| DP/SDSP8-9.2.1 | 0.01295 | 0.07795 | 1.00000 | 0.400 | 0.00040 |
| DP/SDSP8-9.2.2 | 0.01295 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-9.2.0 | 0.01295 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-9.3.1 | 0.00733 | 0.07795 | 1.00000 | 0.400 | 0.00023 |
| DP/SDSP8-9.3.2 | 0.00733 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-9.3.0 | 0.00733 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-10.1.1 | 0.00658 | 0.07795 | 0.99427 | 0.400 | 0.00020 |
| DP/SDSP9-10.1.2 | 0.00658 | 0.40000 | 0.94361 | 0.400 | 0.00099 |
| DP/SDSP9-10.1.0 | 0.00658 | 0.52205 | 0.94361 | 0.400 | 0.00130 |
| DP/SDSP9-10.2.1 | 0.01295 | 0.07795 | 1.00000 | 0.400 | 0.00040 |
| DP/SDSP9-10.2.2-1 | 0.01295 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-10.2.0-1 | 0.01295 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-10.3.1 | 0.00733 | 0.07795 | 1.00000 | 0.400 | 0.00023 |
| DP/SDSP9-10.3.2-1 | 0.00733 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-10.3.0-1 | 0.00733 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-11.1.1 | 0.00658 | 0.07795 | 0.99456 | 0.400 | 0.00020 |
| DP/SDSP10-11.1.2 | 0.00658 | 0.40000 | 0.94337 | 0.400 | 0.00099 |
| DP/SDSP10-11.1.0 | 0.00658 | 0.52205 | 0.94337 | 0.400 | 0.00130 |
| DP/SDSP10-11.2.1 | 0.01295 | 0.07795 | 1.00000 | 0.400 | 0.00040 |
| DP/SDSP10-11.2.2 | 0.01295 | 0.40000 | 0.78951 | 0.400 | 0.00164 |
| DP/SDSP10-11.2.0 | 0.01295 | 0.52205 | 0.78951 | 0.400 | 0.00213 |
| DP/SDSP10-11.3.1 | 0.00733 | 0.07795 | 1.00000 | 0.400 | 0.00023 |
| DP/SDSP10-11.3.2 | 0.00733 | 0.40000 | 0.84391 | 0.400 | 0.00099 |
| DP/SDSP10-11.3.0 | 0.00733 | 0.52205 | 0.84391 | 0.400 | 0.00129 |
| DP/SDSP11-12.1.1 | 0.00593 | 0.07795 | 1.00000 | 0.400 | 0.00019 |
| DP/SDSP11-12.1.2 | 0.00593 | 0.40000 | 1.00000 | 0.400 | 0.00095 |
| DP/SDSP11-12.1.0 | 0.00593 | 0.52205 | 1.00000 | 0.400 | 0.00124 |
| DP/SDSP11-12.2.1 | 0.00139 | 0.07795 | 1.00000 | 0.400 | 0.00004 |
| DP/SDSP11-12.2.2 | 0.00139 | 0.40000 | 0.91275 | 0.400 | 0.00020 |
| DP/SDSP11-12.2.0 | 0.00139 | 0.52205 | 0.91275 | 0.400 | 0.00026 |
| DP/SDSP11-12.3.1 | 0.01031 | 0.07795 | 1.00000 | 0.400 | 0.00032 |
| DP/SDSP11-12.3.2 | 0.01031 | 0.40000 | 0.90863 | 0.400 | 0.00150 |
| DP/SDSP11-12.3.0 | 0.01031 | 0.52205 | 0.90863 | 0.400 | 0.00196 |
| DP/SDSP11-12.4.1 | 0.00655 | 0.07795 | 1.00000 | 0.400 | 0.00020 |
| DP/SDSP11-12.4.2 | 0.00655 | 0.40000 | 0.93113 | 0.400 | 0.00098 |
| DP/SDSP11-12.4.0 | 0.00655 | 0.52205 | 0.93113 | 0.400 | 0.00127 |
| DP/SDSP12-13.1.1-1 | 0.00622 | 0.47795 | 1.00000 | 0.400 | 0.00119 |
| DP/SDSP12-13.1.2-1 | 0.00622 | 0.44375 | 1.00000 | 0.400 | 0.00110 |
| DP/SDSP12-13.1.0-1 | 0.00622 | 0.07830 | 1.00000 | 0.400 | 0.00019 |
| DP/SDSP12-13.2.1-1 | 0.01422 | 0.47795 | 1.00000 | 0.400 | 0.00272 |
| DP/SDSP12-13.2.2-1 | 0.01422 | 0.44375 | 1.00000 | 0.400 | 0.00252 |
| DP/SDSP12-13.2.0-1 | 0.01422 | 0.07830 | 1.00000 | 0.400 | 0.00045 |
| DP/SDSP13-14.1.1-1 | 0.00690 | 0.47795 | 1.00000 | 0.400 | 0.00132 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DP/SDSP13-14.1.2-1 | 0.00690 | 0.44375 | 1.00000 | 0.400 | 0.00122 |
| DP/SDSP13-14.1.0-1 | 0.00690 | 0.07830 | 1.00000 | 0.400 | 0.00022 |
| DP/SDSP13-14.2.1-1 | 0.00240 | 0.47795 | 0.96448 | 0.400 | 0.00044 |
| DP/SDSP13-14.2.2-1 | 0.00240 | 0.44375 | 0.96434 | 0.400 | 0.00041 |
| DP/SDSP13-14.2.0-1 | 0.00240 | 0.07830 | 0.96434 | 0.400 | 0.00007 |
| DP/SDSP13-14.3.1-1 | 0.01344 | 0.47795 | 0.97860 | 0.400 | 0.00251 |
| DP/SDSP13-14.3.2-1 | 0.01344 | 0.44375 | 0.96210 | 0.400 | 0.00230 |
| DP/SDSP13-14.3.0-1 | 0.01344 | 0.07830 | 0.96210 | 0.400 | 0.00041 |
| DP/SDSP14-15.1.1-1 | 0.00929 | 0.47795 | 1.00000 | 0.400 | 0.00178 |
| DP/SDSP14-15.1.2-1 | 0.00929 | 0.44375 | 1.00000 | 0.400 | 0.00165 |
| DP/SDSP14-15.1.0-1 | 0.00929 | 0.07830 | 1.00000 | 0.400 | 0.00029 |
| DP/SDSP14-15.2.1-1 | 0.00196 | 0.47795 | 0.96916 | 0.400 | 0.00036 |
| DP/SDSP14-15.2.2-1 | 0.00196 | 0.44375 | 0.96911 | 0.400 | 0.00034 |
| DP/SDSP14-15.2.0-1 | 0.00196 | 0.07830 | 0.96911 | 0.400 | 0.00006 |
| DP/SDSP14-15.3.1-1 | 0.01148 | 0.47795 | 0.96916 | 0.400 | 0.00213 |
| DP/SDSP14-15.3.2-1 | 0.01148 | 0.44375 | 0.96911 | 0.400 | 0.00197 |
| DP/SDSP14-15.3.0-1 | 0.01148 | 0.07830 | 0.96911 | 0.400 | 0.00035 |
| DP/SDSP15-16.1.1-1 | 0.01016 | 0.47795 | 1.00000 | 0.400 | 0.00194 |
| DP/SDSP15-16.1.2-1 | 0.01016 | 0.44375 | 1.00000 | 0.400 | 0.00180 |
| DP/SDSP15-16.1.0-1 | 0.01016 | 0.07830 | 1.00000 | 0.400 | 0.00032 |
| DP/SDSP15-16.2.1-1 | 0.00057 | 0.47795 | 1.00000 | 0.400 | 0.00011 |
| DP/SDSP15-16.2.2-1 | 0.00057 | 0.44375 | 1.00000 | 0.400 | 0.00010 |
| DP/SDSP15-16.2.0-1 | 0.00057 | 0.07830 | 1.00000 | 0.400 | 0.00002 |
| DP/SDSP15-16.3.1-2 | 0.01089 | 0.47795 | 1.00000 | 0.400 | 0.00208 |
| DP/SDSP15-16.3.2-2 | 0.01089 | 0.44375 | 1.00000 | 0.400 | 0.00193 |
| DP/SDSP15-16.3.0-2 | 0.01089 | 0.07830 | 1.00000 | 0.400 | 0.00034 |
| DP/SDSP16-17.1.1 | 0.00621 | 0.47795 | 1.00000 | 0.400 | 0.00119 |
| DP/SDSP16-17.1.2 | 0.00621 | 0.44375 | 1.00000 | 0.400 | 0.00110 |
| DP/SDSP16-17.1.0 | 0.00621 | 0.07830 | 1.00000 | 0.400 | 0.00019 |
| DP/SDSP16-17.2.1 | 0.00517 | 0.47795 | 1.00000 | 0.400 | 0.00099 |
| DP/SDSP16-17.2.2 | 0.00517 | 0.44375 | 1.00000 | 0.400 | 0.00092 |
| DP/SDSP16-17.2.0 | 0.00517 | 0.07830 | 1.00000 | 0.400 | 0.00016 |
| DP/SDSP16-17.3.1 | 0.01292 | 0.47795 | 1.00000 | 0.400 | 0.00247 |
| DP/SDSP16-17.3.2 | 0.01292 | 0.44375 | 1.00000 | 0.400 | 0.00229 |
| DP/SDSP16-17.3.0 | 0.01292 | 0.07830 | 1.00000 | 0.400 | 0.00040 |
| DP/SDSP17-18.1.1 | 0.00917 | 0.47795 | 1.00000 | 0.400 | 0.00175 |
| DP/SDSP17-18.1.2 | 0.00917 | 0.44375 | 1.00000 | 0.400 | 0.00163 |
| DP/SDSP17-18.1.0 | 0.00917 | 0.07830 | 1.00000 | 0.400 | 0.00029 |
| DP/SDSP17-18.2.1-1 | 0.02698 | 0.47795 | 1.00000 | 0.400 | 0.00516 |
| DP/SDSP17-18.2.2-1 | 0.02698 | 0.44375 | 1.00000 | 0.400 | 0.00479 |
| DP/SDSP17-18.2.0-1 | 0.02698 | 0.07830 | 1.00000 | 0.400 | 0.00084 |
| DP/SDSP1-3.1.1 | 0.00000 | 0.47795 | 1.00000 | 0.400 | 0.00000 |
| DP/SDSP1-3.1.0 | 0.00000 | 0.52205 | 1.00000 | 0.400 | 0.00000 |
| DP/SDSP1-3.2.1 | 0.00228 | 0.47795 | 1.00000 | 0.400 | 0.00044 |
| DP/SDSP1-3.2.0 | 0.00228 | 0.52205 | 1.00000 | 0.400 | 0.00048 |
| DP/SDSP1-3.3.1 | 0.00139 | 0.47795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP1-3.3.0 | 0.00139 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-4.1.1 | 0.00513 | 0.47795 | 0.94582 | 0.400 | 0.00093 |
| DP/SDSP2-4.1.0 | 0.00513 | 0.52205 | 0.94582 | 0.400 | 0.00101 |
| DP/SDSP2-4.2.1 | 0.00625 | 0.47795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-4.2.0 | 0.00625 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-5.1.1 | 0.00243 | 0.07795 | 1.00000 | 0.400 | 0.00008 |
| DP/SDSP3-5.1.2 | 0.00243 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DP/SDSP3-5.1.0 | 0.00243 | 0.52205 | 1.00000 | 0.400 | 0.00051 |
| DP/SDSP3-5.2.1-1 | 0.00212 | 0.07795 | 1.00000 | 0.400 | 0.00007 |
| DP/SDSP3-5.2.2-1 | 0.00212 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-5.2.0-1 | 0.00212 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-5.3.1 | 0.00555 | 0.07795 | 0.98866 | 0.400 | 0.00017 |
| DP/SDSP3-5.3.2-1 | 0.00555 | 0.40000 | 0.00000 | 0.400 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|-------------------|---------|---------|---------|-------|---------|
| DP/SDSP3-5.3.0-1 | 0.00555 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-6.1.1 | 0.00152 | 0.07795 | 1.00000 | 0.400 | 0.00005 |
| DP/SDSP4-6.1.2 | 0.00152 | 0.40000 | 1.00000 | 0.400 | 0.00024 |
| DP/SDSP4-6.1.0 | 0.00152 | 0.52205 | 1.00000 | 0.400 | 0.00032 |
| DP/SDSP4-6.2.1 | 0.00133 | 0.07795 | 1.00000 | 0.400 | 0.00004 |
| DP/SDSP4-6.2.2-1 | 0.00133 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-6.2.0-1 | 0.00133 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-6.3.1-2 | 0.00163 | 0.07795 | 1.00000 | 0.400 | 0.00005 |
| DP/SDSP4-6.3.2-1 | 0.00163 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-6.3.0-1 | 0.00163 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-6.4.1-2 | 0.00185 | 0.07795 | 1.00000 | 0.400 | 0.00006 |
| DP/SDSP4-6.4.2-1 | 0.00185 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-6.4.0-1 | 0.00185 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-7.1.1 | 0.00277 | 0.07795 | 0.96849 | 0.400 | 0.00008 |
| DP/SDSP5-7.1.2 | 0.00277 | 0.40000 | 0.90009 | 0.400 | 0.00040 |
| DP/SDSP5-7.1.0 | 0.00277 | 0.52205 | 0.90009 | 0.400 | 0.00052 |
| DP/SDSP5-7.2.1 | 0.00539 | 0.07795 | 0.88066 | 0.400 | 0.00015 |
| DP/SDSP5-7.2.2-3 | 0.00539 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-7.2.0-3 | 0.00539 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-7.3.1 | 0.00337 | 0.07795 | 0.81951 | 0.400 | 0.00009 |
| DP/SDSP5-7.3.2-3 | 0.00337 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-7.3.0-3 | 0.00337 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-8.1.1 | 0.00277 | 0.07795 | 0.89864 | 0.400 | 0.00008 |
| DP/SDSP6-8.1.2 | 0.00277 | 0.40000 | 0.77015 | 0.400 | 0.00034 |
| DP/SDSP6-8.1.0 | 0.00277 | 0.52205 | 0.77015 | 0.400 | 0.00045 |
| DP/SDSP6-8.2.1 | 0.00539 | 0.07795 | 0.91350 | 0.400 | 0.00015 |
| DP/SDSP6-8.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-8.2.0-1 | 0.00539 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-8.3.1 | 0.00337 | 0.07795 | 0.85072 | 0.400 | 0.00009 |
| DP/SDSP6-8.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-8.3.0-1 | 0.00337 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-9.1.1 | 0.00277 | 0.07795 | 0.83033 | 0.400 | 0.00007 |
| DP/SDSP7-9.1.2 | 0.00277 | 0.40000 | 0.67609 | 0.400 | 0.00030 |
| DP/SDSP7-9.1.0 | 0.00277 | 0.52205 | 0.67609 | 0.400 | 0.00039 |
| DP/SDSP7-9.2.1 | 0.00539 | 0.07795 | 0.95495 | 0.400 | 0.00016 |
| DP/SDSP7-9.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-9.2.0-1 | 0.00539 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-9.3.1 | 0.00337 | 0.07795 | 1.00000 | 0.400 | 0.00011 |
| DP/SDSP7-9.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-9.3.0-1 | 0.00337 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-10.1.1 | 0.00277 | 0.07795 | 0.79630 | 0.400 | 0.00007 |
| DP/SDSP8-10.1.2 | 0.00277 | 0.40000 | 0.62830 | 0.400 | 0.00028 |
| DP/SDSP8-10.1.0 | 0.00277 | 0.52205 | 0.62830 | 0.400 | 0.00036 |
| DP/SDSP8-10.2.1 | 0.00539 | 0.07795 | 1.00000 | 0.400 | 0.00017 |
| DP/SDSP8-10.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-10.2.0-1 | 0.00539 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-10.3.1 | 0.00337 | 0.07795 | 1.00000 | 0.400 | 0.00011 |
| DP/SDSP8-10.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-10.3.0-1 | 0.00337 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-11.1.1 | 0.00277 | 0.07795 | 0.78820 | 0.400 | 0.00007 |
| DP/SDSP9-11.1.2 | 0.00277 | 0.40000 | 0.61529 | 0.400 | 0.00027 |
| DP/SDSP9-11.1.0 | 0.00277 | 0.52205 | 0.61529 | 0.400 | 0.00036 |
| DP/SDSP9-11.2.1 | 0.00539 | 0.07795 | 1.00000 | 0.400 | 0.00017 |
| DP/SDSP9-11.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-11.2.0-1 | 0.00539 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-11.3.1 | 0.00337 | 0.07795 | 1.00000 | 0.400 | 0.00011 |
| DP/SDSP9-11.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-11.3.0-1 | 0.00337 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-12.1.1 | 0.00258 | 0.07795 | 0.84484 | 0.400 | 0.00007 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DP/SDSP10-12.1.2 | 0.00258 | 0.40000 | 0.74731 | 0.400 | 0.00031 |
| DP/SDSP10-12.1.0 | 0.00258 | 0.52205 | 0.74731 | 0.400 | 0.00040 |
| DP/SDSP10-12.2.1 | 0.00059 | 0.07795 | 0.91409 | 0.400 | 0.00002 |
| DP/SDSP10-12.2.2 | 0.00059 | 0.40000 | 0.50829 | 0.400 | 0.00005 |
| DP/SDSP10-12.2.0 | 0.00059 | 0.52205 | 0.50829 | 0.400 | 0.00006 |
| DP/SDSP10-12.3.1 | 0.00442 | 0.07795 | 0.97374 | 0.400 | 0.00013 |
| DP/SDSP10-12.3.2 | 0.00442 | 0.40000 | 0.44282 | 0.400 | 0.00031 |
| DP/SDSP10-12.3.0 | 0.00442 | 0.52205 | 0.44282 | 0.400 | 0.00041 |
| DP/SDSP10-12.4.1 | 0.00313 | 0.07795 | 1.00000 | 0.400 | 0.00010 |
| DP/SDSP10-12.4.2-1 | 0.00313 | 0.40000 | 0.60280 | 0.400 | 0.00030 |
| DP/SDSP10-12.4.0-1 | 0.00313 | 0.52205 | 0.60280 | 0.400 | 0.00039 |
| DP/SDSP11-13.1.1 | 0.00285 | 0.07795 | 0.91622 | 0.400 | 0.00008 |
| DP/SDSP11-13.1.2 | 0.00285 | 0.40000 | 0.87608 | 0.400 | 0.00040 |
| DP/SDSP11-13.1.3 | 0.00285 | 0.44375 | 0.87613 | 0.400 | 0.00044 |
| DP/SDSP11-13.1.0 | 0.00285 | 0.07830 | 0.87613 | 0.400 | 0.00008 |
| DP/SDSP11-13.2.1-1 | 0.00066 | 0.07795 | 0.96850 | 0.400 | 0.00002 |
| DP/SDSP11-13.2.2-1 | 0.00066 | 0.40000 | 0.66968 | 0.400 | 0.00007 |
| DP/SDSP11-13.2.3-1 | 0.00066 | 0.44375 | 0.60995 | 0.400 | 0.00007 |
| DP/SDSP11-13.2.0-1 | 0.00066 | 0.07830 | 0.60995 | 0.400 | 0.00001 |
| DP/SDSP11-13.3.1 | 0.00488 | 0.07795 | 1.00000 | 0.400 | 0.00015 |
| DP/SDSP11-13.3.2-1 | 0.00488 | 0.40000 | 0.65766 | 0.400 | 0.00051 |
| DP/SDSP11-13.3.3-1 | 0.00488 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-13.3.0-1 | 0.00488 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-13.4.1-1 | 0.00346 | 0.07795 | 1.00000 | 0.400 | 0.00011 |
| DP/SDSP11-13.4.2-1 | 0.00346 | 0.40000 | 0.65766 | 0.400 | 0.00036 |
| DP/SDSP11-13.4.3-1 | 0.00346 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-13.4.0-1 | 0.00346 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-14.1.1-1 | 0.00393 | 0.47795 | 0.82531 | 0.400 | 0.00062 |
| DP/SDSP12-14.1.2-1 | 0.00393 | 0.44375 | 0.82540 | 0.400 | 0.00058 |
| DP/SDSP12-14.1.0-1 | 0.00393 | 0.07830 | 0.82540 | 0.400 | 0.00010 |
| DP/SDSP12-14.2.1-1 | 0.00134 | 0.47795 | 0.64306 | 0.400 | 0.00016 |
| DP/SDSP12-14.2.2-1 | 0.00134 | 0.44375 | 0.63795 | 0.400 | 0.00015 |
| DP/SDSP12-14.2.0-1 | 0.00134 | 0.07830 | 0.63795 | 0.400 | 0.00003 |
| DP/SDSP12-14.3.1-1 | 0.00802 | 0.47795 | 0.76518 | 0.400 | 0.00117 |
| DP/SDSP12-14.3.2-1 | 0.00802 | 0.44375 | 0.51420 | 0.400 | 0.00073 |
| DP/SDSP12-14.3.0-1 | 0.00802 | 0.07830 | 0.51420 | 0.400 | 0.00013 |
| DP/SDSP13-15.1.1-1 | 0.00270 | 0.47795 | 0.83041 | 0.400 | 0.00043 |
| DP/SDSP13-15.1.2-1 | 0.00270 | 0.44375 | 0.83054 | 0.400 | 0.00040 |
| DP/SDSP13-15.1.0-1 | 0.00270 | 0.07830 | 0.83054 | 0.400 | 0.00007 |
| DP/SDSP13-15.2.1-1 | 0.00092 | 0.47795 | 0.59800 | 0.400 | 0.00011 |
| DP/SDSP13-15.2.2-1 | 0.00092 | 0.44375 | 0.57966 | 0.400 | 0.00009 |
| DP/SDSP13-15.2.0-1 | 0.00092 | 0.07830 | 0.57966 | 0.400 | 0.00002 |
| DP/SDSP13-15.3.1-1 | 0.00075 | 0.47795 | 0.75158 | 0.400 | 0.00011 |
| DP/SDSP13-15.3.2-1 | 0.00075 | 0.44375 | 0.41160 | 0.400 | 0.00006 |
| DP/SDSP13-15.3.0-1 | 0.00075 | 0.07830 | 0.41160 | 0.400 | 0.00001 |
| DP/SDSP13-15.4.1-1 | 0.00475 | 0.47795 | 0.75158 | 0.400 | 0.00068 |
| DP/SDSP13-15.4.2-1 | 0.00475 | 0.44375 | 0.41160 | 0.400 | 0.00035 |
| DP/SDSP13-15.4.0-1 | 0.00475 | 0.07830 | 0.41160 | 0.400 | 0.00006 |
| DP/SDSP14-16.1.1-2 | 0.00550 | 0.47795 | 0.89128 | 0.400 | 0.00094 |
| DP/SDSP14-16.1.2-2 | 0.00550 | 0.44375 | 0.89157 | 0.400 | 0.00087 |
| DP/SDSP14-16.1.0-2 | 0.00550 | 0.07830 | 0.89157 | 0.400 | 0.00015 |
| DP/SDSP14-16.2.1-2 | 0.00080 | 0.47795 | 0.68848 | 0.400 | 0.00011 |
| DP/SDSP14-16.2.2-2 | 0.00080 | 0.44375 | 0.54187 | 0.400 | 0.00008 |
| DP/SDSP14-16.2.0-2 | 0.00080 | 0.07830 | 0.54187 | 0.400 | 0.00001 |
| DP/SDSP14-16.3.1-2 | 0.00035 | 0.47795 | 0.72302 | 0.400 | 0.00005 |
| DP/SDSP14-16.3.2-1 | 0.00035 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-16.3.0-1 | 0.00035 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-16.4.1-2 | 0.00721 | 0.47795 | 0.72302 | 0.400 | 0.00100 |
| DP/SDSP14-16.4.2-1 | 0.00721 | 0.44375 | 0.00000 | 0.400 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DP/SDSP14-16.4.0-1 | 0.00721 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP15-17.1.1 | 0.00267 | 0.47795 | 1.00000 | 0.400 | 0.00051 |
| DP/SDSP15-17.1.2 | 0.00267 | 0.44375 | 1.00000 | 0.400 | 0.00047 |
| DP/SDSP15-17.1.0 | 0.00267 | 0.07830 | 1.00000 | 0.400 | 0.00008 |
| DP/SDSP15-17.2.1 | 0.00218 | 0.47795 | 1.00000 | 0.400 | 0.00042 |
| DP/SDSP15-17.2.2 | 0.00218 | 0.44375 | 1.00000 | 0.400 | 0.00039 |
| DP/SDSP15-17.2.0 | 0.00218 | 0.07830 | 1.00000 | 0.400 | 0.00007 |
| DP/SDSP15-17.3.1 | 0.00027 | 0.47795 | 1.00000 | 0.400 | 0.00005 |
| DP/SDSP15-17.3.2 | 0.00027 | 0.44375 | 1.00000 | 0.400 | 0.00005 |
| DP/SDSP15-17.3.0 | 0.00027 | 0.07830 | 1.00000 | 0.400 | 0.00001 |
| DP/SDSP15-17.4.1-2 | 0.00556 | 0.47795 | 1.00000 | 0.400 | 0.00106 |
| DP/SDSP15-17.4.2 | 0.00556 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP15-17.4.0 | 0.00556 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP16-18.1.1 | 0.00386 | 0.47795 | 1.00000 | 0.400 | 0.00074 |
| DP/SDSP16-18.1.2 | 0.00386 | 0.44375 | 1.00000 | 0.400 | 0.00069 |
| DP/SDSP16-18.1.0 | 0.00386 | 0.07830 | 1.00000 | 0.400 | 0.00012 |
| DP/SDSP16-18.2.1 | 0.00315 | 0.47795 | 1.00000 | 0.400 | 0.00060 |
| DP/SDSP16-18.2.2 | 0.00315 | 0.44375 | 1.00000 | 0.400 | 0.00056 |
| DP/SDSP16-18.2.0 | 0.00315 | 0.07830 | 1.00000 | 0.400 | 0.00010 |
| DP/SDSP16-18.3.1 | 0.00842 | 0.47795 | 1.00000 | 0.400 | 0.00161 |
| DP/SDSP16-18.3.2 | 0.00842 | 0.44375 | 1.00000 | 0.400 | 0.00149 |
| DP/SDSP16-18.3.0 | 0.00842 | 0.07830 | 1.00000 | 0.400 | 0.00026 |
| DP/SDSP1-4.1.1 | 0.00000 | 0.47795 | 0.84229 | 0.400 | 0.00000 |
| DP/SDSP1-4.1.0 | 0.00000 | 0.52205 | 0.84229 | 0.400 | 0.00000 |
| DP/SDSP1-4.2.1 | 0.00142 | 0.47795 | 0.84229 | 0.400 | 0.00023 |
| DP/SDSP1-4.2.0 | 0.00142 | 0.52205 | 0.84229 | 0.400 | 0.00025 |
| DP/SDSP1-4.3.1 | 0.00086 | 0.47795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP1-4.3.0 | 0.00086 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-5.1.1 | 0.00376 | 0.07795 | 0.54497 | 0.400 | 0.00006 |
| DP/SDSP2-5.1.2 | 0.00376 | 0.40000 | 0.54497 | 0.400 | 0.00033 |
| DP/SDSP2-5.1.0 | 0.00376 | 0.52205 | 0.54497 | 0.400 | 0.00043 |
| DP/SDSP2-5.2.1-1 | 0.00328 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-5.2.2-1 | 0.00328 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-5.2.0-1 | 0.00328 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-5.3.1-1 | 0.00859 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-5.3.2-1 | 0.00859 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-5.3.0-1 | 0.00859 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-6.1.1 | 0.00094 | 0.07795 | 0.95171 | 0.400 | 0.00003 |
| DP/SDSP3-6.1.2 | 0.00094 | 0.40000 | 0.89124 | 0.400 | 0.00013 |
| DP/SDSP3-6.1.0 | 0.00094 | 0.52205 | 0.89124 | 0.400 | 0.00018 |
| DP/SDSP3-6.2.1 | 0.00082 | 0.07795 | 0.97983 | 0.400 | 0.00003 |
| DP/SDSP3-6.2.2-1 | 0.00082 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-6.2.0-1 | 0.00082 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-6.3.1 | 0.00101 | 0.07795 | 0.65223 | 0.400 | 0.00002 |
| DP/SDSP3-6.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-6.3.0-1 | 0.00101 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-6.4.1 | 0.00115 | 0.07795 | 0.63658 | 0.400 | 0.00002 |
| DP/SDSP3-6.4.2-1 | 0.00115 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-6.4.0-1 | 0.00115 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-7.1.1 | 0.00041 | 0.07795 | 0.82176 | 0.400 | 0.00001 |
| DP/SDSP4-7.1.2 | 0.00041 | 0.40000 | 0.67911 | 0.400 | 0.00004 |
| DP/SDSP4-7.1.0 | 0.00041 | 0.52205 | 0.67911 | 0.400 | 0.00006 |
| DP/SDSP4-7.2.1-1 | 0.00036 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-7.2.2-1 | 0.00036 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-7.2.0-1 | 0.00036 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-7.3.1-1 | 0.00044 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-7.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-7.3.0-1 | 0.00044 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-7.4.1-1 | 0.00050 | 0.07795 | 0.00000 | 0.400 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DP/SDSP4-7.4.2-1 | 0.00050 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-7.4.0-1 | 0.00050 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-8.1.1 | 0.00083 | 0.07795 | 0.74490 | 0.400 | 0.00002 |
| DP/SDSP5-8.1.2 | 0.00083 | 0.40000 | 0.51192 | 0.400 | 0.00007 |
| DP/SDSP5-8.1.0 | 0.00083 | 0.52205 | 0.51192 | 0.400 | 0.00009 |
| DP/SDSP5-8.2.1 | 0.00162 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-8.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-8.2.0-1 | 0.00162 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-8.3.1 | 0.00101 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-8.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-8.3.0-1 | 0.00101 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-9.1.1 | 0.00083 | 0.07795 | 0.67929 | 0.400 | 0.00002 |
| DP/SDSP6-9.1.2 | 0.00083 | 0.40000 | 0.27157 | 0.400 | 0.00004 |
| DP/SDSP6-9.1.0 | 0.00083 | 0.52205 | 0.27157 | 0.400 | 0.00005 |
| DP/SDSP6-9.2.1 | 0.00162 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-9.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-9.2.0-1 | 0.00162 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-9.3.1 | 0.00101 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-9.3.2-2 | 0.00101 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-9.3.0-2 | 0.00101 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-10.1.1 | 0.00083 | 0.07795 | 0.59895 | 0.400 | 0.00002 |
| DP/SDSP7-10.1.2 | 0.00083 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-10.1.0 | 0.00083 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-10.2.1 | 0.00162 | 0.07795 | 0.96036 | 0.400 | 0.00005 |
| DP/SDSP7-10.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-10.2.0-1 | 0.00162 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-10.3.1 | 0.00101 | 0.07795 | 0.99302 | 0.400 | 0.00003 |
| DP/SDSP7-10.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-10.3.0-1 | 0.00101 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-11.1.1 | 0.00083 | 0.07795 | 0.55912 | 0.400 | 0.00001 |
| DP/SDSP8-11.1.2 | 0.00083 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-11.1.0 | 0.00083 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-11.2.1 | 0.00162 | 0.07795 | 0.94502 | 0.400 | 0.00005 |
| DP/SDSP8-11.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-11.2.0-1 | 0.00162 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-11.3.1 | 0.00101 | 0.07795 | 0.99902 | 0.400 | 0.00003 |
| DP/SDSP8-11.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-11.3.0-1 | 0.00101 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-12.1.1 | 0.00075 | 0.07795 | 0.60865 | 0.400 | 0.00001 |
| DP/SDSP9-12.1.2 | 0.00075 | 0.40000 | 0.26782 | 0.400 | 0.00003 |
| DP/SDSP9-12.1.0 | 0.00075 | 0.52205 | 0.26782 | 0.400 | 0.00004 |
| DP/SDSP9-12.2.1 | 0.00017 | 0.07795 | 0.97350 | 0.400 | 0.00001 |
| DP/SDSP9-12.2.2-1 | 0.00017 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-12.2.0-1 | 0.00017 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-12.3.1 | 0.00129 | 0.07795 | 0.97636 | 0.400 | 0.00004 |
| DP/SDSP9-12.3.2-1 | 0.00129 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-12.3.0-1 | 0.00129 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-12.4.1 | 0.00091 | 0.07795 | 1.00000 | 0.400 | 0.00003 |
| DP/SDSP9-12.4.2-1 | 0.00091 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-12.4.0-1 | 0.00091 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-13.1.1 | 0.00081 | 0.07795 | 0.68114 | 0.400 | 0.00002 |
| DP/SDSP10-13.1.2 | 0.00081 | 0.40000 | 0.51686 | 0.400 | 0.00007 |
| DP/SDSP10-13.1.3 | 0.00081 | 0.44375 | 0.51765 | 0.400 | 0.00007 |
| DP/SDSP10-13.1.0 | 0.00081 | 0.07830 | 0.51765 | 0.400 | 0.00001 |
| DP/SDSP10-13.2.1 | 0.00019 | 0.07795 | 0.78074 | 0.400 | 0.00000 |
| DP/SDSP10-13.2.2 | 0.00019 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-13.2.3-1 | 0.00019 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-13.2.0-1 | 0.00019 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-13.3.1 | 0.00139 | 0.07795 | 0.85083 | 0.400 | 0.00004 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DP/SDSP10-13.3.2-1 | 0.00139 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-13.3.3-1 | 0.00139 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-13.3.0-1 | 0.00139 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-13.4.1-1 | 0.00098 | 0.07795 | 0.88268 | 0.400 | 0.00003 |
| DP/SDSP10-13.4.2-1 | 0.00098 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-13.4.3-1 | 0.00098 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-13.4.0-1 | 0.00098 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-14.1.1-1 | 0.00118 | 0.07795 | 0.59519 | 0.400 | 0.00002 |
| DP/SDSP11-14.1.2-1 | 0.00118 | 0.40000 | 0.47796 | 0.400 | 0.00009 |
| DP/SDSP11-14.1.3-1 | 0.00118 | 0.44375 | 0.48072 | 0.400 | 0.00010 |
| DP/SDSP11-14.1.0-1 | 0.00118 | 0.07830 | 0.48072 | 0.400 | 0.00002 |
| DP/SDSP11-14.2.1-1 | 0.00027 | 0.07795 | 0.64931 | 0.400 | 0.00001 |
| DP/SDSP11-14.2.2-1 | 0.00027 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-14.2.3-1 | 0.00027 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-14.2.0-1 | 0.00027 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-14.3.1-1 | 0.00050 | 0.07795 | 0.72761 | 0.400 | 0.00001 |
| DP/SDSP11-14.3.2-1 | 0.00050 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-14.3.3-1 | 0.00050 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-14.3.0-1 | 0.00050 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-14.4.1-1 | 0.00153 | 0.07795 | 0.92375 | 0.400 | 0.00004 |
| DP/SDSP11-14.4.2-1 | 0.00153 | 0.40000 | 0.60385 | 0.400 | 0.00015 |
| DP/SDSP11-14.4.3-1 | 0.00153 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-14.4.0-1 | 0.00153 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-14.5.1-1 | 0.00143 | 0.07795 | 0.92375 | 0.400 | 0.00004 |
| DP/SDSP11-14.5.2-1 | 0.00143 | 0.40000 | 0.60385 | 0.400 | 0.00014 |
| DP/SDSP11-14.5.3-1 | 0.00143 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-14.5.0-1 | 0.00143 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-15.1.1-1 | 0.00098 | 0.47795 | 0.41530 | 0.400 | 0.00008 |
| DP/SDSP12-15.1.2-1 | 0.00098 | 0.44375 | 0.42062 | 0.400 | 0.00007 |
| DP/SDSP12-15.1.0-1 | 0.00098 | 0.07830 | 0.42062 | 0.400 | 0.00001 |
| DP/SDSP12-15.2.1-1 | 0.00033 | 0.47795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-15.2.2-1 | 0.00033 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-15.2.0-1 | 0.00033 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-15.3.1-1 | 0.00027 | 0.47795 | 0.45864 | 0.400 | 0.00002 |
| DP/SDSP12-15.3.2-1 | 0.00027 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-15.3.0-1 | 0.00027 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-15.4.1-1 | 0.00172 | 0.47795 | 0.45864 | 0.400 | 0.00015 |
| DP/SDSP12-15.4.2-1 | 0.00172 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-15.4.0-1 | 0.00172 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-16.1.1-2 | 0.00103 | 0.47795 | 0.53019 | 0.400 | 0.00010 |
| DP/SDSP13-16.1.2-2 | 0.00103 | 0.44375 | 0.51196 | 0.400 | 0.00009 |
| DP/SDSP13-16.1.0-2 | 0.00103 | 0.07830 | 0.51196 | 0.400 | 0.00002 |
| DP/SDSP13-16.2.1-2 | 0.00035 | 0.47795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-16.2.2-1 | 0.00035 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-16.2.0-1 | 0.00035 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-16.3.1-2 | 0.00020 | 0.47795 | 0.51083 | 0.400 | 0.00002 |
| DP/SDSP13-16.3.2-1 | 0.00020 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-16.3.0-1 | 0.00020 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-16.4.1-2 | 0.00009 | 0.47795 | 0.66378 | 0.400 | 0.00001 |
| DP/SDSP13-16.4.2-1 | 0.00009 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-16.4.0-1 | 0.00009 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-16.5.1-2 | 0.00181 | 0.47795 | 0.66378 | 0.400 | 0.00023 |
| DP/SDSP13-16.5.2-1 | 0.00181 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-16.5.0-1 | 0.00181 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-17.1.1-1 | 0.00109 | 0.47795 | 0.76044 | 0.400 | 0.00016 |
| DP/SDSP14-17.1.2-1 | 0.00109 | 0.44375 | 0.76114 | 0.400 | 0.00015 |
| DP/SDSP14-17.1.0-1 | 0.00109 | 0.07830 | 0.76114 | 0.400 | 0.00003 |
| DP/SDSP14-17.2.1-1 | 0.00064 | 0.47795 | 0.78859 | 0.400 | 0.00010 |
| DP/SDSP14-17.2.2-1 | 0.00064 | 0.44375 | 0.78862 | 0.400 | 0.00009 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DP/SDSP14-17.2.0-1 | 0.00064 | 0.07830 | 0.78862 | 0.400 | 0.00002 |
| DP/SDSP14-17.3.1-2 | 0.00025 | 0.47795 | 0.67976 | 0.400 | 0.00003 |
| DP/SDSP14-17.3.2-1 | 0.00025 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-17.3.0-1 | 0.00025 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-17.4.1-2 | 0.00011 | 0.47795 | 0.78047 | 0.400 | 0.00002 |
| DP/SDSP14-17.4.2-1 | 0.00011 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-17.4.0-1 | 0.00011 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-17.5.1-2 | 0.00226 | 0.47795 | 0.78047 | 0.400 | 0.00034 |
| DP/SDSP14-17.5.2-1 | 0.00226 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-17.5.0-1 | 0.00226 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP15-18.1.1 | 0.00115 | 0.47795 | 1.00000 | 0.400 | 0.00022 |
| DP/SDSP15-18.1.2 | 0.00115 | 0.44375 | 1.00000 | 0.400 | 0.00020 |
| DP/SDSP15-18.1.0 | 0.00115 | 0.07830 | 1.00000 | 0.400 | 0.00004 |
| DP/SDSP15-18.2.1 | 0.00094 | 0.47795 | 1.00000 | 0.400 | 0.00018 |
| DP/SDSP15-18.2.2 | 0.00094 | 0.44375 | 1.00000 | 0.400 | 0.00017 |
| DP/SDSP15-18.2.0 | 0.00094 | 0.07830 | 1.00000 | 0.400 | 0.00003 |
| DP/SDSP15-18.3.1 | 0.00012 | 0.47795 | 1.00000 | 0.400 | 0.00002 |
| DP/SDSP15-18.3.2 | 0.00012 | 0.44375 | 1.00000 | 0.400 | 0.00002 |
| DP/SDSP15-18.3.0 | 0.00012 | 0.07830 | 1.00000 | 0.400 | 0.00000 |
| DP/SDSP15-18.4.1-2 | 0.00240 | 0.47795 | 1.00000 | 0.400 | 0.00046 |
| DP/SDSP15-18.4.2-1 | 0.00240 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP15-18.4.0-1 | 0.00240 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP1-5.1.1 | 0.00000 | 0.07795 | 0.23351 | 0.400 | 0.00000 |
| DP/SDSP1-5.1.2 | 0.00000 | 0.40000 | 0.23351 | 0.400 | 0.00000 |
| DP/SDSP1-5.1.0 | 0.00000 | 0.52205 | 0.23351 | 0.400 | 0.00000 |
| DP/SDSP1-5.2.1 | 0.00084 | 0.07795 | 0.23351 | 0.400 | 0.00001 |
| DP/SDSP1-5.2.2 | 0.00084 | 0.40000 | 0.23351 | 0.400 | 0.00003 |
| DP/SDSP1-5.2.0 | 0.00084 | 0.52205 | 0.23351 | 0.400 | 0.00004 |
| DP/SDSP1-5.3.1-1 | 0.00073 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP1-5.3.2-1 | 0.00073 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP1-5.3.0-1 | 0.00073 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP1-5.4.1-1 | 0.00095 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP1-5.4.2-1 | 0.00095 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP1-5.4.0-1 | 0.00095 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.1.1 | 0.00114 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.1.2 | 0.00114 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.1.0 | 0.00114 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.2.1-1 | 0.00099 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.2.2-1 | 0.00099 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.2.0-1 | 0.00099 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.3.1-1 | 0.00122 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.3.2-1 | 0.00122 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.3.0-1 | 0.00122 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.4.1-1 | 0.00138 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.4.2-1 | 0.00138 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP2-6.4.0-1 | 0.00138 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-7.1.1 | 0.00030 | 0.07795 | 0.66097 | 0.400 | 0.00001 |
| DP/SDSP3-7.1.2 | 0.00030 | 0.40000 | 0.37327 | 0.400 | 0.00002 |
| DP/SDSP3-7.1.0 | 0.00030 | 0.52205 | 0.37327 | 0.400 | 0.00002 |
| DP/SDSP3-7.2.1-1 | 0.00026 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-7.2.2-1 | 0.00026 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-7.2.0-1 | 0.00026 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-7.3.1-1 | 0.00032 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-7.3.2-1 | 0.00032 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-7.3.0-1 | 0.00032 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-7.4.1-1 | 0.00036 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-7.4.2-1 | 0.00036 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP3-7.4.0-1 | 0.00036 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.1.1 | 0.00020 | 0.07795 | 0.53304 | 0.400 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|-------------------|---------|---------|---------|-------|---------|
| DP/SDSP4-8.1.2 | 0.00020 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.1.0 | 0.00020 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.2.1-1 | 0.00017 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.2.2-1 | 0.00017 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.2.0-1 | 0.00017 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.3.1-1 | 0.00021 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.3.2-1 | 0.00021 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.3.0-1 | 0.00021 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.4.1-1 | 0.00024 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.4.2-1 | 0.00024 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP4-8.4.0-1 | 0.00024 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-9.1.1 | 0.00037 | 0.07795 | 0.46696 | 0.400 | 0.00001 |
| DP/SDSP5-9.1.2 | 0.00037 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-9.1.0 | 0.00037 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-9.2.1-1 | 0.00071 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-9.2.2-1 | 0.00071 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-9.2.0-1 | 0.00071 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-9.3.1-1 | 0.00044 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-9.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP5-9.3.0-1 | 0.00044 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-10.1.1 | 0.00037 | 0.07795 | 0.40359 | 0.400 | 0.00000 |
| DP/SDSP6-10.1.2 | 0.00037 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-10.1.0 | 0.00037 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-10.2.1-1 | 0.00071 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-10.2.2-1 | 0.00071 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-10.2.0-1 | 0.00071 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-10.3.1-1 | 0.00044 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-10.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP6-10.3.0-1 | 0.00044 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-11.1.1 | 0.00037 | 0.07795 | 0.27452 | 0.400 | 0.00000 |
| DP/SDSP7-11.1.2 | 0.00037 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-11.1.0 | 0.00037 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-11.2.1 | 0.00071 | 0.07795 | 0.66304 | 0.400 | 0.00001 |
| DP/SDSP7-11.2.2-1 | 0.00071 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-11.2.0-1 | 0.00071 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-11.3.1 | 0.00044 | 0.07795 | 0.80057 | 0.400 | 0.00001 |
| DP/SDSP7-11.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP7-11.3.0-1 | 0.00044 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-12.1.1 | 0.00034 | 0.07795 | 0.29860 | 0.400 | 0.00000 |
| DP/SDSP8-12.1.2 | 0.00034 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-12.1.0 | 0.00034 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-12.2.1 | 0.00008 | 0.07795 | 0.68670 | 0.400 | 0.00000 |
| DP/SDSP8-12.2.2-1 | 0.00008 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-12.2.0-1 | 0.00008 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-12.3.1 | 0.00058 | 0.07795 | 0.55489 | 0.400 | 0.00001 |
| DP/SDSP8-12.3.2-1 | 0.00058 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-12.3.0-1 | 0.00058 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-12.4.1 | 0.00041 | 0.07795 | 0.61193 | 0.400 | 0.00001 |
| DP/SDSP8-12.4.2-1 | 0.00041 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP8-12.4.0-1 | 0.00041 | 0.52205 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.1.1 | 0.00037 | 0.07795 | 0.38605 | 0.400 | 0.00000 |
| DP/SDSP9-13.1.2 | 0.00037 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.1.3 | 0.00037 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.1.0 | 0.00037 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.2.1 | 0.00009 | 0.07795 | 0.80968 | 0.400 | 0.00000 |
| DP/SDSP9-13.2.2-1 | 0.00009 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.2.3-1 | 0.00009 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.2.0-1 | 0.00009 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.3.1 | 0.00064 | 0.07795 | 0.71569 | 0.400 | 0.00001 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DP/SDSP9-13.3.2-1 | 0.00064 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.3.3-1 | 0.00064 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.3.0-1 | 0.00064 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.4.1 | 0.00045 | 0.07795 | 0.78750 | 0.400 | 0.00001 |
| DP/SDSP9-13.4.2-1 | 0.00045 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.4.3-1 | 0.00045 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP9-13.4.0-1 | 0.00045 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.1.1-1 | 0.00051 | 0.07795 | 0.27311 | 0.400 | 0.00000 |
| DP/SDSP10-14.1.2-1 | 0.00051 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.1.3-1 | 0.00051 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.1.0-1 | 0.00051 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.2.1-1 | 0.00012 | 0.07795 | 0.43473 | 0.400 | 0.00000 |
| DP/SDSP10-14.2.2-1 | 0.00012 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.2.3-1 | 0.00012 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.2.0-1 | 0.00012 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.3.1-1 | 0.00021 | 0.07795 | 0.55740 | 0.400 | 0.00000 |
| DP/SDSP10-14.3.2-1 | 0.00021 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.3.3-1 | 0.00021 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.3.0-1 | 0.00021 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.4.1-1 | 0.00065 | 0.07795 | 0.82687 | 0.400 | 0.00002 |
| DP/SDSP10-14.4.2-1 | 0.00065 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.4.3-1 | 0.00065 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.4.0-1 | 0.00065 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.5.1-1 | 0.00061 | 0.07795 | 0.82687 | 0.400 | 0.00002 |
| DP/SDSP10-14.5.2-1 | 0.00061 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.5.3-1 | 0.00061 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP10-14.5.0-1 | 0.00061 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.1.1-1 | 0.00044 | 0.07795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.1.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.1.3-1 | 0.00044 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.1.0-1 | 0.00044 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.2.1-1 | 0.00010 | 0.07795 | 0.09190 | 0.400 | 0.00000 |
| DP/SDSP11-15.2.2-1 | 0.00010 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.2.3-1 | 0.00010 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.2.0-1 | 0.00010 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.3.1-1 | 0.00018 | 0.07795 | 0.33468 | 0.400 | 0.00000 |
| DP/SDSP11-15.3.2-1 | 0.00018 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.3.3-1 | 0.00018 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.3.0-1 | 0.00018 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.4.1-1 | 0.00015 | 0.07795 | 0.74074 | 0.400 | 0.00000 |
| DP/SDSP11-15.4.2-1 | 0.00015 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.4.3-1 | 0.00015 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.4.0-1 | 0.00015 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.5.1-1 | 0.00042 | 0.07795 | 0.74074 | 0.400 | 0.00001 |
| DP/SDSP11-15.5.2-1 | 0.00042 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.5.3-1 | 0.00042 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.5.0-1 | 0.00042 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.6.1-1 | 0.00053 | 0.07795 | 0.74074 | 0.400 | 0.00001 |
| DP/SDSP11-15.6.2-1 | 0.00053 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.6.3-1 | 0.00053 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP11-15.6.0-1 | 0.00053 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.1.1-2 | 0.00057 | 0.47795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.1.2-2 | 0.00057 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.1.0-2 | 0.00057 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.2.1-2 | 0.00020 | 0.47795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.2.2-1 | 0.00020 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.2.0-1 | 0.00020 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.3.1-2 | 0.00011 | 0.47795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.3.2-1 | 0.00011 | 0.44375 | 0.00000 | 0.400 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DP/SDSP12-16.3.0-1 | 0.00011 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.4.1-2 | 0.00005 | 0.47795 | 0.26858 | 0.400 | 0.00000 |
| DP/SDSP12-16.4.2-1 | 0.00005 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.4.0-1 | 0.00005 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.5.1-2 | 0.00101 | 0.47795 | 0.26858 | 0.400 | 0.00005 |
| DP/SDSP12-16.5.2-1 | 0.00101 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP12-16.5.0-1 | 0.00101 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-17.1.1-2 | 0.00042 | 0.47795 | 0.20614 | 0.400 | 0.00002 |
| DP/SDSP13-17.1.2-1 | 0.00042 | 0.44375 | 0.04403 | 0.400 | 0.00000 |
| DP/SDSP13-17.1.0-1 | 0.00042 | 0.07830 | 0.04403 | 0.400 | 0.00000 |
| DP/SDSP13-17.2.1-2 | 0.00008 | 0.47795 | 0.26110 | 0.400 | 0.00000 |
| DP/SDSP13-17.2.2-2 | 0.00008 | 0.44375 | 0.13015 | 0.400 | 0.00000 |
| DP/SDSP13-17.2.0-2 | 0.00008 | 0.07830 | 0.13015 | 0.400 | 0.00000 |
| DP/SDSP13-17.3.1-2 | 0.00017 | 0.47795 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-17.3.2-1 | 0.00017 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-17.3.0-1 | 0.00017 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-17.4.1-2 | 0.00010 | 0.47795 | 0.66674 | 0.400 | 0.00001 |
| DP/SDSP13-17.4.2-1 | 0.00010 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-17.4.0-1 | 0.00010 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-17.5.1-2 | 0.00004 | 0.47795 | 0.79116 | 0.400 | 0.00001 |
| DP/SDSP13-17.5.2-1 | 0.00004 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-17.5.0-1 | 0.00004 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-17.6.1-2 | 0.00086 | 0.47795 | 0.79116 | 0.400 | 0.00013 |
| DP/SDSP13-17.6.2-1 | 0.00086 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP13-17.6.0-1 | 0.00086 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-18.1.1-1 | 0.00063 | 0.47795 | 0.71567 | 0.400 | 0.00009 |
| DP/SDSP14-18.1.2 | 0.00063 | 0.44375 | 0.62296 | 0.400 | 0.00007 |
| DP/SDSP14-18.1.0 | 0.00063 | 0.07830 | 0.62296 | 0.400 | 0.00001 |
| DP/SDSP14-18.2.1-2 | 0.00037 | 0.47795 | 0.74651 | 0.400 | 0.00005 |
| DP/SDSP14-18.2.2 | 0.00037 | 0.44375 | 0.66852 | 0.400 | 0.00004 |
| DP/SDSP14-18.2.0 | 0.00037 | 0.07830 | 0.66852 | 0.400 | 0.00001 |
| DP/SDSP14-18.3.1-2 | 0.00014 | 0.47795 | 0.75883 | 0.400 | 0.00002 |
| DP/SDSP14-18.3.2-1 | 0.00014 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-18.3.0-1 | 0.00014 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-18.4.1-2 | 0.00006 | 0.47795 | 0.86511 | 0.400 | 0.00001 |
| DP/SDSP14-18.4.2-1 | 0.00006 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-18.4.0-1 | 0.00006 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-18.5.1-2 | 0.00131 | 0.47795 | 0.86511 | 0.400 | 0.00022 |
| DP/SDSP14-18.5.2-1 | 0.00131 | 0.44375 | 0.00000 | 0.400 | 0.00000 |
| DP/SDSP14-18.5.0-1 | 0.00131 | 0.07830 | 0.00000 | 0.400 | 0.00000 |
| SUBTOTAL | | | | 0.400 | 0.28695 |
| DS/SDSP1.1.1 | 0.00000 | 0.40000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP1.1.0 | 0.00000 | 0.60000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP1.2.1 | 0.00000 | 0.40000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP1.2.0 | 0.00000 | 0.60000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP1.3.1 | 0.01184 | 0.40000 | 1.00000 | 0.400 | 0.00189 |
| DS/SDSP1.3.0 | 0.01184 | 0.60000 | 1.00000 | 0.400 | 0.00284 |
| DS/SDSP2.1.1-1 | 0.01610 | 0.40000 | 1.00000 | 0.400 | 0.00258 |
| DS/SDSP2.1.0-1 | 0.01610 | 0.60000 | 1.00000 | 0.400 | 0.00387 |
| DS/SDSP2.2.1 | 0.01003 | 0.40000 | 1.00000 | 0.400 | 0.00160 |
| DS/SDSP2.2.0 | 0.01003 | 0.60000 | 1.00000 | 0.400 | 0.00241 |
| DS/SDSP3.1.1-1 | 0.00268 | 0.40000 | 1.00000 | 0.400 | 0.00043 |
| DS/SDSP3.1.0-1 | 0.00268 | 0.60000 | 1.00000 | 0.400 | 0.00064 |
| DS/SDSP3.2.1-1 | 0.00056 | 0.40000 | 1.00000 | 0.400 | 0.00009 |
| DS/SDSP3.2.0-1 | 0.00056 | 0.60000 | 1.00000 | 0.400 | 0.00013 |
| DS/SDSP4.1.1-1 | 0.00268 | 0.40000 | 1.00000 | 0.400 | 0.00043 |
| DS/SDSP4.1.0-1 | 0.00268 | 0.60000 | 1.00000 | 0.400 | 0.00064 |

| CASE | P | V | S | W | W*P*V*S |
|----------------|---------|---------|---------|-------|---------|
| DS/SDSP4.2.1-1 | 0.00056 | 0.40000 | 1.00000 | 0.400 | 0.00009 |
| DS/SDSP4.2.0-1 | 0.00056 | 0.60000 | 1.00000 | 0.400 | 0.00013 |
| DS/SDSP5.1.1-1 | 0.00710 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP5.1.2-1 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DS/SDSP5.1.0-1 | 0.00710 | 0.60000 | 1.00000 | 0.400 | 0.00171 |
| DS/SDSP5.2.1-1 | 0.01157 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP5.2.2-1 | 0.01157 | 0.40000 | 1.00000 | 0.400 | 0.00185 |
| DS/SDSP5.2.0-1 | 0.01157 | 0.60000 | 1.00000 | 0.400 | 0.00278 |
| DS/SDSP6.1.1 | 0.00710 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP6.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DS/SDSP6.1.0 | 0.00710 | 0.60000 | 1.00000 | 0.400 | 0.00171 |
| DS/SDSP6.2.1 | 0.00912 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP6.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.400 | 0.00146 |
| DS/SDSP6.2.0 | 0.00912 | 0.60000 | 1.00000 | 0.400 | 0.00219 |
| DS/SDSP6.3.1 | 0.00245 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP6.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DS/SDSP6.3.0 | 0.00245 | 0.60000 | 1.00000 | 0.400 | 0.00059 |
| DS/SDSP7.1.1 | 0.00710 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DS/SDSP7.1.0 | 0.00710 | 0.60000 | 1.00000 | 0.400 | 0.00171 |
| DS/SDSP7.2.1 | 0.00912 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.400 | 0.00146 |
| DS/SDSP7.2.0 | 0.00912 | 0.60000 | 1.00000 | 0.400 | 0.00219 |
| DS/SDSP7.3.1 | 0.00245 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DS/SDSP7.3.0 | 0.00245 | 0.60000 | 1.00000 | 0.400 | 0.00059 |
| DS/SDSP8.1.1 | 0.00710 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP8.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DS/SDSP8.1.0 | 0.00710 | 0.60000 | 1.00000 | 0.400 | 0.00171 |
| DS/SDSP8.2.1 | 0.00912 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP8.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.400 | 0.00146 |
| DS/SDSP8.2.0 | 0.00912 | 0.60000 | 1.00000 | 0.400 | 0.00219 |
| DS/SDSP8.3.1 | 0.00245 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP8.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DS/SDSP8.3.0 | 0.00245 | 0.60000 | 1.00000 | 0.400 | 0.00059 |
| DS/SDSP9.1.1 | 0.00710 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DS/SDSP9.1.0 | 0.00710 | 0.60000 | 1.00000 | 0.400 | 0.00171 |
| DS/SDSP9.2.1 | 0.00912 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.400 | 0.00146 |
| DS/SDSP9.2.0 | 0.00912 | 0.60000 | 1.00000 | 0.400 | 0.00219 |
| DS/SDSP9.3.1 | 0.00245 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DS/SDSP9.3.0 | 0.00245 | 0.60000 | 1.00000 | 0.400 | 0.00059 |
| DS/SDSP10.1.1 | 0.00710 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DS/SDSP10.1.0 | 0.00710 | 0.60000 | 1.00000 | 0.400 | 0.00171 |
| DS/SDSP10.2.1 | 0.00912 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.400 | 0.00146 |
| DS/SDSP10.2.0 | 0.00912 | 0.60000 | 1.00000 | 0.400 | 0.00219 |
| DS/SDSP10.3.1 | 0.00245 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DS/SDSP10.3.0 | 0.00245 | 0.60000 | 1.00000 | 0.400 | 0.00059 |
| DS/SDSP11.1.1 | 0.00710 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11.1.2 | 0.00710 | 0.40000 | 1.00000 | 0.400 | 0.00114 |
| DS/SDSP11.1.0 | 0.00710 | 0.60000 | 1.00000 | 0.400 | 0.00171 |
| DS/SDSP11.2.1 | 0.00912 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11.2.2 | 0.00912 | 0.40000 | 1.00000 | 0.400 | 0.00146 |
| DS/SDSP11.2.0 | 0.00912 | 0.60000 | 1.00000 | 0.400 | 0.00219 |

| CASE | P | V | S | W | W*P*V*S |
|------------------|---------|---------|---------|-------|---------|
| DS/SDSP11.3.1 | 0.00245 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11.3.2 | 0.00245 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DS/SDSP11.3.0 | 0.00245 | 0.60000 | 1.00000 | 0.400 | 0.00059 |
| DS/SDSP12.1.1-1 | 0.00679 | 0.40000 | 1.00000 | 0.400 | 0.00109 |
| DS/SDSP12.1.0-1 | 0.00679 | 0.60000 | 1.00000 | 0.400 | 0.00163 |
| DS/SDSP12.2.1-1 | 0.00750 | 0.40000 | 1.00000 | 0.400 | 0.00120 |
| DS/SDSP12.2.0-1 | 0.00750 | 0.60000 | 1.00000 | 0.400 | 0.00180 |
| DS/SDSP13.1.1-1 | 0.00599 | 0.40000 | 1.00000 | 0.400 | 0.00096 |
| DS/SDSP13.1.2-1 | 0.00599 | 0.48936 | 1.00000 | 0.400 | 0.00117 |
| DS/SDSP13.1.0-1 | 0.00599 | 0.11064 | 1.00000 | 0.400 | 0.00026 |
| DS/SDSP13.2.1-1 | 0.00630 | 0.40000 | 1.00000 | 0.400 | 0.00101 |
| DS/SDSP13.2.2-1 | 0.00630 | 0.48936 | 1.00000 | 0.400 | 0.00123 |
| DS/SDSP13.2.0-1 | 0.00630 | 0.11064 | 1.00000 | 0.400 | 0.00028 |
| DS/SDSP14.1.1-1 | 0.01084 | 0.40000 | 1.00000 | 0.400 | 0.00173 |
| DS/SDSP14.1.2-1 | 0.01084 | 0.48936 | 1.00000 | 0.400 | 0.00212 |
| DS/SDSP14.1.0-1 | 0.01084 | 0.11064 | 1.00000 | 0.400 | 0.00048 |
| DS/SDSP14.2.1-1 | 0.00783 | 0.40000 | 1.00000 | 0.400 | 0.00125 |
| DS/SDSP14.2.2-1 | 0.00783 | 0.48936 | 1.00000 | 0.400 | 0.00153 |
| DS/SDSP14.2.0-1 | 0.00783 | 0.11064 | 1.00000 | 0.400 | 0.00035 |
| DS/SDSP15.1.1-1 | 0.00869 | 0.40000 | 1.00000 | 0.400 | 0.00139 |
| DS/SDSP15.1.2-1 | 0.00869 | 0.48936 | 1.00000 | 0.400 | 0.00170 |
| DS/SDSP15.1.0-1 | 0.00869 | 0.11064 | 1.00000 | 0.400 | 0.00038 |
| DS/SDSP15.2.1-1 | 0.00360 | 0.40000 | 1.00000 | 0.400 | 0.00058 |
| DS/SDSP15.2.2-1 | 0.00360 | 0.48936 | 1.00000 | 0.400 | 0.00070 |
| DS/SDSP15.2.0-1 | 0.00360 | 0.11064 | 1.00000 | 0.400 | 0.00016 |
| DS/SDSP16.1.1 | 0.01076 | 0.40000 | 1.00000 | 0.400 | 0.00172 |
| DS/SDSP16.1.2 | 0.01076 | 0.48936 | 1.00000 | 0.400 | 0.00211 |
| DS/SDSP16.1.0 | 0.01076 | 0.11064 | 1.00000 | 0.400 | 0.00048 |
| DS/SDSP16.2.1 | 0.00566 | 0.40000 | 1.00000 | 0.400 | 0.00090 |
| DS/SDSP16.2.2 | 0.00566 | 0.48936 | 1.00000 | 0.400 | 0.00111 |
| DS/SDSP16.2.0 | 0.00566 | 0.11064 | 1.00000 | 0.400 | 0.00025 |
| DS/SDSP17.1.1 | 0.00660 | 0.40000 | 1.00000 | 0.400 | 0.00106 |
| DS/SDSP17.1.2 | 0.00660 | 0.48936 | 1.00000 | 0.400 | 0.00129 |
| DS/SDSP17.1.0 | 0.00660 | 0.11064 | 1.00000 | 0.400 | 0.00029 |
| DS/SDSP17.2.1-1 | 0.00981 | 0.40000 | 1.00000 | 0.400 | 0.00157 |
| DS/SDSP17.2.2-1 | 0.00981 | 0.48936 | 1.00000 | 0.400 | 0.00192 |
| DS/SDSP17.2.0-1 | 0.00981 | 0.11064 | 1.00000 | 0.400 | 0.00043 |
| DS/SDSP18.1.1 | 0.05669 | 0.40000 | 1.00000 | 0.400 | 0.00907 |
| DS/SDSP18.1.2 | 0.05669 | 0.48936 | 1.00000 | 0.400 | 0.01110 |
| DS/SDSP18.1.0 | 0.05669 | 0.11064 | 1.00000 | 0.400 | 0.00251 |
| DS/SDSP1-2.1.1 | 0.00000 | 0.40000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP1-2.1.0 | 0.00000 | 0.60000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP1-2.2.1 | 0.01463 | 0.40000 | 1.00000 | 0.400 | 0.00234 |
| DS/SDSP1-2.2.0 | 0.01463 | 0.60000 | 1.00000 | 0.400 | 0.00351 |
| DS/SDSP1-2.3.1 | 0.00888 | 0.40000 | 1.00000 | 0.400 | 0.00142 |
| DS/SDSP1-2.3.0 | 0.00888 | 0.60000 | 1.00000 | 0.400 | 0.00213 |
| DS/SDSP2-3.1.1 | 0.00682 | 0.40000 | 1.00000 | 0.400 | 0.00109 |
| DS/SDSP2-3.1.0 | 0.00682 | 0.60000 | 1.00000 | 0.400 | 0.00164 |
| DS/SDSP2-3.2.1 | 0.00758 | 0.40000 | 0.92802 | 0.400 | 0.00113 |
| DS/SDSP2-3.2.0 | 0.00758 | 0.60000 | 0.92802 | 0.400 | 0.00169 |
| DS/SDSP3-4.1.1 | 0.00295 | 0.40000 | 1.00000 | 0.400 | 0.00047 |
| DS/SDSP3-4.1.0 | 0.00295 | 0.60000 | 1.00000 | 0.400 | 0.00071 |
| DS/SDSP3-4.2.1-1 | 0.00286 | 0.40000 | 1.00000 | 0.400 | 0.00046 |
| DS/SDSP3-4.2.0-1 | 0.00286 | 0.60000 | 1.00000 | 0.400 | 0.00069 |
| DS/SDSP4-5.1.1 | 0.00316 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP4-5.1.2 | 0.00316 | 0.40000 | 1.00000 | 0.400 | 0.00050 |
| DS/SDSP4-5.1.0 | 0.00316 | 0.60000 | 1.00000 | 0.400 | 0.00076 |
| DS/SDSP4-5.2.1-1 | 0.00286 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP4-5.2.2 | 0.00286 | 0.40000 | 0.93412 | 0.400 | 0.00043 |

| CASE | P | V | S | W | W*P*V*S |
|-------------------|---------|---------|---------|-------|---------|
| DS/SDSP4-5.2.0 | 0.00286 | 0.60000 | 0.93412 | 0.400 | 0.00064 |
| DS/SDSP4-5.3.1-1 | 0.00661 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP4-5.3.2 | 0.00661 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-5.3.0 | 0.00661 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-6.1.1 | 0.00658 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP5-6.1.2 | 0.00658 | 0.40000 | 1.00000 | 0.400 | 0.00105 |
| DS/SDSP5-6.1.0 | 0.00658 | 0.60000 | 1.00000 | 0.400 | 0.00158 |
| DS/SDSP5-6.2.1 | 0.01295 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP5-6.2.2 | 0.01295 | 0.40000 | 0.96932 | 0.400 | 0.00201 |
| DS/SDSP5-6.2.0 | 0.01295 | 0.60000 | 0.96932 | 0.400 | 0.00301 |
| DS/SDSP5-6.3.1 | 0.00733 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP5-6.3.2 | 0.00733 | 0.40000 | 0.95706 | 0.400 | 0.00112 |
| DS/SDSP5-6.3.0 | 0.00733 | 0.60000 | 0.95706 | 0.400 | 0.00168 |
| DS/SDSP6-7.1.1 | 0.00658 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP6-7.1.2 | 0.00658 | 0.40000 | 1.00000 | 0.400 | 0.00105 |
| DS/SDSP6-7.1.0 | 0.00658 | 0.60000 | 1.00000 | 0.400 | 0.00158 |
| DS/SDSP6-7.2.1 | 0.01295 | 0.00000 | 0.96970 | 0.400 | 0.00000 |
| DS/SDSP6-7.2.2-1 | 0.01295 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-7.2.0-1 | 0.01295 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-7.3.1 | 0.00733 | 0.00000 | 0.93552 | 0.400 | 0.00000 |
| DS/SDSP6-7.3.2-1 | 0.00733 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-7.3.0-1 | 0.00733 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-8.1.1 | 0.00658 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7-8.1.2 | 0.00658 | 0.40000 | 1.00000 | 0.400 | 0.00105 |
| DS/SDSP7-8.1.0 | 0.00658 | 0.60000 | 1.00000 | 0.400 | 0.00158 |
| DS/SDSP7-8.2.1 | 0.01295 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7-8.2.2 | 0.01295 | 0.40000 | 0.67140 | 0.400 | 0.00139 |
| DS/SDSP7-8.2.0 | 0.01295 | 0.60000 | 0.67140 | 0.400 | 0.00209 |
| DS/SDSP7-8.3.1 | 0.00733 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7-8.3.2 | 0.00733 | 0.40000 | 0.24414 | 0.400 | 0.00029 |
| DS/SDSP7-8.3.0 | 0.00733 | 0.60000 | 0.24414 | 0.400 | 0.00043 |
| DS/SDSP8-9.1.1 | 0.00658 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP8-9.1.2 | 0.00658 | 0.40000 | 1.00000 | 0.400 | 0.00105 |
| DS/SDSP8-9.1.0 | 0.00658 | 0.60000 | 1.00000 | 0.400 | 0.00158 |
| DS/SDSP8-9.2.1 | 0.01295 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP8-9.2.2 | 0.01295 | 0.40000 | 0.28667 | 0.400 | 0.00059 |
| DS/SDSP8-9.2.0 | 0.01295 | 0.60000 | 0.28667 | 0.400 | 0.00089 |
| DS/SDSP8-9.3.1 | 0.00733 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP8-9.3.2 | 0.00733 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-9.3.0 | 0.00733 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-10.1.1 | 0.00658 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9-10.1.2 | 0.00658 | 0.40000 | 1.00000 | 0.400 | 0.00105 |
| DS/SDSP9-10.1.0 | 0.00658 | 0.60000 | 1.00000 | 0.400 | 0.00158 |
| DS/SDSP9-10.2.1 | 0.01295 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9-10.2.2-1 | 0.01295 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-10.2.0-1 | 0.01295 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-10.3.1 | 0.00733 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9-10.3.2-1 | 0.00733 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-10.3.0-1 | 0.00733 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-11.1.1 | 0.00658 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10-11.1.2 | 0.00658 | 0.40000 | 1.00000 | 0.400 | 0.00105 |
| DS/SDSP10-11.1.0 | 0.00658 | 0.60000 | 1.00000 | 0.400 | 0.00158 |
| DS/SDSP10-11.2.1 | 0.01295 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10-11.2.2 | 0.01295 | 0.40000 | 1.00000 | 0.400 | 0.00207 |
| DS/SDSP10-11.2.0 | 0.01295 | 0.60000 | 1.00000 | 0.400 | 0.00311 |
| DS/SDSP10-11.3.1 | 0.00733 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10-11.3.2 | 0.00733 | 0.40000 | 1.00000 | 0.400 | 0.00117 |
| DS/SDSP10-11.3.0 | 0.00733 | 0.60000 | 1.00000 | 0.400 | 0.00176 |
| DS/SDSP11-12.1.1 | 0.00593 | 0.00000 | 1.00000 | 0.400 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DS/SDSP11-12.1.2 | 0.00593 | 0.40000 | 1.00000 | 0.400 | 0.00095 |
| DS/SDSP11-12.1.0 | 0.00593 | 0.60000 | 1.00000 | 0.400 | 0.00142 |
| DS/SDSP11-12.2.1 | 0.00139 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11-12.2.2 | 0.00139 | 0.40000 | 1.00000 | 0.400 | 0.00022 |
| DS/SDSP11-12.2.0 | 0.00139 | 0.60000 | 1.00000 | 0.400 | 0.00033 |
| DS/SDSP11-12.3.1 | 0.01031 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11-12.3.2 | 0.01031 | 0.40000 | 1.00000 | 0.400 | 0.00165 |
| DS/SDSP11-12.3.0 | 0.01031 | 0.60000 | 1.00000 | 0.400 | 0.00247 |
| DS/SDSP11-12.4.1 | 0.00655 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11-12.4.2 | 0.00655 | 0.40000 | 1.00000 | 0.400 | 0.00105 |
| DS/SDSP11-12.4.0 | 0.00655 | 0.60000 | 1.00000 | 0.400 | 0.00157 |
| DS/SDSP12-13.1.1-1 | 0.00622 | 0.40000 | 1.00000 | 0.400 | 0.00099 |
| DS/SDSP12-13.1.2-1 | 0.00622 | 0.48936 | 1.00000 | 0.400 | 0.00122 |
| DS/SDSP12-13.1.0-1 | 0.00622 | 0.11064 | 1.00000 | 0.400 | 0.00028 |
| DS/SDSP12-13.2.1-1 | 0.01422 | 0.40000 | 1.00000 | 0.400 | 0.00227 |
| DS/SDSP12-13.2.2-1 | 0.01422 | 0.48936 | 1.00000 | 0.400 | 0.00278 |
| DS/SDSP12-13.2.0-1 | 0.01422 | 0.11064 | 1.00000 | 0.400 | 0.00063 |
| DS/SDSP13-14.1.1-1 | 0.00690 | 0.40000 | 1.00000 | 0.400 | 0.00110 |
| DS/SDSP13-14.1.2-1 | 0.00690 | 0.48936 | 1.00000 | 0.400 | 0.00135 |
| DS/SDSP13-14.1.0-1 | 0.00690 | 0.11064 | 1.00000 | 0.400 | 0.00031 |
| DS/SDSP13-14.2.1-1 | 0.00240 | 0.40000 | 1.00000 | 0.400 | 0.00038 |
| DS/SDSP13-14.2.2-1 | 0.00240 | 0.48936 | 1.00000 | 0.400 | 0.00047 |
| DS/SDSP13-14.2.0-1 | 0.00240 | 0.11064 | 1.00000 | 0.400 | 0.00011 |
| DS/SDSP13-14.3.1-1 | 0.01344 | 0.40000 | 1.00000 | 0.400 | 0.00215 |
| DS/SDSP13-14.3.2-1 | 0.01344 | 0.48936 | 1.00000 | 0.400 | 0.00263 |
| DS/SDSP13-14.3.0-1 | 0.01344 | 0.11064 | 1.00000 | 0.400 | 0.00059 |
| DS/SDSP14-15.1.1-1 | 0.00929 | 0.40000 | 1.00000 | 0.400 | 0.00149 |
| DS/SDSP14-15.1.2-1 | 0.00929 | 0.48936 | 1.00000 | 0.400 | 0.00182 |
| DS/SDSP14-15.1.0-1 | 0.00929 | 0.11064 | 1.00000 | 0.400 | 0.00041 |
| DS/SDSP14-15.2.1-1 | 0.00196 | 0.40000 | 1.00000 | 0.400 | 0.00031 |
| DS/SDSP14-15.2.2-1 | 0.00196 | 0.48936 | 1.00000 | 0.400 | 0.00038 |
| DS/SDSP14-15.2.0-1 | 0.00196 | 0.11064 | 1.00000 | 0.400 | 0.00009 |
| DS/SDSP14-15.3.1-1 | 0.01148 | 0.40000 | 1.00000 | 0.400 | 0.00184 |
| DS/SDSP14-15.3.2-1 | 0.01148 | 0.48936 | 1.00000 | 0.400 | 0.00225 |
| DS/SDSP14-15.3.0-1 | 0.01148 | 0.11064 | 1.00000 | 0.400 | 0.00051 |
| DS/SDSP15-16.1.1 | 0.01016 | 0.40000 | 1.00000 | 0.400 | 0.00162 |
| DS/SDSP15-16.1.2 | 0.01016 | 0.48936 | 1.00000 | 0.400 | 0.00199 |
| DS/SDSP15-16.1.0 | 0.01016 | 0.11064 | 1.00000 | 0.400 | 0.00045 |
| DS/SDSP15-16.2.1 | 0.00057 | 0.40000 | 1.00000 | 0.400 | 0.00009 |
| DS/SDSP15-16.2.2 | 0.00057 | 0.48936 | 1.00000 | 0.400 | 0.00011 |
| DS/SDSP15-16.2.0 | 0.00057 | 0.11064 | 1.00000 | 0.400 | 0.00003 |
| DS/SDSP15-16.3.1-2 | 0.01089 | 0.40000 | 1.00000 | 0.400 | 0.00174 |
| DS/SDSP15-16.3.2 | 0.01089 | 0.48936 | 1.00000 | 0.400 | 0.00213 |
| DS/SDSP15-16.3.0 | 0.01089 | 0.11064 | 1.00000 | 0.400 | 0.00048 |
| DS/SDSP16-17.1.1 | 0.00621 | 0.40000 | 1.00000 | 0.400 | 0.00099 |
| DS/SDSP16-17.1.2 | 0.00621 | 0.48936 | 1.00000 | 0.400 | 0.00121 |
| DS/SDSP16-17.1.0 | 0.00621 | 0.11064 | 1.00000 | 0.400 | 0.00027 |
| DS/SDSP16-17.2.1 | 0.00517 | 0.40000 | 1.00000 | 0.400 | 0.00083 |
| DS/SDSP16-17.2.2 | 0.00517 | 0.48936 | 1.00000 | 0.400 | 0.00101 |
| DS/SDSP16-17.2.0 | 0.00517 | 0.11064 | 1.00000 | 0.400 | 0.00023 |
| DS/SDSP16-17.3.1 | 0.01292 | 0.40000 | 1.00000 | 0.400 | 0.00207 |
| DS/SDSP16-17.3.2 | 0.01292 | 0.48936 | 1.00000 | 0.400 | 0.00253 |
| DS/SDSP16-17.3.0 | 0.01292 | 0.11064 | 1.00000 | 0.400 | 0.00057 |
| DS/SDSP17-18.1.1 | 0.00917 | 0.40000 | 1.00000 | 0.400 | 0.00147 |
| DS/SDSP17-18.1.2 | 0.00917 | 0.48936 | 1.00000 | 0.400 | 0.00180 |
| DS/SDSP17-18.1.0 | 0.00917 | 0.11064 | 1.00000 | 0.400 | 0.00041 |
| DS/SDSP17-18.2.1-1 | 0.02698 | 0.40000 | 1.00000 | 0.400 | 0.00432 |
| DS/SDSP17-18.2.2-1 | 0.02698 | 0.48936 | 1.00000 | 0.400 | 0.00528 |
| DS/SDSP17-18.2.0-1 | 0.02698 | 0.11064 | 1.00000 | 0.400 | 0.00119 |

| CASE | P | V | S | W | W*P*V*S |
|------------------|---------|---------|---------|-------|---------|
| DS/SDSP1-3.1.1 | 0.00000 | 0.40000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP1-3.1.0 | 0.00000 | 0.60000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP1-3.2.1 | 0.00228 | 0.40000 | 1.00000 | 0.400 | 0.00037 |
| DS/SDSP1-3.2.0 | 0.00228 | 0.60000 | 1.00000 | 0.400 | 0.00055 |
| DS/SDSP1-3.3.1 | 0.00139 | 0.40000 | 0.72231 | 0.400 | 0.00016 |
| DS/SDSP1-3.3.0 | 0.00139 | 0.60000 | 0.72231 | 0.400 | 0.00024 |
| DS/SDSP2-4.1.1 | 0.00513 | 0.40000 | 1.00000 | 0.400 | 0.00082 |
| DS/SDSP2-4.1.0 | 0.00513 | 0.60000 | 1.00000 | 0.400 | 0.00123 |
| DS/SDSP2-4.2.1 | 0.00625 | 0.40000 | 0.56897 | 0.400 | 0.00057 |
| DS/SDSP2-4.2.0 | 0.00625 | 0.60000 | 0.56897 | 0.400 | 0.00085 |
| DS/SDSP3-5.1.1 | 0.00243 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP3-5.1.2 | 0.00243 | 0.40000 | 1.00000 | 0.400 | 0.00039 |
| DS/SDSP3-5.1.0 | 0.00243 | 0.60000 | 1.00000 | 0.400 | 0.00058 |
| DS/SDSP3-5.2.1-1 | 0.00212 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP3-5.2.2-1 | 0.00212 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-5.2.0-1 | 0.00212 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-5.3.1 | 0.00555 | 0.00000 | 0.98461 | 0.400 | 0.00000 |
| DS/SDSP3-5.3.2-1 | 0.00555 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-5.3.0-1 | 0.00555 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-6.1.1 | 0.00152 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP4-6.1.2 | 0.00152 | 0.40000 | 1.00000 | 0.400 | 0.00024 |
| DS/SDSP4-6.1.0 | 0.00152 | 0.60000 | 1.00000 | 0.400 | 0.00037 |
| DS/SDSP4-6.2.1 | 0.00133 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP4-6.2.2-1 | 0.00133 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-6.2.0-1 | 0.00133 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-6.3.1 | 0.00163 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP4-6.3.2-1 | 0.00163 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-6.3.0-1 | 0.00163 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-6.4.1 | 0.00185 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP4-6.4.2-1 | 0.00185 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-6.4.0-1 | 0.00185 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-7.1.1 | 0.00277 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP5-7.1.2 | 0.00277 | 0.40000 | 1.00000 | 0.400 | 0.00044 |
| DS/SDSP5-7.1.0 | 0.00277 | 0.60000 | 1.00000 | 0.400 | 0.00067 |
| DS/SDSP5-7.2.1 | 0.00539 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-7.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-7.2.0-1 | 0.00539 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-7.3.1 | 0.00337 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-7.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-7.3.0-1 | 0.00337 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-8.1.1 | 0.00277 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP6-8.1.2 | 0.00277 | 0.40000 | 1.00000 | 0.400 | 0.00044 |
| DS/SDSP6-8.1.0 | 0.00277 | 0.60000 | 1.00000 | 0.400 | 0.00067 |
| DS/SDSP6-8.2.1 | 0.00539 | 0.00000 | 0.06950 | 0.400 | 0.00000 |
| DS/SDSP6-8.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-8.2.0-1 | 0.00539 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-8.3.1 | 0.00337 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-8.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-8.3.0-1 | 0.00337 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-9.1.1 | 0.00277 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7-9.1.2 | 0.00277 | 0.40000 | 0.95491 | 0.400 | 0.00042 |
| DS/SDSP7-9.1.0 | 0.00277 | 0.60000 | 0.95491 | 0.400 | 0.00064 |
| DS/SDSP7-9.2.1 | 0.00539 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7-9.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-9.2.0-1 | 0.00539 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-9.3.1 | 0.00337 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7-9.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-9.3.0-1 | 0.00337 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-10.1.1 | 0.00277 | 0.00000 | 1.00000 | 0.400 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DS/SDSP8-10.1.2 | 0.00277 | 0.40000 | 0.93234 | 0.400 | 0.00041 |
| DS/SDSP8-10.1.0 | 0.00277 | 0.60000 | 0.93234 | 0.400 | 0.00062 |
| DS/SDSP8-10.2.1 | 0.00539 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP8-10.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-10.2.0-1 | 0.00539 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-10.3.1 | 0.00337 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP8-10.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-10.3.0-1 | 0.00337 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-11.1.1 | 0.00277 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9-11.1.2 | 0.00277 | 0.40000 | 0.92792 | 0.400 | 0.00041 |
| DS/SDSP9-11.1.0 | 0.00277 | 0.60000 | 0.92792 | 0.400 | 0.00062 |
| DS/SDSP9-11.2.1 | 0.00539 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9-11.2.2-1 | 0.00539 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-11.2.0-1 | 0.00539 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-11.3.1 | 0.00337 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9-11.3.2-1 | 0.00337 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-11.3.0-1 | 0.00337 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-12.1.1 | 0.00258 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10-12.1.2 | 0.00258 | 0.40000 | 0.98738 | 0.400 | 0.00041 |
| DS/SDSP10-12.1.0 | 0.00258 | 0.60000 | 0.98738 | 0.400 | 0.00061 |
| DS/SDSP10-12.2.1 | 0.00059 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10-12.2.2 | 0.00059 | 0.40000 | 0.91828 | 0.400 | 0.00009 |
| DS/SDSP10-12.2.0 | 0.00059 | 0.60000 | 0.91828 | 0.400 | 0.00013 |
| DS/SDSP10-12.3.1 | 0.00442 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10-12.3.2 | 0.00442 | 0.40000 | 0.93435 | 0.400 | 0.00066 |
| DS/SDSP10-12.3.0 | 0.00442 | 0.60000 | 0.93435 | 0.400 | 0.00099 |
| DS/SDSP10-12.4.1 | 0.00313 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10-12.4.2 | 0.00313 | 0.40000 | 0.95898 | 0.400 | 0.00048 |
| DS/SDSP10-12.4.0 | 0.00313 | 0.60000 | 0.95898 | 0.400 | 0.00072 |
| DS/SDSP11-13.1.1 | 0.00285 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11-13.1.2 | 0.00285 | 0.40000 | 1.00000 | 0.400 | 0.00046 |
| DS/SDSP11-13.1.3 | 0.00285 | 0.48936 | 1.00000 | 0.400 | 0.00056 |
| DS/SDSP11-13.1.0 | 0.00285 | 0.11064 | 1.00000 | 0.400 | 0.00013 |
| DS/SDSP11-13.2.1 | 0.00066 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11-13.2.2 | 0.00066 | 0.40000 | 0.99178 | 0.400 | 0.00010 |
| DS/SDSP11-13.2.3 | 0.00066 | 0.48936 | 0.99162 | 0.400 | 0.00013 |
| DS/SDSP11-13.2.0 | 0.00066 | 0.11064 | 0.99162 | 0.400 | 0.00003 |
| DS/SDSP11-13.3.1 | 0.00488 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11-13.3.2 | 0.00488 | 0.40000 | 1.00000 | 0.400 | 0.00078 |
| DS/SDSP11-13.3.3 | 0.00488 | 0.48936 | 0.74780 | 0.400 | 0.00071 |
| DS/SDSP11-13.3.0 | 0.00488 | 0.11064 | 0.74780 | 0.400 | 0.00016 |
| DS/SDSP11-13.4.1 | 0.00346 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11-13.4.2-1 | 0.00346 | 0.40000 | 1.00000 | 0.400 | 0.00055 |
| DS/SDSP11-13.4.3 | 0.00346 | 0.48936 | 0.76511 | 0.400 | 0.00052 |
| DS/SDSP11-13.4.0 | 0.00346 | 0.11064 | 0.76511 | 0.400 | 0.00012 |
| DS/SDSP12-14.1.1-1 | 0.00393 | 0.40000 | 1.00000 | 0.400 | 0.00063 |
| DS/SDSP12-14.1.2-1 | 0.00393 | 0.48936 | 1.00000 | 0.400 | 0.00077 |
| DS/SDSP12-14.1.0-1 | 0.00393 | 0.11064 | 1.00000 | 0.400 | 0.00017 |
| DS/SDSP12-14.2.1-1 | 0.00134 | 0.40000 | 0.98308 | 0.400 | 0.00021 |
| DS/SDSP12-14.2.2-1 | 0.00134 | 0.48936 | 0.98314 | 0.400 | 0.00026 |
| DS/SDSP12-14.2.0-1 | 0.00134 | 0.11064 | 0.98314 | 0.400 | 0.00006 |
| DS/SDSP12-14.3.1-1 | 0.00802 | 0.40000 | 1.00000 | 0.400 | 0.00128 |
| DS/SDSP12-14.3.2-1 | 0.00802 | 0.48936 | 0.96419 | 0.400 | 0.00151 |
| DS/SDSP12-14.3.0-1 | 0.00802 | 0.11064 | 0.96419 | 0.400 | 0.00034 |
| DS/SDSP13-15.1.1-1 | 0.00270 | 0.40000 | 1.00000 | 0.400 | 0.00043 |
| DS/SDSP13-15.1.2-1 | 0.00270 | 0.48936 | 1.00000 | 0.400 | 0.00053 |
| DS/SDSP13-15.1.0-1 | 0.00270 | 0.11064 | 1.00000 | 0.400 | 0.00012 |
| DS/SDSP13-15.2.1-1 | 0.00092 | 0.40000 | 0.96450 | 0.400 | 0.00014 |
| DS/SDSP13-15.2.2-1 | 0.00092 | 0.48936 | 0.96432 | 0.400 | 0.00017 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DS/SDSP13-15.2.0-1 | 0.00092 | 0.11064 | 0.96432 | 0.400 | 0.00004 |
| DS/SDSP13-15.3.1-1 | 0.00075 | 0.40000 | 1.00000 | 0.400 | 0.00012 |
| DS/SDSP13-15.3.2-1 | 0.00075 | 0.48936 | 0.94186 | 0.400 | 0.00014 |
| DS/SDSP13-15.3.0-1 | 0.00075 | 0.11064 | 0.94186 | 0.400 | 0.00003 |
| DS/SDSP13-15.4.1-1 | 0.00475 | 0.40000 | 1.00000 | 0.400 | 0.00076 |
| DS/SDSP13-15.4.2-1 | 0.00475 | 0.48936 | 0.94186 | 0.400 | 0.00088 |
| DS/SDSP13-15.4.0-1 | 0.00475 | 0.11064 | 0.94186 | 0.400 | 0.00020 |
| DS/SDSP14-16.1.1-1 | 0.00550 | 0.40000 | 1.00000 | 0.400 | 0.00088 |
| DS/SDSP14-16.1.2-1 | 0.00550 | 0.48936 | 1.00000 | 0.400 | 0.00108 |
| DS/SDSP14-16.1.0-1 | 0.00550 | 0.11064 | 1.00000 | 0.400 | 0.00024 |
| DS/SDSP14-16.2.1-2 | 0.00080 | 0.40000 | 0.98293 | 0.400 | 0.00013 |
| DS/SDSP14-16.2.2 | 0.00080 | 0.48936 | 0.97177 | 0.400 | 0.00015 |
| DS/SDSP14-16.2.0 | 0.00080 | 0.11064 | 0.97177 | 0.400 | 0.00003 |
| DS/SDSP14-16.3.1-2 | 0.00035 | 0.40000 | 1.00000 | 0.400 | 0.00006 |
| DS/SDSP14-16.3.2 | 0.00035 | 0.48936 | 0.59605 | 0.400 | 0.00004 |
| DS/SDSP14-16.3.0 | 0.00035 | 0.11064 | 0.59605 | 0.400 | 0.00001 |
| DS/SDSP14-16.4.1-2 | 0.00721 | 0.40000 | 1.00000 | 0.400 | 0.00115 |
| DS/SDSP14-16.4.2 | 0.00721 | 0.48936 | 0.59605 | 0.400 | 0.00084 |
| DS/SDSP14-16.4.0 | 0.00721 | 0.11064 | 0.59605 | 0.400 | 0.00019 |
| DS/SDSP15-17.1.1 | 0.00267 | 0.40000 | 1.00000 | 0.400 | 0.00043 |
| DS/SDSP15-17.1.2 | 0.00267 | 0.48936 | 1.00000 | 0.400 | 0.00052 |
| DS/SDSP15-17.1.0 | 0.00267 | 0.11064 | 1.00000 | 0.400 | 0.00012 |
| DS/SDSP15-17.2.1 | 0.00218 | 0.40000 | 1.00000 | 0.400 | 0.00035 |
| DS/SDSP15-17.2.2 | 0.00218 | 0.48936 | 1.00000 | 0.400 | 0.00043 |
| DS/SDSP15-17.2.0 | 0.00218 | 0.11064 | 1.00000 | 0.400 | 0.00010 |
| DS/SDSP15-17.3.1 | 0.00027 | 0.40000 | 1.00000 | 0.400 | 0.00004 |
| DS/SDSP15-17.3.2 | 0.00027 | 0.48936 | 1.00000 | 0.400 | 0.00005 |
| DS/SDSP15-17.3.0 | 0.00027 | 0.11064 | 1.00000 | 0.400 | 0.00001 |
| DS/SDSP15-17.4.1-2 | 0.00556 | 0.40000 | 1.00000 | 0.400 | 0.00089 |
| DS/SDSP15-17.4.2 | 0.00556 | 0.48936 | 0.68575 | 0.400 | 0.00075 |
| DS/SDSP15-17.4.0 | 0.00556 | 0.11064 | 0.68575 | 0.400 | 0.00017 |
| DS/SDSP16-18.1.1 | 0.00386 | 0.40000 | 1.00000 | 0.400 | 0.00062 |
| DS/SDSP16-18.1.2 | 0.00386 | 0.48936 | 1.00000 | 0.400 | 0.00076 |
| DS/SDSP16-18.1.0 | 0.00386 | 0.11064 | 1.00000 | 0.400 | 0.00017 |
| DS/SDSP16-18.2.1 | 0.00315 | 0.40000 | 1.00000 | 0.400 | 0.00050 |
| DS/SDSP16-18.2.2 | 0.00315 | 0.48936 | 1.00000 | 0.400 | 0.00062 |
| DS/SDSP16-18.2.0 | 0.00315 | 0.11064 | 1.00000 | 0.400 | 0.00014 |
| DS/SDSP16-18.3.1 | 0.00842 | 0.40000 | 1.00000 | 0.400 | 0.00135 |
| DS/SDSP16-18.3.2 | 0.00842 | 0.48936 | 1.00000 | 0.400 | 0.00165 |
| DS/SDSP16-18.3.0 | 0.00842 | 0.11064 | 1.00000 | 0.400 | 0.00037 |
| DS/SDSP1-4.1.1 | 0.00000 | 0.40000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP1-4.1.0 | 0.00000 | 0.60000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP1-4.2.1 | 0.00142 | 0.40000 | 1.00000 | 0.400 | 0.00023 |
| DS/SDSP1-4.2.0 | 0.00142 | 0.60000 | 1.00000 | 0.400 | 0.00034 |
| DS/SDSP1-4.3.1 | 0.00086 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP1-4.3.0 | 0.00086 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-5.1.1 | 0.00376 | 0.00000 | 0.97553 | 0.400 | 0.00000 |
| DS/SDSP2-5.1.2 | 0.00376 | 0.40000 | 0.97553 | 0.400 | 0.00059 |
| DS/SDSP2-5.1.0 | 0.00376 | 0.60000 | 0.97553 | 0.400 | 0.00088 |
| DS/SDSP2-5.2.1-1 | 0.00328 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-5.2.2-1 | 0.00328 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-5.2.0-1 | 0.00328 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-5.3.1-1 | 0.00859 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-5.3.2-1 | 0.00859 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-5.3.0-1 | 0.00859 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-6.1.1 | 0.00094 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP3-6.1.2 | 0.00094 | 0.40000 | 1.00000 | 0.400 | 0.00015 |
| DS/SDSP3-6.1.0 | 0.00094 | 0.60000 | 1.00000 | 0.400 | 0.00023 |
| DS/SDSP3-6.2.1 | 0.00082 | 0.00000 | 1.00000 | 0.400 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|-------------------|---------|---------|---------|-------|---------|
| DS/SDSP3-6.2.2-1 | 0.00082 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-6.2.0-1 | 0.00082 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-6.3.1 | 0.00101 | 0.00000 | 0.72701 | 0.400 | 0.00000 |
| DS/SDSP3-6.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-6.3.0-1 | 0.00101 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-6.4.1 | 0.00115 | 0.00000 | 0.47207 | 0.400 | 0.00000 |
| DS/SDSP3-6.4.2-1 | 0.00115 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-6.4.0-1 | 0.00115 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-7.1.1 | 0.00041 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP4-7.1.2 | 0.00041 | 0.40000 | 0.98547 | 0.400 | 0.00006 |
| DS/SDSP4-7.1.0 | 0.00041 | 0.60000 | 0.98547 | 0.400 | 0.00010 |
| DS/SDSP4-7.2.1-1 | 0.00036 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-7.2.2-1 | 0.00036 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-7.2.0-1 | 0.00036 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-7.3.1-1 | 0.00044 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-7.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-7.3.0-1 | 0.00044 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-7.4.1-1 | 0.00050 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-7.4.2-1 | 0.00050 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-7.4.0-1 | 0.00050 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-8.1.1 | 0.00083 | 0.00000 | 0.98713 | 0.400 | 0.00000 |
| DS/SDSP5-8.1.2 | 0.00083 | 0.40000 | 0.88434 | 0.400 | 0.00012 |
| DS/SDSP5-8.1.0 | 0.00083 | 0.60000 | 0.88434 | 0.400 | 0.00018 |
| DS/SDSP5-8.2.1-1 | 0.00162 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-8.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-8.2.0-1 | 0.00162 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-8.3.1-1 | 0.00101 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-8.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-8.3.0-1 | 0.00101 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-9.1.1 | 0.00083 | 0.00000 | 0.94878 | 0.400 | 0.00000 |
| DS/SDSP6-9.1.2 | 0.00083 | 0.40000 | 0.80057 | 0.400 | 0.00011 |
| DS/SDSP6-9.1.0 | 0.00083 | 0.60000 | 0.80057 | 0.400 | 0.00016 |
| DS/SDSP6-9.2.1 | 0.00162 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-9.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-9.2.0-1 | 0.00162 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-9.3.1 | 0.00101 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-9.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-9.3.0-1 | 0.00101 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-10.1.1 | 0.00083 | 0.00000 | 0.90660 | 0.400 | 0.00000 |
| DS/SDSP7-10.1.2 | 0.00083 | 0.40000 | 0.74646 | 0.400 | 0.00010 |
| DS/SDSP7-10.1.0 | 0.00083 | 0.60000 | 0.74646 | 0.400 | 0.00015 |
| DS/SDSP7-10.2.1 | 0.00162 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7-10.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-10.2.0-1 | 0.00162 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-10.3.1 | 0.00101 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP7-10.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-10.3.0-1 | 0.00101 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-11.1.1 | 0.00083 | 0.00000 | 0.88789 | 0.400 | 0.00000 |
| DS/SDSP8-11.1.2 | 0.00083 | 0.40000 | 0.72251 | 0.400 | 0.00010 |
| DS/SDSP8-11.1.0 | 0.00083 | 0.60000 | 0.72251 | 0.400 | 0.00014 |
| DS/SDSP8-11.2.1 | 0.00162 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP8-11.2.2-1 | 0.00162 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-11.2.0-1 | 0.00162 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-11.3.1 | 0.00101 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP8-11.3.2-1 | 0.00101 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-11.3.0-1 | 0.00101 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-12.1.1 | 0.00075 | 0.00000 | 0.91053 | 0.400 | 0.00000 |
| DS/SDSP9-12.1.2 | 0.00075 | 0.40000 | 0.79472 | 0.400 | 0.00010 |
| DS/SDSP9-12.1.0 | 0.00075 | 0.60000 | 0.79472 | 0.400 | 0.00014 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DS/SDSP9-12.2.1 | 0.00017 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9-12.2.2-1 | 0.00017 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-12.2.0-1 | 0.00017 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-12.3.1 | 0.00129 | 0.00000 | 0.97722 | 0.400 | 0.00000 |
| DS/SDSP9-12.3.2-1 | 0.00129 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-12.3.0-1 | 0.00129 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-12.4.1 | 0.00091 | 0.00000 | 0.94274 | 0.400 | 0.00000 |
| DS/SDSP9-12.4.2-1 | 0.00091 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-12.4.0-1 | 0.00091 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-13.1.1 | 0.00081 | 0.00000 | 0.94639 | 0.400 | 0.00000 |
| DS/SDSP10-13.1.2 | 0.00081 | 0.40000 | 0.87591 | 0.400 | 0.00011 |
| DS/SDSP10-13.1.3 | 0.00081 | 0.48936 | 0.87546 | 0.400 | 0.00014 |
| DS/SDSP10-13.1.0 | 0.00081 | 0.11064 | 0.87546 | 0.400 | 0.00003 |
| DS/SDSP10-13.2.1 | 0.00019 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10-13.2.2 | 0.00019 | 0.40000 | 0.79061 | 0.400 | 0.00002 |
| DS/SDSP10-13.2.3 | 0.00019 | 0.48936 | 0.63703 | 0.400 | 0.00002 |
| DS/SDSP10-13.2.0 | 0.00019 | 0.11064 | 0.63703 | 0.400 | 0.00001 |
| DS/SDSP10-13.3.1 | 0.00139 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10-13.3.2 | 0.00139 | 0.40000 | 0.81492 | 0.400 | 0.00018 |
| DS/SDSP10-13.3.3-1 | 0.00139 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-13.3.0-1 | 0.00139 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-13.4.1 | 0.00098 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP10-13.4.2 | 0.00098 | 0.40000 | 0.84674 | 0.400 | 0.00013 |
| DS/SDSP10-13.4.3-1 | 0.00098 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-13.4.0-1 | 0.00098 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-14.1.1 | 0.00118 | 0.00000 | 0.93006 | 0.400 | 0.00000 |
| DS/SDSP11-14.1.2 | 0.00118 | 0.40000 | 0.89130 | 0.400 | 0.00017 |
| DS/SDSP11-14.1.3 | 0.00118 | 0.48936 | 0.89096 | 0.400 | 0.00021 |
| DS/SDSP11-14.1.0 | 0.00118 | 0.11064 | 0.89096 | 0.400 | 0.00005 |
| DS/SDSP11-14.2.1-1 | 0.00027 | 0.00000 | 0.99123 | 0.400 | 0.00000 |
| DS/SDSP11-14.2.2-1 | 0.00027 | 0.40000 | 0.76645 | 0.400 | 0.00003 |
| DS/SDSP11-14.2.3-1 | 0.00027 | 0.48936 | 0.63427 | 0.400 | 0.00003 |
| DS/SDSP11-14.2.0-1 | 0.00027 | 0.11064 | 0.63427 | 0.400 | 0.00001 |
| DS/SDSP11-14.3.1-1 | 0.00050 | 0.00000 | 0.99202 | 0.400 | 0.00000 |
| DS/SDSP11-14.3.2-1 | 0.00050 | 0.40000 | 0.79367 | 0.400 | 0.00006 |
| DS/SDSP11-14.3.3-1 | 0.00050 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-14.3.0-1 | 0.00050 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-14.4.1 | 0.00153 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11-14.4.2-1 | 0.00153 | 0.40000 | 0.95076 | 0.400 | 0.00023 |
| DS/SDSP11-14.4.3-1 | 0.00153 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-14.4.0-1 | 0.00153 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-14.5.1-1 | 0.00143 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP11-14.5.2-1 | 0.00143 | 0.40000 | 0.95076 | 0.400 | 0.00022 |
| DS/SDSP11-14.5.3-1 | 0.00143 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-14.5.0-1 | 0.00143 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP12-15.1.1-1 | 0.00098 | 0.40000 | 0.87739 | 0.400 | 0.00014 |
| DS/SDSP12-15.1.2-1 | 0.00098 | 0.48936 | 0.87706 | 0.400 | 0.00017 |
| DS/SDSP12-15.1.0-1 | 0.00098 | 0.11064 | 0.87706 | 0.400 | 0.00004 |
| DS/SDSP12-15.2.1-1 | 0.00033 | 0.40000 | 0.79138 | 0.400 | 0.00004 |
| DS/SDSP12-15.2.2-1 | 0.00033 | 0.48936 | 0.77200 | 0.400 | 0.00005 |
| DS/SDSP12-15.2.0-1 | 0.00033 | 0.11064 | 0.77200 | 0.400 | 0.00001 |
| DS/SDSP12-15.3.1-1 | 0.00027 | 0.40000 | 0.90906 | 0.400 | 0.00004 |
| DS/SDSP12-15.3.2-1 | 0.00027 | 0.48936 | 0.65740 | 0.400 | 0.00004 |
| DS/SDSP12-15.3.0-1 | 0.00027 | 0.11064 | 0.65740 | 0.400 | 0.00001 |
| DS/SDSP12-15.4.1-1 | 0.00172 | 0.40000 | 0.90906 | 0.400 | 0.00025 |
| DS/SDSP12-15.4.2-1 | 0.00172 | 0.48936 | 0.65740 | 0.400 | 0.00022 |
| DS/SDSP12-15.4.0-1 | 0.00172 | 0.11064 | 0.65740 | 0.400 | 0.00005 |
| DS/SDSP13-16.1.1-2 | 0.00103 | 0.40000 | 0.91687 | 0.400 | 0.00015 |
| DS/SDSP13-16.1.2-2 | 0.00103 | 0.48936 | 0.91624 | 0.400 | 0.00018 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DS/SDSP13-16.1.0-2 | 0.00103 | 0.11064 | 0.91624 | 0.400 | 0.00004 |
| DS/SDSP13-16.2.1-2 | 0.00035 | 0.40000 | 0.80722 | 0.400 | 0.00005 |
| DS/SDSP13-16.2.2 | 0.00035 | 0.48936 | 0.47062 | 0.400 | 0.00003 |
| DS/SDSP13-16.2.0 | 0.00035 | 0.11064 | 0.47062 | 0.400 | 0.00001 |
| DS/SDSP13-16.3.1-2 | 0.00020 | 0.40000 | 0.92668 | 0.400 | 0.00003 |
| DS/SDSP13-16.3.2-1 | 0.00020 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-16.3.0-1 | 0.00020 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-16.4.1-2 | 0.00009 | 0.40000 | 0.97670 | 0.400 | 0.00001 |
| DS/SDSP13-16.4.2-1 | 0.00009 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-16.4.0-1 | 0.00009 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-16.5.1-2 | 0.00181 | 0.40000 | 0.97670 | 0.400 | 0.00028 |
| DS/SDSP13-16.5.2-1 | 0.00181 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-16.5.0-1 | 0.00181 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-17.1.1-1 | 0.00109 | 0.40000 | 0.99307 | 0.400 | 0.00017 |
| DS/SDSP14-17.1.2-1 | 0.00109 | 0.48936 | 0.99310 | 0.400 | 0.00021 |
| DS/SDSP14-17.1.0-1 | 0.00109 | 0.11064 | 0.99310 | 0.400 | 0.00005 |
| DS/SDSP14-17.2.1-1 | 0.00064 | 0.40000 | 1.00000 | 0.400 | 0.00010 |
| DS/SDSP14-17.2.2-1 | 0.00064 | 0.48936 | 1.00000 | 0.400 | 0.00012 |
| DS/SDSP14-17.2.0-1 | 0.00064 | 0.11064 | 1.00000 | 0.400 | 0.00003 |
| DS/SDSP14-17.3.1-2 | 0.00025 | 0.40000 | 0.99594 | 0.400 | 0.00004 |
| DS/SDSP14-17.3.2 | 0.00025 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-17.3.0 | 0.00025 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-17.4.1-2 | 0.00011 | 0.40000 | 1.00000 | 0.400 | 0.00002 |
| DS/SDSP14-17.4.2-1 | 0.00011 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-17.4.0-1 | 0.00011 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-17.5.1-2 | 0.00226 | 0.40000 | 1.00000 | 0.400 | 0.00036 |
| DS/SDSP14-17.5.2-1 | 0.00226 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-17.5.0-1 | 0.00226 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP15-18.1.1 | 0.00115 | 0.40000 | 1.00000 | 0.400 | 0.00018 |
| DS/SDSP15-18.1.2 | 0.00115 | 0.48936 | 1.00000 | 0.400 | 0.00023 |
| DS/SDSP15-18.1.0 | 0.00115 | 0.11064 | 1.00000 | 0.400 | 0.00005 |
| DS/SDSP15-18.2.1 | 0.00094 | 0.40000 | 1.00000 | 0.400 | 0.00015 |
| DS/SDSP15-18.2.2 | 0.00094 | 0.48936 | 1.00000 | 0.400 | 0.00018 |
| DS/SDSP15-18.2.0 | 0.00094 | 0.11064 | 1.00000 | 0.400 | 0.00004 |
| DS/SDSP15-18.3.1-1 | 0.00012 | 0.40000 | 1.00000 | 0.400 | 0.00002 |
| DS/SDSP15-18.3.2 | 0.00012 | 0.48936 | 1.00000 | 0.400 | 0.00002 |
| DS/SDSP15-18.3.0 | 0.00012 | 0.11064 | 1.00000 | 0.400 | 0.00001 |
| DS/SDSP15-18.4.1-2 | 0.00240 | 0.40000 | 1.00000 | 0.400 | 0.00038 |
| DS/SDSP15-18.4.2-1 | 0.00240 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP15-18.4.0-1 | 0.00240 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP1-5.1.1 | 0.00000 | 0.00000 | 0.90814 | 0.400 | 0.00000 |
| DS/SDSP1-5.1.2 | 0.00000 | 0.40000 | 0.90814 | 0.400 | 0.00000 |
| DS/SDSP1-5.1.0 | 0.00000 | 0.60000 | 0.90814 | 0.400 | 0.00000 |
| DS/SDSP1-5.2.1 | 0.00084 | 0.00000 | 0.90814 | 0.400 | 0.00000 |
| DS/SDSP1-5.2.2 | 0.00084 | 0.40000 | 0.90814 | 0.400 | 0.00012 |
| DS/SDSP1-5.2.0 | 0.00084 | 0.60000 | 0.90814 | 0.400 | 0.00018 |
| DS/SDSP1-5.3.1-1 | 0.00073 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP1-5.3.2-1 | 0.00073 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP1-5.3.0-1 | 0.00073 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP1-5.4.1-1 | 0.00095 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP1-5.4.2-2 | 0.00095 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP1-5.4.0-2 | 0.00095 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-6.1.1 | 0.00114 | 0.00000 | 0.80925 | 0.400 | 0.00000 |
| DS/SDSP2-6.1.2 | 0.00114 | 0.40000 | 0.70712 | 0.400 | 0.00013 |
| DS/SDSP2-6.1.0 | 0.00114 | 0.60000 | 0.70712 | 0.400 | 0.00019 |
| DS/SDSP2-6.2.1-1 | 0.00099 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-6.2.2-1 | 0.00099 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-6.2.0-1 | 0.00099 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-6.3.1-1 | 0.00122 | 0.00000 | 0.00000 | 0.400 | 0.00000 |

| CASE | P | V | S | W | W*P*V*S |
|-------------------|---------|---------|---------|-------|---------|
| DS/SDSP2-6.3.2-3 | 0.00122 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-6.3.0-3 | 0.00122 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-6.4.1-1 | 0.00138 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-6.4.2-3 | 0.00138 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP2-6.4.0-3 | 0.00138 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-7.1.1 | 0.00030 | 0.00000 | 0.99975 | 0.400 | 0.00000 |
| DS/SDSP3-7.1.2 | 0.00030 | 0.40000 | 0.90388 | 0.400 | 0.00004 |
| DS/SDSP3-7.1.0 | 0.00030 | 0.60000 | 0.90388 | 0.400 | 0.00006 |
| DS/SDSP3-7.2.1-1 | 0.00026 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-7.2.2-1 | 0.00026 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-7.2.0-1 | 0.00026 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-7.3.1-3 | 0.00032 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-7.3.2-1 | 0.00032 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-7.3.0-1 | 0.00032 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-7.4.1-3 | 0.00036 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-7.4.2-1 | 0.00036 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP3-7.4.0-1 | 0.00036 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-8.1.1 | 0.00020 | 0.00000 | 0.90376 | 0.400 | 0.00000 |
| DS/SDSP4-8.1.2 | 0.00020 | 0.40000 | 0.74893 | 0.400 | 0.00002 |
| DS/SDSP4-8.1.0 | 0.00020 | 0.60000 | 0.74893 | 0.400 | 0.00004 |
| DS/SDSP4-8.2.1-1 | 0.00017 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-8.2.2-1 | 0.00017 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-8.2.0-1 | 0.00017 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-8.3.1-1 | 0.00021 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-8.3.2-1 | 0.00021 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-8.3.0-1 | 0.00021 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-8.4.1-1 | 0.00024 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-8.4.2-1 | 0.00024 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP4-8.4.0-1 | 0.00024 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-9.1.1 | 0.00037 | 0.00000 | 0.84756 | 0.400 | 0.00000 |
| DS/SDSP5-9.1.2 | 0.00037 | 0.40000 | 0.63673 | 0.400 | 0.00004 |
| DS/SDSP5-9.1.0 | 0.00037 | 0.60000 | 0.63673 | 0.400 | 0.00006 |
| DS/SDSP5-9.2.1-1 | 0.00071 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-9.2.2-1 | 0.00071 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-9.2.0-1 | 0.00071 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-9.3.1-1 | 0.00044 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-9.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP5-9.3.0-1 | 0.00044 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-10.1.1 | 0.00037 | 0.00000 | 0.81642 | 0.400 | 0.00000 |
| DS/SDSP6-10.1.2 | 0.00037 | 0.40000 | 0.53178 | 0.400 | 0.00003 |
| DS/SDSP6-10.1.0 | 0.00037 | 0.60000 | 0.53178 | 0.400 | 0.00005 |
| DS/SDSP6-10.2.1-1 | 0.00071 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-10.2.2-1 | 0.00071 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-10.2.0-1 | 0.00071 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-10.3.1-1 | 0.00044 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-10.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP6-10.3.0-1 | 0.00044 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-11.1.1 | 0.00037 | 0.00000 | 0.77349 | 0.400 | 0.00000 |
| DS/SDSP7-11.1.2 | 0.00037 | 0.40000 | 0.45828 | 0.400 | 0.00003 |
| DS/SDSP7-11.1.0 | 0.00037 | 0.60000 | 0.45828 | 0.400 | 0.00004 |
| DS/SDSP7-11.2.1 | 0.00071 | 0.00000 | 0.88679 | 0.400 | 0.00000 |
| DS/SDSP7-11.2.2-1 | 0.00071 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-11.2.0-1 | 0.00071 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-11.3.1 | 0.00044 | 0.00000 | 0.77098 | 0.400 | 0.00000 |
| DS/SDSP7-11.3.2-1 | 0.00044 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP7-11.3.0-1 | 0.00044 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-12.1.1 | 0.00034 | 0.00000 | 0.77973 | 0.400 | 0.00000 |
| DS/SDSP8-12.1.2 | 0.00034 | 0.40000 | 0.54910 | 0.400 | 0.00003 |
| DS/SDSP8-12.1.0 | 0.00034 | 0.60000 | 0.54910 | 0.400 | 0.00005 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DS/SDSP8-12.2.1 | 0.00008 | 0.00000 | 0.89068 | 0.400 | 0.00000 |
| DS/SDSP8-12.2.2-1 | 0.00008 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-12.2.0-1 | 0.00008 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-12.3.1 | 0.00058 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-12.3.2-1 | 0.00058 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-12.3.0-1 | 0.00058 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-12.4.1 | 0.00041 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-12.4.2-1 | 0.00041 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP8-12.4.0-1 | 0.00041 | 0.60000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.1.1 | 0.00037 | 0.00000 | 0.81047 | 0.400 | 0.00000 |
| DS/SDSP9-13.1.2 | 0.00037 | 0.40000 | 0.65450 | 0.400 | 0.00004 |
| DS/SDSP9-13.1.3 | 0.00037 | 0.48936 | 0.65519 | 0.400 | 0.00005 |
| DS/SDSP9-13.1.0 | 0.00037 | 0.11064 | 0.65519 | 0.400 | 0.00001 |
| DS/SDSP9-13.2.1 | 0.00009 | 0.00000 | 1.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.2.2-1 | 0.00009 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.2.3-1 | 0.00009 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.2.0-1 | 0.00009 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.3.1 | 0.00064 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.3.2-1 | 0.00064 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.3.3-1 | 0.00064 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.3.0-1 | 0.00064 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.4.1 | 0.00045 | 0.00000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.4.2-1 | 0.00045 | 0.40000 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.4.3-1 | 0.00045 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP9-13.4.0-1 | 0.00045 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-14.1.1 | 0.00051 | 0.00000 | 0.78480 | 0.400 | 0.00000 |
| DS/SDSP10-14.1.2 | 0.00051 | 0.40000 | 0.67256 | 0.400 | 0.00005 |
| DS/SDSP10-14.1.3 | 0.00051 | 0.48936 | 0.67086 | 0.400 | 0.00007 |
| DS/SDSP10-14.1.0 | 0.00051 | 0.11064 | 0.67086 | 0.400 | 0.00002 |
| DS/SDSP10-14.2.1 | 0.00012 | 0.00000 | 0.88961 | 0.400 | 0.00000 |
| DS/SDSP10-14.2.2-1 | 0.00012 | 0.40000 | 0.47112 | 0.400 | 0.00001 |
| DS/SDSP10-14.2.3-1 | 0.00012 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-14.2.0-1 | 0.00012 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-14.3.1 | 0.00021 | 0.00000 | 0.91216 | 0.400 | 0.00000 |
| DS/SDSP10-14.3.2-1 | 0.00021 | 0.40000 | 0.36442 | 0.400 | 0.00001 |
| DS/SDSP10-14.3.3-1 | 0.00021 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-14.3.0-1 | 0.00021 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-14.4.1 | 0.00065 | 0.00000 | 0.97925 | 0.400 | 0.00000 |
| DS/SDSP10-14.4.2 | 0.00065 | 0.40000 | 0.76204 | 0.400 | 0.00008 |
| DS/SDSP10-14.4.3-1 | 0.00065 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-14.4.0-1 | 0.00065 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-14.5.1 | 0.00061 | 0.00000 | 0.98817 | 0.400 | 0.00000 |
| DS/SDSP10-14.5.2 | 0.00061 | 0.40000 | 0.78255 | 0.400 | 0.00008 |
| DS/SDSP10-14.5.3-1 | 0.00061 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP10-14.5.0-1 | 0.00061 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-15.1.1-1 | 0.00044 | 0.00000 | 0.74517 | 0.400 | 0.00000 |
| DS/SDSP11-15.1.2-1 | 0.00044 | 0.40000 | 0.67625 | 0.400 | 0.00005 |
| DS/SDSP11-15.1.3-1 | 0.00044 | 0.48936 | 0.67703 | 0.400 | 0.00006 |
| DS/SDSP11-15.1.0-1 | 0.00044 | 0.11064 | 0.67703 | 0.400 | 0.00001 |
| DS/SDSP11-15.2.1-1 | 0.00010 | 0.00000 | 0.83171 | 0.400 | 0.00000 |
| DS/SDSP11-15.2.2-1 | 0.00010 | 0.40000 | 0.42930 | 0.400 | 0.00001 |
| DS/SDSP11-15.2.3-1 | 0.00010 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-15.2.0-1 | 0.00010 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-15.3.1-1 | 0.00018 | 0.00000 | 0.86208 | 0.400 | 0.00000 |
| DS/SDSP11-15.3.2-1 | 0.00018 | 0.40000 | 0.35484 | 0.400 | 0.00001 |
| DS/SDSP11-15.3.3-1 | 0.00018 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-15.3.0-1 | 0.00018 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-15.4.1-1 | 0.00015 | 0.00000 | 0.95437 | 0.400 | 0.00000 |
| DS/SDSP11-15.4.2-1 | 0.00015 | 0.40000 | 0.76823 | 0.400 | 0.00002 |

| CASE | P | V | S | W | W*P*V*S |
|--------------------|---------|---------|---------|-------|---------|
| DS/SDSP11-15.4.3-1 | 0.00015 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-15.4.0-1 | 0.00015 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-15.5.1-1 | 0.00042 | 0.00000 | 0.95437 | 0.400 | 0.00000 |
| DS/SDSP11-15.5.2-1 | 0.00042 | 0.40000 | 0.76823 | 0.400 | 0.00005 |
| DS/SDSP11-15.5.3-1 | 0.00042 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-15.5.0-1 | 0.00042 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-15.6.1-1 | 0.00053 | 0.00000 | 0.95437 | 0.400 | 0.00000 |
| DS/SDSP11-15.6.2-1 | 0.00053 | 0.40000 | 0.76823 | 0.400 | 0.00007 |
| DS/SDSP11-15.6.3-1 | 0.00053 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP11-15.6.0-1 | 0.00053 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP12-16.1.1-2 | 0.00057 | 0.40000 | 0.69558 | 0.400 | 0.00006 |
| DS/SDSP12-16.1.2-2 | 0.00057 | 0.48936 | 0.68701 | 0.400 | 0.00008 |
| DS/SDSP12-16.1.0-2 | 0.00057 | 0.11064 | 0.68701 | 0.400 | 0.00002 |
| DS/SDSP12-16.2.1-2 | 0.00020 | 0.40000 | 0.61996 | 0.400 | 0.00002 |
| DS/SDSP12-16.2.2-1 | 0.00020 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP12-16.2.0-1 | 0.00020 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP12-16.3.1-2 | 0.00011 | 0.40000 | 0.78361 | 0.400 | 0.00001 |
| DS/SDSP12-16.3.2-1 | 0.00011 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP12-16.3.0-1 | 0.00011 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP12-16.4.1-2 | 0.00005 | 0.40000 | 0.84532 | 0.400 | 0.00001 |
| DS/SDSP12-16.4.2-1 | 0.00005 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP12-16.4.0-1 | 0.00005 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP12-16.5.1-2 | 0.00101 | 0.40000 | 0.84532 | 0.400 | 0.00014 |
| DS/SDSP12-16.5.2-1 | 0.00101 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP12-16.5.0-1 | 0.00101 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-17.1.1-2 | 0.00042 | 0.40000 | 0.82533 | 0.400 | 0.00005 |
| DS/SDSP13-17.1.2-1 | 0.00042 | 0.48936 | 0.82013 | 0.400 | 0.00007 |
| DS/SDSP13-17.1.0-1 | 0.00042 | 0.11064 | 0.82013 | 0.400 | 0.00002 |
| DS/SDSP13-17.2.1-2 | 0.00008 | 0.40000 | 0.84448 | 0.400 | 0.00001 |
| DS/SDSP13-17.2.2-2 | 0.00008 | 0.48936 | 0.84502 | 0.400 | 0.00001 |
| DS/SDSP13-17.2.0-2 | 0.00008 | 0.11064 | 0.84502 | 0.400 | 0.00000 |
| DS/SDSP13-17.3.1-2 | 0.00017 | 0.40000 | 0.82738 | 0.400 | 0.00002 |
| DS/SDSP13-17.3.2-1 | 0.00017 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-17.3.0-1 | 0.00017 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-17.4.1-2 | 0.00010 | 0.40000 | 0.98331 | 0.400 | 0.00002 |
| DS/SDSP13-17.4.2-1 | 0.00010 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-17.4.0-1 | 0.00010 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-17.5.1-2 | 0.00004 | 0.40000 | 1.00000 | 0.400 | 0.00001 |
| DS/SDSP13-17.5.2-2 | 0.00004 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-17.5.0-2 | 0.00004 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-17.6.1-2 | 0.00086 | 0.40000 | 1.00000 | 0.400 | 0.00014 |
| DS/SDSP13-17.6.2-2 | 0.00086 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP13-17.6.0-2 | 0.00086 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-18.1.1-1 | 0.00063 | 0.40000 | 0.96786 | 0.400 | 0.00010 |
| DS/SDSP14-18.1.2 | 0.00063 | 0.48936 | 0.96074 | 0.400 | 0.00012 |
| DS/SDSP14-18.1.0 | 0.00063 | 0.11064 | 0.96074 | 0.400 | 0.00003 |
| DS/SDSP14-18.2.1-1 | 0.00037 | 0.40000 | 0.99474 | 0.400 | 0.00006 |
| DS/SDSP14-18.2.2-1 | 0.00037 | 0.48936 | 0.98843 | 0.400 | 0.00007 |
| DS/SDSP14-18.2.0-1 | 0.00037 | 0.11064 | 0.98843 | 0.400 | 0.00002 |
| DS/SDSP14-18.3.1-2 | 0.00014 | 0.40000 | 1.00000 | 0.400 | 0.00002 |
| DS/SDSP14-18.3.2-1 | 0.00014 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-18.3.0-1 | 0.00014 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-18.4.1-2 | 0.00006 | 0.40000 | 1.00000 | 0.400 | 0.00001 |
| DS/SDSP14-18.4.2-1 | 0.00006 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-18.4.0-1 | 0.00006 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-18.5.1-2 | 0.00131 | 0.40000 | 1.00000 | 0.400 | 0.00021 |
| DS/SDSP14-18.5.2-1 | 0.00131 | 0.48936 | 0.00000 | 0.400 | 0.00000 |
| DS/SDSP14-18.5.0-1 | 0.00131 | 0.11064 | 0.00000 | 0.400 | 0.00000 |
| SUBTOTAL | | | | 0.400 | 0.31125 |

| | | | | | |
|-------|---|---|---|-------|---------|
| CASE | P | V | S | W | W*P*V*S |
| TOTAL | | | | 0.200 | 0.73483 |

DAMAGE DEFINITIONS FOR REGULATION 7

A total of 1957 damages listed

One-zone damages (229 damages)

DAMAGED COMPARTMENTS

Damage case : SDSP1.1.1, Zone Z01 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP1.1.0, Zone Z01 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP1.2.1, Zone Z01 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |

Damage case : SDSP1.2.0, Zone Z01 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |

Damage case : SDSP1.3.1, Zone Z01 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1.3.0, Zone Z01 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP2.1.1-1, Zone Z02 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2.1.1, Zone Z02 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2.1.0-1, Zone Z02 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2.1.0, Zone Z02 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2.2.1-1, Zone Z02 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2.2.1, Zone Z02 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2.2.0-1, Zone Z02 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2.2.0, Zone Z02 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP3.1.1-1, Zone Z03 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3.1.1-2, Zone Z03 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3.1.1, Zone Z03 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3.1.0-1, Zone Z03 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3.1.0-2, Zone Z03 Port, b1, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3.1.0, Zone Z03 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3.2.1-1, Zone Z03 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3.2.1-2, Zone Z03 Port, b2, h1, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3.2.1, Zone Z03 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3.2.0-1, Zone Z03 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3.2.0-2, Zone Z03 Port, b2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3.2.0, Zone Z03 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4.1.1-1, Zone Z04 Port, b1, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4.1.1-2, Zone Z04 Port, b1, h1, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4.1.1, Zone Z04 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4.1.0-1, Zone Z04 Port, b1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4.1.0-2, Zone Z04 Port, b1, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4.1.0, Zone Z04 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4.2.1-1, Zone Z04 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4.2.1-2, Zone Z04 Port, b2, h1, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4.2.1, Zone Z04 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4.2.0-1, Zone Z04 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4.2.0-2, Zone Z04 Port, b2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4.2.0, Zone Z04 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP5.1.1-1, Zone Z05 Port, b1, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.1.1, Zone Z05 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.1.2-1, Zone Z05 Port, b1, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.1.2, Zone Z05 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.1.0-1, Zone Z05 Port, b1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.1.0, Zone Z05 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.2.1-1, Zone Z05 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.2.1, Zone Z05 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.2.2-1, Zone Z05 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.2.2, Zone Z05 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.2.0-1, Zone Z05 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5.2.0, Zone Z05 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP6.1.1-1, Zone Z06 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6.1.1, Zone Z06 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6.1.2-1, Zone Z06 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.1.2, Zone Z06 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.1.0-1, Zone Z06 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.1.0, Zone Z06 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.2.1-1, Zone Z06 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6.2.1, Zone Z06 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6.2.2-1, Zone Z06 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.2.2, Zone Z06 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.2.0-1, Zone Z06 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.2.0, Zone Z06 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.3.1-1, Zone Z06 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6.3.1, Zone Z06 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6.3.2-1, Zone Z06 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.3.2, Zone Z06 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.3.0-1, Zone Z06 Port, b3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6.3.0, Zone Z06 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP7.1.1-1, Zone Z07 Port, b1, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7.1.1, Zone Z07 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7.1.2-1, Zone Z07 Port, b1, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.1.2, Zone Z07 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.1.0-1, Zone Z07 Port, b1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.1.0, Zone Z07 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.2.1-1, Zone Z07 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7.2.1, Zone Z07 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7.2.2-1, Zone Z07 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.2.2, Zone Z07 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.2.0-1, Zone Z07 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.2.0, Zone Z07 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.3.1-1, Zone Z07 Port, b3, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7.3.1, Zone Z07 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7.3.2-1, Zone Z07 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.3.2, Zone Z07 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.3.0-1, Zone Z07 Port, b3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7.3.0, Zone Z07 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP8.1.1-1, Zone Z08 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8.1.1, Zone Z08 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8.1.2-1, Zone Z08 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.1.2, Zone Z08 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.1.0-1, Zone Z08 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.1.0, Zone Z08 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.2.1-1, Zone Z08 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8.2.1, Zone Z08 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8.2.2-1, Zone Z08 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.2.2, Zone Z08 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.2.0-1, Zone Z08 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.2.0, Zone Z08 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.3.1-1, Zone Z08 Port, b3, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8.3.1, Zone Z08 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8.3.2-1, Zone Z08 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.3.2, Zone Z08 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.3.0-1, Zone Z08 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8.3.0, Zone Z08 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP9.1.1-1, Zone Z09 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9.1.1, Zone Z09 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9.1.2-1, Zone Z09 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.1.2, Zone Z09 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.1.0-1, Zone Z09 Port, b1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.1.0, Zone Z09 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.2.1-1, Zone Z09 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9.2.1, Zone Z09 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9.2.2-1, Zone Z09 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.2.2, Zone Z09 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.2.0-1, Zone Z09 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.2.0, Zone Z09 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.3.1-1, Zone Z09 Port, b3, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9.3.1, Zone Z09 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9.3.2-1, Zone Z09 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.3.2, Zone Z09 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.3.0-1, Zone Z09 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9.3.0, Zone Z09 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP10.1.1-1, Zone Z10 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10.1.1, Zone Z10 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10.1.2-1, Zone Z10 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.1.2, Zone Z10 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.1.0-1, Zone Z10 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.1.0, Zone Z10 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.2.1-1, Zone Z10 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10.2.1, Zone Z10 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10.2.2-1, Zone Z10 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.2.2, Zone Z10 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.2.0-1, Zone Z10 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.2.0, Zone Z10 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.3.1-1, Zone Z10 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10.3.1, Zone Z10 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10.3.2-1, Zone Z10 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.3.2, Zone Z10 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.3.0-1, Zone Z10 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10.3.0, Zone Z10 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP11.1.1-1, Zone Z11 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11.1.1, Zone Z11 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11.1.2-1, Zone Z11 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11.1.2, Zone Z11 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11.1.0-1, Zone Z11 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11.1.0, Zone Z11 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11.2.1-1, Zone Z11 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11.2.1, Zone Z11 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11.2.2-1, Zone Z11 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSF11.2.2, Zone Z11 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11.2.0-1, Zone Z11 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11.2.0, Zone Z11 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11.3.1-1, Zone Z11 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11.3.1, Zone Z11 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11.3.2-1, Zone Z11 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11.3.2, Zone Z11 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11.3.0-1, Zone Z11 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11.3.0, Zone Z11 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP12.1.1-1, Zone Z12 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12.1.1, Zone Z12 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12.1.0-1, Zone Z12 Port, b1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12.1.0, Zone Z12 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12.2.1-1, Zone Z12 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12.2.1, Zone Z12 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12.2.0-1, Zone Z12 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12.2.0, Zone Z12 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13.1.1-1, Zone Z13 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

Damage case : SDSP13.1.1, Zone Z13 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

Damage case : SDSP13.1.2-1, Zone Z13 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13.1.2, Zone Z13 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13.1.0-1, Zone Z13 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13.1.0, Zone Z13 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13.2.1-1, Zone Z13 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13.2.1, Zone Z13 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13.2.2-1, Zone Z13 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13.2.2, Zone Z13 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13.2.0-1, Zone Z13 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13.2.0, Zone Z13 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14.1.1-1, Zone Z14 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |

Damage case : SDSP14.1.1, Zone Z14 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |

Damage case : SDSP14.1.2-1, Zone Z14 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14.1.2, Zone Z14 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14.1.0-1, Zone Z14 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14.1.0, Zone Z14 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14.2.1-1, Zone Z14 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14.2.1, Zone Z14 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14.2.2-1, Zone Z14 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14.2.2, Zone Z14 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSF14.2.0-1, Zone Z14 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14.2.0, Zone Z14 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15.1.1-1, Zone Z15 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |

Damage case : SDSP15.1.1, Zone Z15 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |

Damage case : SDSP15.1.2-1, Zone Z15 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15.1.2, Zone Z15 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15.1.0-1, Zone Z15 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15.1.0, Zone Z15 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15.2.1-1, Zone Z15 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP15.2.1, Zone Z15 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP15.2.2-1, Zone Z15 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15.2.2, Zone Z15 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSF15.2.0-1, Zone Z15 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15.2.0, Zone Z15 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP16.1.1-1, Zone Z16 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |

Damage case : SDSP16.1.1, Zone Z16 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |

Damage case : SDSP16.1.2-1, Zone Z16 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16.1.2, Zone Z16 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16.1.0-1, Zone Z16 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16.1.0, Zone Z16 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16.2.1-1, Zone Z16 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP16.2.1, Zone Z16 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP16.2.2-1, Zone Z16 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16.2.2, Zone Z16 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSF16.2.0-1, Zone Z16 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16.2.0, Zone Z16 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17.1.1-1, Zone Z17 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP17.1.1, Zone Z17 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP17.1.2-1, Zone Z17 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17.1.2, Zone Z17 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17.1.0-1, Zone Z17 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17.1.0, Zone Z17 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17.2.1-1, Zone Z17 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP17.2.1, Zone Z17 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP17.2.2-1, Zone Z17 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17.2.2, Zone Z17 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17.2.0-1, Zone Z17 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17.2.0, Zone Z17 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP18.1.1, Zone Z18 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |

Damage case : SDSP18.1.2, Zone Z18 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |

Damage case : SDSF18.1.0, Zone Z18 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |

Multi-zone damages (1728 damages)

DAMAGED COMPARTMENTS

Damage case : SDSP1-2.1.1, Zones Z01-Z02 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-2.1.0, Zones Z01-Z02 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-2.2.1, Zones Z01-Z02 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-2.2.0, Zones Z01-Z02 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-2.3.1-1, Zones Z01-Z02 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-2.3.1, Zones Z01-Z02 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-2.3.0-1, Zones Z01-Z02 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-2.3.0, Zones Z01-Z02 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-3.1.1-2, Zones Z02-Z03 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-3.1.1, Zones Z02-Z03 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-3.1.0-2, Zones Z02-Z03 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-3.1.0, Zones Z02-Z03 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-3.2.1-2, Zones Z02-Z03 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-3.2.1, Zones Z02-Z03 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-3.2.0-2, Zones Z02-Z03 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-3.2.0, Zones Z02-Z03 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP3-4.1.1-2, Zones Z03-Z04 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-4.1.1, Zones Z03-Z04 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-4.1.0-2, Zones Z03-Z04 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-4.1.0, Zones Z03-Z04 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-4.2.1-1, Zones Z03-Z04 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-4.2.1-2, Zones Z03-Z04 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-4.2.1, Zones Z03-Z04 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-4.2.0-1, Zones Z03-Z04 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-4.2.0-2, Zones Z03-Z04 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-4.2.0, Zones Z03-Z04 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.1.1-2, Zones Z04-Z05 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-5.1.1, Zones Z04-Z05 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.1.2-2, Zones Z04-Z05 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-5.1.2, Zones Z04-Z05 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.1.0-2, Zones Z04-Z05 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-5.1.0, Zones Z04-Z05 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.2.1-1, Zones Z04-Z05 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.2.1-2, Zones Z04-Z05 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-5.2.1, Zones Z04-Z05 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.2.2-1, Zones Z04-Z05 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.2.2-2, Zones Z04-Z05 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-5.2.2, Zones Z04-Z05 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.2.0-1, Zones Z04-Z05 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.2.0-2, Zones Z04-Z05 Port, b2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-5.2.0, Zones Z04-Z05 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.3.1-1, Zones Z04-Z05 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.3.1-2, Zones Z04-Z05 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-5.3.1, Zones Z04-Z05 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.3.2-1, Zones Z04-Z05 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.3.2-2, Zones Z04-Z05 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-5.3.2, Zones Z04-Z05 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.3.0-1, Zones Z04-Z05 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-5.3.0-2, Zones Z04-Z05 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-5.3.0, Zones Z04-Z05 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP5-6.1.1-2, Zones Z05-Z06 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.1.1, Zones Z05-Z06 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.1.2-2, Zones Z05-Z06 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.1.2, Zones Z05-Z06 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.1.0-2, Zones Z05-Z06 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.1.0, Zones Z05-Z06 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.2.1-1, Zones Z05-Z06 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.2.1-2, Zones Z05-Z06 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.2.1, Zones Z05-Z06 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.2.2-1, Zones Z05-Z06 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.2.2-2, Zones Z05-Z06 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.2.2, Zones Z05-Z06 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.2.0-1, Zones Z05-Z06 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.2.0-2, Zones Z05-Z06 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.2.0, Zones Z05-Z06 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.3.1-1, Zones Z05-Z06 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.3.1-2, Zones Z05-Z06 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.3.1, Zones Z05-Z06 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.3.2-1, Zones Z05-Z06 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.3.2-2, Zones Z05-Z06 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.3.2, Zones Z05-Z06 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.3.0-1, Zones Z05-Z06 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.3.0-2, Zones Z05-Z06 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-6.3.0, Zones Z05-Z06 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP6-7.1.1-1, Zones Z06-Z07 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-7.1.1-2, Zones Z06-Z07 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-7.1.1, Zones Z06-Z07 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-7.1.2-1, Zones Z06-Z07 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.1.2-2, Zones Z06-Z07 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.1.2, Zones Z06-Z07 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.1.0-1, Zones Z06-Z07 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.1.0-2, Zones Z06-Z07 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.1.0, Zones Z06-Z07 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.2.1-1, Zones Z06-Z07 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-7.2.1-2, Zones Z06-Z07 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-7.2.1, Zones Z06-Z07 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-7.2.2-1, Zones Z06-Z07 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.2.2-2, Zones Z06-Z07 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.2.2, Zones Z06-Z07 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.2.0-1, Zones Z06-Z07 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.2.0-2, Zones Z06-Z07 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.2.0, Zones Z06-Z07 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.3.1-1, Zones Z06-Z07 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-7.3.1-2, Zones Z06-Z07 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-7.3.1, Zones Z06-Z07 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-7.3.2-1, Zones Z06-Z07 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.3.2-2, Zones Z06-Z07 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.3.2, Zones Z06-Z07 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.3.0-1, Zones Z06-Z07 Port, b3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.3.0-2, Zones Z06-Z07 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-7.3.0, Zones Z06-Z07 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.1.1-1, Zones Z07-Z08 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-8.1.1, Zones Z07-Z08 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-8.1.2-1, Zones Z07-Z08 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.1.2, Zones Z07-Z08 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.1.0-1, Zones Z07-Z08 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.1.0, Zones Z07-Z08 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.2.1-1, Zones Z07-Z08 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-8.2.1, Zones Z07-Z08 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-8.2.2-1, Zones Z07-Z08 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.2.2, Zones Z07-Z08 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.2.0-1, Zones Z07-Z08 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.2.0, Zones Z07-Z08 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.3.1-1, Zones Z07-Z08 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-8.3.1, Zones Z07-Z08 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-8.3.2-1, Zones Z07-Z08 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.3.2, Zones Z07-Z08 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.3.0-1, Zones Z07-Z08 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-8.3.0, Zones Z07-Z08 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.1.1-1, Zones Z08-Z09 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-9.1.1, Zones Z08-Z09 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-9.1.2-1, Zones Z08-Z09 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.1.2, Zones Z08-Z09 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.1.0-1, Zones Z08-Z09 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.1.0, Zones Z08-Z09 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.2.1-1, Zones Z08-Z09 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-9.2.1, Zones Z08-Z09 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-9.2.2-1, Zones Z08-Z09 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.2.2, Zones Z08-Z09 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.2.0-1, Zones Z08-Z09 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.2.0, Zones Z08-Z09 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.3.1-1, Zones Z08-Z09 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-9.3.1, Zones Z08-Z09 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-9.3.2-1, Zones Z08-Z09 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.3.2, Zones Z08-Z09 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.3.0-1, Zones Z08-Z09 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-9.3.0, Zones Z08-Z09 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.1.1-1, Zones Z09-Z10 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-10.1.1, Zones Z09-Z10 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-10.1.2-1, Zones Z09-Z10 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.1.2, Zones Z09-Z10 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.1.0-1, Zones Z09-Z10 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.1.0, Zones Z09-Z10 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.2.1-1, Zones Z09-Z10 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-10.2.1, Zones Z09-Z10 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-10.2.2-1, Zones Z09-Z10 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.2.2, Zones Z09-Z10 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.2.0-1, Zones Z09-Z10 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.2.0, Zones Z09-Z10 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.3.1-1, Zones Z09-Z10 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-10.3.1, Zones Z09-Z10 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-10.3.2-1, Zones Z09-Z10 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.3.2, Zones Z09-Z10 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.3.0-1, Zones Z09-Z10 Port, b3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-10.3.0, Zones Z09-Z10 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.1.1-1, Zones Z10-Z11 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-11.1.1, Zones Z10-Z11 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-11.1.2-1, Zones Z10-Z11 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.1.2, Zones Z10-Z11 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.1.0-1, Zones Z10-Z11 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.1.0, Zones Z10-Z11 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.2.1-1, Zones Z10-Z11 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-11.2.1, Zones Z10-Z11 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-11.2.2-1, Zones Z10-Z11 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.2.2, Zones Z10-Z11 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.2.0-1, Zones Z10-Z11 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.2.0, Zones Z10-Z11 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.3.1-1, Zones Z10-Z11 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-11.3.1, Zones Z10-Z11 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-11.3.2-1, Zones Z10-Z11 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.3.2, Zones Z10-Z11 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.3.0-1, Zones Z10-Z11 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-11.3.0, Zones Z10-Z11 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP11-12.1.1-1, Zones Z11-Z12 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-12.1.1, Zones Z11-Z12 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-12.1.2-1, Zones Z11-Z12 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11-12.1.2, Zones Z11-Z12 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11-12.1.0-1, Zones Z11-Z12 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11-12.1.0, Zones Z11-Z12 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11-12.2.1-1, Zones Z11-Z12 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-12.2.1, Zones Z11-Z12 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-12.2.2-1, Zones Z11-Z12 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11-12.2.2, Zones Z11-Z12 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11-12.2.0-1, Zones Z11-Z12 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSF11-12.2.0, Zones Z11-Z12 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11-12.3.1-1, Zones Z11-Z12 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.3.1, Zones Z11-Z12 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.3.2-1, Zones Z11-Z12 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.3.2, Zones Z11-Z12 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.3.0-1, Zones Z11-Z12 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.3.0, Zones Z11-Z12 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.4.1-1, Zones Z11-Z12 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.4.1, Zones Z11-Z12 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.4.2-1, Zones Z11-Z12 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.4.2, Zones Z11-Z12 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.4.0-1, Zones Z11-Z12 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-12.4.0, Zones Z11-Z12 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-13.1.1-1, Zones Z12-Z13 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12-13.1.1, Zones Z12-Z13 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12-13.1.2-1, Zones Z12-Z13 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-13.1.2, Zones Z12-Z13 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-13.1.0-1, Zones Z12-Z13 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-13.1.0, Zones Z12-Z13 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-13.2.1-1, Zones Z12-Z13 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-13.2.1, Zones Z12-Z13 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-13.2.2-1, Zones Z12-Z13 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-13.2.2, Zones Z12-Z13 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-13.2.0-1, Zones Z12-Z13 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-13.2.0, Zones Z12-Z13 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.1.1-1, Zones Z13-Z14 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

Damage case : SDSP13-14.1.1, Zones Z13-Z14 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

Damage case : SDSP13-14.1.2-1, Zones Z13-Z14 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.1.2, Zones Z13-Z14 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.1.0-1, Zones Z13-Z14 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.1.0, Zones Z13-Z14 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.2.1-1, Zones Z13-Z14 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-14.2.1, Zones Z13-Z14 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-14.2.2-1, Zones Z13-Z14 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.2.2, Zones Z13-Z14 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.2.0-1, Zones Z13-Z14 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.2.0, Zones Z13-Z14 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSF13-14.3.1-1, Zones Z13-Z14 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-14.3.1, Zones Z13-Z14 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-14.3.2-1, Zones Z13-Z14 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.3.2, Zones Z13-Z14 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.3.0-1, Zones Z13-Z14 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-14.3.0, Zones Z13-Z14 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.1.1-1, Zones Z14-Z15 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |

Damage case : SDSP14-15.1.1, Zones Z14-Z15 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |

Damage case : SDSP14-15.1.2-1, Zones Z14-Z15 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.1.2, Zones Z14-Z15 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.1.0-1, Zones Z14-Z15 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.1.0, Zones Z14-Z15 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.2.1-1, Zones Z14-Z15 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-15.2.1, Zones Z14-Z15 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-15.2.2-1, Zones Z14-Z15 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.2.2, Zones Z14-Z15 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.2.0-1, Zones Z14-Z15 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.2.0, Zones Z14-Z15 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.3.1-1, Zones Z14-Z15 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-15.3.1, Zones Z14-Z15 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-15.3.2-1, Zones Z14-Z15 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.3.2, Zones Z14-Z15 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.3.0-1, Zones Z14-Z15 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-15.3.0, Zones Z14-Z15 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.1.1-1, Zones Z15-Z16 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |

Damage case : SDSP15-16.1.1-2, Zones Z15-Z16 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |

Damage case : SDSP15-16.1.1, Zones Z15-Z16 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |

Damage case : SDSP15-16.1.2-1, Zones Z15-Z16 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.1.2-2, Zones Z15-Z16 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.1.2, Zones Z15-Z16 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.1.0-1, Zones Z15-Z16 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.1.0-2, Zones Z15-Z16 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.1.0, Zones Z15-Z16 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.2.1-1, Zones Z15-Z16 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSF15-16.2.1-2, Zones Z15-Z16 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP15-16.2.1, Zones Z15-Z16 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP15-16.2.2-1, Zones Z15-Z16 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.2.2-2, Zones Z15-Z16 Port, b2, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.2.2, Zones Z15-Z16 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.2.0-1, Zones Z15-Z16 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.2.0-2, Zones Z15-Z16 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.2.0, Zones Z15-Z16 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.3.1-1, Zones Z15-Z16 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP15-16.3.1-2, Zones Z15-Z16 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP15-16.3.1, Zones Z15-Z16 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP15-16.3.2-1, Zones Z15-Z16 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.3.2-2, Zones Z15-Z16 Port, b3, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.3.2, Zones Z15-Z16 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.3.0-1, Zones Z15-Z16 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.3.0-2, Zones Z15-Z16 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-16.3.0, Zones Z15-Z16 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP16-17.1.1-1, Zones Z16-Z17 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP16-17.1.1, Zones Z16-Z17 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP16-17.1.2-1, Zones Z16-Z17 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.1.2, Zones Z16-Z17 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.1.0-1, Zones Z16-Z17 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.1.0, Zones Z16-Z17 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.2.1-1, Zones Z16-Z17 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP16-17.2.1, Zones Z16-Z17 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP16-17.2.2-1, Zones Z16-Z17 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.2.2, Zones Z16-Z17 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.2.0-1, Zones Z16-Z17 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.2.0, Zones Z16-Z17 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.3.1-1, Zones Z16-Z17 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP16-17.3.1, Zones Z16-Z17 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP16-17.3.2-1, Zones Z16-Z17 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.3.2, Zones Z16-Z17 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.3.0-1, Zones Z16-Z17 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-17.3.0, Zones Z16-Z17 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17-18.1.1-1, Zones Z17-Z18 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP17-18.1.1, Zones Z17-Z18 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP17-18.1.2-1, Zones Z17-Z18 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17-18.1.2, Zones Z17-Z18 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17-18.1.0-1, Zones Z17-Z18 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17-18.1.0, Zones Z17-Z18 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17-18.2.1-1, Zones Z17-Z18 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP17-18.2.1, Zones Z17-Z18 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP17-18.2.2-1, Zones Z17-Z18 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17-18.2.2, Zones Z17-Z18 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17-18.2.0-1, Zones Z17-Z18 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP17-18.2.0, Zones Z17-Z18 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP1-3.1.1-2, Zones Z01-Z03 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-3.1.1, Zones Z01-Z03 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-3.1.0-2, Zones Z01-Z03 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-3.1.0, Zones Z01-Z03 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-3.2.1-2, Zones Z01-Z03 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-3.2.1, Zones Z01-Z03 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-3.2.0-2, Zones Z01-Z03 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-3.2.0, Zones Z01-Z03 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-3.3.1-2, Zones Z01-Z03 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-3.3.1, Zones Z01-Z03 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-3.3.0-2, Zones Z01-Z03 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-3.3.0, Zones Z01-Z03 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-4.1.1-2, Zones Z02-Z04 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-4.1.1, Zones Z02-Z04 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-4.1.0-2, Zones Z02-Z04 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-4.1.0, Zones Z02-Z04 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-4.2.1-2, Zones Z02-Z04 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-4.2.1, Zones Z02-Z04 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-4.2.0-2, Zones Z02-Z04 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-4.2.0, Zones Z02-Z04 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP3-5.1.1-2, Zones Z03-Z05 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-5.1.1, Zones Z03-Z05 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.1.2-2, Zones Z03-Z05 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-5.1.2, Zones Z03-Z05 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.1.0-2, Zones Z03-Z05 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-5.1.0, Zones Z03-Z05 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.2.1-1, Zones Z03-Z05 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.2.1-2, Zones Z03-Z05 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-5.2.1, Zones Z03-Z05 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.2.2-1, Zones Z03-Z05 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.2.2-2, Zones Z03-Z05 Port, b2, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-5.2.2, Zones Z03-Z05 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.2.0-1, Zones Z03-Z05 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.2.0-2, Zones Z03-Z05 Port, b2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-5.2.0, Zones Z03-Z05 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.3.1-1, Zones Z03-Z05 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.3.1-2, Zones Z03-Z05 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-5.3.1, Zones Z03-Z05 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.3.2-1, Zones Z03-Z05 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.3.2-2, Zones Z03-Z05 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-5.3.2, Zones Z03-Z05 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.3.0-1, Zones Z03-Z05 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-5.3.0-2, Zones Z03-Z05 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-5.3.0, Zones Z03-Z05 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.1.1-2, Zones Z04-Z06 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.1.1-3, Zones Z04-Z06 Port, b1, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.1.1, Zones Z04-Z06 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.1.2-2, Zones Z04-Z06 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.1.2-3, Zones Z04-Z06 Port, b1, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.1.2, Zones Z04-Z06 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.1.0-2, Zones Z04-Z06 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.1.0-3, Zones Z04-Z06 Port, b1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.1.0, Zones Z04-Z06 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.2.1-1, Zones Z04-Z06 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.2.1-2, Zones Z04-Z06 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.2.1-3, Zones Z04-Z06 Port, b2, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.2.1, Zones Z04-Z06 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.2.2-1, Zones Z04-Z06 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.2.2-2, Zones Z04-Z06 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.2.2-3, Zones Z04-Z06 Port, b2, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.2.2, Zones Z04-Z06 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.2.0-1, Zones Z04-Z06 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.2.0-2, Zones Z04-Z06 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.2.0-3, Zones Z04-Z06 Port, b2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.2.0, Zones Z04-Z06 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.3.1-1, Zones Z04-Z06 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.3.1-2, Zones Z04-Z06 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.3.1-3, Zones Z04-Z06 Port, b3, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.3.1, Zones Z04-Z06 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.3.2-1, Zones Z04-Z06 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.3.2-2, Zones Z04-Z06 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.3.2-3, Zones Z04-Z06 Port, b3, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.3.2, Zones Z04-Z06 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.3.0-1, Zones Z04-Z06 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.3.0-2, Zones Z04-Z06 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.3.0-3, Zones Z04-Z06 Port, b3, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.3.0, Zones Z04-Z06 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.4.1-1, Zones Z04-Z06 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.4.1-2, Zones Z04-Z06 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.4.1-3, Zones Z04-Z06 Port, b4, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.4.1, Zones Z04-Z06 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.4.2-1, Zones Z04-Z06 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.4.2-2, Zones Z04-Z06 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.4.2-3, Zones Z04-Z06 Port, b4, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.4.2, Zones Z04-Z06 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.4.0-1, Zones Z04-Z06 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.4.0-2, Zones Z04-Z06 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-6.4.0-3, Zones Z04-Z06 Port, b4, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-6.4.0, Zones Z04-Z06 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP5-7.1.1-1, Zones Z05-Z07 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.1.1-3, Zones Z05-Z07 Port, b1, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.1.1, Zones Z05-Z07 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.1.2-1, Zones Z05-Z07 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.1.2-3, Zones Z05-Z07 Port, b1, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.1.2, Zones Z05-Z07 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.1.0-1, Zones Z05-Z07 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.1.0-3, Zones Z05-Z07 Port, b1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.1.0, Zones Z05-Z07 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.1-1, Zones Z05-Z07 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.1-2, Zones Z05-Z07 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.1-3, Zones Z05-Z07 Port, b2, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.1, Zones Z05-Z07 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.2-1, Zones Z05-Z07 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.2-2, Zones Z05-Z07 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.2-3, Zones Z05-Z07 Port, b2, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.2, Zones Z05-Z07 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.0-1, Zones Z05-Z07 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.0-2, Zones Z05-Z07 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.0-3, Zones Z05-Z07 Port, b2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.2.0, Zones Z05-Z07 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.1-1, Zones Z05-Z07 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.1-2, Zones Z05-Z07 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.1-3, Zones Z05-Z07 Port, b3, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.1, Zones Z05-Z07 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.2-1, Zones Z05-Z07 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.2-2, Zones Z05-Z07 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.2-3, Zones Z05-Z07 Port, b3, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.2, Zones Z05-Z07 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.0-1, Zones Z05-Z07 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.0-2, Zones Z05-Z07 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.0-3, Zones Z05-Z07 Port, b3, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-7.3.0, Zones Z05-Z07 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP6-8.1.1-1, Zones Z06-Z08 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-8.1.1-2, Zones Z06-Z08 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-8.1.1, Zones Z06-Z08 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-8.1.2-1, Zones Z06-Z08 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.1.2-2, Zones Z06-Z08 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.1.2, Zones Z06-Z08 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.1.0-1, Zones Z06-Z08 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.1.0-2, Zones Z06-Z08 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.1.0, Zones Z06-Z08 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.2.1-1, Zones Z06-Z08 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-8.2.1-2, Zones Z06-Z08 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-8.2.1, Zones Z06-Z08 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-8.2.2-1, Zones Z06-Z08 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.2.2-2, Zones Z06-Z08 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.2.2, Zones Z06-Z08 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.2.0-1, Zones Z06-Z08 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.2.0-2, Zones Z06-Z08 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.2.0, Zones Z06-Z08 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.3.1-1, Zones Z06-Z08 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-8.3.1-2, Zones Z06-Z08 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-8.3.1, Zones Z06-Z08 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-8.3.2-1, Zones Z06-Z08 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.3.2-2, Zones Z06-Z08 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.3.2, Zones Z06-Z08 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.3.0-1, Zones Z06-Z08 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.3.0-2, Zones Z06-Z08 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-8.3.0, Zones Z06-Z08 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.1.1-1, Zones Z07-Z09 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-9.1.1, Zones Z07-Z09 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-9.1.2-1, Zones Z07-Z09 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.1.2, Zones Z07-Z09 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.1.0-1, Zones Z07-Z09 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.1.0, Zones Z07-Z09 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.2.1-1, Zones Z07-Z09 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-9.2.1, Zones Z07-Z09 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-9.2.2-1, Zones Z07-Z09 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.2.2, Zones Z07-Z09 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.2.0-1, Zones Z07-Z09 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.2.0, Zones Z07-Z09 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.3.1-1, Zones Z07-Z09 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-9.3.1, Zones Z07-Z09 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-9.3.2-1, Zones Z07-Z09 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.3.2, Zones Z07-Z09 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.3.0-1, Zones Z07-Z09 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-9.3.0, Zones Z07-Z09 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.1.1-1, Zones Z08-Z10 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-10.1.1, Zones Z08-Z10 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-10.1.2-1, Zones Z08-Z10 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.1.2, Zones Z08-Z10 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.1.0-1, Zones Z08-Z10 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.1.0, Zones Z08-Z10 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.2.1-1, Zones Z08-Z10 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-10.2.1, Zones Z08-Z10 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-10.2.2-1, Zones Z08-Z10 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.2.2, Zones Z08-Z10 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.2.0-1, Zones Z08-Z10 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.2.0, Zones Z08-Z10 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.3.1-1, Zones Z08-Z10 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-10.3.1, Zones Z08-Z10 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-10.3.2-1, Zones Z08-Z10 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.3.2, Zones Z08-Z10 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.3.0-1, Zones Z08-Z10 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-10.3.0, Zones Z08-Z10 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.1.1-1, Zones Z09-Z11 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-11.1.1, Zones Z09-Z11 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-11.1.2-1, Zones Z09-Z11 Port, b1, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.1.2, Zones Z09-Z11 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.1.0-1, Zones Z09-Z11 Port, b1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.1.0, Zones Z09-Z11 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.2.1-1, Zones Z09-Z11 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-11.2.1, Zones Z09-Z11 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-11.2.2-1, Zones Z09-Z11 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.2.2, Zones Z09-Z11 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.2.0-1, Zones Z09-Z11 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.2.0, Zones Z09-Z11 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.3.1-1, Zones Z09-Z11 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-11.3.1, Zones Z09-Z11 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-11.3.2-1, Zones Z09-Z11 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.3.2, Zones Z09-Z11 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.3.0-1, Zones Z09-Z11 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-11.3.0, Zones Z09-Z11 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP10-12.1.1-1, Zones Z10-Z12 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-12.1.1, Zones Z10-Z12 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-12.1.2-1, Zones Z10-Z12 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-12.1.2, Zones Z10-Z12 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-12.1.0-1, Zones Z10-Z12 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-12.1.0, Zones Z10-Z12 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-12.2.1-1, Zones Z10-Z12 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-12.2.1, Zones Z10-Z12 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-12.2.2-1, Zones Z10-Z12 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-12.2.2, Zones Z10-Z12 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-12.2.0-1, Zones Z10-Z12 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-12.2.0, Zones Z10-Z12 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-12.3.1-1, Zones Z10-Z12 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.3.1, Zones Z10-Z12 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.3.2-1, Zones Z10-Z12 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.3.2, Zones Z10-Z12 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.3.0-1, Zones Z10-Z12 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.3.0, Zones Z10-Z12 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.4.1-1, Zones Z10-Z12 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.4.1, Zones Z10-Z12 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.4.2-1, Zones Z10-Z12 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.4.2, Zones Z10-Z12 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.4.0-1, Zones Z10-Z12 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-12.4.0, Zones Z10-Z12 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-13.1.1-1, Zones Z11-Z13 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-13.1.1, Zones Z11-Z13 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-13.1.2-1, Zones Z11-Z13 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11-13.1.2, Zones Z11-Z13 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11-13.1.3-1, Zones Z11-Z13 Port, b1, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.1.3, Zones Z11-Z13 Port, b1, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.1.0-1, Zones Z11-Z13 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.1.0, Zones Z11-Z13 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.2.1-1, Zones Z11-Z13 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-13.2.1, Zones Z11-Z13 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-13.2.2-1, Zones Z11-Z13 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11-13.2.2, Zones Z11-Z13 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11-13.2.3-1, Zones Z11-Z13 Port, b2, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.2.3, Zones Z11-Z13 Port, b2, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.2.0-1, Zones Z11-Z13 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.2.0, Zones Z11-Z13 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.3.1-1, Zones Z11-Z13 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-13.3.1, Zones Z11-Z13 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-13.3.2-1, Zones Z11-Z13 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-13.3.2, Zones Z11-Z13 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-13.3.3-1, Zones Z11-Z13 Port, b3, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSF11-13.3.3, Zones Z11-Z13 Port, b3, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.3.0-1, Zones Z11-Z13 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.3.0, Zones Z11-Z13 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.4.1-1, Zones Z11-Z13 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-13.4.1, Zones Z11-Z13 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-13.4.2-1, Zones Z11-Z13 Port, b4, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-13.4.2, Zones Z11-Z13 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-13.4.3-1, Zones Z11-Z13 Port, b4, h3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.4.3, Zones Z11-Z13 Port, b4, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.4.0-1, Zones Z11-Z13 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-13.4.0, Zones Z11-Z13 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.1.1-1, Zones Z12-Z14 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12-14.1.1, Zones Z12-Z14 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12-14.1.2-1, Zones Z12-Z14 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.1.2, Zones Z12-Z14 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.1.0-1, Zones Z12-Z14 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.1.0, Zones Z12-Z14 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.2.1-1, Zones Z12-Z14 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-14.2.1, Zones Z12-Z14 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-14.2.2-1, Zones Z12-Z14 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.2.2, Zones Z12-Z14 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.2.0-1, Zones Z12-Z14 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.2.0, Zones Z12-Z14 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.3.1-1, Zones Z12-Z14 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-14.3.1, Zones Z12-Z14 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-14.3.2-1, Zones Z12-Z14 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.3.2, Zones Z12-Z14 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.3.0-1, Zones Z12-Z14 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-14.3.0, Zones Z12-Z14 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.1.1-1, Zones Z13-Z15 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

Damage case : SDSP13-15.1.1, Zones Z13-Z15 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

Damage case : SDSP13-15.1.2-1, Zones Z13-Z15 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.1.2, Zones Z13-Z15 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.1.0-1, Zones Z13-Z15 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.1.0, Zones Z13-Z15 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.2.1-1, Zones Z13-Z15 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-15.2.1, Zones Z13-Z15 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-15.2.2-1, Zones Z13-Z15 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.2.2, Zones Z13-Z15 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.2.0-1, Zones Z13-Z15 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.2.0, Zones Z13-Z15 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.3.1-1, Zones Z13-Z15 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-15.3.1, Zones Z13-Z15 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-15.3.2-1, Zones Z13-Z15 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.3.2, Zones Z13-Z15 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.3.0-1, Zones Z13-Z15 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.3.0, Zones Z13-Z15 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.4.1-1, Zones Z13-Z15 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-15.4.1, Zones Z13-Z15 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-15.4.2-1, Zones Z13-Z15 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.4.2, Zones Z13-Z15 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.4.0-1, Zones Z13-Z15 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-15.4.0, Zones Z13-Z15 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.1.1-1, Zones Z14-Z16 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |

Damage case : SDSP14-16.1.1-2, Zones Z14-Z16 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |

Damage case : SDSP14-16.1.1, Zones Z14-Z16 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |

Damage case : SDSP14-16.1.2-1, Zones Z14-Z16 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.1.2-2, Zones Z14-Z16 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.1.2, Zones Z14-Z16 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.1.0-1, Zones Z14-Z16 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.1.0-2, Zones Z14-Z16 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.1.0, Zones Z14-Z16 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.2.1-1, Zones Z14-Z16 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-16.2.1-2, Zones Z14-Z16 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-16.2.1, Zones Z14-Z16 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-16.2.2-1, Zones Z14-Z16 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.2.2-2, Zones Z14-Z16 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.2.2, Zones Z14-Z16 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.2.0-1, Zones Z14-Z16 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.2.0-2, Zones Z14-Z16 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.2.0, Zones Z14-Z16 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.3.1-1, Zones Z14-Z16 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-16.3.1-2, Zones Z14-Z16 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-16.3.1, Zones Z14-Z16 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-16.3.2-1, Zones Z14-Z16 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.3.2-2, Zones Z14-Z16 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.3.2, Zones Z14-Z16 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.3.0-1, Zones Z14-Z16 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.3.0-2, Zones Z14-Z16 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.3.0, Zones Z14-Z16 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.4.1-1, Zones Z14-Z16 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-16.4.1-2, Zones Z14-Z16 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-16.4.1, Zones Z14-Z16 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-16.4.2-1, Zones Z14-Z16 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.4.2-2, Zones Z14-Z16 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.4.2, Zones Z14-Z16 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.4.0-1, Zones Z14-Z16 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSF14-16.4.0-2, Zones Z14-Z16 Port, b4, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-16.4.0, Zones Z14-Z16 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.1.1-1, Zones Z15-Z17 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-17.1.1-2, Zones Z15-Z17 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-17.1.1, Zones Z15-Z17 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-17.1.2-1, Zones Z15-Z17 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.1.2-2, Zones Z15-Z17 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.1.2, Zones Z15-Z17 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.1.0-1, Zones Z15-Z17 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.1.0-2, Zones Z15-Z17 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.1.0, Zones Z15-Z17 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.2.1-1, Zones Z15-Z17 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-17.2.1-2, Zones Z15-Z17 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-17.2.1, Zones Z15-Z17 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-17.2.2-1, Zones Z15-Z17 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.2.2-2, Zones Z15-Z17 Port, b2, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.2.2, Zones Z15-Z17 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.2.0-1, Zones Z15-Z17 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.2.0-2, Zones Z15-Z17 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.2.0, Zones Z15-Z17 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.3.1-1, Zones Z15-Z17 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP15-17.3.1-2, Zones Z15-Z17 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP15-17.3.1, Zones Z15-Z17 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP15-17.3.2-1, Zones Z15-Z17 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.3.2-2, Zones Z15-Z17 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.3.2, Zones Z15-Z17 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.3.0-1, Zones Z15-Z17 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.3.0-2, Zones Z15-Z17 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.3.0, Zones Z15-Z17 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.4.1-1, Zones Z15-Z17 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSF15-17.4.1-2, Zones Z15-Z17 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP15-17.4.1, Zones Z15-Z17 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP15-17.4.2-1, Zones Z15-Z17 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.4.2-2, Zones Z15-Z17 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.4.2, Zones Z15-Z17 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.4.0-1, Zones Z15-Z17 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.4.0-2, Zones Z15-Z17 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-17.4.0, Zones Z15-Z17 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP16-18.1.1-1, Zones Z16-Z18 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP16-18.1.1, Zones Z16-Z18 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP16-18.1.2-1, Zones Z16-Z18 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.1.2, Zones Z16-Z18 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.1.0-1, Zones Z16-Z18 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.1.0, Zones Z16-Z18 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.2.1-1, Zones Z16-Z18 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP16-18.2.1, Zones Z16-Z18 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP16-18.2.2-1, Zones Z16-Z18 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.2.2, Zones Z16-Z18 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.2.0-1, Zones Z16-Z18 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.2.0, Zones Z16-Z18 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.3.1-1, Zones Z16-Z18 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP16-18.3.1, Zones Z16-Z18 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP16-18.3.2-1, Zones Z16-Z18 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.3.2, Zones Z16-Z18 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.3.0-1, Zones Z16-Z18 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP16-18.3.0, Zones Z16-Z18 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

Damage case : SDSP1-4.1.1-2, Zones Z01-Z04 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-4.1.1, Zones Z01-Z04 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-4.1.0-2, Zones Z01-Z04 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-4.1.0, Zones Z01-Z04 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-4.2.1-2, Zones Z01-Z04 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-4.2.1, Zones Z01-Z04 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-4.2.0-2, Zones Z01-Z04 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-4.2.0, Zones Z01-Z04 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-4.3.1-2, Zones Z01-Z04 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-4.3.1, Zones Z01-Z04 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-4.3.0-2, Zones Z01-Z04 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-4.3.0, Zones Z01-Z04 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-5.1.1-2, Zones Z02-Z05 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.1.1, Zones Z02-Z05 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.1.2-2, Zones Z02-Z05 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.1.2, Zones Z02-Z05 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.1.0-2, Zones Z02-Z05 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.1.0, Zones Z02-Z05 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.2.1-1, Zones Z02-Z05 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.2.1-2, Zones Z02-Z05 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.2.1, Zones Z02-Z05 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.2.2-1, Zones Z02-Z05 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.2.2-2, Zones Z02-Z05 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.2.2, Zones Z02-Z05 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.2.0-1, Zones Z02-Z05 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.2.0-2, Zones Z02-Z05 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.2.0, Zones Z02-Z05 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-5.3.1-1, Zones Z02-Z05 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-5.3.1-2, Zones Z02-Z05 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-5.3.1, Zones Z02-Z05 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-5.3.2-1, Zones Z02-Z05 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-5.3.2-2, Zones Z02-Z05 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-5.3.2, Zones Z02-Z05 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-5.3.0-1, Zones Z02-Z05 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-5.3.0-2, Zones Z02-Z05 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-5.3.0, Zones Z02-Z05 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP3-6.1.1-2, Zones Z03-Z06 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.1.1-3, Zones Z03-Z06 Port, b1, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.1.1, Zones Z03-Z06 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.1.2-2, Zones Z03-Z06 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.1.2-3, Zones Z03-Z06 Port, b1, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.1.2, Zones Z03-Z06 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.1.0-2, Zones Z03-Z06 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.1.0-3, Zones Z03-Z06 Port, b1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.1.0, Zones Z03-Z06 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.2.1-1, Zones Z03-Z06 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.2.1-2, Zones Z03-Z06 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.2.1-3, Zones Z03-Z06 Port, b2, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.2.1, Zones Z03-Z06 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.2.2-1, Zones Z03-Z06 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.2.2-2, Zones Z03-Z06 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.2.2-3, Zones Z03-Z06 Port, b2, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.2.2, Zones Z03-Z06 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.2.0-1, Zones Z03-Z06 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.2.0-2, Zones Z03-Z06 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.2.0-3, Zones Z03-Z06 Port, b2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.2.0, Zones Z03-Z06 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.3.1-1, Zones Z03-Z06 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.3.1-2, Zones Z03-Z06 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.3.1-3, Zones Z03-Z06 Port, b3, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.3.1, Zones Z03-Z06 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.3.2-1, Zones Z03-Z06 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.3.2-2, Zones Z03-Z06 Port, b3, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.3.2-3, Zones Z03-Z06 Port, b3, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.3.2, Zones Z03-Z06 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.3.0-1, Zones Z03-Z06 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.3.0-2, Zones Z03-Z06 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.3.0-3, Zones Z03-Z06 Port, b3, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.3.0, Zones Z03-Z06 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.4.1-1, Zones Z03-Z06 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.4.1-2, Zones Z03-Z06 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.4.1-3, Zones Z03-Z06 Port, b4, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.4.1, Zones Z03-Z06 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.4.2-1, Zones Z03-Z06 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.4.2-2, Zones Z03-Z06 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.4.2-3, Zones Z03-Z06 Port, b4, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.4.2, Zones Z03-Z06 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.4.0-1, Zones Z03-Z06 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.4.0-2, Zones Z03-Z06 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-6.4.0-3, Zones Z03-Z06 Port, b4, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-6.4.0, Zones Z03-Z06 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.1.1-1, Zones Z04-Z07 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.1.1-3, Zones Z04-Z07 Port, b1, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.1.1-4, Zones Z04-Z07 Port, b1, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.1.1, Zones Z04-Z07 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.1.2-1, Zones Z04-Z07 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.1.2-3, Zones Z04-Z07 Port, b1, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.1.2-4, Zones Z04-Z07 Port, b1, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.1.2, Zones Z04-Z07 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.1.0-1, Zones Z04-Z07 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.1.0-3, Zones Z04-Z07 Port, b1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.1.0-4, Zones Z04-Z07 Port, b1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.1.0, Zones Z04-Z07 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.1-1, Zones Z04-Z07 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.1-2, Zones Z04-Z07 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.1-3, Zones Z04-Z07 Port, b2, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.1-4, Zones Z04-Z07 Port, b2, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.2.1, Zones Z04-Z07 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.2-1, Zones Z04-Z07 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.2-2, Zones Z04-Z07 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.2-3, Zones Z04-Z07 Port, b2, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.2-4, Zones Z04-Z07 Port, b2, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.2.2, Zones Z04-Z07 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.0-1, Zones Z04-Z07 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.0-2, Zones Z04-Z07 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.0-3, Zones Z04-Z07 Port, b2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.2.0-4, Zones Z04-Z07 Port, b2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.2.0, Zones Z04-Z07 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.1-1, Zones Z04-Z07 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.1-2, Zones Z04-Z07 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.1-3, Zones Z04-Z07 Port, b3, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.1-4, Zones Z04-Z07 Port, b3, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.3.1, Zones Z04-Z07 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.2-1, Zones Z04-Z07 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.2-2, Zones Z04-Z07 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.2-3, Zones Z04-Z07 Port, b3, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.2-4, Zones Z04-Z07 Port, b3, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.3.2, Zones Z04-Z07 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.0-1, Zones Z04-Z07 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.0-2, Zones Z04-Z07 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.0-3, Zones Z04-Z07 Port, b3, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.3.0-4, Zones Z04-Z07 Port, b3, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.3.0, Zones Z04-Z07 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.1-1, Zones Z04-Z07 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.1-2, Zones Z04-Z07 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.1-3, Zones Z04-Z07 Port, b4, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.1-4, Zones Z04-Z07 Port, b4, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.4.1, Zones Z04-Z07 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.2-1, Zones Z04-Z07 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.2-2, Zones Z04-Z07 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.2-3, Zones Z04-Z07 Port, b4, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.2-4, Zones Z04-Z07 Port, b4, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.4.2, Zones Z04-Z07 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.0-1, Zones Z04-Z07 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.0-2, Zones Z04-Z07 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.0-3, Zones Z04-Z07 Port, b4, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-7.4.0-4, Zones Z04-Z07 Port, b4, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-7.4.0, Zones Z04-Z07 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP5-8.1.1-1, Zones Z05-Z08 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.1.1-3, Zones Z05-Z08 Port, b1, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.1.1, Zones Z05-Z08 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.1.2-1, Zones Z05-Z08 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.1.2-3, Zones Z05-Z08 Port, b1, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.1.2, Zones Z05-Z08 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.1.0-1, Zones Z05-Z08 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.1.0-3, Zones Z05-Z08 Port, b1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.1.0, Zones Z05-Z08 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.1-1, Zones Z05-Z08 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.1-2, Zones Z05-Z08 Port, b2, h1, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.1-3, Zones Z05-Z08 Port, b2, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.1, Zones Z05-Z08 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.2-1, Zones Z05-Z08 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.2-2, Zones Z05-Z08 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.2-3, Zones Z05-Z08 Port, b2, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.2, Zones Z05-Z08 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.0-1, Zones Z05-Z08 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.0-2, Zones Z05-Z08 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.0-3, Zones Z05-Z08 Port, b2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.2.0, Zones Z05-Z08 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.1-1, Zones Z05-Z08 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.1-2, Zones Z05-Z08 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.1-3, Zones Z05-Z08 Port, b3, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.1, Zones Z05-Z08 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.2-1, Zones Z05-Z08 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.2-2, Zones Z05-Z08 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.2-3, Zones Z05-Z08 Port, b3, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.2, Zones Z05-Z08 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.0-1, Zones Z05-Z08 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.0-2, Zones Z05-Z08 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.0-3, Zones Z05-Z08 Port, b3, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-8.3.0, Zones Z05-Z08 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP6-9.1.1-1, Zones Z06-Z09 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-9.1.1-2, Zones Z06-Z09 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-9.1.1, Zones Z06-Z09 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-9.1.2-1, Zones Z06-Z09 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.1.2-2, Zones Z06-Z09 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.1.2, Zones Z06-Z09 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.1.0-1, Zones Z06-Z09 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.1.0-2, Zones Z06-Z09 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.1.0, Zones Z06-Z09 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.2.1-1, Zones Z06-Z09 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-9.2.1-2, Zones Z06-Z09 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-9.2.1, Zones Z06-Z09 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-9.2.2-1, Zones Z06-Z09 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.2.2-2, Zones Z06-Z09 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.2.2, Zones Z06-Z09 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.2.0-1, Zones Z06-Z09 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.2.0-2, Zones Z06-Z09 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.2.0, Zones Z06-Z09 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.3.1-1, Zones Z06-Z09 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-9.3.1-2, Zones Z06-Z09 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-9.3.1, Zones Z06-Z09 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-9.3.2-1, Zones Z06-Z09 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.3.2-2, Zones Z06-Z09 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.3.2, Zones Z06-Z09 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.3.0-1, Zones Z06-Z09 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.3.0-2, Zones Z06-Z09 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-9.3.0, Zones Z06-Z09 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.1.1-1, Zones Z07-Z10 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-10.1.1, Zones Z07-Z10 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-10.1.2-1, Zones Z07-Z10 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.1.2, Zones Z07-Z10 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.1.0-1, Zones Z07-Z10 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.1.0, Zones Z07-Z10 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.2.1-1, Zones Z07-Z10 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-10.2.1, Zones Z07-Z10 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-10.2.2-1, Zones Z07-Z10 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.2.2, Zones Z07-Z10 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.2.0-1, Zones Z07-Z10 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.2.0, Zones Z07-Z10 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.3.1-1, Zones Z07-Z10 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-10.3.1, Zones Z07-Z10 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-10.3.2-1, Zones Z07-Z10 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.3.2, Zones Z07-Z10 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.3.0-1, Zones Z07-Z10 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-10.3.0, Zones Z07-Z10 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.1.1-1, Zones Z08-Z11 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-11.1.1, Zones Z08-Z11 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-11.1.2-1, Zones Z08-Z11 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.1.2, Zones Z08-Z11 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.1.0-1, Zones Z08-Z11 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.1.0, Zones Z08-Z11 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.2.1-1, Zones Z08-Z11 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-11.2.1, Zones Z08-Z11 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-11.2.2-1, Zones Z08-Z11 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.2.2, Zones Z08-Z11 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.2.0-1, Zones Z08-Z11 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.2.0, Zones Z08-Z11 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.3.1-1, Zones Z08-Z11 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-11.3.1, Zones Z08-Z11 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-11.3.2-1, Zones Z08-Z11 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.3.2, Zones Z08-Z11 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.3.0-1, Zones Z08-Z11 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-11.3.0, Zones Z08-Z11 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP9-12.1.1-1, Zones Z09-Z12 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-12.1.1, Zones Z09-Z12 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-12.1.2-1, Zones Z09-Z12 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-12.1.2, Zones Z09-Z12 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-12.1.0-1, Zones Z09-Z12 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-12.1.0, Zones Z09-Z12 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-12.2.1-1, Zones Z09-Z12 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-12.2.1, Zones Z09-Z12 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-12.2.2-1, Zones Z09-Z12 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-12.2.2, Zones Z09-Z12 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-12.2.0-1, Zones Z09-Z12 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-12.2.0, Zones Z09-Z12 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-12.3.1-1, Zones Z09-Z12 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.3.1, Zones Z09-Z12 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.3.2-1, Zones Z09-Z12 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.3.2, Zones Z09-Z12 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.3.0-1, Zones Z09-Z12 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.3.0, Zones Z09-Z12 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.4.1-1, Zones Z09-Z12 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.4.1, Zones Z09-Z12 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.4.2-1, Zones Z09-Z12 Port, b4, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.4.2, Zones Z09-Z12 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.4.0-1, Zones Z09-Z12 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-12.4.0, Zones Z09-Z12 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-13.1.1-1, Zones Z10-Z13 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-13.1.1, Zones Z10-Z13 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-13.1.2-1, Zones Z10-Z13 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-13.1.2, Zones Z10-Z13 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-13.1.3-1, Zones Z10-Z13 Port, b1, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.1.3, Zones Z10-Z13 Port, b1, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.1.0-1, Zones Z10-Z13 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.1.0, Zones Z10-Z13 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.2.1-1, Zones Z10-Z13 Port, b2, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-13.2.1, Zones Z10-Z13 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-13.2.2-1, Zones Z10-Z13 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-13.2.2, Zones Z10-Z13 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-13.2.3-1, Zones Z10-Z13 Port, b2, h3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.2.3, Zones Z10-Z13 Port, b2, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.2.0-1, Zones Z10-Z13 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.2.0, Zones Z10-Z13 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.3.1-1, Zones Z10-Z13 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-13.3.1, Zones Z10-Z13 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-13.3.2-1, Zones Z10-Z13 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-13.3.2, Zones Z10-Z13 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-13.3.3-1, Zones Z10-Z13 Port, b3, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.3.3, Zones Z10-Z13 Port, b3, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.3.0-1, Zones Z10-Z13 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.3.0, Zones Z10-Z13 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-13.4.1-1, Zones Z10-Z13 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-13.4.1, Zones Z10-Z13 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSPl0-13.4.2-1, Zones Z10-Z13 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSPl0-13.4.2, Zones Z10-Z13 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSPl0-13.4.3-1, Zones Z10-Z13 Port, b4, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSPI0-13.4.3, Zones Z10-Z13 Port, b4, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSPI0-13.4.0-1, Zones Z10-Z13 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSPI0-13.4.0, Zones Z10-Z13 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.1.1-1, Zones Z11-Z14 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-14.1.1, Zones Z11-Z14 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-14.1.2-1, Zones Z11-Z14 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11-14.1.2, Zones Z11-Z14 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11-14.1.3-1, Zones Z11-Z14 Port, b1, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.1.3, Zones Z11-Z14 Port, b1, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.1.0-1, Zones Z11-Z14 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.1.0, Zones Z11-Z14 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.2.1-1, Zones Z11-Z14 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-14.2.1, Zones Z11-Z14 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-14.2.2-1, Zones Z11-Z14 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11-14.2.2, Zones Z11-Z14 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11-14.2.3-1, Zones Z11-Z14 Port, b2, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.2.3, Zones Z11-Z14 Port, b2, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.2.0-1, Zones Z11-Z14 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.2.0, Zones Z11-Z14 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.3.1-1, Zones Z11-Z14 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-14.3.1, Zones Z11-Z14 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSPl1-14.3.2-1, Zones Z11-Z14 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSPl1-14.3.2, Zones Z11-Z14 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSPl1-14.3.3-1, Zones Z11-Z14 Port, b3, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSPl1-14.3.3, Zones Z11-Z14 Port, b3, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.3.0-1, Zones Z11-Z14 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.3.0, Zones Z11-Z14 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.4.1-1, Zones Z11-Z14 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-14.4.1, Zones Z11-Z14 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-14.4.2-1, Zones Z11-Z14 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-14.4.2, Zones Z11-Z14 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-14.4.3-1, Zones Z11-Z14 Port, b4, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.4.3, Zones Z11-Z14 Port, b4, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.4.0-1, Zones Z11-Z14 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.4.0, Zones Z11-Z14 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.5.1-1, Zones Z11-Z14 Port, b5, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-14.5.1, Zones Z11-Z14 Port, b5, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-14.5.2-1, Zones Z11-Z14 Port, b5, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-14.5.2, Zones Z11-Z14 Port, b5, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-14.5.3-1, Zones Z11-Z14 Port, b5, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.5.3, Zones Z11-Z14 Port, b5, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.5.0-1, Zones Z11-Z14 Port, b5, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-14.5.0, Zones Z11-Z14 Port, b5

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.1.1-1, Zones Z12-Z15 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12-15.1.1, Zones Z12-Z15 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12-15.1.2-1, Zones Z12-Z15 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.1.2, Zones Z12-Z15 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.1.0-1, Zones Z12-Z15 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.1.0, Zones Z12-Z15 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.2.1-1, Zones Z12-Z15 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-15.2.1, Zones Z12-Z15 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-15.2.2-1, Zones Z12-Z15 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.2.2, Zones Z12-Z15 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.2.0-1, Zones Z12-Z15 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.2.0, Zones Z12-Z15 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.3.1-1, Zones Z12-Z15 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-15.3.1, Zones Z12-Z15 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-15.3.2-1, Zones Z12-Z15 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSF12-15.3.2, Zones Z12-Z15 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.3.0-1, Zones Z12-Z15 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.3.0, Zones Z12-Z15 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.4.1-1, Zones Z12-Z15 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-15.4.1, Zones Z12-Z15 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-15.4.2-1, Zones Z12-Z15 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.4.2, Zones Z12-Z15 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.4.0-1, Zones Z12-Z15 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-15.4.0, Zones Z12-Z15 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.1.1-1, Zones Z13-Z16 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

Damage case : SDSP13-16.1.1-2, Zones Z13-Z16 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

Damage case : SDSP13-16.1.1, Zones Z13-Z16 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

Damage case : SDSP13-16.1.2-1, Zones Z13-Z16 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.1.2-2, Zones Z13-Z16 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.1.2, Zones Z13-Z16 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.1.0-1, Zones Z13-Z16 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.1.0-2, Zones Z13-Z16 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.1.0, Zones Z13-Z16 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.2.1-1, Zones Z13-Z16 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.2.1-2, Zones Z13-Z16 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.2.1, Zones Z13-Z16 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.2.2-1, Zones Z13-Z16 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.2.2-2, Zones Z13-Z16 Port, b2, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.2.2, Zones Z13-Z16 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.2.0-1, Zones Z13-Z16 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.2.0-2, Zones Z13-Z16 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.2.0, Zones Z13-Z16 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.3.1-1, Zones Z13-Z16 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.3.1-2, Zones Z13-Z16 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.3.1, Zones Z13-Z16 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.3.2-1, Zones Z13-Z16 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.3.2-2, Zones Z13-Z16 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.3.2, Zones Z13-Z16 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.3.0-1, Zones Z13-Z16 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.3.0-2, Zones Z13-Z16 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.3.0, Zones Z13-Z16 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.4.1-1, Zones Z13-Z16 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.4.1-2, Zones Z13-Z16 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.4.1, Zones Z13-Z16 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.4.2-1, Zones Z13-Z16 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.4.2-2, Zones Z13-Z16 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.4.2, Zones Z13-Z16 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.4.0-1, Zones Z13-Z16 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.4.0-2, Zones Z13-Z16 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.4.0, Zones Z13-Z16 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.5.1-1, Zones Z13-Z16 Port, b5, h1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.5.1-2, Zones Z13-Z16 Port, b5, h1, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.5.1, Zones Z13-Z16 Port, b5, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-16.5.2-1, Zones Z13-Z16 Port, b5, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.5.2-2, Zones Z13-Z16 Port, b5, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.5.2, Zones Z13-Z16 Port, b5, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.5.0-1, Zones Z13-Z16 Port, b5, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.5.0-2, Zones Z13-Z16 Port, b5, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-16.5.0, Zones Z13-Z16 Port, b5

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.1.1-1, Zones Z14-Z17 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-17.1.1-2, Zones Z14-Z17 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-17.1.1, Zones Z14-Z17 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-17.1.2-1, Zones Z14-Z17 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.1.2-2, Zones Z14-Z17 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.1.2, Zones Z14-Z17 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.1.0-1, Zones Z14-Z17 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.1.0-2, Zones Z14-Z17 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.1.0, Zones Z14-Z17 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.2.1-1, Zones Z14-Z17 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-17.2.1-2, Zones Z14-Z17 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-17.2.1, Zones Z14-Z17 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-17.2.2-1, Zones Z14-Z17 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.2.2-2, Zones Z14-Z17 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.2.2, Zones Z14-Z17 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.2.0-1, Zones Z14-Z17 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.2.0-2, Zones Z14-Z17 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.2.0, Zones Z14-Z17 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.3.1-1, Zones Z14-Z17 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-17.3.1-2, Zones Z14-Z17 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-17.3.1, Zones Z14-Z17 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-17.3.2-1, Zones Z14-Z17 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.3.2-2, Zones Z14-Z17 Port, b3, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSF14-17.3.2, Zones Z14-Z17 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.3.0-1, Zones Z14-Z17 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.3.0-2, Zones Z14-Z17 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.3.0, Zones Z14-Z17 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.4.1-1, Zones Z14-Z17 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-17.4.1-2, Zones Z14-Z17 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-17.4.1, Zones Z14-Z17 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-17.4.2-1, Zones Z14-Z17 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.4.2-2, Zones Z14-Z17 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.4.2, Zones Z14-Z17 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.4.0-1, Zones Z14-Z17 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.4.0-2, Zones Z14-Z17 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.4.0, Zones Z14-Z17 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.5.1-1, Zones Z14-Z17 Port, b5, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-17.5.1-2, Zones Z14-Z17 Port, b5, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-17.5.1, Zones Z14-Z17 Port, b5, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-17.5.2-1, Zones Z14-Z17 Port, b5, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.5.2-2, Zones Z14-Z17 Port, b5, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.5.2, Zones Z14-Z17 Port, b5, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.5.0-1, Zones Z14-Z17 Port, b5, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.5.0-2, Zones Z14-Z17 Port, b5, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-17.5.0, Zones Z14-Z17 Port, b5

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.1.1-1, Zones Z15-Z18 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-18.1.1-2, Zones Z15-Z18 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-18.1.1, Zones Z15-Z18 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-18.1.2-1, Zones Z15-Z18 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.1.2-2, Zones Z15-Z18 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.1.2, Zones Z15-Z18 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.1.0-1, Zones Z15-Z18 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.1.0-2, Zones Z15-Z18 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.1.0, Zones Z15-Z18 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.2.1-1, Zones Z15-Z18 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-18.2.1-2, Zones Z15-Z18 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-18.2.1, Zones Z15-Z18 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP15-18.2.2-1, Zones Z15-Z18 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.2.2-2, Zones Z15-Z18 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.2.2, Zones Z15-Z18 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.2.0-1, Zones Z15-Z18 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.2.0-2, Zones Z15-Z18 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.2.0, Zones Z15-Z18 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.3.1-1, Zones Z15-Z18 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP15-18.3.1-2, Zones Z15-Z18 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP15-18.3.1, Zones Z15-Z18 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

Damage case : SDSP15-18.3.2-1, Zones Z15-Z18 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.3.2-2, Zones Z15-Z18 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.3.2, Zones Z15-Z18 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.3.0-1, Zones Z15-Z18 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.3.0-2, Zones Z15-Z18 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.3.0, Zones Z15-Z18 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.4.1-1, Zones Z15-Z18 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP15-18.4.1-2, Zones Z15-Z18 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP15-18.4.1, Zones Z15-Z18 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP15-18.4.2-1, Zones Z15-Z18 Port, b4, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.4.2-2, Zones Z15-Z18 Port, b4, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.4.2, Zones Z15-Z18 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.4.0-1, Zones Z15-Z18 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.4.0-2, Zones Z15-Z18 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP15-18.4.0, Zones Z15-Z18 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP1-5.1.1-2, Zones Z01-Z05 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.1.1, Zones Z01-Z05 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.1.2-2, Zones Z01-Z05 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.1.2, Zones Z01-Z05 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.1.0-2, Zones Z01-Z05 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.1.0, Zones Z01-Z05 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.2.1-2, Zones Z01-Z05 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.2.1, Zones Z01-Z05 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.2.2-2, Zones Z01-Z05 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.2.2, Zones Z01-Z05 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.2.0-2, Zones Z01-Z05 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.2.0, Zones Z01-Z05 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.3.1-1, Zones Z01-Z05 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.3.1-2, Zones Z01-Z05 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.3.1, Zones Z01-Z05 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.3.2-1, Zones Z01-Z05 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.3.2-2, Zones Z01-Z05 Port, b3, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSF1-5.3.2, Zones Z01-Z05 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.3.0-1, Zones Z01-Z05 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.3.0-2, Zones Z01-Z05 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSP1-5.3.0, Zones Z01-Z05 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |

Damage case : SDSPl-5.4.1-1, Zones Z01-Z05 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSPl-5.4.1-2, Zones Z01-Z05 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSPl-5.4.1, Zones Z01-Z05 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSPl-5.4.2-1, Zones Z01-Z05 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSPl-5.4.2-2, Zones Z01-Z05 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSPl-5.4.2, Zones Z01-Z05 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-5.4.0-1, Zones Z01-Z05 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-5.4.0-2, Zones Z01-Z05 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP1-5.4.0, Zones Z01-Z05 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| 43P | fw | 0.95 | 285.7 | -6.05 | -5.04 | 8.76 |
| 43S | fw | 0.95 | 285.7 | -6.05 | 5.04 | 8.76 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.1.1-2, Zones Z02-Z06 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.1.1-3, Zones Z02-Z06 Port, b1, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.1.1, Zones Z02-Z06 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.1.2-2, Zones Z02-Z06 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.1.2-3, Zones Z02-Z06 Port, b1, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.1.2, Zones Z02-Z06 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.1.0-2, Zones Z02-Z06 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.1.0-3, Zones Z02-Z06 Port, b1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.1.0, Zones Z02-Z06 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.1-1, Zones Z02-Z06 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.1-2, Zones Z02-Z06 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.1-3, Zones Z02-Z06 Port, b2, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.1, Zones Z02-Z06 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.2-1, Zones Z02-Z06 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.2-2, Zones Z02-Z06 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.2-3, Zones Z02-Z06 Port, b2, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.2, Zones Z02-Z06 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.0-1, Zones Z02-Z06 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.0-2, Zones Z02-Z06 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.0-3, Zones Z02-Z06 Port, b2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.2.0, Zones Z02-Z06 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |

Damage case : SDSP2-6.3.1-1, Zones Z02-Z06 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.1-2, Zones Z02-Z06 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.1-3, Zones Z02-Z06 Port, b3, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | .0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.1, Zones Z02-Z06 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.2-1, Zones Z02-Z06 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.2-2, Zones Z02-Z06 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.2-3, Zones Z02-Z06 Port, b3, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.2, Zones Z02-Z06 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.0-1, Zones Z02-Z06 Port, b3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.0-2, Zones Z02-Z06 Port, b3, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.0-3, Zones Z02-Z06 Port, b3, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.3.0, Zones Z02-Z06 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.1-1, Zones Z02-Z06 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.1-2, Zones Z02-Z06 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.1-3, Zones Z02-Z06 Port, b4, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.1, Zones Z02-Z06 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.2-1, Zones Z02-Z06 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.2-2, Zones Z02-Z06 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.2-3, Zones Z02-Z06 Port, b4, h2, 1.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.2, Zones Z02-Z06 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.0-1, Zones Z02-Z06 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.0-2, Zones Z02-Z06 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.0-3, Zones Z02-Z06 Port, b4, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP2-6.4.0, Zones Z02-Z06 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |
| 42P | wb | 0.95 | 473.8 | -0.30 | -12.51 | 9.06 |
| C41 | Thruster room aft | 0.85 | 673.5 | 1.35 | -4.98 | 9.05 |
| C43 | Thr aft ps | 0.85 | 104.9 | 0.02 | -5.99 | 8.32 |

Damage case : SDSP3-7.1.1-1, Zones Z03-Z07 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.1.1-3, Zones Z03-Z07 Port, b1, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.1.1-4, Zones Z03-Z07 Port, b1, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.1.1, Zones Z03-Z07 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.1.2-1, Zones Z03-Z07 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.1.2-3, Zones Z03-Z07 Port, b1, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.1.2-4, Zones Z03-Z07 Port, b1, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.1.2, Zones Z03-Z07 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.1.0-1, Zones Z03-Z07 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.1.0-3, Zones Z03-Z07 Port, b1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.1.0-4, Zones Z03-Z07 Port, b1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.1.0, Zones Z03-Z07 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.1-1, Zones Z03-Z07 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.1-2, Zones Z03-Z07 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.1-3, Zones Z03-Z07 Port, b2, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.1-4, Zones Z03-Z07 Port, b2, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.2.1, Zones Z03-Z07 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.2-1, Zones Z03-Z07 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.2-2, Zones Z03-Z07 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.2-3, Zones Z03-Z07 Port, b2, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.2-4, Zones Z03-Z07 Port, b2, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.2.2, Zones Z03-Z07 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.0-1, Zones Z03-Z07 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.0-2, Zones Z03-Z07 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.0-3, Zones Z03-Z07 Port, b2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.2.0-4, Zones Z03-Z07 Port, b2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.2.0, Zones Z03-Z07 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.1-1, Zones Z03-Z07 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.1-2, Zones Z03-Z07 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.1-3, Zones Z03-Z07 Port, b3, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.1-4, Zones Z03-Z07 Port, b3, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.3.1, Zones Z03-Z07 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.2-1, Zones Z03-Z07 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.2-2, Zones Z03-Z07 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.2-3, Zones Z03-Z07 Port, b3, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.2-4, Zones Z03-Z07 Port, b3, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.3.2, Zones Z03-Z07 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.0-1, Zones Z03-Z07 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.0-2, Zones Z03-Z07 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.0-3, Zones Z03-Z07 Port, b3, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.3.0-4, Zones Z03-Z07 Port, b3, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.3.0, Zones Z03-Z07 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.1-1, Zones Z03-Z07 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.1-2, Zones Z03-Z07 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.1-3, Zones Z03-Z07 Port, b4, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.1-4, Zones Z03-Z07 Port, b4, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.4.1, Zones Z03-Z07 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.2-1, Zones Z03-Z07 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.2-2, Zones Z03-Z07 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.2-3, Zones Z03-Z07 Port, b4, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.2-4, Zones Z03-Z07 Port, b4, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.4.2, Zones Z03-Z07 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.0-1, Zones Z03-Z07 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.0-2, Zones Z03-Z07 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.0-3, Zones Z03-Z07 Port, b4, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP3-7.4.0-4, Zones Z03-Z07 Port, b4, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |

Damage case : SDSP3-7.4.0, Zones Z03-Z07 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 412C | WB roll red | 0.95 | 745.2 | 8.40 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.1.1-1, Zones Z04-Z08 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.1.1-3, Zones Z04-Z08 Port, b1, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.1.1-4, Zones Z04-Z08 Port, b1, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.1.1, Zones Z04-Z08 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.1.2-1, Zones Z04-Z08 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.1.2-3, Zones Z04-Z08 Port, b1, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.1.2-4, Zones Z04-Z08 Port, b1, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.1.2, Zones Z04-Z08 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.1.0-1, Zones Z04-Z08 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.1.0-3, Zones Z04-Z08 Port, b1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.1.0-4, Zones Z04-Z08 Port, b1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.1.0, Zones Z04-Z08 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.1-1, Zones Z04-Z08 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.1-2, Zones Z04-Z08 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.1-3, Zones Z04-Z08 Port, b2, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.1-4, Zones Z04-Z08 Port, b2, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.2.1, Zones Z04-Z08 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.2-1, Zones Z04-Z08 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.2-2, Zones Z04-Z08 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.2-3, Zones Z04-Z08 Port, b2, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.2-4, Zones Z04-Z08 Port, b2, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.2.2, Zones Z04-Z08 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.0-1, Zones Z04-Z08 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.0-2, Zones Z04-Z08 Port, b2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.0-3, Zones Z04-Z08 Port, b2, 1.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.2.0-4, Zones Z04-Z08 Port, b2, 1.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.2.0, Zones Z04-Z08 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.1-1, Zones Z04-Z08 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.1-2, Zones Z04-Z08 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.1-3, Zones Z04-Z08 Port, b3, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.1-4, Zones Z04-Z08 Port, b3, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.3.1, Zones Z04-Z08 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.2-1, Zones Z04-Z08 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.2-2, Zones Z04-Z08 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.2-3, Zones Z04-Z08 Port, b3, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.2-4, Zones Z04-Z08 Port, b3, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.3.2, Zones Z04-Z08 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.0-1, Zones Z04-Z08 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.0-2, Zones Z04-Z08 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.0-3, Zones Z04-Z08 Port, b3, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.3.0-4, Zones Z04-Z08 Port, b3, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.3.0, Zones Z04-Z08 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.1-1, Zones Z04-Z08 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.1-2, Zones Z04-Z08 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.1-3, Zones Z04-Z08 Port, b4, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.1-4, Zones Z04-Z08 Port, b4, h1, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.4.1, Zones Z04-Z08 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.2-1, Zones Z04-Z08 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.2-2, Zones Z04-Z08 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.2-3, Zones Z04-Z08 Port, b4, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.2-4, Zones Z04-Z08 Port, b4, h2, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.4.2, Zones Z04-Z08 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.0-1, Zones Z04-Z08 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.0-2, Zones Z04-Z08 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.0-3, Zones Z04-Z08 Port, b4, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP4-8.4.0-4, Zones Z04-Z08 Port, b4, l.ext4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |

Damage case : SDSP4-8.4.0, Zones Z04-Z08 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------|-------|-----------|----------|----------|----------|
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |
| 401C | wb | 0.95 | 383.9 | 3.59 | 0.00 | 4.18 |
| 410P | wb | 0.95 | 209.1 | 10.33 | -4.91 | 4.16 |
| 411C | WB roll red | 0.95 | 745.2 | 12.00 | 0.00 | 9.05 |
| 41P | wb | 0.95 | 49.3 | 10.62 | -12.10 | 4.76 |

Damage case : SDSP5-9.1.1-1, Zones Z05-Z09 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.1.1-3, Zones Z05-Z09 Port, b1, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.1.1, Zones Z05-Z09 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.1.2-1, Zones Z05-Z09 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.1.2-3, Zones Z05-Z09 Port, b1, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.1.2, Zones Z05-Z09 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.1.0-1, Zones Z05-Z09 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.1.0-3, Zones Z05-Z09 Port, b1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.1.0, Zones Z05-Z09 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.1-1, Zones Z05-Z09 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.1-2, Zones Z05-Z09 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.1-3, Zones Z05-Z09 Port, b2, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.1, Zones Z05-Z09 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.2-1, Zones Z05-Z09 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.2-2, Zones Z05-Z09 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.2-3, Zones Z05-Z09 Port, b2, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.2, Zones Z05-Z09 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.0-1, Zones Z05-Z09 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.0-2, Zones Z05-Z09 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.0-3, Zones Z05-Z09 Port, b2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.2.0, Zones Z05-Z09 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.1-1, Zones Z05-Z09 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.1-2, Zones Z05-Z09 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.1-3, Zones Z05-Z09 Port, b3, h1, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.1, Zones Z05-Z09 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.2-1, Zones Z05-Z09 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.2-2, Zones Z05-Z09 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.2-3, Zones Z05-Z09 Port, b3, h2, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.2, Zones Z05-Z09 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.0-1, Zones Z05-Z09 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.0-2, Zones Z05-Z09 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.0-3, Zones Z05-Z09 Port, b3, l.ext3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP5-9.3.0, Zones Z05-Z09 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 307C | wb | 0.95 | 148.4 | 18.64 | 0.00 | 1.54 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |
| 37P | void | 0.95 | 194.7 | 18.40 | -13.77 | 7.98 |

Damage case : SDSP6-10.1.1-1, Zones Z06-Z10 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-10.1.1-2, Zones Z06-Z10 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-10.1.1, Zones Z06-Z10 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-10.1.2-1, Zones Z06-Z10 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.1.2-2, Zones Z06-Z10 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.1.2, Zones Z06-Z10 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.1.0-1, Zones Z06-Z10 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.1.0-2, Zones Z06-Z10 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.1.0, Zones Z06-Z10 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.2.1-1, Zones Z06-Z10 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-10.2.1-2, Zones Z06-Z10 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-10.2.1, Zones Z06-Z10 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-10.2.2-1, Zones Z06-Z10 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.2.2-2, Zones Z06-Z10 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.2.2, Zones Z06-Z10 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.2.0-1, Zones Z06-Z10 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.2.0-2, Zones Z06-Z10 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.2.0, Zones Z06-Z10 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.3.1-1, Zones Z06-Z10 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-10.3.1-2, Zones Z06-Z10 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-10.3.1, Zones Z06-Z10 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |

Damage case : SDSP6-10.3.2-1, Zones Z06-Z10 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.3.2-2, Zones Z06-Z10 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.3.2, Zones Z06-Z10 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.3.0-1, Zones Z06-Z10 Port, b3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.3.0-2, Zones Z06-Z10 Port, b3, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP6-10.3.0, Zones Z06-Z10 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 306C | wb | 0.95 | 148.0 | 27.32 | 0.00 | 1.09 |
| 306P | wb | 0.95 | 29.4 | 27.89 | -8.81 | 1.37 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 313C | Cargo | 0.95 | 2974.6 | 23.06 | 0.00 | 5.31 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 323C | Cargo | 0.95 | 1769.0 | 22.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |
| 36P | void | 0.95 | 134.8 | 27.43 | -13.75 | 5.46 |
| 36UP | void | 0.95 | 84.2 | 27.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.1.1-1, Zones Z07-Z11 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-11.1.1, Zones Z07-Z11 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-11.1.2-1, Zones Z07-Z11 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.1.2, Zones Z07-Z11 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.1.0-1, Zones Z07-Z11 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.1.0, Zones Z07-Z11 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.2.1-1, Zones Z07-Z11 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-11.2.1, Zones Z07-Z11 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-11.2.2-1, Zones Z07-Z11 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.2.2, Zones Z07-Z11 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.2.0-1, Zones Z07-Z11 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.2.0, Zones Z07-Z11 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.3.1-1, Zones Z07-Z11 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-11.3.1, Zones Z07-Z11 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |

Damage case : SDSP7-11.3.2-1, Zones Z07-Z11 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.3.2, Zones Z07-Z11 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.3.0-1, Zones Z07-Z11 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP7-11.3.0, Zones Z07-Z11 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 305C | wb | 0.95 | 165.5 | 36.43 | 0.00 | 0.80 |
| 305P | wb | 0.95 | 64.9 | 36.80 | -9.69 | 0.95 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| 35P | void | 0.95 | 149.9 | 36.33 | -13.78 | 5.12 |
| 35UP | void | 0.95 | 84.2 | 36.30 | -13.80 | 10.55 |

Damage case : SDSP8-12.1.1-1, Zones Z08-Z12 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-12.1.1, Zones Z08-Z12 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-12.1.2-1, Zones Z08-Z12 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-12.1.2, Zones Z08-Z12 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-12.1.0-1, Zones Z08-Z12 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-12.1.0, Zones Z08-Z12 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-12.2.1-1, Zones Z08-Z12 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-12.2.1, Zones Z08-Z12 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |

Damage case : SDSP8-12.2.2-1, Zones Z08-Z12 Port, b2, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-12.2.2, Zones Z08-Z12 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-12.2.0-1, Zones Z08-Z12 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-12.2.0, Zones Z08-Z12 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |

Damage case : SDSP8-12.3.1-1, Zones Z08-Z12 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.3.1, Zones Z08-Z12 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.3.2-1, Zones Z08-Z12 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.3.2, Zones Z08-Z12 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.3.0-1, Zones Z08-Z12 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.3.0, Zones Z08-Z12 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.4.1-1, Zones Z08-Z12 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.4.1, Zones Z08-Z12 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.4.2-1, Zones Z08-Z12 Port, b4, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.4.2, Zones Z08-Z12 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.4.0-1, Zones Z08-Z12 Port, b4, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP8-12.4.0, Zones Z08-Z12 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 304C | wb | 0.95 | 178.2 | 45.30 | 0.00 | 0.75 |
| 304P | wb | 0.95 | 95.1 | 45.44 | -10.25 | 0.82 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| 34P | void | 0.95 | 153.4 | 45.30 | -13.80 | 5.05 |
| 34UP | void | 0.95 | 84.2 | 45.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-13.1.1-1, Zones Z09-Z13 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-13.1.1, Zones Z09-Z13 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-13.1.2-1, Zones Z09-Z13 Port, b1, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-13.1.2, Zones Z09-Z13 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-13.1.3-1, Zones Z09-Z13 Port, b1, h3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.1.3, Zones Z09-Z13 Port, b1, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.1.0-1, Zones Z09-Z13 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.1.0, Zones Z09-Z13 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.2.1-1, Zones Z09-Z13 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-13.2.1, Zones Z09-Z13 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

Damage case : SDSP9-13.2.2-1, Zones Z09-Z13 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-13.2.2, Zones Z09-Z13 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |

Damage case : SDSP9-13.2.3-1, Zones Z09-Z13 Port, b2, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.2.3, Zones Z09-Z13 Port, b2, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.2.0-1, Zones Z09-Z13 Port, b2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.2.0, Zones Z09-Z13 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.3.1-1, Zones Z09-Z13 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-13.3.1, Zones Z09-Z13 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-13.3.2-1, Zones Z09-Z13 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-13.3.2, Zones Z09-Z13 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-13.3.3-1, Zones Z09-Z13 Port, b3, h3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.3.3, Zones Z09-Z13 Port, b3, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.3.0-1, Zones Z09-Z13 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.3.0, Zones Z09-Z13 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.4.1-1, Zones Z09-Z13 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-13.4.1, Zones Z09-Z13 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-13.4.2-1, Zones Z09-Z13 Port, b4, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-13.4.2, Zones Z09-Z13 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP9-13.4.3-1, Zones Z09-Z13 Port, b4, h3, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.4.3, Zones Z09-Z13 Port, b4, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.4.0-1, Zones Z09-Z13 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP9-13.4.0, Zones Z09-Z13 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 303C | wb | 0.95 | 178.2 | 54.30 | 0.00 | 0.75 |
| 303P | wb | 0.95 | 105.2 | 54.33 | -10.52 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 312C | Cargo | 0.95 | 4830.8 | 45.30 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 322C | Cargo | 0.95 | 2653.6 | 45.30 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| 33P | void | 0.95 | 153.4 | 54.30 | -13.80 | 5.05 |
| 33UP | void | 0.95 | 84.2 | 54.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.1.1-1, Zones Z10-Z14 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-14.1.1, Zones Z10-Z14 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-14.1.2-1, Zones Z10-Z14 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-14.1.2, Zones Z10-Z14 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-14.1.3-1, Zones Z10-Z14 Port, b1, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.1.3, Zones Z10-Z14 Port, b1, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.1.0-1, Zones Z10-Z14 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.1.0, Zones Z10-Z14 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.2.1-1, Zones Z10-Z14 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-14.2.1, Zones Z10-Z14 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

Damage case : SDSP10-14.2.2-1, Zones Z10-Z14 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-14.2.2, Zones Z10-Z14 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |

Damage case : SDSP10-14.2.3-1, Zones Z10-Z14 Port, b2, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.2.3, Zones Z10-Z14 Port, b2, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.2.0-1, Zones Z10-Z14 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.2.0, Zones Z10-Z14 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.3.1-1, Zones Z10-Z14 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.3.1, Zones Z10-Z14 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.3.2-1, Zones Z10-Z14 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.3.2, Zones Z10-Z14 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.3.3-1, Zones Z10-Z14 Port, b3, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.3.3, Zones Z10-Z14 Port, b3, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.3.0-1, Zones Z10-Z14 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.3.0, Zones Z10-Z14 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.4.1-1, Zones Z10-Z14 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.4.1, Zones Z10-Z14 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.4.2-1, Zones Z10-Z14 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.4.2, Zones Z10-Z14 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.4.3-1, Zones Z10-Z14 Port, b4, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.4.3, Zones Z10-Z14 Port, b4, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.4.0-1, Zones Z10-Z14 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.4.0, Zones Z10-Z14 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.5.1-1, Zones Z10-Z14 Port, b5, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.5.1, Zones Z10-Z14 Port, b5, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.5.2-1, Zones Z10-Z14 Port, b5, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.5.2, Zones Z10-Z14 Port, b5, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP10-14.5.3-1, Zones Z10-Z14 Port, b5, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.5.3, Zones Z10-Z14 Port, b5, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.5.0-1, Zones Z10-Z14 Port, b5, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP10-14.5.0, Zones Z10-Z14 Port, b5

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 302C | wb | 0.95 | 178.2 | 63.30 | 0.00 | 0.75 |
| 302P | wb | 0.95 | 106.7 | 63.30 | -10.57 | 0.77 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| 32P | void | 0.95 | 153.4 | 63.30 | -13.80 | 5.05 |
| 32UP | void | 0.95 | 84.2 | 63.30 | -13.80 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.1.1-1, Zones Z11-Z15 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-15.1.1, Zones Z11-Z15 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-15.1.2-1, Zones Z11-Z15 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11-15.1.2, Zones Z11-Z15 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |

Damage case : SDSP11-15.1.3-1, Zones Z11-Z15 Port, b1, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.1.3, Zones Z11-Z15 Port, b1, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.1.0-1, Zones Z11-Z15 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.1.0, Zones Z11-Z15 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.2.1-1, Zones Z11-Z15 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-15.2.1, Zones Z11-Z15 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |

Damage case : SDSP11-15.2.2-1, Zones Z11-Z15 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11-15.2.2, Zones Z11-Z15 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |

Damage case : SDSP11-15.2.3-1, Zones Z11-Z15 Port, b2, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.2.3, Zones Z11-Z15 Port, b2, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.2.0-1, Zones Z11-Z15 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.2.0, Zones Z11-Z15 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.3.1-1, Zones Z11-Z15 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.3.1, Zones Z11-Z15 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.3.2-1, Zones Z11-Z15 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.3.2, Zones Z11-Z15 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.3.3-1, Zones Z11-Z15 Port, b3, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.3.3, Zones Z11-Z15 Port, b3, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.3.0-1, Zones Z11-Z15 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.3.0, Zones Z11-Z15 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.4.1-1, Zones Z11-Z15 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.4.1, Zones Z11-Z15 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.4.2-1, Zones Z11-Z15 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.4.2, Zones Z11-Z15 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.4.3-1, Zones Z11-Z15 Port, b4, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.4.3, Zones Z11-Z15 Port, b4, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.4.0-1, Zones Z11-Z15 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.4.0, Zones Z11-Z15 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.5.1-1, Zones Z11-Z15 Port, b5, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.5.1, Zones Z11-Z15 Port, b5, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.5.2-1, Zones Z11-Z15 Port, b5, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.5.2, Zones Z11-Z15 Port, b5, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.5.3-1, Zones Z11-Z15 Port, b5, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.5.3, Zones Z11-Z15 Port, b5, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.5.0-1, Zones Z11-Z15 Port, b5, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.5.0, Zones Z11-Z15 Port, b5

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.6.1-1, Zones Z11-Z15 Port, b6, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.6.1, Zones Z11-Z15 Port, b6, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.6.2-1, Zones Z11-Z15 Port, b6, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSF11-15.6.2, Zones Z11-Z15 Port, b6, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP11-15.6.3-1, Zones Z11-Z15 Port, b6, h3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.6.3, Zones Z11-Z15 Port, b6, h3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.6.0-1, Zones Z11-Z15 Port, b6, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP11-15.6.0, Zones Z11-Z15 Port, b6

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| 301C | wb | 0.95 | 178.2 | 72.30 | 0.00 | 0.75 |
| 301P | wb | 0.95 | 105.8 | 72.28 | -10.53 | 0.78 |
| 311C | Cargo | 0.95 | 3220.6 | 67.80 | 0.00 | 5.05 |
| 31P | void | 0.95 | 153.4 | 72.30 | -13.80 | 5.05 |
| 31UP | void | 0.95 | 84.2 | 72.30 | -13.80 | 10.55 |
| 321C | Cargo | 0.95 | 1769.0 | 67.80 | 0.00 | 10.55 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.1.1-1, Zones Z12-Z16 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12-16.1.1-2, Zones Z12-Z16 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12-16.1.1, Zones Z12-Z16 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |

Damage case : SDSP12-16.1.2-1, Zones Z12-Z16 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.1.2-2, Zones Z12-Z16 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.1.2, Zones Z12-Z16 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.1.0-1, Zones Z12-Z16 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.1.0-2, Zones Z12-Z16 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.1.0, Zones Z12-Z16 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|--------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.2.1-1, Zones Z12-Z16 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.2.1-2, Zones Z12-Z16 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.2.1, Zones Z12-Z16 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.2.2-1, Zones Z12-Z16 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.2.2-2, Zones Z12-Z16 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.2.2, Zones Z12-Z16 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.2.0-1, Zones Z12-Z16 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.2.0-2, Zones Z12-Z16 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.2.0, Zones Z12-Z16 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.3.1-1, Zones Z12-Z16 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.3.1-2, Zones Z12-Z16 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.3.1, Zones Z12-Z16 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.3.2-1, Zones Z12-Z16 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.3.2-2, Zones Z12-Z16 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.3.2, Zones Z12-Z16 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.3.0-1, Zones Z12-Z16 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.3.0-2, Zones Z12-Z16 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.3.0, Zones Z12-Z16 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.4.1-1, Zones Z12-Z16 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.4.1-2, Zones Z12-Z16 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.4.1, Zones Z12-Z16 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.4.2-1, Zones Z12-Z16 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.4.2-2, Zones Z12-Z16 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.4.2, Zones Z12-Z16 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.4.0-1, Zones Z12-Z16 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.4.0-2, Zones Z12-Z16 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.4.0, Zones Z12-Z16 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.5.1-1, Zones Z12-Z16 Port, b5, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.5.1-2, Zones Z12-Z16 Port, b5, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.5.1, Zones Z12-Z16 Port, b5, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP12-16.5.2-1, Zones Z12-Z16 Port, b5, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.5.2-2, Zones Z12-Z16 Port, b5, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.5.2, Zones Z12-Z16 Port, b5, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.5.0-1, Zones Z12-Z16 Port, b5, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.5.0-2, Zones Z12-Z16 Port, b5, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP12-16.5.0, Zones Z12-Z16 Port, b5

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 204C | wb | 0.95 | 327.3 | 80.67 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| 24P | wb | 0.95 | 257.4 | 80.70 | -13.50 | 7.00 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.1.1-1, Zones Z13-Z17 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP13-17.1.1-2, Zones Z13-Z17 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP13-17.1.1, Zones Z13-Z17 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP13-17.1.2-1, Zones Z13-Z17 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.1.2-2, Zones Z13-Z17 Port, b1, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.1.2, Zones Z13-Z17 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.1.0-1, Zones Z13-Z17 Port, b1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.1.0-2, Zones Z13-Z17 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.1.0, Zones Z13-Z17 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.2.1-1, Zones Z13-Z17 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP13-17.2.1-2, Zones Z13-Z17 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP13-17.2.1, Zones Z13-Z17 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP13-17.2.2-1, Zones Z13-Z17 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.2.2-2, Zones Z13-Z17 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.2.2, Zones Z13-Z17 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.2.0-1, Zones Z13-Z17 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.2.0-2, Zones Z13-Z17 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.2.0, Zones Z13-Z17 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.3.1-1, Zones Z13-Z17 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.3.1-2, Zones Z13-Z17 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.3.1, Zones Z13-Z17 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.3.2-1, Zones Z13-Z17 Port, b3, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.3.2-2, Zones Z13-Z17 Port, b3, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.3.2, Zones Z13-Z17 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.3.0-1, Zones Z13-Z17 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.3.0-2, Zones Z13-Z17 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.3.0, Zones Z13-Z17 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-----|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.4.1-1, Zones Z13-Z17 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.4.1-2, Zones Z13-Z17 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.4.1, Zones Z13-Z17 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.4.2-1, Zones Z13-Z17 Port, b4, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.4.2-2, Zones Z13-Z17 Port, b4, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.4.2, Zones Z13-Z17 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.4.0-1, Zones Z13-Z17 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.4.0-2, Zones Z13-Z17 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.4.0, Zones Z13-Z17 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.5.1-1, Zones Z13-Z17 Port, b5, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.5.1-2, Zones Z13-Z17 Port, b5, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.5.1, Zones Z13-Z17 Port, b5, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.5.2-1, Zones Z13-Z17 Port, b5, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.5.2-2, Zones Z13-Z17 Port, b5, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSF13-17.5.2, Zones Z13-Z17 Port, b5, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.5.0-1, Zones Z13-Z17 Port, b5, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.5.0-2, Zones Z13-Z17 Port, b5, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.5.0, Zones Z13-Z17 Port, b5

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.6.1-1, Zones Z13-Z17 Port, b6, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.6.1-2, Zones Z13-Z17 Port, b6, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.6.1, Zones Z13-Z17 Port, b6, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |

Damage case : SDSP13-17.6.2-1, Zones Z13-Z17 Port, b6, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.6.2-2, Zones Z13-Z17 Port, b6, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.6.2, Zones Z13-Z17 Port, b6, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.6.0-1, Zones Z13-Z17 Port, b6, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.6.0-2, Zones Z13-Z17 Port, b6, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP13-17.6.0, Zones Z13-Z17 Port, b6

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 203C | wb | 0.95 | 282.5 | 88.15 | 0.00 | 0.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| 23P | wb | 0.95 | 230.6 | 88.17 | -13.46 | 7.14 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| C21 | Engine room aft | 0.85 | 3960.0 | 84.30 | 0.00 | 7.00 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.1.1-1, Zones Z14-Z18 Port, b1, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-18.1.1-2, Zones Z14-Z18 Port, b1, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-18.1.1, Zones Z14-Z18 Port, b1, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-18.1.2-1, Zones Z14-Z18 Port, b1, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.1.2-2, Zones Z14-Z18 Port, b1, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.1.2, Zones Z14-Z18 Port, b1, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.1.0-1, Zones Z14-Z18 Port, b1, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.1.0-2, Zones Z14-Z18 Port, b1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.1.0, Zones Z14-Z18 Port, b1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.2.1-1, Zones Z14-Z18 Port, b2, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-18.2.1-2, Zones Z14-Z18 Port, b2, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-18.2.1, Zones Z14-Z18 Port, b2, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |

Damage case : SDSP14-18.2.2-1, Zones Z14-Z18 Port, b2, h2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.2.2-2, Zones Z14-Z18 Port, b2, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.2.2, Zones Z14-Z18 Port, b2, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.2.0-1, Zones Z14-Z18 Port, b2, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.2.0-2, Zones Z14-Z18 Port, b2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.2.0, Zones Z14-Z18 Port, b2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.3.1-1, Zones Z14-Z18 Port, b3, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-18.3.1-2, Zones Z14-Z18 Port, b3, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-18.3.1, Zones Z14-Z18 Port, b3, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-18.3.2-1, Zones Z14-Z18 Port, b3, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.3.2-2, Zones Z14-Z18 Port, b3, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.3.2, Zones Z14-Z18 Port, b3, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.3.0-1, Zones Z14-Z18 Port, b3, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.3.0-2, Zones Z14-Z18 Port, b3, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.3.0, Zones Z14-Z18 Port, b3

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.4.1-1, Zones Z14-Z18 Port, b4, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-18.4.1-2, Zones Z14-Z18 Port, b4, h1, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-18.4.1, Zones Z14-Z18 Port, b4, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-18.4.2-1, Zones Z14-Z18 Port, b4, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.4.2-2, Zones Z14-Z18 Port, b4, h2, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.4.2, Zones Z14-Z18 Port, b4, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.4.0-1, Zones Z14-Z18 Port, b4, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.4.0-2, Zones Z14-Z18 Port, b4, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.4.0, Zones Z14-Z18 Port, b4

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.5.1-1, Zones Z14-Z18 Port, b5, h1, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|-------------------|-------|-----------|----------|----------|----------|
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-18.5.1-2, Zones Z14-Z18 Port, b5, h1, 1.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-18.5.1, Zones Z14-Z18 Port, b5, h1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

Damage case : SDSP14-18.5.2-1, Zones Z14-Z18 Port, b5, h2, 1.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.5.2-2, Zones Z14-Z18 Port, b5, h2, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.5.2, Zones Z14-Z18 Port, b5, h2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur. | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur. | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.5.0-1, Zones Z14-Z18 Port, b5, l.ext1

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.5.0-2, Zones Z14-Z18 Port, b5, l.ext2

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

Damage case : SDSP14-18.5.0, Zones Z14-Z18 Port, b5

| COMP | DES | IPERM | VOL m3 | XCG m | YCG m | ZCG m |
|------|---------------------|-------|-----------|----------|----------|----------|
| 01C | WB | 0.95 | 559.4 | 128.24 | 0.00 | 7.05 |
| 101C | wb | 0.95 | 255.0 | 120.16 | 0.00 | 1.80 |
| 102C | wb | 0.95 | 414.3 | 111.94 | 0.00 | 1.73 |
| 10P | fw | 0.95 | 215.1 | 120.17 | -6.68 | 10.01 |
| 10S | FW | 0.95 | 215.1 | 120.17 | 6.68 | 10.01 |
| 11P | fw | 0.95 | 354.3 | 112.09 | -9.18 | 8.77 |
| 201C | wb | 0.95 | 199.7 | 104.26 | 0.00 | 0.79 |
| 202C | wb | 0.95 | 308.9 | 96.16 | 0.00 | 0.78 |
| 21P | wb | 0.95 | 347.1 | 104.42 | -11.11 | 7.92 |
| 22P | wb | 0.95 | 357.6 | 96.60 | -12.65 | 7.52 |
| C10 | Thruster room front | 0.85 | 721.5 | 120.19 | 0.00 | 7.53 |
| C11 | Thruster room front | 0.85 | 1031.2 | 111.95 | 0.00 | 7.85 |
| C20 | Engine room front | 0.85 | 3528.4 | 99.33 | 0.00 | 7.00 |
| R101 | Forpeak | 0.95 | 998.4 | 129.13 | 0.00 | 15.39 |
| R102 | Main superstructur | 0.95 | 2832.1 | 116.10 | 0.00 | 15.53 |
| R103 | Main superstructur | 0.95 | 4212.0 | 96.30 | 0.00 | 15.50 |

PART B-2

CALCULATION RESULTS FOR REGULATION 9

Regulation requirement: $S = 1$

TRIM: 0

DAMAGE DEFINITIONS FOR REGULATION 9

A total of 374 damages listed

DAMAGED COMPARTMENTS